
Karin Strigård

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/401447/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Full-thickness skin grafts to reinforce the abdominal wall: a cross-sectional histological study comparing intra- and extraperitoneal onlay positions in mice. Journal of Wound Care, 2022, 31, 48-55. | 0.5 | 3 |
| 2 | Long-term follow-up of full-thickness skin grafting in giant incisional hernia repair: a randomised controlled trial. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2022, 26, 473-479. | 0.9 | 9 |
| 3 | Could full thickness skin grafts in an onlay position be the new gold standard for incisional hernia repair? Author's reply. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2022, 26, 665. | 0.9 | Ο |
| 4 | Management of diastasis of the rectus abdominis muscles: recommendations for swedish national guidelines. Scandinavian Journal of Surgery, 2021, 110, 452-459. | 1.3 | 26 |
| 5 | Long-term follow-up after surgical repair of abdominal rectus diastasis: A Prospective Randomized Study. Scandinavian Journal of Surgery, 2021, 110, 283-289. | 1.3 | 8 |
| 6 | Autologous full-thickness skin graft as reinforcement in parastomal hernia repair: a feasibility study. Techniques in Coloproctology, 2021, 25, 131-136. | 0.8 | 3 |
| 7 | Rectal cancer patients from rural areas in northern Sweden report more pain and problems with stoma care than those from urban areas. Rural and Remote Health, 2021, 21, 5471. | 0.4 | 1 |
| 8 | Density of CD3+ and CD8+ Cells in the Microenvironment of Colorectal Cancer according to Prediagnostic Physical Activity. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 2317-2326. | 1.1 | 3 |
| 9 | Risk for developing perianal abscess in type 1 and type 2 diabetes and the impact of poor glycemic control. International Journal of Colorectal Disease, 2021, 36, 999-1005. | 1.0 | 8 |
| 10 | Surgical treatment of stoma-related hernias: retrospective cohort study of damage claims to the Swedish National Patient Insurance Company 2010–2016. BMC Surgery, 2021, 21, 390. | 0.6 | 1 |
| 11 | Autologous full-thickness skin graft as reinforcement in parastomal hernia repair: a randomised controlled trial. Trials, 2021, 22, 891. | 0.7 | 1 |
| 12 | Parastomal Hernia Repair; Seldom Performed and Seldom Reported: Results From a Nationwide Survey. Scandinavian Journal of Surgery, 2020, 109, 96-101. | 1.3 | 14 |
| 13 | Patient Reported Injuries After Ventral Hernia Repair. Scandinavian Journal of Surgery, 2019, 108, 30-35. | 1.3 | 7 |
| 14 | One-year outcome after repair of giant incisional hernia using synthetic mesh or full-thickness skin graft: a randomised controlled trial. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2019, 23, 355-361. | 0.9 | 17 |
| 15 | The Prognostic Importance of CD20+ B lymphocytes in Colorectal Cancer and the Relation to Other Immune Cell subsets. Scientific Reports, 2019, 9, 19997. | 1.6 | 97 |
| 16 | The Tensile Strength of Full-Thickness Skin: A Laboratory Study Prior to Its Use as Reinforcement in Parastomal Hernia Repair. Frontiers in Surgery, 2019, 6, 69. | 0.6 | 15 |
| 17 | Full-thickness skin graft vs. synthetic mesh in the repair of giant incisional hernia: a randomized controlled multicenter study. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2018, 22, 325-332. | 0.9 | 22 |
| 18 | Risk Factors for Surgical Complications in Ventral Hernia Repair. World Journal of Surgery, 2018, 42, 3528-3536. | 0.8 | 67 |

Karin Strigård

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Reply to Comment to: Full-thickness skin graft vs. synthetic mesh in the repair of giant incisional hernia: a randomized-controlled multicenter study. P. Agarwal, D. Sharma. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2018, 22, 1001-1001. | 0.9 | 0 |
| 20 | Evaluating full-thickness skin grafts in intraperitoneal onlay mesh position versus onlay position in mice. Journal of Surgical Research, 2018, 230, 155-163. | 0.8 | 9 |
| 21 | Quality of life in patients with a permanent stoma after rectal cancer surgery. Quality of Life Research, 2017, 26, 55-64. | 1.5 | 148 |
| 22 | Parastomal Hernia Repair with Intraperitoneal Mesh. Surgery Research and Practice, 2017, 2017, 1-6. | 0.1 | 12 |
| 23 | Statin consumption as a risk factor for developing colorectal cancer: a retrospective case study. World Journal of Surgical Oncology, 2017, 15, 222. | 0.8 | 7 |
| 24 | Predictive Factors in the Outcome of Surgical Repair of Abdominal Rectus Diastasis. Plastic and Reconstructive Surgery - Global Open, 2016, 4, e702. | 0.3 | 11 |
| 25 | Operative correction of abdominal rectus diastasis (ARD) reduces pain and improves abdominal wall muscle strength: A randomized, prospective trial comparing retromuscular mesh repair to double-row, self-retaining sutures. Surgery, 2016, 160, 1367-1375. | 1.0 | 72 |
| 26 | Giant ventral hernia—relationship between abdominal wall muscle strength and hernia area. BMC Surgery, 2016, 16, 50. | 0.6 | 16 |
| 27 | Congenital intestinal malrotation in adolescent and adult patients: a 12-year clinical and radiological survey. SpringerPlus, 2016, 5, 245. | 1.2 | 32 |
| 28 | Prevalence and recurrence rate of perianal abscess—a population-based study, Sweden 1997–2009. International Journal of Colorectal Disease, 2016, 31, 669-673. | 1.0 | 47 |
| 29 | Surgical outcome of mesh and suture repair in primary umbilical hernia: postoperative complications and recurrence. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2016, 20, 509-516. | 0.9 | 41 |
| 30 | Correlation between Abdominal Rectus Diastasis Width and Abdominal Muscle Strength. Digestive Surgery, 2015, 32, 112-116. | 0.6 | 28 |
| 31 | A comparison between intrastomal 3D ultrasonography, CT scanning and findings at surgery in patients with stomal complaints. International Journal of Colorectal Disease, 2014, 29, 1263-1266. | 1.0 | 19 |
| 32 | Analysis of the abdominal musculo-aponeurotic anatomy in rectus diastasis: comparison of CT scanning and preoperative clinical assessment with direct measurement intraoperatively. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2014, 18, 465-471. | 0.9 | 18 |
| 33 | Early complications, pain, and quality of life after reconstructive surgery for abdominal rectus muscle diastasis: A 3-month follow-up. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2014, 67, 1082-1088. | 0.5 | 47 |
| 34 | The Easy-X magnetic stoma connector system. A future concept for stomal dressing?. International Journal of Colorectal Disease, 2013, 28, 371-374. | 1.0 | 0 |
| 35 | Intrastomal 3D ultrasound; an inter- and intra-observer evaluation. International Journal of Colorectal Disease, 2013, 28, 43-47. | 1.0 | 10 |
| 36 | Validation of Biodex system 4 for measuring the strength of muscles in patients with rectus diastasis. Journal of Plastic Surgery and Hand Surgery, 2012, 46, 102-105. | 0.4 | 23 |

Karin Strigård

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Validation of a questionnaire for the assessment of pain following ventral hernia repair—the VHPQ. Langenbeck's Archives of Surgery, 2012, 397, 1219-1224. | 0.8 | 31 |
| 38 | Transcutaneous implant evacuation system: a new approach to continent stoma construction. Colorectal Disease, 2011, 13, e379-e382. | 0.7 | 5 |
| 39 | Different techniques for mesh application give the same abdominal muscle strength. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2011, 15, 65-68. | 0.9 | 20 |
| 40 | Assessment of abdominal muscle function using the Biodex System-4. Validity and reliability in healthy volunteers and patients with giant ventral hernia. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2011, 15, 417-421. | 0.9 | 38 |
| 41 | Repair of giant abdominal wall hernias with full-thickness skin transplants in high-risk patients. European Journal of Plastic Surgery, 2008, 31, 21-24. | 0.3 | 9 |
| 42 | Definitive reconstruction of full-thickness abdominal wall defects initially treated with skin grafting of exposed intestines. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2007, 11, 533-536. | 0.9 | 9 |
| 43 | Pharmacological administration of granulocyte/macrophage-colony-stimulating factor is of significant importance for the induction of a strong humoral and cellular response in patients immunized with recombinant carcinoembryonic antigen. Cancer Immunology, Immunotherapy, 1998, 47, 131-142. | 2.0 | 92 |
| 44 | Tumor recurrence associated with use of a percutaneous bladder catheter after surgery for large bowel carcinoma. International Journal of Colorectal Disease, 1996, 11, 122-122. | 1.0 | 0 |
| 45 | Oestrogen treatment reduces duration of experimental allergic neuritis in rats and suppresses T cell responses to myelin. Acta Neurologica Scandinavica, 1990, 81, 436-442. | 1.0 | 7 |
| 46 | Experimental allergic neuritis; studies on pathogenesis and immunoregulation. Acta Neurologica Scandinavica, Supplement, 1989, 123, 1-29. | 0.7 | 0 |
| 47 | T-Lymphocyte subsets, functional deficits, and morphology in sciatic nerves during experimental allergic neuritis. Muscle and Nerve, 1987, 10, 329-337. | 1.0 | 23 |