## Stefan Aebi

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4015957/publications.pdf

Version: 2024-02-01

91712 136740 5,060 117 32 69 h-index citations g-index papers 129 129 129 7327 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Primary breast cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Annals of Oncology, 2010, 21, v9-v14.	0.6	1,220
2	Is chemotherapy alone adequate for young women with oestrogen-receptor-positive breast cancer?. Lancet, The, 2000, 355, 1869-1874.	6.3	261
3	Characterization of male breast cancer: results of the EORTC 10085/TBCRC/BIG/NABCG International Male Breast Cancer Program. Annals of Oncology, 2018, 29, 405-417.	0.6	246
4	Tamoxifen After Adjuvant Chemotherapy for Premenopausal Women With Lymph Node-Positive Breast Cancer: International Breast Cancer Study Group Trial 13-93. Journal of Clinical Oncology, 2006, 24, 1332-1341.	0.8	215
5	Primary breast cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Annals of Oncology, 2011, 22, vi12-vi24.	0.6	197
6	Chemotherapy for isolated locoregional recurrence of breast cancer (CALOR): a randomised trial. Lancet Oncology, The, $2014$ , $15$ , $156-163$ .	5.1	171
7	First international consensus guidelines for breast cancer in young women (BCY1). Breast, 2014, 23, 209-220.	0.9	135
8	A Patient With BRAF V600E Lung Adenocarcinoma Responding to Vemurafenib. Journal of Thoracic Oncology, 2012, 7, e23-e24.	0.5	131
9	Dihydropyrimidine dehydrogenase gene variation and severe 5-fluorouracil toxicity: a haplotype assessment. Pharmacogenomics, 2009, 10, 931-944.	0.6	112
10	Assessment of Differences in Patient Populations Selected for or Excluded From Participation in Clinical Phase III Acute Myelogenous Leukemia Trials. Journal of Clinical Oncology, 2003, 21, 3933-3939.	0.8	108
11	Efficacy of Chemotherapy for ER-Negative and ER-Positive Isolated Locoregional Recurrence of Breast Cancer: Final Analysis of the CALOR Trial. Journal of Clinical Oncology, 2018, 36, 1073-1079.	0.8	102
12	A Patient with Lung Adenocarcinoma and RET Fusion Treated with Vandetanib. Journal of Thoracic Oncology, 2013, 8, e43-e44.	0.5	101
13	The effect of real-time electronic monitoring of patient-reported symptoms and clinical syndromes in outpatient workflow of medical oncologists: E-MO AIC, a multicenter cluster-randomized phase III study (SAKK 95/06). Annals of Oncology, 2016, 27, 324-332.	0.6	101
14	CA15-3 and alkaline phosphatase as predictors for breast cancer recurrence: a combined analysis of seven International Breast Cancer Study Group trials. Annals of Oncology, 2007, 18, 701-708.	0.6	95
15	Clinical importance of risk variants in the dihydropyrimidine dehydrogenase gene for the prediction of earlyâ€onset fluoropyrimidine toxicity. International Journal of Cancer, 2015, 136, 730-739.	2.3	95
16	Extended adjuvant intermittent letrozole versus continuous letrozole in postmenopausal women with breast cancer (SOLE): a multicentre, open-label, randomised, phase 3 trial. Lancet Oncology, The, 2018, 19, 127-138.	5.1	91
17	A Cost-Effectiveness Analysis of Nivolumab versus Docetaxel for Advanced Nonsquamous NSCLC Including PD-L1 Testing. Journal of Thoracic Oncology, 2016, 11, 1846-1855.	0.5	80
18	Maastricht Delphi Consensus on Event Definitions for Classification of Recurrence in Breast Cancer Research. Journal of the National Cancer Institute, $2014, 106, .$	3.0	73

#	Article	IF	CITATIONS
19	Anastrozole (â€~Arimidex') versus tamoxifen as first-line therapy in postmenopausal women with advanced breast cancer: Results of the double-blind cross-over SAKK trial 21/95 - a sub-study of the TARGET (Tamoxifen or â€~Arimidex' Randomized Group Efficacy and Tolerability) trial. Breast Cancer Research and Treatment, 2004, 85, 247-254.	1.1	69
20	Multicycle Dose-Intensive Chemotherapy for Women With High-Risk Primary Breast Cancer: Results of International Breast Cancer Study Group Trial 15-95. Journal of Clinical Oncology, 2006, 24, 370-378.	0.8	67
21	Adjuvant Chemotherapy Followed By Goserelin Compared With Either Modality Alone: The Impact on Amenorrhea, Hot Flashes, and Quality of Life in Premenopausal Patients—The International Breast Cancer Study Group Trial VIII. Journal of Clinical Oncology, 2007, 25, 263-270.	0.8	61
22	Bcl-xl antisense oligonucleotides induce apoptosis and increase sensitivity of pancreatic cancer cells to gemcitabine. International Journal of Cancer, 2001, 94, 268-274.	2.3	60
23	Adherence to ESMO clinical recommendations for prophylaxis of chemotherapy-induced nausea and vomiting. Supportive Care in Cancer, 2012, 20, 141-147.	1.0	56
24	Expression profiling with RNA from formalin-fixed, paraffin-embedded material. BMC Medical Genomics, 2008, 1, 9.	0.7	52
25	Epithelial ovarian carcinoma: ESMO Clinical Recommendations for diagnosis, treatment and follow-up. Annals of Oncology, 2008, 19, ii14-ii16.	0.6	50
26	Differential efficacy of three cycles of CMF followed by tamoxifen in patients with ER-positive and ER-negative tumors: Long-term follow up on IBCSG Trial IX. Annals of Oncology, 2011, 22, 1981-1987.	0.6	47
27	MET Inhibition Results in DNA Breaks and Synergistically Sensitizes Tumor Cells to DNA-Damaging Agents Potentially by Breaching a Damage-Induced Checkpoint Arrest. Genes and Cancer, 2010, 1, 1053-1062.	0.6	42
28	Nivolumab for recurrent cutaneous squamous cell carcinoma: three cases. European Journal of Dermatology, 2018, 28, 78-81.	0.3	42
29	Differential expression of p73 splice variants and protein in benign and malignant ovarian tumours. International Journal of Cancer, 2000, 88, 66-70.	2.3	41
30	Controversies of adjuvant endocrine treatment for breast cancer and recommendations of the 2007 St Gallen conference. Lancet Oncology, The, 2007, 8, 940-949.	5.1	40
31	Determination of 5-fluorouracil and 5-fluoro-2′-deoxyuridine-5′-monophosphate in pancreatic cancer cell line and other biological materials using capillary electrophoresis. Journal of Chromatography A, 2001, 916, 215-224.	1.8	36
32	Bone mineral density in breast cancer patients treated with adjuvant letrozole, tamoxifen, or sequences of letrozole and tamoxifen in the BIG 1-98 study (SAKK $21/07$ ). Annals of Oncology, 2012, 23, 1474-1481.	0.6	35
33	Response to Pembrolizumab in a Patient with Relapsing Thymoma. Journal of Thoracic Oncology, 2016, 11, e147-e149.	0.5	33
34	Activity of Gemcitabine and Continuous Infusion Fluorouracil in Advanced Pancreatic Cancer. Oncology, 2001, 60, 43-48.	0.9	32
35	A high-resolution allelotype of B-cell chronic lymphocytic leukemia (B-CLL). Blood, 2002, 100, 1787-1794.	0.6	32
36	Prognosis of dermal lymphatic invasion with or without clinical signs of inflammatory breast cancer. International Journal of Cancer, 2004, 109, 144-148.	2.3	31

#	Article	IF	CITATIONS
37	Novel Genetic Variants in Carboxylesterase 1 Predict Severe Earlyâ€Onset Capecitabineâ€Related Toxicity. Clinical Pharmacology and Therapeutics, 2017, 102, 796-804.	2.3	30
38	Poor Prognosis After Second Locoregional Recurrences in the CALOR Trial. Annals of Surgical Oncology, 2017, 24, 398-406.	0.7	29
39	Hypermethylation of the DPYD promoter region is not a major predictor of severe toxicity in 5-fluorouracil based chemotherapy. Journal of Experimental and Clinical Cancer Research, 2008, 27, 54.	3.5	28
40	A randomized crossover trial assessing patient preference for two different types of portable infusion-pump devices. Annals of Oncology, 1999, 10, 727-729.	0.6	27
41	A nurse is a nurse? A systematic review of the effectiveness of specialised nursing in breast cancer. European Journal of Cancer, 2006, 42, 3117-3126.	1.3	27
42	Progress on BIG 1-02/IBCSG 27-02/NSABP B-37, a Prospective Randomized Trial Evaluating Chemotherapy after Local Therapy for Isolated Locoregional Recurrences of Breast Cancer. Annals of Surgical Oncology, 2008, 15, 3227-3231.	0.7	26
43	Fluoropyrimidine chemotherapy: recommendations for DPYD genotyping and therapeutic drug monitoring of the Swiss Group of Pharmacogenomics and Personalised Therapy. Swiss Medical Weekly, 2020, 150, w20375.	0.8	26
44	Rapid Response to Trastuzumab Emtansine in a Patient with HER2-Driven Lung Cancer. Journal of Thoracic Oncology, 2015, 10, e16-e17.	0.5	25
45	Do all patients with advanced HER2 positive breast cancer need upfront-chemo when receiving trastuzumab? Randomized phase III trial SAKK 22/99. Annals of Oncology, 2017, 28, 305-312.	0.6	25
46	Activity of raltitrexed and gemcitabine in advanced pancreatic cancer. Annals of Oncology, 2003, 14, 574-579.	0.6	23
47	A Randomized Clinical Trial of Adjuvant Chemotherapy for Radically Resected Locoregional Relapse of Breast Cancer: IBCSG 27-02, BIG 1-02, and NSABP B-37. Clinical Breast Cancer, 2008, 8, 287-292.	1.1	23
48	Brain metastases in gastro-oesophageal adenocarcinoma: insights into the role of the human epidermal growth factor receptor 2 (HER2). British Journal of Cancer, 2015, 113, 716-721.	2.9	23
49	Combination chemotherapy with high-dose methotrexate and cytarabine with or without brain irradiation for primary central nervous system lymphomas. Journal of Neuro-Oncology, 2002, 59, 227-230.	1.4	20
50	Abstract S6-05: Characterization of male breast cancer: First results of the EORTC10085/TBCRC/BIG/NABCG International Male BC Program., 2015,,.		20
51	Capecitabine with Weekly Paclitaxel for Advanced Breast Cancer: A Phase I Dose-Finding Trial. Oncology, 2004, 67, 117-122.	0.9	17
52	Evaluating the role of ENOSF1 and TYMS variants as predictors in fluoropyrimidine-related toxicities: An IPD meta-analysis. Pharmacological Research, 2020, 152, 104594.	3.1	17
53	Epidermal growth factor enhances cisplatin-induced apoptosis by a caspase 3 independent pathway. Cancer Chemotherapy and Pharmacology, 2001, 47, 397-403.	1.1	16
54	Continuous versus intermittent extended adjuvant letrozole for breast cancer: final results of randomized phase III SOLE (Study of Letrozole Extension) and SOLE Estrogen Substudy. Annals of Oncology, 2021, 32, 1256-1266.	0.6	16

#	Article	IF	Citations
55	The effect of endocrine responsiveness on high-risk breast cancer treated with dose-intensive chemotherapy: results of International Breast Cancer Study Group Trial 15-95 after prolonged follow-up. Annals of Oncology, 2009, 20, 1344-1351.	0.6	15
56	Special issues related to the adjuvant therapy in very young women. Breast, 2005, 14, 594-599.	0.9	13
57	Adjuvant treatment recommendations for patients with ER-positive/HER2-negative early breast cancer by Swiss tumor boards using the 21-gene recurrence score (SAKK 26/10). BMC Cancer, 2017, 17, 265.	1.1	13
58	Increase in tumor GADD153 mRNA level following treatment correlates with response to paclitaxel. Cancer Chemotherapy and Pharmacology, 2000, 45, 381-388.	1.1	12
59	Infiltrating Lobular Carcinoma of the Breast: Systemic Treatment. Breast Disease, 2009, 30, 45-52.	0.4	12
60	Dihydropyrimidinase and $\hat{l}^2$ -ureidopropionase gene variation and severe fluoropyrimidine-related toxicity. Pharmacogenomics, 2015, 16, 1367-1377.	0.6	12
61	Treatment of Premenopausal Women with Early Breast Cancer. Drugs, 2007, 67, 1393-1401.	4.9	11
62	Anemia during adjuvant non-taxane chemotherapy for early breast cancer: Incidence and risk factors from two trials of the International Breast Cancer Study Group. Supportive Care in Cancer, 2008, 16, 67-74.	1.0	11
63	Angiosarcoma of the scalp responding to nivolumab: a case report. British Journal of Dermatology, 2018, 179, 530-531.	1.4	11
64	Abstract S3-2: Chemotherapy prolongs survival for isolated local or regional recurrence of breast cancer: The CALOR trial (Chemotherapy as Adjuvant for Locally Recurrent breast cancer; IBCSG 27-02,) Tj ETQqC	0 0 rgBT /	'Ovverlock 10 <sup>-</sup>
65	Clinical Implementation of DPYD Pharmacogenetic Testing to Prevent Early-Onset Fluoropyrimidine-Related Toxicity in Cancer Patients in Switzerland. Frontiers in Pharmacology, 2022, 13, .	1.6	11
66	Efficacy and Tolerability of Capecitabine with Weekly Paclitaxel for Patients with Metastatic Breast Cancer: A Phase II Report of the SAKK. Oncology, 2006, 71, 54-60.	0.9	9
67	Molecular risk assessment of BIG 1-98 participants by expression profiling using RNA from archival tissue. BMC Cancer, 2010, 10, 37.	1.1	9
68	SOLE (Study of Letrozole Extension): A phase III randomized clinical trial of continuous vs intermittent letrozole in postmenopausal women who have received 4-6 years of adjuvant endocrine therapy for lymph node-positive, early breast cancer (BC) Journal of Clinical Oncology, 2017, 35, 503-503.	0.8	9
69	Locally advanced breast cancer. Breast, 2021, , .	0.9	9
70	Trastuzumab Treatment beyond Progression in Advanced Breast Cancer: Patterns of Care in Six Swiss Breast Cancer Centers. Oncology, 2011, 81, 160-166.	0.9	8
71	Medical treatment of nasal squamous papilloma with imiquimod cream. Journal of Laryngology and Otology, 2003, 117, 720-722.	0.4	7
72	Bone mineral density and circulating biomarkers in the BIG 1-98 trial comparing adjuvant letrozole, tamoxifen and their sequences. Breast Cancer Research and Treatment, 2014, 144, 321-329.	1.1	7

#	Article	IF	Citations
73	Characterization of molecular scores and gene expression signatures in primary breast cancer, local recurrences and brain metastases. BMC Cancer, 2019, 19, 549.	1.1	7
74	Long-term responders to trastuzumab monotherapy in first-line HER-2+ advanced breast cancer: characteristics and survival data. BMC Cancer, 2019, 19, 902.	1.1	6
75	PRO_10 – A New Tissue-Based Prognostic Multigene Marker in Patients with Early Estrogen Receptor-Positive Breast Cancer. Pathobiology, 2011, 78, 140-148.	1.9	5
76	Mutation Profiling of Lung Cancers with Long-Term Response to Gefitinib Therapy. Oncology Research and Treatment, 2015, 38, 560-569.	0.8	5
77	Spotlight on pomalidomide: could less be more?. Leukemia, 2017, 31, 1987-1989.	3.3	5
78	Population-level effect of molecular testing and targeted therapy in patients with advanced pulmonary adenocarcinoma: a prospective cohort study. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2018, 472, 581-588.	1.4	5
79	Quality of life under extended continuous versus intermittent adjuvant letrozole in lymph node-positive, early breast cancer patients: the SOLE randomised phase 3 trial. British Journal of Cancer, 2019, 120, 959-967.	2.9	5
80	Genomic Aberrations and Late Recurrence in Postmenopausal Women with Hormone Receptor–positive Early Breast Cancer: Results from the SOLE Trial. Clinical Cancer Research, 2021, 27, 504-512.	3.2	5
81	Divergent Expression of Cclin-Dependent Kinase Inhibitors (CKI) And p14ARF/p16β in Non-Hodgkin's Lymphomas and Chronic Lymphocytic Leukemia. Leukemia and Lymphoma, 2000, 37, 639-648.	0.6	4
82	Evaluation of multiple transcriptomic gene risk signatures in male breast cancer. Npj Breast Cancer, 2021, 7, 98.	2.3	4
83	Intensive chemotherapy with whole blood stem-cell support and concurrent chest radiotherapy in small cell lung cancer: a phase I/II trial. Lung Cancer, 2002, 36, 321-326.	0.9	3
84	Adjuvant endocrine therapy for the very young patients. Breast, 2003, 12, 509-515.	0.9	3
85	Chemotherapy - overview and future perspectives. Breast, 2006, 15, S11-S14.	0.9	3
86	Complement Activation and Rituximab Distribution in CNS NHLâ€"Letter. Clinical Cancer Research, 2015, 21, 490-490.	3.2	3
87	The impact of ABCC11 polymorphisms on the risk of early-onset fluoropyrimidine toxicity. Pharmacogenomics Journal, 2017, 17, 319-324.	0.9	3
88	False negatives in oestrogen-receptor assay. Lancet, The, 2000, 356, 944-945.	6.3	2
89	Routine adjuvant use of bisphosphonates in breast cancer Arguments in favour and against. Critical Reviews in Oncology/Hematology, 2010, 74, S11-S15.	2.0	2
90	Optimal Sequence of Tamoxifen and Aromatase Inhibitors to Prevent Bone Loss. Journal of Clinical Oncology, 2013, 31, 3440-3441.	0.8	2

#	Article	IF	CITATIONS
91	Successful AZD9291 Therapy Based on Circulating T790M. Journal of Thoracic Oncology, 2015, 10, e122-e124.	0.5	2
92	Bone mineral density (BMD) in participants (pts) of trial BIG 1-98 comparing adjuvant letrozole (L) versus tamoxifen (T) or their sequence Journal of Clinical Oncology, 2011, 29, 516-516.	0.8	2
93	Long-term follow-up of concurrent radiotherapy and chemotherapy for locally advanced cervical cancer: 12-Year survival after radiochemotherapy. International Journal of Oncology, 2002, 20, 1313.	1.4	1
94	Endometrial cancer: a frequent orphan disease. Annals of Oncology, 2004, 15, 1149-1150.	0.6	1
95	1943 Adjuvant treatment recommendations for ER+ early breast cancer patients by Swiss tumor boards (SAKK 26/10). European Journal of Cancer, 2015, 51, S313.	1.3	1
96	P3.07-001 Nivolumab for Patients with Advanced Non-Squamous Non-Small Cell Lung Cancer: A Cost-Effectiveness Analysis including PD-L1 Testing. Journal of Thoracic Oncology, 2017, 12, S1430-S1431.	0.5	1
97	A Vexing CA 125 Raise in a Patient with Pleural Effusion and Ovarian Cancer. Respiration, 2017, 94, 312-312.	1.2	1
98	Letter comments on EJC published article: Phase I feasibility study for intrathecal administration of trastuzumab in patients with HER2–positive breast carcinomatous meningitis. European Journal of Cancer, 2018, 103, 279-280.	1.3	1
99	Differential expression of p73 splice variants and protein in benign and malignant ovarian tumours., 2000, 88, 66.		1
100	Abstract P6-07-06: Patterns of locoregional failure in the CALOR (Chemotheraphy as Adjuvant for) Tj ETQq0 0 0	rgBT /Ove	rlock 10 Tf 50
101	Chemotherapy (CT) for isolated locoregional recurrence (ILRR) of breast cancer in ER-positive (ER+) and ER-negative (ER-) cohorts: Final analysis of the CALOR trial Journal of Clinical Oncology, 2017, 35, 513-513.	0.8	1
102	Increased sensitivity to gemcitabine following Bcl-xL antisense treatment in pancreatic cancer cells. Gastroenterology, 2000, 118, A521.	0.6	0
103	Reply to â€~Staging for distant metastases in operable breast cancer: a suggested expansion of the ESMO guideline recommendation for staging imaging of node-negative, hormonal receptor-negative disease' by U. Gueth et al. Annals of Oncology, 2013, 24, 557.	0.6	0
104	1971 A correlative study of Ki67 and two multigene RNA expression signatures in operable ER-positive postmenopausal breast cancer (SAKK 26/10). European Journal of Cancer, 2015, 51, S324.	1.3	0
105	Intravascular large B‑cell lymphoma. Memo - Magazine of European Medical Oncology, 2016, 9, 59-62.	0.3	0
106	Long-term responders to trastuzumab monotherapy in the first-line metastatic setting: characteristics and survival data (SAKK 22/99 Trial). Annals of Oncology, 2017, 28, v99.	0.6	0
107	Locoregional Recurrence After Mastectomy. , 2018, , 808-813.e3.		0
108	345P Optimal dose of eribulin as first line treatment in elderly patients ≥ 70 years with advanced breast cancer: A multicenter phase II trial [SAKK 25/14]. Annals of Oncology, 2020, 31, S385.	0.6	0

#	Article	lF	CITATIONS
109	Abstract OT-26-02: Phase III open-label, multicenter, randomized trial of adjuvant palbociclib in combination with endocrine therapy versus endocrine therapy alone for patients with hormone receptor-positive / HER2-negative resected isolated locoregional recurrence of breast cancer - The POLAR Trial 2021		O
110	The Voice of a Special Patient. Cancer Treatment and Research, 2009, 151, 461-466.	0.2	0
111	Modelling Bone Mineral Density in Swiss Breast Cancer Patients Treated with Letrozole, Tamoxifen and Sequences of Letrozole and Tamoxifen in the BIG 1-98 Study (SAKK 21/07) , 2009, , .		0
112	Trastuzumab (T) treatment beyond progression in metastatic breast cancer (MBC): Patterns of care in Swiss clinical practice Journal of Clinical Oncology, 2010, 28, 1146-1146.	0.8	0
113	Abstract P2-16-07: hMMP9 as Predictive Factor for Response and Progression Free Survival in Breast Cancer Patients Treated with Bevacizumab and Pegylated Liposomal Doxorubicin (PLD)., 2010,,.		0
114	Abstract B135: Successful AZD9291 therapy based on NEOLiquid detection of circulating T790M in a liquid biopsy sample. , 2015, , .		0
115	Abstract P5-12-01: SOLE (study of letrozole extension), a phase 3 randomized clinical trial of continuous vs intermittent letrozole in postmenopausal women who have received 4-6 years of adjuvant endocrine therapy for lymph node-positive, early breast cancer (BC): Final analysis and sole estrogen substudy (SOLE-EST) 2020		0
116	Abstract P4-10-03: The genomic landscape of male breast cancers using the oncomine comprehensive assay for actionable mutations. , 2020, , .		0
117	P-227: Alternate day dosing of pomalidomide in patients with refractory/relapsed multiple myeloma (RRMM): Results of a multicenter, single arm phase 2 trial (SAKK 39/16 OptiPOM Study). Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, S165.	0.2	0