

# GÃ¶ksel Ã–zer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4016590/publications.pdf>

Version: 2024-02-01

93  
papers

539  
citations

933447

10  
h-index

996975

15  
g-index

93  
all docs

93  
docs citations

93  
times ranked

296  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Potential of Moroccan entomopathogenic nematodes for the control of the Mediterranean fruit fly <i>Ceratitis capitata</i> Wiedemann (Diptera: Tephritidae). <i>Scientific Reports</i> , 2020, 10, 19204.   | 3.3 | 26        |
| 2  | Identity and Pathogenicity of Fungi Associated with Crown and Root Rot of Dryland Winter Wheat in Azerbaijan. <i>Plant Disease</i> , 2020, 104, 2149-2157.   | 1.4 | 26        |
| 3  | Determination of fungal pathogens associated with <i>Cuminum cyminum</i> in Turkey. <i>Plant Protection Science</i> , 2015, 51, 74-79.   | 1.4 | 25        |
| 4  | iPBS retrotransposons –A Universal Retrotransposons™ now in molecular phylogeny of fungal pathogens. <i>Biochemical Systematics and Ecology</i> , 2016, 68, 142-147.   | 1.3 | 23        |
| 5  | The utility of iPBS retrotransposons markers to analyze genetic variation in yeast. <i>International Journal of Food Microbiology</i> , 2020, 325, 108647.   | 4.7 | 22        |
| 6  | Genetic Diversity and Pathogenicity of <i>Rhizoctonia</i> spp. Isolates Associated with Red Cabbage in Samsun (Turkey). <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 234.  | 3.5 | 17        |
| 7  | Characterization and Sensitivity to Fungicides of <i>Rhizoctonia</i> spp. Recovered from Potato Plants in Bolu, Turkey. <i>Journal of Phytopathology</i> , 2015, 163, 11-18.   | 1.0 | 14        |
| 8  | Genetic diversity of <i>Fusarium oxysporum</i> f. sp. <i>cumini</i> isolates analyzed by vegetative compatibility, sequences analysis of the rDNA IGS region and iPBS retrotransposon markers. <i>Journal of Plant Pathology</i> , 2018, 100, 225-232. | 1.2 | 14        |
| 9  | First report of <i>Neoscytalidium dimidiatum</i> causing shoot blight, dieback and canker of apricot in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 579-580.  | 1.2 | 13        |
| 10 | Türkiye'deki Yerel <i>Phaseolus vulgaris</i> Populasyonları Kullanarak Kuru Fasulye Yetitlerinin İslahı. <i>Ulusal Tarım Ve Yaban Hayat Bilimleri Dergisi</i> , 2018, 4, 45-54.  | 0.3 | 13        |
| 11 | Diversity and Management Strategies of Plant Parasitic Nematodes in Moroccan Organic Farming and Their Relationship with Soil Physico-Chemical Properties. <i>Agriculture</i> (Switzerland), 2020, 10, 447.  | 3.1 | 13        |
| 12 | Analysis of genetic diversity among common bean germplasm by start codon targeted (SCoT) markers. <i>Molecular Biology Reports</i> , 2022, 49, 3839-3847.  | 2.3 | 13        |
| 13 | Molecular and pathogenic characterization of <i>Cochliobolus anamorphs</i> associated with common root rot of wheat in Azerbaijan. <i>Phytopathologia Mediterranea</i> , 2020, 59, 147-158.  | 1.3 | 12        |
| 14 | Start Codon Targeted (SCoT) markers for the assessment of genetic diversity in yeast isolated from Turkish sourdough. <i>Food Microbiology</i> , 2022, 107, 104081.  | 4.2 | 11        |
| 15 | Determination of <i>Ascochyta</i> blight disease in chickpea using real-time PCR. <i>Journal of Plant Diseases and Protection</i> , 2016, 123, 109-117.  | 2.9 | 10        |
| 16 | <i>Neoscytalidium dimidiatum</i> causes canker and dieback on grapevine in Turkey. <i>Australasian Plant Disease Notes</i> , 2019, 14, 1.  | 0.7 | 10        |
| 17 | Monitoring of Host Suitability and Defense-Related Genes in Wheat to <i>Bipolaris sorokiniana</i> . <i>Journal of Fungi</i> (Basel, Switzerland), 2022, 8, 149.  | 3.5 | 10        |
| 18 | Fungal Pathogens Associated with Crown and Root Rot of Wheat in Central, Eastern, and Southeastern Kazakhstan. <i>Journal of Fungi</i> (Basel, Switzerland), 2022, 8, 417.   | 3.5 | 10        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | First report of <i>Neoscytalidium novaehollandiae</i> causing stem blight on tomato in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 1339-1340.   | 1.2 | 9         |
| 20 | First report of <i>Neoscytalidium dimidiatum</i> causing tuber rot of potato in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 1295-1296.  | 1.2 | 9         |
| 21 | Primary, Secondary Metabolites and Molecular Characterization of Hawthorn ( <i>Crataegus</i> spp.) Genotypes. <i>Agronomy</i> , 2020, 10, 1731.  | 3.0 | 8         |
| 22 | Molecular characterisation and efficacy of entomopathogenic fungi against the Green shield bug <i>Palomena prasina</i> (L.) (Hemiptera: Pentatomidae) under laboratory conditions. <i>Biocontrol Science and Technology</i> , 2021, 31, 1298-1313.                                 | 1.3 | 8         |
| 23 | First report of <i>Verticillium dahliae</i> causing <i>Verticillium</i> wilt on kiwifruit in Ordu, Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 221-222.   | 1.2 | 7         |
| 24 | <i>Phytophthora litorale</i> : A Novel Killer Pathogen of Plane ( <i>Platanus orientalis</i> ) Causing Canker Stain and Root and Collar Rot. <i>Plant Disease</i> , 2020, 104, 2642-2648.  | 1.4 | 7         |
| 25 | Population structure of <i>Phytophthora infestans</i> in Turkey reveals expansion and spread of dominant clonal lineages and virulence. <i>Plant Pathology</i> , 2021, 70, 898-911.  | 2.4 | 7         |
| 26 | Genetic variability of <i>Colletotrichum lindemuthianum</i> isolates from Turkey and resistance of Turkish bean cultivars. <i>Spanish Journal of Agricultural Research</i> , 2020, 18, e1005.  | 0.6 | 7         |
| 27 | First report of <i>Botrytis cinerea</i> on Cornelian cherry. <i>Australasian Plant Disease Notes</i> , 2014, 9, 1.   | 0.7 | 6         |
| 28 | The utility of <i>Trichoderma</i> spp. isolates to control of <i>Xylosandrus germanus</i> Blandford (Coleoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5   | 2.9 | 6         |
| 29 | First report of shoot blight and branch canker of <i>Pyrus communis</i> by <i>Neoscytalidium novaehollandiae</i> in Turkey. <i>Journal of Plant Pathology</i> , 2021, 103, 673-674.  | 1.2 | 6         |
| 30 | Resistance sources and reactions of common bean ( <i>Phaseolus vulgaris</i> L.) cultivars in Turkey to anthracnose disease. <i>Genetic Resources and Crop Evolution</i> , 2021, 68, 3373-3381.   | 1.6 | 6         |
| 31 | Characterization and Pathogenicity of <i>Pythium</i> -Like Species Associated with Root and Collar Rot of Kiwifruit in Turkey. <i>Plant Disease</i> , 2022, 106, 854-863.  | 1.4 | 6         |
| 32 | TÄ¼rkiye'de Ticari Fasulye ( <i>Phaseolus vulgaris</i> L.) Ä±tlerinde Bean common mosaic virus ve Bean common mosaic necrosis virus Etmenlerine DayanÄ±klÄ±la Ä°liÅkili Genlerin Karakterizasyonu. <i>Turkish Journal of Agricultural and Natural Sciences</i> , 2018, 5, 613-619. | 0.6 | 6         |
| 33 | First report of <i>Neoscytalidium dimidiatum</i> associated with dieback and canker of common fig ( <i>Ficus</i> ) Tj ETQq1 1 0.784314 rgBT /Overbo  | 2.9 | 6         |
| 34 | Severe outbreaks of <i>Phytophthora infestans</i> on potato in Turkey caused by recent changes in the pathogen population structure. <i>Phytoparasitica</i> , 2019, 47, 693-709.   | 1.2 | 5         |
| 35 | First report of charcoal rot caused by <i>Macrophomina phaseolina</i> on kiwifruit in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 535-535.  | 1.2 | 5         |
| 36 | Plant-parasitic nematodes on cereals in northern Kazakhstan. <i>Journal of Plant Diseases and Protection</i> , 2020, 127, 641-649.   | 2.9 | 5         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | First Report of <i>Fusarium culmorum</i> and <i>Microdochium bolleyi</i> Causing Root Rot on Triticale in Kazakhstan. <i>Plant Disease</i> , 2021, 105, 2015.   | 1.4 | 5         |
| 38 | Genetic Variation of <i>Fusarium</i> spp. Isolates Associated with Root and Crown Rot of Winter Wheat Using Retrotransposon-Based iPBS Assays. <i>Uluslararası Tarım Ve Yaban Hayat Bilimleri Dergisi</i> , 2019, 5, 250-259. | 0.3 | 5         |
| 39 | First Report of Crown Rot Caused by <i>Fusarium algeriense</i> on Wheat in Azerbaijan. <i>Plant Disease</i> , 2020, 104, 582.   | 1.4 | 5         |
| 40 | First report of <i>Lasiodiplodia theobromae</i> causing dieback on almond ( <i>Prunus dulcis</i> ) in Turkey. <i>Journal of Plant Pathology</i> , 0, , 1.   | 1.2 | 5         |
| 41 | First Report of <i>Rhizoctonia solani</i> AG-4 HGII and AG-2-1 Causing Root Rot of Wheat in Azerbaijan. <i>Plant Disease</i> , 2019, 103, 2132-2132.  | 1.4 | 4         |
| 42 | First Report of Common Root Rot on Triticale Caused by <i>Bipolaris sorokiniana</i> in Kazakhstan. <i>Plant Disease</i> , 2020, 104, 2735.  | 1.4 | 4         |
| 43 | First report of <i>Dactylonectria torresensis</i> causing black root rot of strawberries in Kyrgyzstan. <i>Journal of Plant Pathology</i> , 2021, 103, 379-380.   | 1.2 | 4         |
| 44 | Plant-parasitic nematode associated with wheat in central, eastern, and south-eastern Kazakhstan. <i>Plant Disease</i> , 2021, 105, 2299-2305.  | 1.4 | 4         |
| 45 | First report of <i>Neoscytalidium dimidiatum</i> causing foliar and stem blight of lavender in Turkey. <i>Journal of Plant Pathology</i> , 2021, 103, 1347-1348.  | 1.2 | 4         |
| 46 | First report of dry rot of potato caused by <i>Fusarium sambucinum</i> in Kyrgyzstan. <i>Journal of Plant Diseases and Protection</i> , 2022, 129, 189-191.   | 2.9 | 4         |
| 47 | First report of <i>Neoscytalidium novaehollandiae</i> on common sage ( <i>Salvia officinalis</i> ). <i>Australasian Plant Disease Notes</i> , 2021, 16, 1.  | 0.7 | 4         |
| 48 | First report of <i>Neoscytalidium dimidiatum</i> causing blight of <i>Melissa officinalis</i> in Turkey. <i>Journal of Plant Diseases and Protection</i> , 2022, 129, 197-199.  | 2.9 | 4         |
| 49 | Batı Anadolu Fasulye Genetik Kaynakların Biyolojik İtlimliliğinin Araştırılması ve Karakterizasyonu. <i>Kahramanmaraş Sırtçınm Üniversitesi Tarım Ve Doğa Dergisi</i> , 0, , .  | 0.7 | 4         |
| 50 | First Report of <i>Fusarium hostae</i> Causing Crown Rot on Wheat in Azerbaijan. <i>Plant Disease</i> , 2019, 103, 3278.  | 1.4 | 4         |
| 51 | First report of <i>Globisporangium heterothallicum</i> causing root and crown rot of pepper in Turkey. <i>New Disease Reports</i> , 2020, 41, 36-36.  | 0.8 | 4         |
| 52 | First report of leaf blight of Turkish oregano ( <i>Origanum onites</i> ) caused by <i>Neoscytalidium dimidiatum</i> in Turkey. <i>Journal of Plant Pathology</i> , 2022, 104, 471-471.                                       | 1.2 | 4         |
| 53 | Development of Conventional and Real-Time PCR Assays to Detect <i>Alternaria burnsii</i> in Cumin Seed. <i>Gesunde Pflanzen</i> , 2019, 71, 205-212.  | 3.0 | 3         |
| 54 | First report of botrytis blight of tulip caused by <i>Botrytis tulipae</i> in Turkey. <i>Journal of Plant Pathology</i> , 2019, 101, 427-427.   | 1.2 | 3         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | First report of <i>Rhizoctonia solani</i> AG 4 HG-I causing damping off and wirestem of white cabbage in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 587-587.  | 1.2 | 3         |
| 56 | First Report of Crown Rot Caused by <i>Fusarium redolens</i> on Wheat in Kazakhstan. <i>Plant Disease</i> , 2021, , .   | 1.4 | 3         |
| 57 | First Report of <i>Rhizoctonia solani</i> AG2-1 on roots of wheat in Kazakhstan. <i>Plant Disease</i> , 2021, , .   | 1.4 | 3         |
| 58 | First report of charcoal rot caused by <i>Macrophomina phaseolina</i> on common bean in Kyrgyzstan. <i>Journal of Plant Pathology</i> , 2021, 103, 1025-1026.   | 1.2 | 3         |
| 59 | First Report of <i>Exserohilum pedicellatum</i> Causing Root Rot of Wheat in Azerbaijan. <i>Plant Disease</i> , 2019, 103, 1416-1416.   | 1.4 | 3         |
| 60 | Occurrence of Fungal Pathogens and Mycelial Compatibility among <i>Sclerotinia</i> spp. Associated with Jerusalem Artichoke in Turkey. <i>International Journal of Agriculture and Biology</i> , 2015, 17, 619-624.   | 0.4 | 3         |
| 61 | CRISPR/Cas9-Mediated Immunity in Plants Against Pathogens. <i>Current Issues in Molecular Biology</i> , 2018, 26, 55-64.  | 2.4 | 3         |
| 62 | Identification and control potential of entomopathogenic nematodes against the black cutworm, <i>Agrotis ipsilon</i> (Fabricius) (Lepidoptera: Noctuidae), in potato-growing areas of Turkey. <i>Journal of Plant Diseases and Protection</i> , 2022, 129, 911-922. | 2.9 | 3         |
| 63 | Morphometric traits and iPBS based molecular characterizations of walnut ( <i>Juglans regia</i> L.) genotypes. <i>Genetic Resources and Crop Evolution</i> , 2022, 69, 2731-2743.   | 1.6 | 3         |
| 64 | Interaction of root-lesion nematode ( <i>Pratylenchus thornei</i> ) and crown rot fungus ( <i>Fusarium</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 T Phytoparasitica, 2022, 50, 789-809.   | 1.2 | 3         |
| 65 | Vegetative compatibility groups in <i>Colletotrichum coccodes</i> from Turkey and their aggressiveness to potato. <i>Plant Pathology</i> , 2018, 67, 1735-1739.   | 2.4 | 2         |
| 66 | First report of powdery mildew caused by <i>Erysiphe elevata</i> on <i>Catalpa bignonioides</i> in Turkey. <i>Journal of Plant Pathology</i> , 2019, 101, 195-195.  | 1.2 | 2         |
| 67 | First report of garden cucumber root rot caused by <i>Globisporangium ultimum</i> var. <i>ultimum</i> in Kyrgyzstan. <i>Journal of Plant Pathology</i> , 2020, 102, 1363-1364.  | 1.2 | 2         |
| 68 | Genetic and pathogenic variation in <i>Heterodera latipons</i> populations from Turkey. <i>Nematology</i> , 2020, 23, 47-56.  | 0.6 | 2         |
| 69 | Phenotypic and genotypic characterization of wheat and barley varieties for resistance to cereal cyst nematode ( <i>Heterodera latipons</i> ). <i>Genetic Resources and Crop Evolution</i> , 2021, 68, 2131-2141.   | 1.6 | 2         |
| 70 | Host suitability of different common bean varieties in a growth room to the plant-parasitic nematodes <i>Pratylenchus thornei</i> and <i>P.Äneglectus</i> . <i>Nematology</i> , 2021, -1, 1-7.  | 0.6 | 2         |
| 71 | First report of <i>Macrophomina phaseolina</i> causing charcoal rot on common sage ( <i>Salvia officinalis</i> ) in Turkey. <i>Journal of Plant Pathology</i> , 2021, 103, 1371-1371.   | 1.2 | 2         |
| 72 | Identification, distribution and genetic diversity of <i>Globodera rostochiensis</i> (Wollenweber, 1923) Skarbilovich, 1959 (Tylenchida: Heteroderidae) populations in Turkey. <i>Turkiye Entomoloji Dergisi</i> , 0, , 385-397.                                    | 0.6 | 2         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Identification and genetic diversity of the Mediterranean cereal cyst nematode, <i>Heterodera latipons</i> Franklin, 1969 (Tylenchida: Heteroderidae) in cereal production areas of Northern Cyprus. <i>Türkiye Entomoloji Dergisi</i> , 0, , 273-281. | 0.6 | 2         |
| 74 | First Report of Crown Rot Caused by <i>Fusarium algeriense</i> on Wheat in Kyrgyzstan. <i>Plant Disease</i> , 2022, , .  | 1.4 | 2         |
| 75 | First report of dill blight caused by <i>Itersonilia perplexans</i> in Turkey. <i>Journal of Plant Pathology</i> , 2019, 101, 437-437.   | 1.2 | 1         |
| 76 | First report of southern blight caused by <i>Athelia rolfsii</i> on candyleaf in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 245-246.   | 1.2 | 1         |
| 77 | First report of canker and dieback caused by <i>Cytospora viticola</i> on grapevine in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 239-239.   | 1.2 | 1         |
| 78 | First report of <i>Phytophthora litorale</i> causing root rot of apple in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 1361-1362.  | 1.2 | 1         |
| 79 | First report of southern blight on kale ( <i>Brassica oleracea</i> var. <i>acephala</i> ) caused by <i>Athelia rolfsii</i> in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 1271-1272.  | 1.2 | 1         |
| 80 | First report of white mold caused by <i>Sclerotinia minor</i> on safflower in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 977-978.  | 1.2 | 1         |
| 81 | Effects of temperature and duration of storage on the hatching behaviour of <i>Heterodera latipons</i> (Nematoda: Heteroderidae). <i>Turkish Journal of Zoology</i> , 2021, 45, 1-10.  | 0.9 | 1         |
| 82 | First report of <i>Fusarium oxysporum</i> causing wilt on lavender ( <i>Lavandula angustifolia</i> ) in Turkey. <i>Journal of Plant Pathology</i> , 2021, 103, 701-702.  | 1.2 | 1         |
| 83 | Assessment of variation in seed morphological traits in <i>Phaseolus</i> sp. landraces from western Anatolia. <i>Banat's Journal of Biotechnology</i> , 2019, X, 75-88.  | 0.4 | 1         |
| 84 | First report of root rot on strawberry caused by binucleate <i>Rhizoctonia</i> AG-G and AG-K in Kyrgyzstan. <i>Journal of Plant Pathology</i> , 2022, 104, 387-388.  | 1.2 | 1         |
| 85 | First report of fruit rot of eggplant caused by <i>Pythium viniferum</i> in Turkey. <i>Journal of Plant Pathology</i> , 2022, 104, 385-385.  | 1.2 | 1         |
| 86 | CRISPR/Cas9-Mediated Immunity in Plants Against Pathogens. , 2017, , .   |     | 1         |
| 87 | Variation in cooking quality traits in <i>Phaseolus</i> bean germplasm from Western Anatolia. <i>Banat's Journal of Biotechnology</i> , 2019, X, 37-45.  | 0.4 | 1         |
| 88 | First report of <i>Macrophomina phaseolina</i> causing charcoal rot on lemon balm ( <i>Melissa officinalis</i> ) in Turkey. <i>Journal of Plant Pathology</i> , 2022, 104, 895-895.  | 1.2 | 1         |
| 89 | First report of gray mold on sweet basil caused by <i>Botrytis cinerea</i> in Turkey. <i>Journal of Plant Pathology</i> , 2018, 100, 367-367.  | 1.2 | 0         |
| 90 | First report of <i>Rhizoctonia solani</i> AG 4 HG-III causing root rot of pepper in Kyrgyzstan. <i>Journal of Plant Pathology</i> , 2021, 103, 359-359.  | 1.2 | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 91 | First report of damping-off on melon seedlings caused by <i>Rhizoctonia solani</i> AG 4 HG-II in Kyrgyzstan. <i>Journal of Plant Pathology</i> , 0, , 1.  | 1.2 | 0         |
| 92 | Identification of resistance sources in common bean ( <i>Phaseolus vulgaris</i> ) genotypes from Turkey and the reactions of some promising genotypes to bean anthracnose ( <i>Colletotrichum lindemuthianum</i> ). <i>Crop and Pasture Science</i> , 2022, , .                       | 1.5 | 0         |
| 93 | Sensitivity of <i>Fusarium oxysporum</i> f. sp. <i>melongenae</i> , the causal agent of Fusarium wilt of eggplant to some ammonium, potassium, and sodium compounds <i>in vitro</i> and <i>in vivo</i> bioassays. <i>Archives of Phytopathology and Plant Protection</i> , 0, , 1-14. | 1.3 | 0         |