

GÃ¶ksel Ã–zer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4016590/publications.pdf>

Version: 2024-02-01

93
papers

539
citations

933447

10
h-index

996975

15
g-index

93
all docs

93
docs citations

93
times ranked

296
citing authors

#	ARTICLE	IF	CITATIONS
1	First report of dry rot of potato caused by <i>Fusarium sambucinum</i> in Kyrgyzstan. <i>Journal of Plant Diseases and Protection</i> , 2022, 129, 189-191.	2.9	4
2	First report of <i>Neoscytalidium dimidiatum</i> causing blight of <i>Melissa officinalis</i> in Turkey. <i>Journal of Plant Diseases and Protection</i> , 2022, 129, 197-199.	2.9	4
3	Characterization and Pathogenicity of <i>Pythium</i> -Like Species Associated with Root and Collar Rot of Kiwifruit in Turkey. <i>Plant Disease</i> , 2022, 106, 854-863.	1.4	6
4	First report of root rot on strawberry caused by binucleate <i>Rhizoctonia</i> AG-G and AG-K in Kyrgyzstan. <i>Journal of Plant Pathology</i> , 2022, 104, 387-388.	1.2	1
5	First report of fruit rot of eggplant caused by <i>Pythium viniferum</i> in Turkey. <i>Journal of Plant Pathology</i> , 2022, 104, 385-385.	1.2	1
6	First report of leaf blight of Turkish oregano (<i>Origanum onites</i>) caused by <i>Neoscytalidium dimidiatum</i> in Turkey. <i>Journal of Plant Pathology</i> , 2022, 104, 471-471.	1.2	4
7	Identification and control potential of entomopathogenic nematodes against the black cutworm, <i>Agrotis ipsilon</i> (Fabricius) (Lepidoptera: Noctuidae), in potato-growing areas of Turkey. <i>Journal of Plant Diseases and Protection</i> , 2022, 129, 911-922.	2.9	3
8	Monitoring of Host Suitability and Defense-Related Genes in Wheat to <i>Bipolaris sorokiniana</i> . <i>Journal of Fungi</i> (Basel, Switzerland), 2022, 8, 149.	3.5	10
9	First report of <i>Neoscytalidium dimidiatum</i> associated with dieback and canker of common fig (<i>Ficus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10	2.9	6
10	First report of <i>Macrophomina phaseolina</i> causing charcoal rot on lemon balm (<i>Melissa officinalis</i>) in Turkey. <i>Journal of Plant Pathology</i> , 2022, 104, 895-895.	1.2	1
11	Analysis of genetic diversity among common bean germplasm by start codon targeted (SCoT) markers. <i>Molecular Biology Reports</i> , 2022, 49, 3839-3847.	2.3	13
12	Identification of resistance sources in common bean (<i>Phaseolus vulgaris</i>) genotypes from Turkey and the reactions of some promising genotypes to bean anthracnose (<i>Colletotrichum lindemuthianum</i>). <i>Crop and Pasture Science</i> , 2022, , .	1.5	0
13	First Report of Crown Rot Caused by <i>Fusarium algeriense</i> on Wheat in Kyrgyzstan. <i>Plant Disease</i> , 2022, , .	1.4	2
14	Fungal Pathogens Associated with Crown and Root Rot of Wheat in Central, Eastern, and Southeastern Kazakhstan. <i>Journal of Fungi</i> (Basel, Switzerland), 2022, 8, 417.	3.5	10
15	Morphometric traits and iPBS based molecular characterizations of walnut (<i>Juglans regia</i> L.) genotypes. <i>Genetic Resources and Crop Evolution</i> , 2022, 69, 2731-2743.	1.6	3
16	Start Codon Targeted (SCoT) markers for the assessment of genetic diversity in yeast isolated from Turkish sourdough. <i>Food Microbiology</i> , 2022, 107, 104081.	4.2	11
17	Interaction of root-lesion nematode (<i>Pratylenchus thornei</i>) and crown rot fungus (<i>Fusarium</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.2	3
18	First report of <i>Dactylonectria torresensis</i> causing black root rot of strawberries in Kyrgyzstan. <i>Journal of Plant Pathology</i> , 2021, 103, 379-380.	1.2	4

#	ARTICLE	IF	CITATIONS
19	First report of <i>Rhizoctonia solani</i> AG 4 HG-III causing root rot of pepper in Kyrgyzstan. <i>Journal of Plant Pathology</i> , 2021, 103, 359-359.	1.2	0
20	The utility of <i>Trichoderma</i> spp. isolates to control of <i>Xylosandrus germanus</i> Blandford (Coleoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	2.9	8
21	Effects of temperature and duration of storage on the hatching behaviour of <i>Heteroderalatipons</i> (Nematoda: Heteroderidae). <i>Turkish Journal of Zoology</i> , 2021, 45, 1-10.	0.9	1
22	Population structure of <i>Phytophthora infestans</i> in Turkey reveals expansion and spread of dominant clonal lineages and virulence. <i>Plant Pathology</i> , 2021, 70, 898-911.	2.4	7
23	Phenotypic and genotypic characterization of wheat and barley varieties for resistance to cereal cyst nematode (<i>Heterodera latipons</i>). <i>Genetic Resources and Crop Evolution</i> , 2021, 68, 2131-2141.	1.6	2
24	First report of shoot blight and branch canker of <i>Pyrus communis</i> by <i>Neoscytalidium novaehollandiae</i> in Turkey. <i>Journal of Plant Pathology</i> , 2021, 103, 673-674.	1.2	6
25	Genetic Diversity and Pathogenicity of <i>Rhizoctonia</i> spp. Isolates Associated with Red Cabbage in Samsun (Turkey). <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 234.	3.5	17
26	Plant-parasitic nematode associated with wheat in central, eastern, and south-eastern Kazakhstan. <i>Plant Disease</i> , 2021, 105, 2299-2305.	1.4	4
27	First report of <i>Fusarium oxysporum</i> causing wilt on lavender (<i>Lavandula angustifolia</i>) in Turkey. <i>Journal of Plant Pathology</i> , 2021, 103, 701-702.	1.2	1
28	First Report of Crown Rot Caused by <i>Fusarium redolens</i> on Wheat in Kazakhstan. <i>Plant Disease</i> , 2021, , .	1.4	3
29	Host suitability of different common bean varieties in a growth room to the plant-parasitic nematodes <i>Pratylenchus thornei</i> and <i>P.Äneglectus</i> . <i>Nematology</i> , 2021, -1, 1-7.	0.6	2
30	Resistance sources and reactions of common bean (<i>Phaseolus vulgaris</i> L.) cultivars in Turkey to anthracnose disease. <i>Genetic Resources and Crop Evolution</i> , 2021, 68, 3373-3381.	1.6	6
31	First Report of <i>Rhizoctonia solani</i> AG2-1 on roots of wheat in Kazakhstan. <i>Plant Disease</i> , 2021, , .	1.4	3
32	First report of charcoal rot caused by <i>Macrophomina phaseolina</i> on common bean in Kyrgyzstan. <i>Journal of Plant Pathology</i> , 2021, 103, 1025-1026.	1.2	3
33	Molecular characterisation and efficacy of entomopathogenic fungi against the Green shield bug <i>Palomena prasina</i> (L.) (Hemiptera: Pentatomidae) under laboratory conditions. <i>Biocontrol Science and Technology</i> , 2021, 31, 1298-1313.	1.3	8
34	First report of <i>Neoscytalidium dimidiatum</i> causing foliar and stem blight of lavender in Turkey. <i>Journal of Plant Pathology</i> , 2021, 103, 1347-1348.	1.2	4
35	First Report of <i>Fusarium culmorum</i> and <i>Microdochium bolleyi</i> Causing Root Rot on Triticale in Kazakhstan. <i>Plant Disease</i> , 2021, 105, 2015.	1.4	5
36	First report of <i>Neoscytalidium novaehollandiae</i> on common sage (<i>Salvia officinalis</i>). <i>Australasian Plant Disease Notes</i> , 2021, 16, 1.	0.7	4

#	ARTICLE	IF	CITATIONS
37	First report of <i>Macrophomina phaseolina</i> causing charcoal rot on common sage (<i>Salvia officinalis</i>) in Turkey. <i>Journal of Plant Pathology</i> , 2021, 103, 1371-1371.	1.2	2
38	First report of charcoal rot caused by <i>Macrophomina phaseolina</i> on kiwifruit in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 535-535.	1.2	5
39	First report of southern blight caused by <i>Athelia rolfsii</i> on candyleaf in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 245-246.	1.2	1
40	First report of <i>Verticillium dahliae</i> causing <i>Verticillium</i> wilt on kiwifruit in Ordu, Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 221-222.	1.2	7
41	First report of canker and dieback caused by <i>Cytospora viticola</i> on grapevine in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 239-239.	1.2	1
42	First report of <i>Rhizoctonia solani</i> AG 4 HG-I causing damping off and wirestem of white cabbage in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 587-587.	1.2	3
43	First report of <i>Neoscytalidium dimidiatum</i> causing shoot blight, dieback and canker of apricot in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 579-580.	1.2	13
44	Primary, Secondary Metabolites and Molecular Characterization of Hawthorn (<i>Crataegus</i> spp.) Genotypes. <i>Agronomy</i> , 2020, 10, 1731.	3.0	8
45	First report of <i>Neoscytalidium novaehollandiae</i> causing stem blight on tomato in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 1339-1340.	1.2	9
46	First report of <i>Phytophthora litorale</i> causing root rot of apple in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 1361-1362.	1.2	1
47	First report of garden cucumber root rot caused by <i>Globisporangium ultimum</i> var. <i>ultimum</i> in Kyrgyzstan. <i>Journal of Plant Pathology</i> , 2020, 102, 1363-1364.	1.2	2
48	Potential of Moroccan entomopathogenic nematodes for the control of the Mediterranean fruit fly <i>Ceratitis capitata</i> Wiedemann (Diptera: Tephritidae). <i>Scientific Reports</i> , 2020, 10, 19204.	3.3	26
49	Genetic and pathogenic variation in <i>Heterodera latipons</i> populations from Turkey. <i>Nematology</i> , 2020, 23, 47-56.	0.6	2
50	First report of southern blight on kale (<i>Brassica oleracea</i> var. <i>acephala</i>) caused by <i>Athelia rolfsii</i> in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 1271-1272.	1.2	1
51	First report of white mold caused by <i>Sclerotinia minor</i> on safflower in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 977-978.	1.2	1
52	Identity and Pathogenicity of Fungi Associated with Crown and Root Rot of Dryland Winter Wheat in Azerbaijan. <i>Plant Disease</i> , 2020, 104, 2149-2157.	1.4	26
53	First Report of Common Root Rot on Triticale Caused by <i>Bipolaris sorokiniana</i> in Kazakhstan. <i>Plant Disease</i> , 2020, 104, 2735.	1.4	4
54	Plant-parasitic nematodes on cereals in northern Kazakhstan. <i>Journal of Plant Diseases and Protection</i> , 2020, 127, 641-649.	2.9	5

#	ARTICLE	IF	CITATIONS
55	<i>Phytophthora</i> <i>litorale</i> : A Novel Killer Pathogen of Plane (<i>Platanus orientalis</i>) Causing Canker Stain and Root and Collar Rot. <i>Plant Disease</i> , 2020, 104, 2642-2648.	1.4	7
56	First report of <i>Neoscytalidium dimidiatum</i> causing tuber rot of potato in Turkey. <i>Journal of Plant Pathology</i> , 2020, 102, 1295-1296.	1.2	9
57	The utility of iPBS retrotransposons markers to analyze genetic variation in yeast. <i>International Journal of Food Microbiology</i> , 2020, 325, 108647.	4.7	22
58	Genetic variability of <i>Colletotrichum lindemuthianum</i> isolates from Turkey and resistance of Turkish bean cultivars. <i>Spanish Journal of Agricultural Research</i> , 2020, 18, e1005.	0.6	7
59	Molecular and pathogenic characterization of <i>Cochliobolus anamorphs</i> associated with common root rot of wheat in Azerbaijan. <i>Phytopathologia Mediterranea</i> , 2020, 59, 147-158.	1.3	12
60	Diversity and Management Strategies of Plant Parasitic Nematodes in Moroccan Organic Farming and Their Relationship with Soil Physico-Chemical Properties. <i>Agriculture (Switzerland)</i> , 2020, 10, 447.	3.1	13
61	First report of <i>Globisporangium heterothallicum</i> causing root and crown rot of pepper in Turkey. <i>New Disease Reports</i> , 2020, 41, 36-36.	0.8	4
62	First Report of Crown Rot Caused by <i>Fusarium algeriense</i> on Wheat in Azerbaijan. <i>Plant Disease</i> , 2020, 104, 582.	1.4	5
63	First report of dill blight caused by <i>Itersonilia perplexans</i> in Turkey. <i>Journal of Plant Pathology</i> , 2019, 101, 437-437.	1.2	1
64	<i>Neoscytalidium dimidiatum</i> causes canker and dieback on grapevine in Turkey. <i>Australasian Plant Disease Notes</i> , 2019, 14, 1.	0.7	10
65	Development of Conventional and Real-Time PCR Assays to Detect <i>Alternaria burnsii</i> in Cumin Seed. <i>Gesunde Pflanzen</i> , 2019, 71, 205-212.	3.0	3
66	First report of botrytis blight of tulip caused by <i>Botrytis tulipae</i> in Turkey. <i>Journal of Plant Pathology</i> , 2019, 101, 427-427.	1.2	3
67	First Report of <i>Rhizoctonia solani</i> AG-4 HGII and AG-2-1 Causing Root Rot of Wheat in Azerbaijan. <i>Plant Disease</i> , 2019, 103, 2132-2132.	1.4	4
68	First report of powdery mildew caused by <i>Erysiphe elevata</i> on <i>Catalpa bignonioides</i> in Turkey. <i>Journal of Plant Pathology</i> , 2019, 101, 195-195.	1.2	2
69	Severe outbreaks of <i>Phytophthora infestans</i> on potato in Turkey caused by recent changes in the pathogen population structure. <i>Phytoparasitica</i> , 2019, 47, 693-709.	1.2	5
70	First Report of <i>Exserohilum pedicellatum</i> Causing Root Rot of Wheat in Azerbaijan. <i>Plant Disease</i> , 2019, 103, 1416-1416.	1.4	3
71	Assessment of variation in seed morphological traits in <i>Phaseolus</i> sp. landraces from western Anatolia. <i>Banat's Journal of Biotechnology</i> , 2019, X, 75-88.	0.4	1
72	Variation in cooking quality traits in <i>Phaseolus</i> bean germplasm from Western Anatolia. <i>Banat's Journal of Biotechnology</i> , 2019, X, 37-45.	0.4	1

#	ARTICLE	IF	CITATIONS
73	Genetic Variation of <i>Fusarium</i> spp. Isolates Associated with Root and Crown Rot of Winter Wheat Using Retrotransposon-Based iPBS Assays. <i>Uluslararası Tarım Ve Yaban Hayat Bilimleri Dergisi</i> , 2019, 5, 250-259.	0.3	5
74	First Report of <i>Fusarium hostae</i> Causing Crown Rot on Wheat in Azerbaijan. <i>Plant Disease</i> , 2019, 103, 3278.	1.4	4
75	First report of gray mold on sweet basil caused by <i>Botrytis cinerea</i> in Turkey. <i>Journal of Plant Pathology</i> , 2018, 100, 367-367.	1.2	0
76	Genetic diversity of <i>Fusarium oxysporum</i> f. sp. <i>cumini</i> isolates analyzed by vegetative compatibility, sequences analysis of the rDNA IGS region and iPBS retrotransposon markers. <i>Journal of Plant Pathology</i> , 2018, 100, 225-232.	1.2	14
77	Vegetative compatibility groups in <i>Colletotrichum coccodes</i> from Turkey and their aggressiveness to potato. <i>Plant Pathology</i> , 2018, 67, 1735-1739.	2.4	2
78	CRISPR/Cas9-Mediated Immunity in Plants Against Pathogens. <i>Current Issues in Molecular Biology</i> , 2018, 26, 55-64.	2.4	3
79	Türkiye'deki Yerel <i>Phaseolus vulgaris</i> Populasyonları Kullanarak Kuru Fasulye Üreticilerinin İslahı. <i>Uluslararası Tarım Ve Yaban Hayat Bilimleri Dergisi</i> , 2018, 4, 45-54.	0.3	13
80	Türkiye'de Ticari Fasulye (<i>Phaseolus vulgaris</i> L.) Üreticilerinde Bean common mosaic virus ve Bean common mosaic necrosis virus Etmenlerine Dayanıklı ve İlaçsız Üretim için Genlerin Karakterizasyonu. <i>Turkish Journal of Agricultural and Natural Sciences</i> , 2018, 5, 613-619.	0.6	6
81	CRISPR/Cas9-Mediated Immunity in Plants Against Pathogens. , 2017, , .		1
82	Determination of <i>Ascochyta</i> blight disease in chickpea using real-time PCR. <i>Journal of Plant Diseases and Protection</i> , 2016, 123, 109-117.	2.9	10
83	iPBS retrotransposons: A Universal Retrotransposon now in molecular phylogeny of fungal pathogens. <i>Biochemical Systematics and Ecology</i> , 2016, 68, 142-147.	1.3	23
84	Characterization and Sensitivity to Fungicides of <i>Rhizoctonia</i> spp. Recovered from Potato Plants in Bolu, Turkey. <i>Journal of Phytopathology</i> , 2015, 163, 11-18.	1.0	14
85	Determination of fungal pathogens associated with <i>Cuminum cyminum</i> in Turkey. <i>Plant Protection Science</i> , 2015, 51, 74-79.	1.4	25
86	Occurrence of Fungal Pathogens and Mycelial Compatibility among <i>Sclerotinia</i> spp. Associated with Jerusalem Artichoke in Turkey. <i>International Journal of Agriculture and Biology</i> , 2015, 17, 619-624.	0.4	3
87	First report of <i>Botrytis cinerea</i> on Cornelian cherry. <i>Australasian Plant Disease Notes</i> , 2014, 9, 1.	0.7	6
88	Identification, distribution and genetic diversity of <i>Globodera rostochiensis</i> (Wollenweber, 1923) Skarbilovich, 1959 (Tylenchida: Heteroderidae) populations in Turkey. <i>Türkiye Entomoloji Dergisi</i> , 0, , 385-397.	0.6	2
89	Batı Anadolu Fasulye Genetik Kaynakları ve Biyolojik Üreticilerinin Araştırılması ve Karakterizasyonu. <i>Kahramanmaraş Sırtçınan İktisadi ve Sosyal Üniversitesi Tarım Ve Doğa Dergisi</i> , 0, , .	0.7	4
90	Identification and genetic diversity of the Mediterranean cereal cyst nematode, <i>Heterodera latipons</i> Franklin, 1969 (Tylenchida: Heteroderidae) in cereal production areas of Northern Cyprus. <i>Türkiye Entomoloji Dergisi</i> , 0, , 273-281.	0.6	2

#	ARTICLE	IF	CITATIONS
91	First report of Lasiodiplodia theobromae causing dieback on almond (Prunus dulcis) in Turkey. Journal of Plant Pathology, 0, , 1.	1.2	5
92	First report of damping-off on melon seedlings caused by Rhizoctonia solani AG 4 HG-II in Kyrgyzstan. Journal of Plant Pathology, 0, , 1.	1.2	0
93	Sensitivity of <i>Fusarium oxysporum</i> f. sp. <i>melongenae</i> , the causal agent of Fusarium wilt of eggplant to some ammonium, potassium, and sodium compounds <i>in vitro</i> and <i>in vivo</i> bioassays. Archives of Phytopathology and Plant Protection, 0, , 1-14.	1.3	0