

# WÅ,adysÅ,aw P WÄglarz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4019046/publications.pdf>

Version: 2024-02-01

59  
papers

894  
citations

430874

18  
h-index

526287

27  
g-index

61  
all docs

61  
docs citations

61  
times ranked

1207  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prospects and Challenges for the Spatial Quantification of the Diffusion of Fluids Containing $^1\text{H}$ in the Pore System of Rock Cores. <i>Journal of Geophysical Research: Solid Earth</i> , 2022, 127, .	3.4	6
2	Ratiometric pH-Responsive $^{19}\text{F}$ Magnetic Resonance Imaging Contrast Agents Based on Hydrazone Switches. <i>Analytical Chemistry</i> , 2022, 94, 3427-3431.	6.5	6
3	Magnetic Resonance Imaging for Assessment of Endodontic Instrumentsâ€™ Precision during $\infty$ -Shaped $\infty$ Model Root Canals Preparation. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 1051.	2.5	1
4	Spatiotemporal Analysis of Hydration Mechanism in Sodium Alginate Matrix Tablets. <i>Materials</i> , 2021, 14, 646.	2.9	5
5	Low Dose Curcumin Administered in Hyaluronic Acid-Based Nanocapsules Induces Hypotensive Effect in Hypertensive Rats. <i>International Journal of Nanomedicine</i> , 2021, Volume 16, 1377-1390.	6.7	16
6	Poly(Vinyl Alcohol) Cryogel Membranes Loaded with Resveratrol as Potential Active Wound Dressings. <i>AAPS PharmSciTech</i> , 2021, 22, 109.	3.3	18
7	Is the Activity-Based Anorexia Model a Reliable Method of Presenting Peripheral Clinical Features of Anorexia Nervosa?. <i>Nutrients</i> , 2021, 13, 2876.	4.1	3
8	Hydration Patterns in Sodium Alginate Polymeric Matrix Tabletsâ€™The Result of Drug Substance Incorporation. <i>Materials</i> , 2021, 14, 6531.	2.9	4
9	Polyaminoacid Based Core@shell Nanocarriers of 5-Fluorouracil: Synthesis, Properties and Theranostics Application. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12762.	4.1	3
10	In Vitro Wound Dressing Stack Model as a First Step to Evaluate the Behavior of Dressing Materials in Wound Bedâ€™An Assessment of Mass Transport Phenomena in Hydrogel Wound Dressings. <i>Materials</i> , 2021, 14, 7702.	2.9	1
11	$\text{Fe}_3\text{O}_4 @ \text{SiO}_2 @ \text{Au}$ nanoparticles for MRI-guided chemo/NIR photothermal therapy of cancer cells. <i>RSC Advances</i> , 2020, 10, 26508-26520.	3.6	26
12	MRI spectroscopic and tractography studies indicate consequences of long-term ketogenic diet. <i>Brain Structure and Function</i> , 2020, 225, 2077-2089.	2.3	6
13	Changes of EEG spectra in rat brains with different patterns of dysplasia in response to pilocarpine-induced seizures. <i>Epilepsy and Behavior</i> , 2020, 111, 107288.	1.7	1
14	Nafion-Based Nanocarriers for Fluorine Magnetic Resonance Imaging. <i>Langmuir</i> , 2020, 36, 9534-9539.	3.5	12
15	Magnetically responsive polycaprolactone nanocarriers for application in the biomedical field: magnetic hyperthermia, magnetic resonance imaging, and magnetic drug delivery. <i>RSC Advances</i> , 2020, 10, 43607-43618.	3.6	14
16	Effective Detection of Nafion $\hat{\text{A}}$ -Based Theranostic Nanocapsules Through $^{19}\text{F}$ Ultra-Short Echo Time MRI. <i>Nanomaterials</i> , 2020, 10, 2127.	4.1	3
17	Hypothalamic and brain stem neurochemical profile in anorectic rats after peripheral administration of kisspeptin $\infty$ 10 using $^1\text{H}$ nmr spectroscopy in vivo. <i>NMR in Biomedicine</i> , 2020, 33, e4306.	2.8	9
18	Gadolinium labeled polyelectrolyte nanocarriers for theranostic application. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019, 183, 110396.	5.0	4

#	ARTICLE	IF	CITATIONS
19	An Inhalable Theranostic System for Local Tuberculosis Treatment Containing an Isoniazid Loaded Metal Organic Framework Fe-MIL-101-NH <sub>2</sub> From Raw MOF to Drug Delivery System. <i>Pharmaceutics</i> , 2019, 11, 687.	4.5	42
20	Use of ebselen as a neuroprotective agent in rat spinal cord subjected to traumatic injury. <i>Neural Regeneration Research</i> , 2019, 14, 1255.	3.0	10
21	A three-dimensional stereotaxic atlas of the gray short-tailed opossum ( <i>Monodelphis domestica</i> ) brain. <i>Brain Structure and Function</i> , 2018, 223, 1779-1795.	2.3	7
22	Spatiotemporal characterization of hydration process of asymmetric polymeric wound dressings for decubitus ulcers. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2018, 106, 843-853.	3.4	2
23	Altered Electroencephalography Spectral Profiles in Rats with Different Patterns of Experimental Brain Dysplasia. <i>Birth Defects Research</i> , 2018, 110, 303-316.	1.5	4
24	ZTE MRI in high magnetic field as a time effective 3D imaging technique for monitoring water ingress in porous rocks at sub-millimetre resolution. <i>Magnetic Resonance Imaging</i> , 2018, 47, 54-59.	1.8	7
25	Volumetric response of the adult brain to seizures depends on the developmental stage when systemic inflammation was induced. <i>Epilepsy and Behavior</i> , 2018, 78, 280-287.	1.7	4
26	Iron-Based Metal-Organic Frameworks as a Theranostic Carrier for Local Tuberculosis Therapy. <i>Pharmaceutical Research</i> , 2018, 35, 144.	3.5	51
27	3D Printing for Fast Prototyping of Pharmaceutical Dissolution Testing Equipment for Nonstandard Applications. <i>Dissolution Technologies</i> , 2018, 25, 48-53.	0.6	3
28	Polyelectrolyte nanocapsules containing iron oxide nanoparticles as MRI detectable drug delivery system. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017, 532, 351-356.	4.7	20
29	Extended magnetic resonance imaging studies on the effect of classically activated microglia transplantation on white matter regeneration following spinal cord focal injury in adult rats. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 4869-4877.	1.8	2
30	ZTE imaging of tight sandstone rocks at 9.4 T Comparison with standard NMR analysis at 0.05 T. <i>Magnetic Resonance Imaging</i> , 2016, 34, 492-495.	1.8	12
31	Multimodal approach to characterization of hydrophilic matrices manufactured by wet and dry granulation or direct compression methods. <i>International Journal of Pharmaceutics</i> , 2016, 499, 263-270.	5.2	17
32	The Relationship Between the Evolution of an Internal Structure and Drug Dissolution from Controlled-Release Matrix Tablets. <i>AAPS PharmSciTech</i> , 2016, 17, 735-742.	3.3	15
33	An understanding of modified release matrix tablets behavior during drug dissolution as the key for prediction of pharmaceutical product performance – case study of multimodal characterization of quetiapine fumarate tablets. <i>International Journal of Pharmaceutics</i> , 2015, 484, 235-245.	5.2	22
34	White and gray matter contrast enhancement in MR images of the mouse brain in vivo using IR UTE with a cryo-coil at 9.4T. <i>Journal of Neuroscience Methods</i> , 2014, 232, 30-35.	2.5	5
35	Magnetic Resonance Microscopy for Assessment of Morphological Changes in Hydrating Hydroxypropylmethylcellulose Matrix Tablets In Situ – Is it Possible to Detect Phenomena Related to Drug Dissolution Within the Hydrated Matrices?. <i>Pharmaceutical Research</i> , 2014, 31, 2383-2392.	3.5	21
36	Comparison of T2 and T2*-weighted MR molecular imaging of a mouse model of glioma. <i>BMC Medical Imaging</i> , 2013, 13, 20.	2.7	16

#	ARTICLE	IF	CITATIONS
37	NMR detection of liquid-like wood polymer component in dry aspen wood. <i>Polymer</i> , 2013, 54, 1524-1529.	3.8	5
38	Novel method for screening of enteric film coatings properties with magnetic resonance imaging. <i>International Journal of Pharmaceutics</i> , 2013, 456, 569-571.	5.2	10
39	Metastability exchange optical pumping of 3He gas up to hundreds of millibars at 4.7 Tesla. <i>European Physical Journal D</i> , 2013, 67, 1.	1.3	17
40	Air Gun Impactorâ€”A Novel Model of Graded White Matter Spinal Cord Injury in Rodents. <i>Journal of Reconstructive Microsurgery</i> , 2012, 28, 561-568.	1.8	26
41	Magnetic Resonance Microscopy for Assessment of Morphological Changes in Hydrating Hydroxypropylmethyl Cellulose Matrix Tablets In Situ. <i>Pharmaceutical Research</i> , 2012, 29, 3420-3433.	3.5	22
42	A volume microstrip RF coil for MRI microscopy. <i>Magnetic Resonance Imaging</i> , 2012, 30, 70-77.	1.8	21
43	Magnetic Resonance Imaging and Image Analysis for Assessment of HPMC Matrix Tablets Structural Evolution in USP Apparatus 4. <i>Pharmaceutical Research</i> , 2011, 28, 1065-1073.	3.5	39
44	The structural and hydration properties of heat-treated rice studied at multiple length scales. <i>Food Chemistry</i> , 2010, 120, 1031-1040.	8.2	37
45	An integrated system for dissolution studies and magnetic resonance imaging of controlled release, polymer-based dosage formsâ€”A tool for quantitative assessment of hydrogel formation processes. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008, 48, 685-693.	2.8	30
46	Real-time mapping of moisture migration in cereal based food systems with Aw contrast by means of MRI. <i>Food Chemistry</i> , 2008, 106, 1366-1374.	8.2	20
47	MR Diffusion Anisotropy Imaging of Spinal Cord Mechanical Compression and Injury on the Rat Model. In Vivo. <i>Neuroradiology Journal</i> , 2008, 21, 219-227.	1.2	0
48	Hydration study of homopolypeptides by 2H NMR. <i>Biopolymers</i> , 2007, 86, 11-22.	2.4	4
49	Physical foundations, models, and methods of diffusion magnetic resonance imaging of the brain: A review. <i>Concepts in Magnetic Resonance Part A: Bridging Education and Research</i> , 2007, 30A, 278-307.	0.5	71
50	Visualisation of the extent of damage in a rat spinal cord injury model using MR microscopy of the water diffusion tensor. <i>Acta Neurobiologiae Experimentalis</i> , 2005, 65, 255-64.	0.7	6
51	Analysis of the diffusion weighted MR microscopy data of excised spinal cord of a rat on the basis of the model of restricted diffusion. <i>Solid State Nuclear Magnetic Resonance</i> , 2004, 25, 88-93.	2.3	10
52	3D MR imaging of dental cavitiesâ€”an in vitro study. <i>Solid State Nuclear Magnetic Resonance</i> , 2004, 25, 84-87.	2.3	26
53	Characterization of annealed isotactic polypropylene in the solid state by 2D time-domain 1H NMR. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2000, 38, 2487-2506.	2.1	25
54	Two-dimensional analysis of the nuclear relaxation function in the time domain: the program CracSpin. <i>Journal Physics D: Applied Physics</i> , 2000, 33, 1909-1920.	2.8	55

#	ARTICLE	IF	CITATIONS
55	Proton and Deuteron Relaxation Study of Molecular Dynamics in Lysozyme Solutions. Acta Physica Polonica A, 2000, 98, 131-152.	0.5	3
56	The Investigation of Hydration Processes in Horse Chestnut ( <i>Aesculus hippocastanum</i> L.) and Pine ( <i>Pinus silvestris</i> L.) Bark and Bast Using Proton Magnetic Relaxation. Holzforschung, 1999, 53, 299-310.	1.9	32
57	Intrinsic proton relaxation parameters of hydrated polyglycine from two-dimensional time domain NMR. , 1999, 50, 630-640.		0
58	MR microscopy of water diffusion tensor in biological systems. Applied Magnetic Resonance, 1998, 15, 333-341.	1.2	7
59	Interfacial Spinâ€“Spin Coupling in Wood by 2D Time-Domain NMR. Journal of Magnetic Resonance Series B, 1996, 113, 1-8.	1.6	15