

# Sivakumar Sridharan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4019342/publications.pdf>

Version: 2024-02-01

26  
papers

704  
citations

759233  
12  
h-index

610901  
24  
g-index

28  
all docs

28  
docs citations

28  
times ranked

1051  
citing authors

#	ARTICLE	IF	CITATIONS
1	Energy expenditure estimates in chronic kidney disease using a novel physical activity questionnaire. Nephrology Dialysis Transplantation, 2022, 37, 515-521.	0.7	3
2	Recovery of dialysis patients with COVID-19: health outcomes 3 months after diagnosis in ERACODA. Nephrology Dialysis Transplantation, 2022, 37, 1140-1151.	0.7	7
3	Clinical, Functional, and Mental Health Outcomes in Kidney Transplant Recipients 3 Months After a Diagnosis of COVID-19. Transplantation, 2022, 106, 1012-1023.	1.0	8
4	Characteristics of Frailty in Haemodialysis Patients. Gerontology and Geriatric Medicine, 2022, 8, 233372142210988.	1.5	2
5	Determinants of active energy expenditure in haemodialysis patients. Clinical Physiology and Functional Imaging, 2022, 42, 303-307.	1.2	4
6	COVID-19-related mortality in kidney transplant and haemodialysis patients: a comparative, prospective registry-based study. Nephrology Dialysis Transplantation, 2021, 36, 2094-2105.	0.7	65
7	Clinical triage of patients on kidney replacement therapy presenting with COVID-19: an ERACODA registry analysis. Nephrology Dialysis Transplantation, 2021, 36, 2308-2320.	0.7	3
8	COVID-19-related mortality in kidney transplant and dialysis patients: results of the ERACODA collaboration. Nephrology Dialysis Transplantation, 2020, 35, 1973-1983.	0.7	312
9	Effect of Chronic Kidney Disease on Metabolic Rate: Studies Using Doubly Labelled Water. , 2020, 31, 475-483.		2
10	Impact of incremental versus conventional initiation of haemodialysis on residual kidney function: study protocol for a multicentre feasibility randomised controlled trial. BMJ Open, 2020, 10, e035919.	1.9	7
11	Initiating haemodialysis twice-weekly as part of an incremental programme may protect residual kidney function. Nephrology Dialysis Transplantation, 2019, 34, 1017-1025.	0.7	17
12	Comparison of equations of resting and total energy expenditure in peritoneal dialysis patients using body composition measurements determined by multi-frequency bioimpedance. Clinical Nutrition, 2018, 37, 646-650.	5.0	15
13	Comparison of resting energy equations and total energy expenditure in haemodialysis patients and body composition measured by multi-frequency bioimpedance. Nephrology, 2018, 23, 748-754.	1.6	9
14	Indexing dialysis dose for gender, body size and physical activity: Impact on survival. PLoS ONE, 2018, 13, e0203075.	2.5	6
15	Scaling Hemodialysis Target Dose to Reflect Body Surface Area, Metabolic Activity, and Protein Catabolic Rate: A Prospective, Cross-sectional Study. American Journal of Kidney Diseases, 2017, 69, 358-366.	1.9	27
16	Comparison of Estimates of Resting Energy Expenditure Equations in Haemodialysis Patients. International Journal of Artificial Organs, 2017, 40, 96-101.	1.4	8
17	Comparison of resting and total energy expenditure in peritoneal dialysis patients and body composition measured by dual-energy X-ray absorptiometry. European Journal of Clinical Nutrition, 2016, 70, 1337-1339.	2.9	16
18	Predicting residual kidney function in hemodialysis patients using serum $\beta_2$ -trace protein and $\beta_2$ -microglobulin. Kidney International, 2016, 89, 1090-1098.	5.2	51

#	ARTICLE	IF	CITATIONS
19	Comparison of energy estimates in chronic kidney disease using doubly-labelled water. Journal of Human Nutrition and Dietetics, 2016, 29, 59-66.	2.5	16
20	A single weekly Kt/Vurea target for peritoneal dialysis patients does not provide an equal dialysis dose for all. Kidney International, 2016, 90, 1342-1347.	5.2	18
21	Encouraging patients to exercise: motivational interviewing, observation and learning. Journal of Renal Nursing, 2015, 7, 84-88.	0.1	0
22	A self-report comorbidity questionnaire for haemodialysis patients. BMC Nephrology, 2014, 15, 134.	1.8	20
23	Dalteparin Dosing in High-Flux Haemodialysis and Haemodiafiltration. Nephron Clinical Practice, 2013, 122, 53-57.	2.3	16
24	Energy metabolism, body composition, and urea generation rate in hemodialysis patients. Hemodialysis International, 2013, 17, 502-509.	0.9	12
25	Factors affecting antibiotic prescribing pattern in pediatric practice. Indian Journal of Pediatrics, 2005, 72, 877-879.	0.8	54
26	Multi-disciplinary team-based simulation training in acute care settings: a systematic review of the impact on team performance. Journal of Surgical Simulation, 0, , 19-30.	0.0	0