

JesÃ³s Joglar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4019452/publications.pdf>

Version: 2024-02-01

93
papers

3,122
citations

126907

33
h-index

182427

51
g-index

106
all docs

106
docs citations

106
times ranked

2975
citing authors

#	ARTICLE	IF	CITATIONS
1	Chemoenzymatic Production of Enantiocomplementary α -Substituted β -Hydroxycarboxylic Acids from α -Amino Acids. <i>Advanced Synthesis and Catalysis</i> , 2021, 363, 2866-2876.	4.3	7
2	Synthesis of β -Hydroxy- α -amino Acid Derivatives by Enzymatic Tandem Aldol Addition-Transamination Reactions. <i>ACS Catalysis</i> , 2021, 11, 4660-4669.	11.2	25
3	Biocatalytic Construction of Quaternary Centers by Aldol Addition of 3,3-Disubstituted 2-Oxoacid Derivatives to Aldehydes. <i>Journal of the American Chemical Society</i> , 2020, 142, 19754-19762.	13.7	10
4	Chemoenzymatic Hydroxymethylation of Carboxylic Acids by Tandem Stereodivergent Biocatalytic Aldol Reaction and Chemical Decarboxylation. <i>ACS Catalysis</i> , 2019, 9, 7568-7577.	11.2	15
5	Aldolase-Catalyzed Asymmetric Synthesis of α -Heterocycles by Addition of Simple Aliphatic Nucleophiles to Aminoaldehydes. <i>Advanced Synthesis and Catalysis</i> , 2019, 361, 2673-2687.	4.3	19
6	Nucleophile Promiscuity of Engineered Class II Pyruvate Aldolase YfaU from <i>E. coli</i> . <i>Angewandte Chemie</i> , 2018, 130, 3645-3649.	2.0	11
7	Nucleophile Promiscuity of Engineered Class II Pyruvate Aldolase YfaU from <i>E. coli</i> . <i>Angewandte Chemie - International Edition</i> , 2018, 57, 3583-3587.	13.8	22
8	Titelbild: Nucleophile Promiscuity of Engineered Class II Pyruvate Aldolase YfaU from <i>E. coli</i> (<i>Angew. Chem.</i> 14/2018). <i>Angewandte Chemie</i> , 2018, 130, 3581-3581.	2.0	0
9	Evaluation of markers out of the steroid profile for the screening of testosterone misuse. Part II: Intramuscular administration. <i>Drug Testing and Analysis</i> , 2018, 10, 849-859.	2.6	12
10	Evaluation of markers out of the steroid profile for the screening of testosterone misuse. Part I: Transdermal administration. <i>Drug Testing and Analysis</i> , 2018, 10, 821-831.	2.6	16
11	Biocatalytic Aldol Addition of Simple Aliphatic Nucleophiles to Hydroxyaldehydes. <i>ACS Catalysis</i> , 2018, 8, 8804-8809.	11.2	25
12	Evaluation of two glucuronides resistant to enzymatic hydrolysis as markers of testosterone oral administration. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2017, 165, 212-218.	2.5	25
13	LC-MS/MS detection of unaltered glucuronoconjugated metabolites of metandienone. <i>Drug Testing and Analysis</i> , 2017, 9, 534-544.	2.6	8
14	Combining Aldolases and Transaminases for the Synthesis of 2-Amino-4-hydroxybutanoic Acid. <i>ACS Catalysis</i> , 2017, 7, 1707-1711.	11.2	60
15	Intramolecular Benzoin Reaction Catalyzed by Benzaldehyde Lyase from <i>Pseudomonas fluorescens</i> Biovar I. <i>Angewandte Chemie</i> , 2017, 129, 5388-5391.	2.0	7
16	α -Keto- β -Deoxy- α -Rhamnonate Aldolase (YfaU) as Catalyst in Aldol Additions of Pyruvate to Amino Aldehyde Derivatives. <i>Advanced Synthesis and Catalysis</i> , 2017, 359, 2090-2100.	4.3	20
17	Intramolecular Benzoin Reaction Catalyzed by Benzaldehyde Lyase from <i>Pseudomonas fluorescens</i> Biovar I. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 5304-5307.	13.8	13
18	Ionization and collision induced dissociation of steroid bisglucuronides. <i>Journal of Mass Spectrometry</i> , 2017, 52, 759-769.	1.6	5

#	ARTICLE	IF	CITATIONS
19	Detection and characterization of clostebol sulfate metabolites in Caucasian population. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016, 1022, 54-63.	2.3	27
20	Structure-Guided Engineering of Fructose-6-Phosphate Aldolase for Improved Acceptor Tolerance in Biocatalytic Aldol Additions. <i>Advanced Synthesis and Catalysis</i> , 2015, 357, 1787-1807.	4.3	20
21	Engineered Serine Hydroxymethyltransferase from <i>Streptococcus thermophilus</i> for the Synthesis of α -Dialkyl α -Amino Acids. <i>Angewandte Chemie</i> , 2015, 127, 3056-3060.	2.0	12
22	Expedient Synthesis of C-Aryl Carbohydrates by Consecutive Biocatalytic Benzoin and Aldol Reactions. <i>Chemistry - A European Journal</i> , 2015, 21, 3335-3346.	3.3	13
23	Engineered Serine Hydroxymethyltransferase from <i>Streptococcus thermophilus</i> for the Synthesis of α -Dialkyl α -Amino Acids. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 3013-3017.	13.8	35
24	Untargeted Metabolomics in Doping Control: Detection of New Markers of Testosterone Misuse by Ultrahigh Performance Liquid Chromatography Coupled to High-Resolution Mass Spectrometry. <i>Analytical Chemistry</i> , 2015, 87, 8373-8380.	6.5	39
25	Screening for anabolic steroids in sports: Analytical strategy based on the detection of phase I and phase II intact urinary metabolites by liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2015, 1389, 65-75.	3.7	37
26	Asymmetric assembly of aldose carbohydrates from formaldehyde and glycolaldehyde by tandem biocatalytic aldol reactions. <i>Nature Chemistry</i> , 2015, 7, 724-729.	13.6	63
27	Treatment with a novel oleic-acid dihydroxyamphetamine conjugation ameliorates non-alcoholic fatty liver disease in obese Zucker rats. <i>DMM Disease Models and Mechanisms</i> , 2015, 8, 1213-1225.	2.4	16
28	Ultra high performance liquid chromatography tandem mass spectrometric detection of glucuronides resistant to enzymatic hydrolysis: Implications to doping control analysis. <i>Analytica Chimica Acta</i> , 2015, 895, 35-44.	5.4	17
29	<i>D</i> -Fagomine attenuates metabolic alterations induced by a high-energy-dense diet in rats. <i>Food and Function</i> , 2015, 6, 2614-2619.	4.6	16
30	Synthesis and characterization of 6β -hydroxyandrosterone and 6β -hydroxyetiocholanolone conjugated with glucuronic acid. <i>Drug Testing and Analysis</i> , 2015, 7, 247-252.	2.6	10
31	Engineering the Donor Selectivity of Fructose-6-Phosphate Aldolase for Biocatalytic Asymmetric Cross-Aldol Additions of Glycolaldehyde. <i>Chemistry - A European Journal</i> , 2014, 20, 12572-12583.	3.3	35
32	Sequential Biocatalytic Aldol Reactions in Multistep Asymmetric Synthesis: Pipecolic Acid, Piperidine and Pyrrolidine (Homo)Iminocyclitol Derivatives from Achiral Building Blocks. <i>Advanced Synthesis and Catalysis</i> , 2014, 356, 3007-3024.	4.3	31
33	Aldolase-Catalyzed Synthesis of Conformationally Constrained Iminocyclitols: Preparation of Polyhydroxylated Benzopyrrolizidines and Cyclohexapyrrolizidines. <i>Organic Letters</i> , 2014, 16, 1422-1425.	4.6	17
34	Casuarine Stereoisomers from Achiral Substrates: Chemoenzymatic Synthesis and Inhibitory Properties. <i>Journal of Organic Chemistry</i> , 2014, 79, 5386-5389.	3.2	16
35	Detection, synthesis and characterization of metabolites of steroid hormones conjugated with cysteine. <i>Steroids</i> , 2013, 78, 327-336.	1.8	37
36	Dose-dependent metabolic disposition of hydroxytyrosol and formation of mercapturates in rats. <i>Pharmacological Research</i> , 2013, 77, 47-56.	7.1	54

#	ARTICLE	IF	CITATIONS
37	Chemo-enzymatic synthesis and glycosidase inhibitory properties of DAB and LAB derivatives. <i>Organic and Biomolecular Chemistry</i> , 2013, 11, 2005.	2.8	25
38	Unsaturated Fatty Alcohol Derivatives of Olive Oil Phenolic Compounds with Potential Low-Density Lipoprotein (LDL) Antioxidant and Antiobesity Properties. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 1067-1074.	5.2	17
39	Chemoenzymatic synthesis, structural study and biological activity of novel indolizidine and quinolizidine iminocyclitols. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 6309.	2.8	30
40	In situ aldehyde generation for aldol addition reactions catalyzed by d-fructose-6-phosphate aldolase. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2012, 84, 102-107.	1.8	15
41	Effects of MDMA (ecstasy) and two of its metabolites on rat embryos in vitro. <i>Reproductive Toxicology</i> , 2012, 34, 57-65.	2.9	3
42	Carbonâ€“Carbon Bond-Forming Enzymes for the Synthesis of Non-natural Amino Acids. <i>Methods in Molecular Biology</i> , 2012, 794, 73-85.	0.9	0
43	Highly efficient aldol additions of DHA and DHAP to N-Cbz-amino aldehydes catalyzed by l-rhamnulose-1-phosphate and l-fuculose-1-phosphate aldolases in aqueous borate buffer. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 8430.	2.8	26
44	Structure-guided redesign of d-fructose-6-phosphate aldolase from <i>E. coli</i> : remarkable activity and selectivity towards acceptor substrates by two-point mutation. <i>Chemical Communications</i> , 2011, 47, 5762.	4.1	41
45	Identification of new ozonation disinfection byproducts of 17 β -estradiol and estrone in water. <i>Chemosphere</i> , 2011, 84, 1535-1541.	8.2	45
46	Redesign of the Phosphate Binding Site of l-rhamnuloseâ€“1-phosphate Aldolase towards a Dihydroxyacetone Dependent Aldolase. <i>Advanced Synthesis and Catalysis</i> , 2011, 353, 89-99.	4.3	38
47	Direct analysis of glucuronidated metabolites of main olive oil phenols in human urine after dietary consumption of virgin olive oil. <i>Food Chemistry</i> , 2011, 126, 306-314.	8.2	42
48	Cytotoxicity and enzymatic activity inhibition in cell lines treated with novel iminosugar derivatives. <i>Glycoconjugate Journal</i> , 2010, 27, 277-285.	2.7	21
49	Synthesis of Fatty Acid Amides of Catechol Metabolites that Exhibit Antiobesity Properties. <i>ChemMedChem</i> , 2010, 5, 1781-1787.	3.2	7
50	A Mutant d-Fructoseâ€“6-phosphate Aldolase (Ala129Ser) with Improved Affinity towards Dihydroxyacetone for the Synthesis of Polyhydroxylated Compounds. <i>Advanced Synthesis and Catalysis</i> , 2010, 352, 1039-1046.	4.3	90
51	Structureâ€“Guided Minimalist Redesign of the l-Fuculoseâ€“1-phosphate Aldolase Active Site: Expedient Synthesis of Novel Polyhydroxylated Pyrrolizidines and their Inhibitory Properties Against Glycosidases and Intestinal Disaccharidases. <i>Chemistry - A European Journal</i> , 2010, 16, 10691-10706.	3.3	39
52	Matrix effects on the bioavailability of resveratrol in humans. <i>Food Chemistry</i> , 2010, 120, 1123-1130.	8.2	71
53	Antioxidant Activities of Hydroxytyrosol Main Metabolites Do Not Contribute to Beneficial Health Effects after Olive Oil Ingestion. <i>Drug Metabolism and Disposition</i> , 2010, 38, 1417-1421.	3.3	51
54	Neurotoxic Thioether Adducts of 3,4-Methylenedioxyamphetamine Identified in Human Urine After Ecstasy Ingestion. <i>Drug Metabolism and Disposition</i> , 2009, 37, 1448-1455.	3.3	30

#	ARTICLE	IF	CITATIONS
55	<sc>D</sc>-Fructose-6-phosphate Aldolase in Organic Synthesis: Cascade Chemical-Enzymatic Preparation of Sugar-Related Polyhydroxylated Compounds. Chemistry - A European Journal, 2009, 15, 3808-3816.	3.3	104
56	Dihydroxyacetone Phosphate Aldolase Catalyzed Synthesis of Structurally Diverse Polyhydroxylated Pyrrolidine Derivatives and Evaluation of their Glycosidase Inhibitory Properties. Chemistry - A European Journal, 2009, 15, 7310-7328.	3.3	49
57	Asymmetric Self- and Cross-Aldol Reactions of Glycolaldehyde Catalyzed by <sc>D</sc>-Fructose-6-phosphate Aldolase. Angewandte Chemie - International Edition, 2009, 48, 5521-5525.	13.8	116
58	Serine Hydroxymethyl Transferase from <i>Streptococcus thermophilus</i> and <sc>L</sc>-Threonine Aldolase from <i>Escherichia coli</i> as Stereocomplementary Biocatalysts for the Synthesis of \pm -diamino Acid Derivatives. Chemistry - A European Journal, 2008, 14, 4647-4656.	3.3	53
59	Serotonergic Neurotoxic Thioether Metabolites of 3,4-Methylenedioxyamphetamine (MDMA,) Tj ETQq1 1 0.784314 rgBT /Overl... Toxicology, 2008, 21, 2272-2279.	3.3	14
60	Chemoenzymatic Synthesis and Inhibitory Activities of Hyacinthacines A ₁ and A ₂ Stereoisomers. Advanced Synthesis and Catalysis, 2007, 349, 1661-1666.	4.3	57
61	Influence of N-amino protecting group on aldolase-catalyzed aldol additions of dihydroxyacetone phosphate to amino aldehydes. Tetrahedron, 2006, 62, 2648-2656.	1.9	25
62	Fructose-6-phosphate Aldolase in Organic Synthesis: Preparation of d-Fagomine, N-Alkylated Derivatives, and Preliminary Biological Assays. Organic Letters, 2006, 8, 6067-6070.	4.6	136
63	Postprandial LDL phenolic content and LDL oxidation are modulated by olive oil phenolic compounds in humans. Free Radical Biology and Medicine, 2006, 40, 608-616.	2.9	245
64	Biocatalyzed Synthesis and Structural Characterization of Monoglucuronides of Hydroxytyrosol, Tyrosol, Homovanillic Alcohol, and 3-(4-Hydroxyphenyl)propanol. Advanced Synthesis and Catalysis, 2006, 348, 2155-2162.	4.3	35
65	Synthesis and evaluation of diverse analogs of amygdalin as potential peptidomimetics of peptide T. Bioorganic and Medicinal Chemistry Letters, 2005, 15, 1493-1496.	2.2	10
66	Aldol Additions of Dihydroxyacetone Phosphate to N-Cbz-Amino Aldehydes Catalyzed by L-Fucose-1-Phosphate Aldolase in Emulsion Systems: Inversion of Stereoselectivity as a Function of the Acceptor Aldehyde. Chemistry - A European Journal, 2005, 11, 1392-1401.	3.3	50
67	Stereochemical analysis of 3,4-methylenedioxyamphetamine and its main metabolites in human samples including the catechol-type metabolite (3,4-dihydroxymethamphetamine). Drug Metabolism and Disposition, 2004, 32, 1001-7.	3.3	46
68	Synthesis of the major metabolites of Paroxetine. Bioorganic Chemistry, 2003, 31, 248-258.	4.1	12
69	Quantitative determination of paroxetine and its 4-hydroxy-3-methoxy metabolite in plasma by high-performance liquid chromatography/electrospray ion trap mass spectrometry: application to pharmacokinetic studies. Rapid Communications in Mass Spectrometry, 2003, 17, 1455-1461.	1.5	28
70	Stereochemical analysis of 3,4-methylenedioxyamphetamine and its main metabolites by gas chromatography/mass spectrometry. Rapid Communications in Mass Spectrometry, 2003, 17, 330-336.	1.5	34
71	Enzymatic Desaturation of Fatty Acids: Δ^{11} Desaturase Activity on Cyclopropane Acid Probes. Journal of Organic Chemistry, 2003, 68, 2820-2829.	3.2	18
72	Stereoselective Aldol Additions Catalyzed by Dihydroxyacetone Phosphate-Dependent Aldolases in Emulsion Systems: Preparation and Structural Characterization of Linear and Cyclic Iminopolyols from Aminoaldehydes. Chemistry - A European Journal, 2003, 9, 4887-4899.	3.3	88

#	ARTICLE	IF	CITATIONS
73	Determination of MDMA and its Metabolites in Blood and Urine by Gas Chromatography-Mass Spectrometry and Analysis of Enantiomers by Capillary Electrophoresis. <i>Journal of Analytical Toxicology</i> , 2002, 26, 157-165.	2.8	98
74	Synthesis and capillary electrophoretic analysis of enantiomerically enriched reference standards of MDMA and its main metabolites. <i>Bioorganic and Medicinal Chemistry</i> , 2002, 10, 1085-1092.	3.0	29
75	High-performance liquid chromatography with electrochemical detection applied to the analysis of 3,4-dihydroxymethamphetamine in human plasma and urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002, 769, 313-321.	2.3	17
76	3,4-Dihydroxymethamphetamine (HHMA). A Major in Vivo 3,4-methylenedioxyamphetamine (MDMA) Metabolite in Humans. <i>Chemical Research in Toxicology</i> , 2001, 14, 1203-1208.	3.3	89
77	Stereoselective Syntheses of Allylic Amines Through Reduction of 1-Azadiene Intermediates. <i>Tetrahedron</i> , 2000, 56, 8179-8187.	1.9	8
78	Trapping of Cyclopropenyl Radicals by 5,5-Dimethyl-1-pyrroline-N-oxide. <i>Journal of Organic Chemistry</i> , 1999, 64, 5096-5099.	3.2	10
79	Unexpected formation of N-(2-cyclopropenyl)phthalimides in the photosensitized decarboxylation of N-(2-cyclopropenylcarbonyloxy)phthalimides. <i>Tetrahedron Letters</i> , 1998, 39, 1079-1082.	1.4	8
80	Solid phase synthesis of cyclopropenes. <i>Tetrahedron Letters</i> , 1998, 39, 9819-9822.	1.4	17
81	Diels-Alder Reactions of 2-Azabutadienes with Aldehydes: A Ab Initio and Density Functional Theoretical Study of the Reaction Mechanism, Regioselectivity, Acid Catalysis, and Stereoselectivity. <i>Journal of Organic Chemistry</i> , 1997, 62, 3919-3926.	3.2	28
82	Synthesis and NMR configurational study of imidazo[2,1-b]thiazoles from 1H-1,4-diazepine-7(6H)-thiones. <i>Tetrahedron</i> , 1993, 49, 6619-6626.	1.9	4
83	An application of the Evans-Prasad 1,3-syn diol synthesis to a stereospecific synthesis of the C10-C27 segment of rapamycin. <i>Tetrahedron Letters</i> , 1993, 34, 3993-3996.	1.4	18
84	Synthetic studies toward rapamycin: a solution to a problem in chirality merger through use of the Ireland reaction. <i>Journal of Organic Chemistry</i> , 1991, 56, 5826-5834.	3.2	51
85	Application of the Ibuka-Yamamoto reaction to a problem in stereochemical communication: a strategy for the stereospecific synthesis and stabilization of the triene substructure of rapamycin through sulfone substitution. <i>Journal of Organic Chemistry</i> , 1991, 56, 5834-5845.	3.2	88
86	Synthesis of 1,3-Amino Alcohols from 2-Aza-1,3-dienes by Reduction of 5,6-Dihydro-2H-1,3-oxazines. <i>Synthesis</i> , 1991, 1991, 387-393.	2.3	10
87	Reduction of 5,6-dihydro-2H-1,3-oxazines. A simple approach to 1,3-aminoalcohols from 2-aza-1,3-dienes. <i>Tetrahedron Letters</i> , 1989, 30, 2001-2004.	1.4	7
88	Reaction of 3-amino-2-alkenimines with alkali metals: unexpected synthesis of substituted 4-(arylamino)quinolines. <i>Journal of Organic Chemistry</i> , 1989, 54, 2596-2598.	3.2	10
89	A simple stereoselective synthesis of primary allylic amines from 4-amino-1-azadienes. <i>Journal of the Chemical Society Chemical Communications</i> , 1989, , 1132.	2.0	13
90	A simple regiospecific synthesis of substituted pyridines from 2-aza-1,3-dienes. <i>Journal of Organic Chemistry</i> , 1988, 53, 5960-5963.	3.2	17

#	ARTICLE	IF	CITATIONS
91	Silylation of 2-Aza-1,3-dienes. The first example of a thermally stable N-trimethyl-silyldivynylamine. Journal of the Chemical Society Chemical Communications, 1986, , 361.	2.0	8
92	Preparation and reactivity of 2-aza-1,3-butadienes: A Diels-Alder route to 5,6-dihydro-2H-1,3-coxazine derivatives. Chemische Berichte, 1985, 118, 3652-3663.	0.2	30
93	Novel Strategies in Aldolase-Catalyzed Synthesis of Iminosugars. , 0, , 299-311.		1