Olav Rooyackers

List of Publications by Citations

Source: https://exaly.com/author-pdf/4019634/olav-rooyackers-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 4,480 105 29 h-index g-index citations papers 5,608 6.5 5.16 119 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
105	Robust T Cell Immunity in Convalescent Individuals with Asymptomatic or Mild COVID-19. <i>Cell</i> , 2020 , 183, 158-168.e14	56.2	955
104	Metformin increases AMP-activated protein kinase activity in skeletal muscle of subjects with type 2 diabetes. <i>Diabetes</i> , 2002 , 51, 2074-81	0.9	615
103	Effects of the 11 beta-hydroxysteroid dehydrogenase inhibitor carbenoxolone on insulin sensitivity in men with type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 285-91	5.6	217
102	Natural killer cell immunotypes related to COVID-19 disease severity. <i>Science Immunology</i> , 2020 , 5,	28	183
101	Derangements in mitochondrial metabolism in intercostal and leg muscle of critically ill patients with sepsis-induced multiple organ failure. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006 , 291, E1044-50	6	153
100	Marked upregulation of cholesterol 25-hydroxylase expression by lipopolysaccharide. <i>Journal of Lipid Research</i> , 2009 , 50, 2258-64	6.3	135
99	Glutamine and glutathione at ICU admission in relation to outcome. Clinical Science, 2012, 122, 591-7	6.5	131
98	Systematic analysis of adaptations in aerobic capacity and submaximal energy metabolism provides a unique insight into determinants of human aerobic performance. <i>Journal of Applied Physiology</i> , 2009 , 106, 1479-86	3.7	129
97	Reduced oxidative power but unchanged antioxidative capacity in skeletal muscle from aged humans. <i>Pflugers Archiv European Journal of Physiology</i> , 2003 , 446, 261-9	4.6	122
96	Dysregulation of mitochondrial dynamics and the muscle transcriptome in ICU patients suffering from sepsis induced multiple organ failure. <i>PLoS ONE</i> , 2008 , 3, e3686	3.7	111
95	Using transcriptomics to identify and validate novel biomarkers of human skeletal muscle cancer cachexia. <i>Genome Medicine</i> , 2010 , 2, 1	14.4	99
94	Protein metabolism and gene expression in skeletal muscle of critically ill patients with sepsis. <i>Clinical Science</i> , 2012 , 122, 133-42	6.5	97
93	Indirect calorimetry in mechanically ventilated patients. A systematic comparison of three instruments. <i>Clinical Nutrition</i> , 2013 , 32, 118-21	5.9	79
92	Effects on skeletal muscle of intravenous glutamine supplementation to ICU patients. <i>Intensive Care Medicine</i> , 2004 , 30, 266-275	14.5	79
91	MAIT cell activation and dynamics associated with COVID-19 disease severity. <i>Science Immunology</i> , 2020 , 5,	28	74
90	Autophagic-lysosomal pathway is the main proteolytic system modified in the skeletal muscle of esophageal cancer patients. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 1485-92	7	70
89	Intensive insulin treatment in critically ill trauma patients normalizes glucose by reducing endogenous glucose production. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 5382-6	5.6	62

(2020-2020)

88	Glutamine Links Obesity to Inflammation in Human White Adipose Tissue. <i>Cell Metabolism</i> , 2020 , 31, 375-390.e11	24.6	56
87	Major alterations in the mononuclear phagocyte landscape associated with COVID-19 severity. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118,	11.5	54
86	Short-term amino acid infusion improves protein balance in critically ill patients. <i>Critical Care</i> , 2015 , 19, 106	10.8	53
85	Whole body protein kinetics during hypocaloric and normocaloric feeding in critically ill patients. <i>Critical Care</i> , 2013 , 17, R158	10.8	51
84	A Practical and Time-Efficient High-Intensity Interval Training Program Modifies Cardio-Metabolic Risk Factors in Adults with Risk Factors for Type II Diabetes. <i>Frontiers in Endocrinology</i> , 2017 , 8, 229	5.7	49
83	Whole body protein turnover in critically ill patients with multiple organ failure. <i>Clinical Nutrition</i> , 2015 , 34, 95-100	5.9	46
82	Effect of initiating enteral protein feeding on whole-body protein turnover in critically ill patients. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 549-57	7	39
81	Metabolic support in the critically ill: a consensus of 19. <i>Critical Care</i> , 2019 , 23, 318	10.8	37
80	Albumin Kinetics in Patients Undergoing Major Abdominal Surgery. <i>PLoS ONE</i> , 2015 , 10, e0136371	3.7	34
79	Synthesis rates of total liver protein and albumin are both increased in patients with an acute inflammatory response. <i>Clinical Science</i> , 2006 , 110, 93-9	6.5	33
78	Protein metabolism in leg muscle following an endotoxin injection in healthy volunteers. <i>Clinical Science</i> , 2009 , 118, 421-7	6.5	32
77	Co-ingesting milk fat with micellar casein does not affect postprandial protein handling in healthy older men. <i>Clinical Nutrition</i> , 2017 , 36, 429-437	5.9	29
76	Gastrointestinal dysfunction in the critically ill: a systematic scoping review and research agenda proposed by the Section of Metabolism, Endocrinology and Nutrition of the European Society of Intensive Care Medicine. <i>Critical Care</i> , 2020 , 24, 224	10.8	29
75	Leucine does not affect mechanistic target of rapamycin complex 1 assembly but is required for maximal ribosomal protein s6 kinase 1 activity in human skeletal muscle following resistance exercise. <i>FASEB Journal</i> , 2015 , 29, 4358-73	0.9	27
74	Measuring energy expenditure in the intensive care unit: a comparison of indirect calorimetry by E-sCOVX and Quark RMR with Deltatrac II in mechanically ventilated critically ill patients. <i>Critical Care</i> , 2016 , 20, 54	10.8	25
73	An attenuated rate of leg muscle protein depletion and leg free amino acid efflux over time is seen in ICU long-stayers. <i>Critical Care</i> , 2018 , 22, 13	10.8	25
72	Mitochondrial function in sepsis: respiratory versus leg muscle. <i>Critical Care Medicine</i> , 2007 , 35, S449-53	1.4	25
71	Innate lymphoid cell composition associates with COVID-19 disease severity. <i>Clinical and Translational Immunology</i> , 2020 , 9, e1224	6.8	24

70	Omics/systems biology and cancer cachexia. Seminars in Cell and Developmental Biology, 2016, 54, 92-10)3 7.5	23
69	Leakage of albumin in major abdominal surgery. <i>Critical Care</i> , 2016 , 20, 113	10.8	23
68	Pharmacologically dosed oral glutamine reduces myocardial injury in patients undergoing cardiac surgery: a randomized pilot feasibility trial. <i>Journal of Parenteral and Enteral Nutrition</i> , 2012 , 36, 556-61	4.2	22
67	A supplemental intravenous amino acid infusion sustains a positive protein balance for 24[hours in critically ill patients. <i>Critical Care</i> , 2017 , 21, 298	10.8	21
66	The effect of perioperative glucose control on postoperative insulin resistance. <i>Clinical Nutrition</i> , 2012 , 31, 676-81	5.9	19
65	Microdialysis methods for measuring human metabolism. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2004 , 7, 515-21	3.8	19
64	Endogenous glutamine production in critically ill patients: the effect of exogenous glutamine supplementation. <i>Critical Care</i> , 2014 , 18, R72	10.8	17
63	High protein intake without concerns?. <i>Critical Care</i> , 2017 , 21, 106	10.8	16
62	Lactate kinetics and mitochondrial respiration in skeletal muscle of healthy humans under influence of adrenaline. <i>Clinical Science</i> , 2015 , 129, 375-84	6.5	16
61	The pattern of amino acid exchange across the brain is unaffected by intravenous glutamine supplementation in head trauma patients. <i>Clinical Nutrition</i> , 2008 , 27, 816-21	5.9	16
60	SARS-CoV-2-specific humoral and cellular immunity persists through 9 months irrespective of COVID-19 severity at hospitalisation. <i>Clinical and Translational Immunology</i> , 2021 , 10, e1306	6.8	16
59	Effect of extended cold ischemia time on glucose metabolism in liver grafts: experimental study in pigs. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 2007 , 14, 183-8		14
58	Adipose tissue extracts plasma ammonia after sprint exercise in women and men. <i>Journal of Applied Physiology</i> , 2006 , 101, 1576-80	3.7	14
57	Plasma Glutamine Concentrations in Liver Failure. <i>PLoS ONE</i> , 2016 , 11, e0150440	3.7	14
56	High-dimensional profiling reveals phenotypic heterogeneity and disease-specific alterations of granulocytes in COVID-19. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	14
55	Continuous glucose monitoring by intravenous microdialysis. <i>Acta Anaesthesiologica Scandinavica</i> , 2010 , 54, 841-7	1.9	13
54	Improved Muscle Mitochondrial Capacity Following Gastric Bypass Surgery in Obese Subjects. <i>Obesity Surgery</i> , 2016 , 26, 1391-7	3.7	12
53	Reduced respiratory capacity in muscle mitochondria of obese subjects. <i>Obesity Facts</i> , 2010 , 3, 371-5	5.1	12

(2005-2016)

52	Does feeding induce maximal stimulation of protein balance?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2016 , 19, 120-4	3.8	12
51	Omics and cachexia. Current Opinion in Clinical Nutrition and Metabolic Care, 2017, 20, 181-185	3.8	11
50	Optimizing the measurement of mitochondrial protein synthesis in human skeletal muscle. <i>Applied Physiology, Nutrition and Metabolism</i> , 2015 , 40, 1-9	3	11
49	Low serum selenium is associated with the severity of organ failure in critically ill children. <i>Clinical Nutrition</i> , 2018 , 37, 1399-1405	5.9	11
48	Can exercise and nutrition stimulate muscle protein gain in the ICU patient?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2019 , 22, 146-151	3.8	10
47	Plasma glutamine deficiency is associated with multiple organ failure in critically ill children. <i>Amino Acids</i> , 2015 , 47, 535-42	3.5	9
46	MAIT cell activation and dynamics associated with COVID-19 disease severity and outcome		9
45	Autophagy flux in critical illness, a translational approach. Scientific Reports, 2019, 9, 10762	4.9	8
44	Upper-body obese women are resistant to postprandial stimulation of protein synthesis. <i>Clinical Nutrition</i> , 2014 , 33, 802-7	5.9	8
43	A tracer bolus method for investigating glutamine kinetics in humans. <i>PLoS ONE</i> , 2014 , 9, e96601	3.7	8
42	Amino acid concentrations in critically ill children following cardiac surgery*. <i>Pediatric Critical Care Medicine</i> , 2014 , 15, 314-28	3	8
41	Validation of a point-of-care instrument for bedside glutamine screening in the intensive care unit. <i>Clinical Nutrition</i> , 2017 , 36, 186-190	5.9	7
40	Plasma glutamine concentration after intensive care unit discharge: an observational study. <i>Critical Care</i> , 2014 , 18, 677	10.8	7
39	Insulin stimulated glucose disposal in peripheral tissues studied with microdialysis and stable isotope tracers. <i>Clinical Nutrition</i> , 2004 , 23, 743-52	5.9	7
38	Microdialysis to investigate tissue amino acid kinetics. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2005 , 8, 77-82	3.8	7
37	Continuous glucose monitoring by intravenous microdialysis: influence of membrane length and dialysis flow rate. <i>Acta Anaesthesiologica Scandinavica</i> , 2013 , 57, 214-9	1.9	6
36	Influence of nutrient ingestion on amino acid transporters and protein synthesis in human skeletal muscle after sprint exercise. <i>Journal of Applied Physiology</i> , 2017 , 123, 1501-1515	3.7	6
35	Determination of in vivo protein synthesis in human palatine tonsil. <i>Clinical Science</i> , 2005 , 108, 179-84	6.5	6

34	Evaluation of Intrahepatic Lactate/Pyruvate Ratio As a Marker for Ischemic Complications Early After Liver Transplantation-A Clinical Study. <i>Transplantation Direct</i> , 2019 , 5, e505	2.3	6
33	Albumin mass balance and kinetics in liver transplantation. <i>Critical Care</i> , 2018 , 22, 152	10.8	5
32	Whole-body protein kinetics in critically ill patients during 50 or 100% energy provision by enteral nutrition: A randomized cross-over study. <i>PLoS ONE</i> , 2020 , 15, e0240045	3.7	5
31	Repeated quantitative measurements of De Novo synthesis of albumin and fibrinogen. <i>PLoS ONE</i> , 2017 , 12, e0174611	3.7	3
30	Correction of a urea cycle defect after exwivo gene editing of human hepatocytes. <i>Molecular Therapy</i> , 2021 , 29, 1903-1917	11.7	3
29	Protein absorption and kinetics in critical illness. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2021 , 24, 71-78	3.8	3
28	The effect of plasma from septic ICU patients on healthy rat muscle mitochondria. <i>Intensive Care Medicine Experimental</i> , 2016 , 4, 20	3.7	2
27	Plasma glutamine status at intensive care unit admission: an independent risk factor for mortality in critical illness. <i>Critical Care</i> , 2021 , 25, 240	10.8	2
26	Muscle metabolism. Current Opinion in Critical Care, 2017, 23, 264-268	3.5	1
25	Optimal cut-off for hourly lactate reduction in ICU-treated patients with septic shock. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 885-894	1.9	1
24	Enhanced in vivo protein synthesis in circulating immune cells of ICU patients. <i>Journal of Clinical Immunology</i> , 2007 , 27, 589-97	5.7	1
23	COVID-19 specific metabolic imprint yields insights into multi organ-system perturbations. <i>European Journal of Immunology</i> , 2021 ,	6.1	1
22	Protocol for a prospective cohort study on the use of clinical nutrition and assessment of long-term clinical and functional outcomes in critically ill adult patients. <i>Clinical Nutrition ESPEN</i> , 2021 , 43, 104-110) ^{1.3}	1
21	PatientsRexperiences of early postoperative cognition and its relation to cognitive decline and inflammatory responses: a protocol for a mixed-methods study. <i>BMJ Open</i> , 2019 , 9, e032650	3	1
20	Intrahepatic Microdialysis for Monitoring of Metabolic Markers to Detect Rejection Early After Liver Transplantation. <i>Transplantation Proceedings</i> , 2021 , 53, 130-135	1.1	1
19	High-dimensional profiling reveals phenotypic heterogeneity and disease-specific alterations of granulocytes in COVID-19		1
18	Medical nutrition therapy and clinical outcomes in critically ill adults: a European multinational, prospective observational cohort study (EuroPN) <i>Critical Care</i> , 2022 , 26, 143	10.8	1
17	Endogenous production of glutamine and plasma glutamine concentration in critically ill patients. <i>Clinical Nutrition ESPEN</i> , 2020 , 40, 226-230	1.3	О

LIST OF PUBLICATIONS

16	Uptake of dietary amino acids into arterial blood during continuous enteral feeding in critically ill patients and healthy subjects. <i>Clinical Nutrition</i> , 2021 , 40, 912-918	5.9	0
15	The effect of glucose control in liver surgery on glucose kinetics and insulin resistance. <i>Clinical Nutrition</i> , 2021 , 40, 4526-4534	5.9	O
14	Approximation of Resting Energy Expenditure in Intensive Care Unit Patients Using the SenseWear Bracelet: A Comparison With Indirect Calorimetry. <i>Journal of Parenteral and Enteral Nutrition</i> , 2017 , 41, 976-980	4.2	
13	Know your methodological assumptions. Report from the ESPEN Especial Interest Group tracer methodology meetings in Nice (2010) and Gothenburg (2011). <i>E-SPEN Journal</i> , 2012 , 7, e54-e55		
12	Report of the 9th SIG Tracer Methodology meeting in Florence, 2008. European E-journal of Clinical Nutrition and Metabolism, 2009 , 4, e206-e207		
11	Report of the 8th SIG Tracer Methodology meeting in Prague, 2007. European E-journal of Clinical Nutrition and Metabolism, 2008, 3, e29-e31		
10	Mitochondrial protein synthesis in skeletal muscle of patients treated in the ICU. <i>FASEB Journal</i> , 2006 , 20, A187	0.9	
9	Is leucine induced p70S6 kinase phosphorylation following resistance exercise dependent on elevated phenylalanine levels in human skeletal muscle?. <i>FASEB Journal</i> , 2010 , 24, lb273	0.9	
8	Plasma Amino Acids as Predictors for Outcome in Patients at the Intense Care Unit. <i>FASEB Journal</i> , 2013 , 27, 1073.6	0.9	
7	Mitochondrial Adaptation and Hibernation 2016 , 27-43		
6	Whole-body protein kinetics in critically ill patients during 50 or 100% energy provision by enteral nutrition: A randomized cross-over study 2020 , 15, e0240045		
5	Whole-body protein kinetics in critically ill patients during 50 or 100% energy provision by enteral nutrition: A randomized cross-over study 2020 , 15, e0240045		
4	Whole-body protein kinetics in critically ill patients during 50 or 100% energy provision by enteral nutrition: A randomized cross-over study 2020 , 15, e0240045		
3	Whole-body protein kinetics in critically ill patients during 50 or 100% energy provision by enteral nutrition: A randomized cross-over study 2020 , 15, e0240045		
2	Whole-body protein kinetics in critically ill patients during 50 or 100% energy provision by enteral nutrition: A randomized cross-over study 2020 , 15, e0240045		
1	Whole-body protein kinetics in critically ill patients during 50 or 100% energy provision by enteral nutrition: A randomized cross-over study 2020 , 15, e0240045		