Rong-Hua Tao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4019776/publications.pdf

Version: 2024-02-01

23

all docs

22 526 12 papers citations h-index

23

docs citations

h-index g-index

23
1069
times ranked citing authors

888059

17

#	Article	IF	CITATIONS
1	Exercise Inhibits Doxorubicin-Induced Damage to Cardiac Vessels and Activation of Hippo/YAP-Mediated Apoptosis. Cancers, 2021, 13, 2740.	3.7	17
2	Abstract 5422: Dissecting the mechanism of exercise-mediated protection of Dox-induced cardiotoxicity. , 2020, , .		0
3	Transcriptional repressor REST drives lineage stage–specific chromatin compaction at <i>Ptch1</i> and increases AKT activation in a mouse model of medulloblastoma. Science Signaling, 2019, 12, .	3.6	19
4	Monitoring of intracerebellarly-administered natural killer cells with fluorine-19 MRI. Journal of Neuro-Oncology, 2019, 142, 395-407.	2.9	25
5	Regulation of <i>USP37</i> Expression by REST-Associated G9a-Dependent Histone Methylation. Molecular Cancer Research, 2017, 15, 1073-1084.	3.4	27
6	Medulloblastoma development: tumor biology informs treatment decisions. CNS Oncology, 2015, 4, 79-89.	3.0	17
7	HuR Suppresses Fas Expression and Correlates with Patient Outcome in Liver Cancer. Molecular Cancer Research, 2015, 13, 809-818.	3.4	40
8	Nucleolin inhibits Fas ligand binding and suppresses Fas-mediated apoptosis in vivo via a surface nucleolin-Fas complex. Blood, 2013, 121, 4729-4739.	1.4	64
9	The peptide derived from the Ig-like domain of human herpesvirus 8 K1 protein induces death in hematological cancer cells. Journal of Experimental and Clinical Cancer Research, 2012, 31, 69.	8.6	5
10	Abstract 4965: Oncoprotein PMLRARÎ \pm directly suppresses Fas-mediated apoptosis through forming an apoptotic inhibitory complex with c-FLIPin vivo. , 2012, , .		0
11	Regulation of Fas-mediated Apoptosis in B-Cell Lymphomas by Nucleolin Blood, 2012, 120, 2406-2406.	1.4	O
12	Mechanism of Regulating Fas Signaling by Promyelocytic Leukemia Protein (PML) and Its Dominant-Negative Mutant PMLRARα. Blood, 2012, 120, 1327-1327.	1.4	1
13	PMLRARÎ \pm binds to Fas and suppresses Fas-mediated apoptosis through recruiting c-FLIP in vivo. Blood, 2011, 118, 3107-3118.	1.4	8
14	Milatuzumab $\hat{a} \in \hat{a}$ a promising new immunotherapeutic agent. Expert Opinion on Investigational Drugs, 2010, 19, 141-149.	4.1	52
15	Abstract 2908: Promyelocytic leukemia-retinoic acid receptor \hat{l}_{\pm} forms complexes with Fas and FLIP and impairs Fas-mediated apoptosis. , 2010, , .		O
16	Abstract 1254: Kaposi's Sarcoma herpesvirus K1's transcellular inhibition of Fas-mediated apoptosis., 2010,,.		0
17	Direct Suppression of Fas-Mediated Apoptosis by PMLRARa through Forming An Apoptotic Inhibitory Complex with c-FLIP In Acute Promyelocytic Leukemia. Blood, 2010, 116, 3148-3148.	1.4	0
18	All EGF(ErbB) receptors have preformed homo- and heterodimeric structures in living cells. Journal of Cell Science, 2008, 121, 3207-3217.	2.0	180

#	Article	IF	CITATIONS
19	Opposite effects of alternative TZF spliced variants on androgen receptor. Biochemical and Biophysical Research Communications, 2006, 341, 515-521.	2.1	13
20	Testicular zinc finger protein recruits histone deacetylase 2 and suppresses the transactivation function and intranuclear foci formation of agonist-bound androgen receptor competitively with TIF2. Molecular and Cellular Endocrinology, 2006, 247, 150-165.	3.2	17
21	Impaired Nuclear Translocation, Nuclear Matrix Targeting, and Intranuclear Mobility of Mutant Androgen Receptors Carrying Amino Acid Substitutions in the Deoxyribonucleic Acid-Binding Domain Derived from Androgen Insensitivity Syndrome Patients. Journal of Clinical Endocrinology and Metabolism. 2005, 90, 6162-6169.	3.6	24
22	A zinc finger protein TZF is a novel corepressor of androgen receptor. Biochemical and Biophysical Research Communications, 2005, 331, 1025-1031.	2.1	16