

Nasim Vousooghi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4020039/publications.pdf>

Version: 2024-02-01

52
papers

632
citations

566801

15
h-index

713013

21
g-index

55
all docs

55
docs citations

55
times ranked

929
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of rat parental morphine exposure on passive avoidance memory and morphine conditioned place preference in male offspring. <i>Physiology and Behavior</i> , 2018, 184, 143-149.	1.0	37
2	Is the Nociception Mechanism Altered in Offspring of Morphine-Abstinent Rats?. <i>Journal of Pain</i> , 2018, 19, 529-541.	0.7	33
3	Rolipram potentiates bevacizumab-induced cell death in human glioblastoma stem-like cells. <i>Life Sciences</i> , 2017, 173, 11-19.	2.0	32
4	Synthesis and analgesic activity of new 1,3,4-oxadiazoles and 1,2,4-triazoles. <i>Medicinal Chemistry Research</i> , 2011, 20, 435-442.	1.1	31
5	Effect of circadian rhythm disturbance on morphine preference and addiction in male rats: Involvement of period genes and dopamine D1 receptor. <i>Neuroscience</i> , 2016, 322, 104-114.	1.1	30
6	Mitochondrial impairments contribute to spatial learning and memory dysfunction induced by chronic tramadol administration in rat: Protective effect of physical exercise. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 79, 426-433.	2.5	30
7	<p>Benefit effect of REM-sleep deprivation on memory impairment induced by intensive exercise in male wistar rats: with respect to hippocampal BDNF and TrkB</p>. <i>Nature and Science of Sleep</i> , 2019, Volume 11, 179-188.	1.4	27
8	Adult rat morphine exposure changes morphine preference, anxiety, and the brain expression of dopamine receptors in male offspring. <i>International Journal of Developmental Neuroscience</i> , 2018, 69, 49-59.	0.7	21
9	Expression of NMDA receptor subunits in human peripheral blood lymphocytes in opioid addiction. <i>European Journal of Pharmacology</i> , 2010, 638, 29-32.	1.7	20
10	Efficacy of Human Adipose Tissue-Derived Stem Cells on Neonatal Bilirubin Encephalopathy in Rats. <i>Neurotoxicity Research</i> , 2016, 29, 514-524.	1.3	18
11	CART peptide and opioid addiction: Expression changes in male rat brain. <i>Neuroscience</i> , 2016, 325, 63-73.	1.1	18
12	A new rat model of neonatal bilirubin encephalopathy (kernicterus). <i>Journal of Pharmacological and Toxicological Methods</i> , 2017, 84, 44-50.	0.3	17
13	NMDA receptor subunits change in the prefrontal cortex of pure-opioid and multi-drug abusers: a post-mortem study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 309-315.	1.8	17
14	Parental morphine exposure enhances morphine (but not methamphetamine) preference and increases monoamine oxidase-B level in the nucleus accumbens. <i>Behavioural Pharmacology</i> , 2019, 30, 435-445.	0.8	17
15	Dopamine receptors in human peripheral blood lymphocytes: Changes in mRNA expression in opioid addiction. <i>European Journal of Pharmacology</i> , 2009, 615, 218-222.	1.7	16
16	Involvement of the dopaminergic receptors of the rat basolateral amygdala in anxiolytic-like effects of the cholinergic system. <i>European Journal of Pharmacology</i> , 2011, 672, 106-112.	1.7	16
17	Perifosine enhances bevacizumab-induced apoptosis and therapeutic efficacy by targeting PI3K/AKT pathway in a glioblastoma heterotopic model. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2017, 22, 1025-1034.	2.2	16
18	Expression of NR3B but not NR2D subunit of NMDA receptor in human blood lymphocytes can serve as a suitable peripheral marker for opioid addiction studies. <i>European Journal of Pharmacology</i> , 2010, 633, 50-54.	1.7	15

#	ARTICLE	IF	CITATIONS
19	The Role of Kinase Signaling in Resistance to Bevacizumab Therapy for Glioblastoma Multiforme. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2019, 34, 345-354.	0.7	15
20	The Role of Protein Kinase B Signaling Pathway in Anti-cancer Effect of Rolipram on Glioblastoma Multiforme: An In Vitro Study. <i>Basic and Clinical Neuroscience</i> , 2017, 8, 325-336.	0.3	15
21	Evaluation of CART peptide level in rat plasma and CSF: Possible role as a biomarker in opioid addiction. <i>Peptides</i> , 2016, 84, 1-6.	1.2	14
22	Alteration of dopamine receptors subtypes in the brain of opioid abusers: A postmortem study in Iran. <i>Neuroscience Letters</i> , 2018, 687, 169-176.	1.0	14
23	Expression of NMDA receptor subunits in human blood lymphocytes: A peripheral biomarker in online computer game addiction. <i>Journal of Behavioral Addictions</i> , 2018, 7, 260-268.	1.9	14
24	mRNA expression of dopamine receptors in peripheral blood lymphocytes of computer game addicts. <i>Journal of Neural Transmission</i> , 2015, 122, 1391-1398.	1.4	13
25	Dorsal hippocampal NMDA receptors mediate the interactive effects of arachidonylcyclopropylamide and MDMA/ecstasy on memory retrieval in rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 66, 41-47.	2.5	12
26	The Effect of Lactobacillus casei Consumption in Improvement of Obsessive-Compulsive Disorder: an Animal Study. <i>Probiotics and Antimicrobial Proteins</i> , 2020, 12, 1409-1419.	1.9	12
27	Transplantation of Adipose Tissue-Derived Stem Cells into Brain Through Cerebrospinal Fluid in Rat Models: Protocol Development and Initial Outcome Data. <i>Current Stem Cell Research and Therapy</i> , 2019, 14, 191-195.	0.6	12
28	Evaluation of dynorphin and kappa-opioid receptor level in the human blood lymphocytes and plasma: Possible role as a biomarker in severe opioid use disorder. <i>Drug and Alcohol Dependence</i> , 2019, 205, 107638.	1.6	11
29	Effect of Multiple Intraperitoneal Injections of Human Bone Marrow Mesenchymal Stem Cells on Cuprizone Model of Multiple Sclerosis. <i>Iranian Biomedical Journal</i> , 2018, 22, 312-321.	0.4	11
30	Expression of mu opioid receptor splice variants mRNA in human blood lymphocytes: A peripheral marker for opioid addiction studies. <i>International Immunopharmacology</i> , 2009, 9, 1016-1020.	1.7	9
31	Rolipram optimizes therapeutic effect of bevacizumab by enhancing proapoptotic, antiproliferative signals in a glioblastoma heterotopic model. <i>Life Sciences</i> , 2019, 239, 116880.	2.0	9
32	Evaluation of the CART peptide expression in morphine sensitization in male rats. <i>European Journal of Pharmacology</i> , 2017, 802, 52-59.	1.7	6
33	Effect of NOS3 gene polymorphism on response to Tricyclic antidepressants in migraine attacks. <i>Iranian Journal of Neurology</i> , 2014, 13, 154-9.	0.5	6
34	NMDA receptors of blood lymphocytes anticipate cognitive performance variations in healthy volunteers. <i>Physiology and Behavior</i> , 2019, 201, 53-58.	1.0	5
35	Heroin-based crack induces hyperalgesia through β -arrestin 2 redistribution and phosphorylation of Erk1/2 and JNK in the periaqueductal gray area. <i>Neuroscience Letters</i> , 2019, 698, 133-139.	1.0	5
36	Evaluation of the relationship between the gene expression level of orexin-1 receptor in the rat blood and prefrontal cortex, novelty-seeking, and proneness to methamphetamine dependence: A candidate biomarker. <i>Peptides</i> , 2020, 131, 170368.	1.2	5

#	ARTICLE	IF	CITATIONS
37	Systemic administration of N-acetylcysteine during the extinction period and on the reinstatement day decreased the maintenance of morphine rewarding properties in the rats. <i>Behavioural Brain Research</i> , 2021, 413, 113451.	1.2	5
38	Imipramine-Induced Antinociception in the Formalin Test. <i>Pharmacology</i> , 2003, 68, 154-161.	0.9	4
39	Morphine Exposure Causes to Enhance Depression-like Behaviour in Confront with Chronic Stress in Adult Male Offspring Rat. <i>Basic and Clinical Neuroscience</i> , 2019, 10, 323-332.	0.3	4
40	Early-Onset Alzheimer's Disease in Two Iranian Families: A Genetic Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2014, 38, 330-336.	0.7	3
41	Plasticity after pediatric cochlear implantation: Implication from changes in peripheral plasma level of BDNF and auditory nerve responses. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2018, 105, 103-110.	0.4	2
42	The effect of microinjection of CART 55-102 into the nucleus accumbens shell on morphine-induced conditioned place preference in rats: Involvement of the NMDA receptor. <i>Peptides</i> , 2020, 129, 170319.	1.2	2
43	Comparing Sexual Function between Opioid Dependents Consuming Methadone or Opium Tincture. <i>Iranian Journal of Psychiatry</i> , 2021, 16, 312-319.	0.4	2
44	Catechol-O-methyltransferase gene expression in stress-induced and non-stress induced schizophrenia. <i>Psychiatric Genetics</i> , 2020, 30, 10-18.	0.6	2
45	X Chromosome Inactivation in Opioid Addicted Women. <i>Basic and Clinical Neuroscience</i> , 2015, 6, 179-84.	0.3	2
46	Effects of Placenta-Derived Human Amniotic Epithelial Cells on the Wound Healing Process and TGF- β 2 Induced Scar Formation in Murine Ischemic-Reperfusion Injury Model. <i>Stem Cell Reviews and Reports</i> , 2022, 18, 2045-2058.	1.7	2
47	The effect of tiagabine on physical development and neurological reflexes and their relationship with the Γ^3 -aminobutyric acid switch in the rat cerebral cortex during developmental stages. <i>Behavioural Pharmacology</i> , 2013, 24, 561-568.	0.8	1
48	Evaluation of plasma sphingosine 1-phosphate, hepcidin and cardiovascular damage biomarkers (cardiac troponin I and homocysteine) in rats infected with brucellosis and vaccinated (Rev-1, RB-51). <i>Microbial Pathogenesis</i> , 2017, 109, 67-70.	1.3	1
49	Association of SHANK3 Gene Polymorphism and Parkinson Disease in the North of Iran. <i>Basic and Clinical Neuroscience</i> , 2021, 12, 57-62.	0.3	1
50	Potential biomarkers of addiction identified by real-time PCR in human peripheral blood lymphocytes: a narrative review. <i>Biomarkers in Medicine</i> , 2022, 16, 739-758.	0.6	1
51	Effect of Testosterone on the Extinction Period of Morphine-induced CPP in Male Rats. <i>Archives of Neuroscience</i> , 2022, 9, .	0.1	1
52	Mu opioid receptor gene: new point mutations in opioid addicts. <i>Basic and Clinical Neuroscience</i> , 2014, 5, 18-21.	0.3	0