

Alfredo Falcone

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/402071/publications.pdf>

Version: 2024-02-01

395
papers

27,623
citations

10979

71
h-index

6831

155
g-index

409
all docs

409
docs citations

409
times ranked

25612
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical outcomes of NSCLC patients experiencing early immune-related adverse events to PD-1/PD-L1 checkpoint inhibitors leading to treatment discontinuation. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 865-874.	2.0	11
2	Homologous Recombination Deficiency Alterations in Colorectal Cancer: Clinical, Molecular, and Prognostic Implications. <i>Journal of the National Cancer Institute</i> , 2022, 114, 271-279.	3.0	27
3	Triplet chemotherapy in combination with anti-EGFR agents for the treatment of metastatic colorectal cancer: Current evidence, advances, and future perspectives. <i>Cancer Treatment Reviews</i> , 2022, 102, 102301.	3.4	17
4	A pharmacogenetic interaction analysis of bevacizumab with paclitaxel in advanced breast cancer patients. <i>Npj Breast Cancer</i> , 2022, 8, 33.	2.3	3
5	In Pancreatic Adenocarcinoma Alpha-Synuclein Increases and Marks Peri-Neural Infiltration. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3775.	1.8	5
6	Genetic variants involved in the cGAS-STING pathway predict outcome in patients with metastatic colorectal cancer: Data from FIRE-3 and TRIBE trials. <i>European Journal of Cancer</i> , 2022, 172, 22-30.	1.3	3
7	Treatments after progression to first-line FOLFOXIRI and bevacizumab in metastatic colorectal cancer: a pooled analysis of TRIBE and TRIBE2 studies by GONO. <i>British Journal of Cancer</i> , 2021, 124, 183-190.	2.9	7
8	Pharmacodynamic biomarkers in metronomic chemotherapy: multiplex cytokine measurements in gastrointestinal cancer patients. <i>Clinical and Experimental Medicine</i> , 2021, 21, 149-159.	1.9	5
9	Treatments after first progression in metastatic colorectal cancer. A literature review and evidence-based algorithm. <i>Cancer Treatment Reviews</i> , 2021, 92, 102135.	3.4	2
10	Clinical Validation of a Machine-learningâ€‘derived Signature Predictive of Outcomes from First-line Oxaliplatin-based Chemotherapy in Advanced Colorectal Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 1174-1183.	3.2	28
11	FOLFOXIRI-Bevacizumab or FOLFOX-Panitumumab in Patients with Left-Sided <i>RAS/BRAF</i> Wild-Type Metastatic Colorectal Cancer: A Propensity Score-Based Analysis. <i>Oncologist</i> , 2021, 26, 302-309.	1.9	9
12	Clinical significance of enterocyte-specific gene polymorphisms as candidate markers of oxaliplatin-based treatment for metastatic colorectal cancer. <i>Pharmacogenomics Journal</i> , 2021, 21, 285-295.	0.9	3
13	Beyond the Guidelines: The Grey Zones of the Management of Gastric Cancer. Consensus Statements from the Gastric Cancer Italian Network (GAIN). <i>Cancers</i> , 2021, 13, 1304.	1.7	2
14	RNA-Binding Protein Polymorphisms as Novel Biomarkers to Predict Outcomes of Metastatic Colorectal Cancer: A Meta-analysis from TRIBE, FIRE-3, and MAVERICC. <i>Molecular Cancer Therapeutics</i> , 2021, 20, 1153-1160.	1.9	1
15	<i>BRAF</i> V600E Mutation in First-Line Metastatic Colorectal Cancer: An Analysis of Individual Patient Data From the ARCAD Database. <i>Journal of the National Cancer Institute</i> , 2021, 113, 1386-1395.	3.0	17
16	Management of Thyrotoxicosis Induced by PD1 or PD-L1 Blockade. <i>Journal of the Endocrine Society</i> , 2021, 5, bvab093.	0.1	3
17	Random survival forests identify pathways with polymorphisms predictive of survival in <i>KRAS</i> mutant and <i>KRAS</i> wild-type metastatic colorectal cancer patients. <i>Scientific Reports</i> , 2021, 11, 12191.	1.6	3
18	Germ line polymorphisms of genes involved in pluripotency transcription factors predict efficacy of cetuximab in metastatic colorectal cancer. <i>European Journal of Cancer</i> , 2021, 150, 133-142.	1.3	1

#	ARTICLE	IF	CITATIONS
19	Prognostic and Predictive Impact of Primary Tumor Sidedness for Previously Untreated Advanced Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2021, 113, 1705-1713.	3.0	12
20	Italian results of the PRECONNECT study: safety and efficacy of trifluridine/tipiracil in metastatic colorectal cancer. <i>Future Oncology</i> , 2021, 17, 2315-2324.	1.1	6
21	Rationale and Study Design of the PARERE Trial: Randomized phase II Study of Panitumumab Re-Treatment Followed by Regorafenib Versus the Reverse Sequence in RAS and BRAF Wild-Type Chemo-Refractory Metastatic Colorectal Cancer Patients. <i>Clinical Colorectal Cancer</i> , 2021, 20, 314-317.	1.0	12
22	CEA increase as a marker of disease progression after first-line induction therapy in metastatic colorectal cancer patients. A pooled analysis of TRIBE and TRIBE2 studies. <i>British Journal of Cancer</i> , 2021, 125, 839-845.	2.9	9
23	Zebrafish Patient-Derived Xenografts Identify Chemo-Response in Pancreatic Ductal Adenocarcinoma Patients. <i>Cancers</i> , 2021, 13, 4131.	1.7	8
24	Cetuximab Rechallenge Plus Avelumab in Pretreated Patients With <i>RAS</i> Wild-type Metastatic Colorectal Cancer. <i>JAMA Oncology</i> , 2021, 7, 1529.	3.4	80
25	Exploring clinical and gene expression markers of benefit from FOLFOXIRI/bevacizumab in patients with BRAF-mutated metastatic colorectal cancer: Subgroup analyses of the TRIBE2 study. <i>European Journal of Cancer</i> , 2021, 153, 16-26.	1.3	5
26	Tumour mutational burden, microsatellite instability, and actionable alterations in metastatic colorectal cancer: Next-generation sequencing results of TRIBE2 study. <i>European Journal of Cancer</i> , 2021, 155, 73-84.	1.3	13
27	Detailing the ultrastructure's increase of prion protein in pancreatic adenocarcinoma. <i>World Journal of Gastroenterology</i> , 2021, 27, 7324-7339.	1.4	2
28	Pharmacological effects of the simultaneous and sequential combinations of trifluridine/tipiracil (TAS-102) and 5-fluorouracil in fluoropyrimidine-sensitive colon cancer cells. <i>Investigational New Drugs</i> , 2020, 38, 92-98.	1.2	3
29	Body Mass Index and Hormone Receptor Status Influence Recurrence Risk in HER2-Positive Early Breast Cancer Patients. <i>Clinical Breast Cancer</i> , 2020, 20, e89-e98.	1.1	8
30	Clinical impact of first-line bevacizumab plus chemotherapy in metastatic colorectal cancer of mucinous histology: a multicenter, retrospective analysis on 685 patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 493-501.	1.2	7
31	Polymorphisms within Immune Regulatory Pathways Predict Cetuximab Efficacy and Survival in Metastatic Colorectal Cancer Patients. <i>Cancers</i> , 2020, 12, 2947.	1.7	4
32	Oligometastatic colorectal cancer: prognosis, role of locoregional treatments and impact of first-line chemotherapy—a pooled analysis of TRIBE and TRIBE2 studies by Gruppo Oncologico del Nord Ovest. <i>European Journal of Cancer</i> , 2020, 139, 81-89.	1.3	17
33	AXL is a predictor of poor survival and of resistance to anti-EGFR therapy in RAS wild-type metastatic colorectal cancer. <i>European Journal of Cancer</i> , 2020, 138, 1-10.	1.3	23
34	Immunogenic cell death pathway polymorphisms for predicting oxaliplatin efficacy in metastatic colorectal cancer. , 2020, 8, e001714.		23
35	AtezotRIBE: a randomised phase II study of FOLFOXIRI plus bevacizumab alone or in combination with atezolizumab as initial therapy for patients with unresectable metastatic colorectal cancer. <i>BMC Cancer</i> , 2020, 20, 683.	1.1	53
36	First-line gemcitabine plus nab-paclitaxel for elderly patients with metastatic pancreatic cancer: Crossing the frontier of age?. <i>European Journal of Cancer</i> , 2020, 137, 108-116.	1.3	11

#	ARTICLE	IF	CITATIONS
37	Perioperative Morbidity Following Cytoreductive Surgery Combined with Intraperitoneal Chemohyperthermia in a Novel Italian Centre. <i>European Journal of Surgical Oncology</i> , 2020, 46, e160-e161.	0.5	0
38	Prognostic and Predictive Biomarkers in Patients with Metastatic Colorectal Cancer Receiving Regorafenib. <i>Molecular Cancer Therapeutics</i> , 2020, 19, 2146-2154.	1.9	18
39	Individual Patient Data Meta-Analysis of FOLFOXIRI Plus Bevacizumab Versus Doublets Plus Bevacizumab as Initial Therapy of Unresectable Metastatic Colorectal Cancer. <i>Journal of Clinical Oncology</i> , 2020, 38, 3314-3324.	0.8	139
40	Immune Checkpoint Inhibitors in pMMR Metastatic Colorectal Cancer: A Tough Challenge. <i>Cancers</i> , 2020, 12, 2317.	1.7	37
41	Prognostic impact of immune-microenvironment in colorectal liver metastases resected after triplets plus a biologic agent: A pooled analysis of five prospective trials. <i>European Journal of Cancer</i> , 2020, 135, 78-88.	1.3	10
42	Safety, efficacy and patient-reported outcomes with trifluridine/tipiracil in pretreated metastatic colorectal cancer: results of the PRECONNECT study. <i>ESMO Open</i> , 2020, 5, e000698.	2.0	26
43	Upfront FOLFOXIRI plus bevacizumab and reintroduction after progression versus mFOLFOX6 plus bevacizumab followed by FOLFIRI plus bevacizumab in the treatment of patients with metastatic colorectal cancer (TRIBE2): a multicentre, open-label, phase 3, randomised, controlled trial. <i>Lancet Oncology</i> , The, 2020, 21, 497-507.	5.1	196
44	Immune Checkpoint Inhibitors in Esophageal Cancers: Are We Finally Finding the Right Path in the Mist?. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1658.	1.8	22
45	A Model of a Zebrafish Avatar for Co-Clinical Trials. <i>Cancers</i> , 2020, 12, 677.	1.7	36
46	Immune Profiling of Deficient Mismatch Repair Colorectal Cancer Tumor Microenvironment Reveals Different Levels of Immune System Activation. <i>Journal of Molecular Diagnostics</i> , 2020, 22, 685-698.	1.2	11
47	TRIBE2 results and toxicity – Authors' reply. <i>Lancet Oncology</i> , The, 2020, 21, e300-e301.	5.1	0
48	Management of Peritoneal Carcinomatosis With Cytoreductive Surgery Combined With Intraperitoneal Chemohyperthermia at a Novel Italian Center. <i>In Vivo</i> , 2020, 34, 2061-2066.	0.6	3
49	Single Nucleotide Polymorphisms in MiRNA Binding Sites of Nucleotide Excision Repair-Related Genes Predict Clinical Benefit of Oxaliplatin in FOLFOXIRI Plus Bevacizumab: Analysis of the TRIBE Trial. <i>Cancers</i> , 2020, 12, 1742.	1.7	4
50	Prognostic clinical factors in patients affected by non-small-cell lung cancer receiving Nivolumab. <i>Expert Opinion on Biological Therapy</i> , 2020, 20, 319-326.	1.4	12
51	Application of the ESR iGuide clinical decision support system to the imaging pathway of patients with hepatocellular carcinoma and cholangiocarcinoma: preliminary findings. <i>Radiologia Medica</i> , 2020, 125, 531-537.	4.7	31
52	Tumor Regression Grading Assessment in Locally Advanced Pancreatic Cancer After Neoadjuvant FOLFIRINOX: Interobserver Agreement and Prognostic Implications. <i>Frontiers in Oncology</i> , 2020, 10, 64.	1.3	14
53	First-line trifluridine/tipiracil plus bevacizumab for unresectable metastatic colorectal cancer: SOLSTICE study design. <i>Future Oncology</i> , 2020, 16, 21-29.	1.1	20
54	Duration of oxaliplatin-based adjuvant chemotherapy in patients with Stage III or high-risk Stage II resected colon cancer. <i>International Journal of Cancer</i> , 2020, 146, 2652-2654.	2.3	3

#	ARTICLE	IF	CITATIONS
55	Neutrophil-to-Lymphocyte Ratio (NLR), Platelet-to-Lymphocyte Ratio (PLR), and Outcomes with Nivolumab in Pretreated Non-Small Cell Lung Cancer (NSCLC): A Large Retrospective Multicenter Study. <i>Advances in Therapy</i> , 2020, 37, 1145-1155.	1.3	102
56	Angiogenesis Genotyping and Clinical Outcomes in Patients with Advanced Hepatocellular Carcinoma Receiving Sorafenib: The ALICE-2 Study. <i>Targeted Oncology</i> , 2020, 15, 115-126.	1.7	15
57	A polymorphism within the R-spondin 2 gene predicts outcome in metastatic colorectal cancer patients treated with FOLFIRI/bevacizumab: data from FIRE-3 and TRIBE trials. <i>European Journal of Cancer</i> , 2020, 131, 89-97.	1.3	9
58	HER2 Overexpression as a Poor Prognostic Determinant in Resected Biliary Tract Cancer. <i>Oncologist</i> , 2020, 25, 886-893.	1.9	27
59	The Role of Anti-Angiogenics in Pre-Treated Metastatic BRAF-Mutant Colorectal Cancer: A Pooled Analysis. <i>Cancers</i> , 2020, 12, 1022.	1.7	16
60	Retreatment With Anti-EGFR Antibodies in Metastatic Colorectal Cancer Patients: A Multi-institutional Analysis. <i>Clinical Colorectal Cancer</i> , 2020, 19, 191-199.e6.	1.0	20
61	FOLFOXIRI/bevacizumab (bev) versus doublets/bev as initial therapy of unresectable metastatic colorectal cancer (mCRC): A meta-analysis of individual patient data (IPD) from five randomized trials.. <i>Journal of Clinical Oncology</i> , 2020, 38, 4015-4015.	0.8	12
62	<i>PNN</i>and<i>KCNQ1OT1</i>Can Predict the Efficacy of Adjuvant Fluoropyrimidine-Based Chemotherapy in Colorectal Cancer Patients. <i>Oncology Research</i> , 2020, 28, 631-644.	0.6	10
63	Use of zebrafish embryos as avatar of patients with pancreatic cancer: A new xenotransplantation model towards personalized medicine. <i>World Journal of Gastroenterology</i> , 2020, 26, 2792-2809.	1.4	23
64	Clinical and economic effect of administration of red blood product transfusions in an outpatient supportive care cancer service. <i>Biomedical Reports</i> , 2020, 12, 199-203.	0.9	0
65	Circulating Tumor DNA Analysis in Colorectal Cancer: From Dream to Reality. <i>JCO Precision Oncology</i> , 2019, 3, 1-14.	1.5	11
66	Early Tumor Shrinkage and Depth of Response Evaluation in Metastatic Pancreatic Cancer Treated with First Line Chemotherapy: An Observational Retrospective Cohort Study. <i>Cancers</i> , 2019, 11, 939.	1.7	12
67	Overexpression of TK1 and CDK9 in plasma-derived exosomes is associated with clinical resistance to CDK4/6 inhibitors in metastatic breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2019, 178, 57-62.	1.1	71
68	Maintenance Therapy With Panitumumab Alone vs Panitumumab Plus Fluorouracil-Leucovorin in Patients With <i>RAS</i> Wild-Type Metastatic Colorectal Cancer. <i>JAMA Oncology</i> , 2019, 5, 1268.	3.4	70
69	Safety and effectiveness of regorafenib in patients with metastatic colorectal cancer in routine clinical practice in the prospective, observational CORRELATE study. <i>European Journal of Cancer</i> , 2019, 123, 146-154.	1.3	46
70	Evaluation of Continuous Tumor-Sizeâ€‘Based End Points as Surrogates for Overall Survival in Randomized Clinical Trials in Metastatic Colorectal Cancer. <i>JAMA Network Open</i> , 2019, 2, e1911750.	2.8	6
71	Health-related Quality of Life in the Phase III LUME-Colon 1 Study: Comparison and Interpretation of Results From EORTC QLQ-C30 Analyses. <i>Clinical Colorectal Cancer</i> , 2019, 18, 269-279.e5.	1.0	4
72	Validated Nomogram Predicting 6-Month Survival in Pancreatic Cancer Patients Receiving First-Line 5-Fluorouracil, Oxaliplatin, and Irinotecan. <i>Clinical Colorectal Cancer</i> , 2019, 18, e394-e401.	1.0	13

#	ARTICLE	IF	CITATIONS
73	Early modifications of circulating microRNAs levels in metastatic colorectal cancer patients treated with regorafenib. <i>Pharmacogenomics Journal</i> , 2019, 19, 455-464.	0.9	5
74	Ramucirumab with cisplatin and fluoropyrimidine as first-line therapy in patients with metastatic gastric or junctional adenocarcinoma (RAINFALL): a double-blind, randomised, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2019, 20, 420-435.	5.1	191
75	Is a pharmacogenomic panel useful to estimate the risk of oxaliplatin-related neurotoxicity in colorectal cancer patients?. <i>Pharmacogenomics Journal</i> , 2019, 19, 465-472.	0.9	16
76	Quantitative evidence for early metastatic seeding in colorectal cancer. <i>Nature Genetics</i> , 2019, 51, 1113-1122.	9.4	315
77	Androgen receptor (AR) splice variant 7 and full-length AR expression is associated with clinical outcome: a translational study in patients with castrate-resistant prostate cancer. <i>BJU International</i> , 2019, 124, 693-700.	1.3	32
78	Interprofessional spiritual care in oncology: a literature review. <i>ESMO Open</i> , 2019, 4, e000465.	2.0	61
79	Atezolizumab with or without cobimetinib versus regorafenib in previously treated metastatic colorectal cancer (IMblaze370): a multicentre, open-label, phase 3, randomised, controlled trial. <i>Lancet Oncology</i> , The, 2019, 20, 849-861.	5.1	368
80	Lack of Benefit From Anti-EGFR Treatment in RAS and BRAF Wild-type Metastatic Colorectal Cancer With Mucinous Histology or Mucinous Component. <i>Clinical Colorectal Cancer</i> , 2019, 18, 116-124.	1.0	7
81	Impact of polymorphisms within genes involved in regulating DNA methylation in patients with metastatic colorectal cancer enrolled in three independent, randomised, open-label clinical trials: a meta-analysis from TRIBE, MAVERICC and FIRE-3. <i>European Journal of Cancer</i> , 2019, 111, 138-147.	1.3	4
82	AMPK variant, a candidate of novel predictor for chemotherapy in metastatic colorectal cancer: A meta-analysis using TRIBE, MAVERICC and FIRE3. <i>International Journal of Cancer</i> , 2019, 145, 2082-2090.	2.3	4
83	Benefit from anti-EGFRs in RAS and BRAF wild-type metastatic transverse colon cancer: a clinical and molecular proof of concept study. <i>ESMO Open</i> , 2019, 4, e000489.	2.0	14
84	Chemotherapeutic and antiangiogenic drugs beyond tumor progression in colon cancer: Evaluation of the effects of switched schedules and related pharmacodynamics. <i>Biochemical Pharmacology</i> , 2019, 164, 94-105.	2.0	14
85	DPYD*6 plays an important role in fluoropyrimidine toxicity in addition to DPYD*2A and c.2846A>T: a comprehensive analysis in 1254 patients. <i>Pharmacogenomics Journal</i> , 2019, 19, 556-563.	0.9	35
86	Phase II randomised study of maintenance treatment with bevacizumab or bevacizumab plus metronomic chemotherapy after first-line induction with FOLFOXIRI plus Bevacizumab for metastatic colorectal cancer patients: the MOMA trial. <i>European Journal of Cancer</i> , 2019, 109, 175-182.	1.3	25
87	Total neoadjuvant approach with FOLFOXIRI plus bevacizumab followed by chemoradiotherapy plus bevacizumab in locally advanced rectal cancer: the TRUST trial. <i>European Journal of Cancer</i> , 2019, 110, 32-41.	1.3	25
88	Validated clinico-pathologic nomogram in the prediction of HER2 status in gastro-oesophageal cancer. <i>British Journal of Cancer</i> , 2019, 120, 522-526.	2.9	11
89	Clinical and molecular determinants of extrahepatic disease progression in patients with metastatic colorectal cancer with liver-limited metastases deemed initially unresectable. <i>ESMO Open</i> , 2019, 4, e000496.	2.0	3
90	BRAF mutant metastatic colorectal cancers: new arrows in our quiver. <i>Annals of Translational Medicine</i> , 2019, 7, S367-S367.	0.7	1

#	ARTICLE	IF	CITATIONS
91	Atypical <i>RAS</i> Mutations in Metastatic Colorectal Cancer. <i>JCO Precision Oncology</i> , 2019, 3, 1-11.	1.5	1
92	Regorafenib for Patients with Metastatic Colorectal Cancer Who Progressed After Standard Therapy: Results of the Large, Single-Arm, Open-Label Phase IIIb CONSIGN Study. <i>Oncologist</i> , 2019, 24, 185-192.	1.9	89
93	Prognostic Effect of Adenosine-related Genetic Variants in Metastatic Colorectal Cancer Treated With Bevacizumab-based Chemotherapy. <i>Clinical Colorectal Cancer</i> , 2019, 18, e8-e19.	1.0	12
94	Rechallenge for Patients With <i>RAS</i> and <i>BRAF</i> Wild-Type Metastatic Colorectal Cancer With Acquired Resistance to First-line Cetuximab and Irinotecan. <i>JAMA Oncology</i> , 2019, 5, 343.	3.4	280
95	The emerging role of liquid biopsy in diagnosis, prognosis and treatment monitoring of pancreatic cancer. <i>Pharmacogenomics</i> , 2019, 20, 49-68.	0.6	23
96	Bevacizumab as maintenance therapy in mCRC: Interpreting results of the MOMA trial. <i>Oncotarget</i> , 2019, 10, 2791-2792.	0.8	0
97	FLOaTing toward new standards in locally advanced resectable gastroesophageal cancer. <i>Journal of Thoracic Disease</i> , 2019, 11, 5694-5700.	0.6	1
98	PD-L1 mRNA expression in plasma-derived exosomes is associated with response to anti-PD-1 antibodies in melanoma and NSCLC. <i>British Journal of Cancer</i> , 2018, 118, 820-824.	2.9	190
99	Pharmacokinetic analysis of metronomic capecitabine in refractory metastatic colorectal cancer patients. <i>Investigational New Drugs</i> , 2018, 36, 709-714.	1.2	8
100	An Italian cost-effectiveness analysis of paclitaxel albumin (nab-paclitaxel) + gemcitabine vs gemcitabine alone for metastatic pancreatic cancer patients: the APICE study. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2018, 18, 435-446.	0.7	9
101	Prognostic Value of ACVRL1 Expression in Metastatic Colorectal Cancer Patients Receiving First-line Chemotherapy With Bevacizumab: Results From the Triplet Plus Bevacizumab (TRIBE) Study. <i>Clinical Colorectal Cancer</i> , 2018, 17, e471-e488.	1.0	12
102	Personalizing Survival Predictions in Advanced Colorectal Cancer: The ARCAD Nomogram Project. <i>Journal of the National Cancer Institute</i> , 2018, 110, 638-648.	3.0	90
103	Activity and Safety of Cetuximab Plus Modified FOLFOXIRI Followed by Maintenance With Cetuximab or Bevacizumab for <i>RAS</i> and <i>BRAF</i> Wild-type Metastatic Colorectal Cancer. <i>JAMA Oncology</i> , 2018, 4, 529.	3.4	87
104	EGFR and AKT1 overexpression are mutually exclusive and associated with a poor survival in resected gastric adenocarcinomas. <i>Cancer Biomarkers</i> , 2018, 21, 731-741.	0.8	16
105	Gene Polymorphisms in the CCL5/CCR5 Pathway as a Genetic Biomarker for Outcome and Handâ€™Foot Skin Reaction in Metastatic Colorectal Cancer Patients Treated With Regorafenib. <i>Clinical Colorectal Cancer</i> , 2018, 17, e395-e414.	1.0	25
106	Differential histopathologic parameters in colorectal cancer liver metastases resected after triplets plus bevacizumab or cetuximab: a pooled analysis of five prospective trials. <i>British Journal of Cancer</i> , 2018, 118, 955-965.	2.9	17
107	Integrated safety summary for trifluridine/tipiracil (TAS-102). <i>Anti-Cancer Drugs</i> , 2018, 29, 89-96.	0.7	12
108	A Polymorphism within the Vitamin D Transporter Gene Predicts Outcome in Metastatic Colorectal Cancer Patients Treated with FOLFIRI/Bevacizumab or FOLFIRI/Cetuximab. <i>Clinical Cancer Research</i> , 2018, 24, 784-793.	3.2	23

#	ARTICLE	IF	CITATIONS
109	Reply to Ugo De Giorgi, Vincenza Conteduca, and Emanuela Scarpi's Letter to the Editor re: Marzia Del Re, Elisa Biasco, Stefania Crucitta, et al. The Detection of Androgen Receptor Splice Variant 7 in Plasma-derived Exosomal RNA Strongly Predicts Resistance to Hormonal Therapy in Metastatic Prostate Cancer Patients. <i>Eur Urol</i> 2017;71:680-7. <i>European Urology</i> , 2018, 73, e11-e12.	0.9	0
110	Optimization of biomarkers-based classification scores as progression-free survival predictors: an intuitive graphical representation. <i>Future Science OA</i> , 2018, 4, FSO346.	0.9	1
111	Clinicopathological differences and survival outcomes with first-line therapy in patients with left-sided colon cancer and rectal cancer: Pooled analysis of 2879 patients from AGITG (MAX), COIN, FOCUS2, OPUS, CRYSTAL and COIN-B trials in the ARCAD database. <i>European Journal of Cancer</i> , 2018, 103, 205-213.	1.3	13
112	<i>BRAF</i> V600E Mutation as a Negative Prognostic Determinant in Resected Colorectal Liver Metastases. <i>JAMA Surgery</i> , 2018, 153, 1162.	2.2	0
113	Trifluridine/Tipiracil (TAS-102) in Refractory Metastatic Colorectal Cancer: A Multicenter Register in the Frame of the Italian Compassionate Use Program. <i>Oncologist</i> , 2018, 23, 1178-1187.	1.9	46
114	Consensus statement on essential patient characteristics in systemic treatment trials for metastatic colorectal cancer: Supported by the ARCAD Group. <i>European Journal of Cancer</i> , 2018, 100, 35-45.	1.3	29
115	Potential role of PIN1 genotypes in predicting benefit from oxaliplatin-based and irinotecan-based treatment in patients with metastatic colorectal cancer. <i>Pharmacogenomics Journal</i> , 2018, 18, 623-632.	0.9	8
116	TRIPLETE: a randomised phase III study of modified FOLFOXIRI plus panitumumab versus mFOLFOX6 plus panitumumab as initial therapy for patients with unresectable RAS and BRAF wild-type metastatic colorectal cancer. <i>ESMO Open</i> , 2018, 3, e000403.	2.0	20
117	A retrospective study of trifluridine/tipiracil in pretreated metastatic colorectal cancer patients in clinical practice. <i>Colorectal Cancer</i> , 2018, 7, CRC01.	0.8	3
118	The Winding Roadmap of Biomarkers toward Clinic: Lessons from Predictors of Resistance to Anti-EGFRs in Metastatic Colorectal Cancer. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2298.	1.8	4
119	Pembrolizumab versus paclitaxel for previously treated, advanced gastric or gastro-oesophageal junction cancer (KEYNOTE-061): a randomised, open-label, controlled, phase 3 trial. <i>Lancet</i> , The, 2018, 392, 123-133.	6.3	984
120	NOS2 polymorphisms in prediction of benefit from first-line chemotherapy in metastatic colorectal cancer patients. <i>PLoS ONE</i> , 2018, 13, e0193640.	1.1	5
121	Locally advanced gastro-oesophageal cancer: Recent therapeutic advances and research directions. <i>Cancer Treatment Reviews</i> , 2018, 69, 90-100.	3.4	21
122	Liquid biopsy to predict benefit from rechallenge with cetuximab (cet) + irinotecan (iri) in RAS/BRAF wild-type metastatic colorectal cancer patients (pts) with acquired resistance to first-line cet+iri: Final results and translational analyses of the CRICKET study by GONO.. <i>Journal of Clinical Oncology</i> , 2018, 36, 12007-12007.	0.8	13
123	<i>DPYD</i> and <i>UGT1A1</i> genotyping to predict adverse events during first-line FOLFIRI or FOLFOXIRI plus bevacizumab in metastatic colorectal cancer. <i>Oncotarget</i> , 2018, 9, 7859-7866.	0.8	25
124	Current status and perspectives in immunotherapy for metastatic melanoma. <i>Oncotarget</i> , 2018, 9, 12452-12470.	0.8	73
125	Glycolysis gene expression analysis and selective metabolic advantage in the clinical progression of colorectal cancer. <i>Pharmacogenomics Journal</i> , 2017, 17, 258-264.	0.9	79
126	Serum LDH predicts benefit from bevacizumab beyond progression in metastatic colorectal cancer. <i>British Journal of Cancer</i> , 2017, 116, 318-323.	2.9	29

#	ARTICLE	IF	CITATIONS
127	First-line therapy for mCRC – the influence of primary tumour location on the therapeutic algorithm. <i>Nature Reviews Clinical Oncology</i> , 2017, 14, 113-113.	12.5	35
128	Cardiac safety of adjuvant non-pegylated liposomal doxorubicin combined with cyclophosphamide and followed by paclitaxel in older breast cancer patients. <i>Breast</i> , 2017, 31, 186-191.	0.9	11
129	The role of primary tumour sidedness, EGFR gene copy number and EGFR promoter methylation in RAS/BRAF wild-type colorectal cancer patients receiving irinotecan/cetuximab. <i>British Journal of Cancer</i> , 2017, 117, 315-321.	2.9	19
130	Safety and tolerability of subcutaneous trastuzumab for the adjuvant treatment of human epidermal growth factor receptor 2-positive early breast cancer: SafeHer phase III study's primary analysis of 2573 patients. <i>European Journal of Cancer</i> , 2017, 82, 237-246.	1.3	38
131	ALK, ROS1, and NTRK Rearrangements in Metastatic Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2017, 109, .	3.0	183
132	Single nucleotide polymorphisms in the IGF1R pathway are associated with outcome in mCRC patients enrolled in the FIRE-3 trial. <i>International Journal of Cancer</i> , 2017, 141, 383-392.	2.3	10
133	Multimodality treatment of locally advanced squamous cell carcinoma of the oesophagus: A comprehensive review and network meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2017, 114, 24-32.	2.0	22
134	Metastatic BRAF K601E-mutated melanoma reaches complete response to MEK inhibitor trametinib administered for over 36 months. <i>Experimental Hematology and Oncology</i> , 2017, 6, 6.	2.0	38
135	Autophagy-related polymorphisms predict hypertension in patients with metastatic colorectal cancer treated with FOLFIRI and bevacizumab: Results from TRIBE and FIRE-3 trials. <i>European Journal of Cancer</i> , 2017, 77, 13-20.	1.3	19
136	Efficacy of FOLFOXIRI plus bevacizumab in liver-limited metastatic colorectal cancer: A pooled analysis of clinical studies by Gruppo Oncologico del Nord Ovest. <i>European Journal of Cancer</i> , 2017, 73, 74-84.	1.3	54
137	Negative hyper-selection of metastatic colorectal cancer patients for anti-EGFR monoclonal antibodies: the PRESSING case-control study. <i>Annals of Oncology</i> , 2017, 28, 3009-3014.	0.6	72
138	Early changes in plasma DNA levels of mutant KRAS as a sensitive marker of response to chemotherapy in pancreatic cancer. <i>Scientific Reports</i> , 2017, 7, 7931.	1.6	66
139	Tandem repeat variation near the <i>HIC1</i> (hypermethylated in cancer 1) promoter predicts outcome of oxaliplatin-based chemotherapy in patients with metastatic colorectal cancer. <i>Cancer</i> , 2017, 123, 4506-4514.	2.0	8
140	Impact of genetic variations in the MAPK signaling pathway on outcome in metastatic colorectal cancer patients treated with first-line FOLFIRI and bevacizumab: data from FIRE-3 and TRIBE trials. <i>Annals of Oncology</i> , 2017, 28, 2780-2785.	0.6	28
141	Proxies of quality of life in metastatic colorectal cancer: analyses in the RECURSE trial. <i>ESMO Open</i> , 2017, 2, e000261.	2.0	22
142	Vinorelbine in BRAF V600E mutated metastatic colorectal cancer: a prospective multicentre phase II clinical study. <i>ESMO Open</i> , 2017, 2, e000241.	2.0	10
143	Neratinib after trastuzumab-based adjuvant therapy in HER2-positive breast cancer (ExteNET): 5-year analysis of a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2017, 18, 1688-1700.	5.1	451
144	RET rearrangements define a new and rare molecular subtype of metastatic colorectal cancer (mCRC). <i>Annals of Oncology</i> , 2017, 28, iii140-iii141.	0.6	0

#	ARTICLE	IF	CITATIONS
145	Prospective validation of a lymphocyte infiltration prognostic test in stage III colon cancer patients treated with adjuvant FOLFOX. <i>European Journal of Cancer</i> , 2017, 82, 16-24.	1.3	40
146	Prognostic and predictive role of neutrophils/lymphocytes ratio in metastatic colorectal cancer: A retrospective analysis of the TRIBE study by Gono. <i>Annals of Oncology</i> , 2017, 28, iii141-iii142.	0.6	0
147	TRIBE-2: a phase III, randomized, open-label, strategy trial in unresectable metastatic colorectal cancer patients by the GONO group. <i>BMC Cancer</i> , 2017, 17, 408.	1.1	28
148	Estimating 12-week death probability in patients with refractory metastatic colorectal cancer: the Colon Life nomogram. <i>Annals of Oncology</i> , 2017, 28, 555-561.	0.6	43
149	Impact of a supportive care service for cancer outpatients: management and reduction of hospitalizations. Preliminary results of an integrated model of care. <i>Supportive Care in Cancer</i> , 2017, 25, 209-212.	1.0	18
150	The Detection of Androgen Receptor Splice Variant 7 in Plasma-derived Exosomal RNA Strongly Predicts Resistance to Hormonal Therapy in Metastatic Prostate Cancer Patients. <i>European Urology</i> , 2017, 71, 680-687.	0.9	213
151	Real-world dosing of regorafenib in metastatic colorectal cancer (mCRC): Interim analysis from the prospective, observational CORRELATE study. <i>Annals of Oncology</i> , 2017, 28, iii10.	0.6	6
152	Adjuvant Chemoradiotherapy (Gemcitabine-based) in Pancreatic Adenocarcinoma: The Pisa University Experience. <i>Tumori</i> , 2017, 103, 577-582.	0.6	3
153	Clinical Calculator for Early Mortality in Metastatic Colorectal Cancer: An Analysis of Patients From 28 Clinical Trials in the Aide et Recherche en Cancérologie Digestive Database. <i>Journal of Clinical Oncology</i> , 2017, 35, 1929-1937.	0.8	37
154	Regorafenib: lights and shadows of antiangiogenic therapies in gastric cancer. <i>Translational Gastroenterology and Hepatology</i> , 2017, 2, 11-11.	1.5	0
155	Novel prognostic markers for epithelioid malignant pleural mesothelioma. <i>Journal of Clinical Oncology</i> , 2017, 35, e20028-e20028.	0.8	3
156	Prognostic relevance of a T-type calcium channels gene signature in solid tumours: A correlation ready for clinical validation. <i>PLoS ONE</i> , 2017, 12, e0182818.	1.1	17
157	Patients with NSCLC may display a low ratio of p.T790M activating EGFR mutations in plasma at disease progression: implications for personalised treatment. <i>Oncotarget</i> , 2017, 8, 86056-86065.	0.8	13
158	Contribution of KRAS mutations and c.2369C > T (p.T790M) EGFR to acquired resistance to EGFR-TKIs in EGFR mutant NSCLC: a study on circulating tumor DNA. <i>Oncotarget</i> , 2017, 8, 13611-13619.	0.8	81
159	Stereotactic Body Radiotherapy in Patients with Lung Oligometastases from Colorectal Cancer. <i>Anticancer Research</i> , 2017, 37, 315-320.	0.5	21
160	Surrogate Endpoints in Second-Line Trials of Targeted Agents in Metastatic Colorectal Cancer: A Literature-Based Systematic Review and Meta-Analysis. <i>Cancer Research and Treatment</i> , 2017, 49, 834-845.	1.3	12
161	Variations of circulating KRAS amount as a biomarker to monitor chemotherapy response in pancreatic cancer. <i>Journal of Clinical Oncology</i> , 2017, 35, e15794-e15794.	0.8	1
162	First-line treatment with FOLFOXIRI for advanced pancreatic cancer in clinical practice: Patients' outcome and analysis of prognostic factors. <i>International Journal of Cancer</i> , 2016, 139, 938-945.	2.3	38

#	ARTICLE	IF	CITATIONS
163	ESMO consensus guidelines for the management of patients with metastatic colorectal cancer. <i>Annals of Oncology</i> , 2016, 27, 1386-1422.	0.6	2,545
164	Topoisomerase 1 Promoter Variants and Benefit from Irinotecan in Metastatic Colorectal Cancer Patients. <i>Oncology</i> , 2016, 91, 283-288.	0.9	5
165	Radiological imaging markers predicting clinical outcome in patients with metastatic colorectal carcinoma treated with regorafenib: post hoc analysis of the CORRECT phase III trial (RadioCORRECT) Tj ETQq1 1 0z784314 rg5T /Ove		
166	A still missing piece of the FIRE-3 puzzle. <i>Lancet Oncology</i> , The, 2016, 17, e515.	5.1	0
167	Comment on: "Nab-paclitaxel plus gemcitabine for metastatic pancreatic adenocarcinoma after Folfirinox failure: an AGEO prospective multicentre cohort"™. <i>British Journal of Cancer</i> , 2016, 114, e8-e8.	2.9	1
168	Apatinib in Advanced Gastric Cancer: A Doubtful Step Forward. <i>Journal of Clinical Oncology</i> , 2016, 34, 3822-3823.	0.8	27
169	Clinical, pharmacodynamic and pharmacokinetic results of a prospective phase II study on oral metronomic vinorelbine and dexamethasone in castration-resistant prostate cancer patients. <i>Investigational New Drugs</i> , 2016, 34, 760-770.	1.2	29
170	Location of Primary Tumor and Benefit From Anti-Epidermal Growth Factor Receptor Monoclonal Antibodies in Patients With RAS and BRAF Wild-Type Metastatic Colorectal Cancer. <i>Oncologist</i> , 2016, 21, 988-994.	1.9	94
171	Third-Line Chemotherapy with Irinotecan plus 5-Fluorouracil in Caucasian Metastatic Gastric Cancer Patients. <i>Oncology</i> , 2016, 91, 311-316.	0.9	11
172	Prognosis of patients with peritoneal metastatic colorectal cancer given systemic therapy: an analysis of individual patient data from prospective randomised trials from the Analysis and Research in Cancers of the Digestive System (ARCAD) database. <i>Lancet Oncology</i> , The, 2016, 17, 1709-1719.	5.1	442
173	Angiogenesis genotyping and clinical outcome during regorafenib treatment in metastatic colorectal cancer patients. <i>Scientific Reports</i> , 2016, 6, 25195.	1.6	25
174	Clinical Significance of TLR1 I602S Polymorphism for Patients with Metastatic Colorectal Cancer Treated with FOLFIRI plus Bevacizumab. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 1740-1745.	1.9	9
175	Second-line therapy for advanced pancreatic cancer: evaluation of prognostic factors and review of current literature. <i>Future Oncology</i> , 2016, 12, 901-908.	1.1	14
176	FOLFOXIRI or FOLFOXIRI plus bevacizumab as first-line treatment of metastatic colorectal cancer: a propensity score-adjusted analysis from two randomized clinical trials. <i>Annals of Oncology</i> , 2016, 27, 843-849.	0.6	46
177	Clinico-pathological nomogram for predicting BRAF mutational status of metastatic colorectal cancer. <i>British Journal of Cancer</i> , 2016, 114, 30-36.	2.9	56
178	Body Mass Index Is Prognostic in Metastatic Colorectal Cancer: Pooled Analysis of Patients From First-Line Clinical Trials in the ARCAD Database. <i>Journal of Clinical Oncology</i> , 2016, 34, 144-150.	0.8	116
179	FOLFIRINOX and translational studies: Towards personalized therapy in pancreatic cancer. <i>World Journal of Gastroenterology</i> , 2016, 22, 6987.	1.4	68
180	TRIBE study: are all three cytotoxic drugs crucial? " Authors' reply. <i>Lancet Oncology</i> , The, 2015, 16, e578-e579.	5.1	0

#	ARTICLE	IF	CITATIONS
181	Second-line chemotherapy in advanced biliary cancer progressed to first-line platinum-gemcitabine combination: a multicenter survey and pooled analysis with published data. <i>Journal of Experimental and Clinical Cancer Research</i> , 2015, 34, 156.	3.5	54
182	Molecular and pathological characterization of the EZH2 rs3757441 single nucleotide polymorphism in colorectal cancer. <i>BMC Cancer</i> , 2015, 15, 874.	1.1	10
183	Small-Bowel Neuroendocrine Tumor and Retroperitoneal Fibrosis: Efficacy of Octreotide and Tamoxifen. <i>Tumori</i> , 2015, 101, e24-e28.	0.6	5
184	FOLFOXIRI and Bevacizumab for Metastatic Colorectal Cancer. <i>New England Journal of Medicine</i> , 2015, 372, 290-292.	13.9	11
185	Clonal evolution and resistance to EGFR blockade in the blood of colorectal cancer patients. <i>Nature Medicine</i> , 2015, 21, 795-801.	15.2	809
186	A Systematic Review of the Burden of Pancreatic Cancer in Europe: Real-World Impact on Survival, Quality of Life and Costs. <i>Journal of Gastrointestinal Cancer</i> , 2015, 46, 201-211.	0.6	199
187	First-line anti-EGFR monoclonal antibodies in panRAS wild-type metastatic colorectal cancer: A systematic review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2015, 96, 156-166.	2.0	61
188	Primary Tumor Location as a Prognostic Factor in Metastatic Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2015, 107, .	3.0	385
189	First-line chemotherapy for mCRC: a review and evidence-based algorithm. <i>Nature Reviews Clinical Oncology</i> , 2015, 12, 607-619.	12.5	138
190	Analysis of circulating DNA and protein biomarkers to predict the clinical activity of regorafenib and assess prognosis in patients with metastatic colorectal cancer: a retrospective, exploratory analysis of the CORRECT trial. <i>Lancet Oncology, The</i> , 2015, 16, 937-948.	5.1	286
191	BRAF codons 594 and 596 mutations identify a new molecular subtype of metastatic colorectal cancer at favorable prognosis. <i>Annals of Oncology</i> , 2015, 26, 2092-2097.	0.6	137
192	Randomized Trial of TAS-102 for Refractory Metastatic Colorectal Cancer. <i>New England Journal of Medicine</i> , 2015, 372, 1909-1919.	13.9	1,027
193	BRAF and RAS mutations as prognostic factors in metastatic colorectal cancer patients undergoing liver resection. <i>British Journal of Cancer</i> , 2015, 112, 1921-1928.	2.9	146
194	Early tumor shrinkage and depth of response predict long-term outcome in metastatic colorectal cancer patients treated with first-line chemotherapy plus bevacizumab: results from phase III TRIBE trial by the Gruppo Oncologico del Nord Ovest. <i>Annals of Oncology</i> , 2015, 26, 1188-1194.	0.6	153
195	Variations in genes regulating tumor-associated macrophages (TAMs) to predict outcomes of bevacizumab-based treatment in patients with metastatic colorectal cancer: results from TRIBE and FIRE3 trials. <i>Annals of Oncology</i> , 2015, 26, 2450-2456.	0.6	29
196	Polymorphisms in Genes Involved in EGFR Turnover Are Predictive for Cetuximab Efficacy in Colorectal Cancer. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 2374-2381.	1.9	4
197	TAS-102 for the treatment of metastatic colorectal cancer. <i>Expert Review of Anticancer Therapy</i> , 2015, 15, 1283-1292.	1.1	12
198	FOLFOXIRI plus bevacizumab versus FOLFIRI plus bevacizumab as first-line treatment of patients with metastatic colorectal cancer: updated overall survival and molecular subgroup analyses of the open-label, phase 3 TRIBE study. <i>Lancet Oncology, The</i> , 2015, 16, 1306-1315.	5.1	835

#	ARTICLE	IF	CITATIONS
199	Phase II study of single-agent cetuximab in KRAS G13D mutant metastatic colorectal cancer. <i>Annals of Oncology</i> , 2015, 26, 2503.	0.6	18
200	MRI tumor volume reduction rate vs tumor regression grade in the pre-operative re-staging of locally advanced rectal cancer after chemo-radiotherapy. <i>European Journal of Radiology</i> , 2015, 84, 2438-2443.	1.2	32
201	Radium 223 dichloride: a multidisciplinary approach to metastatic castration-resistant prostate cancer. <i>Future Oncology</i> , 2015, 11, 323-331.	1.1	9
202	Role of KRAS mutations as prognostic and predictive markers in metastatic colorectal cancer. <i>International Journal of Cancer</i> , 2015, 136, 83-90.	2.3	126
203	Individual Patient Data Analysis of Progression-Free Survival Versus Overall Survival As a First-Line End Point for Metastatic Colorectal Cancer in Modern Randomized Trials: Findings From the Analysis and Research in Cancers of the Digestive System Database. <i>Journal of Clinical Oncology</i> , 2015, 33, 22-28.	0.8	87
204	Genes involved in pericyte-driven tumor maturation predict treatment benefit of first-line FOLFIRI plus bevacizumab in patients with metastatic colorectal cancer. <i>Pharmacogenomics Journal</i> , 2015, 15, 69-76.	0.9	25
205	FOLFOXIRI plus bevacizumab versus FOLFIRI plus bevacizumab as initial treatment for metastatic colorectal cancer (TRIBE study): Updated survival results and final molecular subgroups analyses.. <i>Journal of Clinical Oncology</i> , 2015, 33, 3510-3510.	0.8	8
206	FOLFOXIRI plus bevacizumab (bev) versus FOLFIRI plus bev as first-line treatment of metastatic colorectal cancer (mCRC): Updated survival results of the phase III TRIBE trial by the GONO group.. <i>Journal of Clinical Oncology</i> , 2015, 33, 657-657.	0.8	17
207	Genetic interaction of P2X7 receptor and VEGFR-2 polymorphisms identifies a favorable prognostic profile in prostate cancer patients. <i>Oncotarget</i> , 2015, 6, 28743-28754.	0.8	21
208	Prognostic clinical factors in pretreated colorectal cancer patients receiving regorafenib: Implications for clinical management. <i>Oncotarget</i> , 2015, 6, 33982-33992.	0.8	46
209	Prognostic significance of KRAS mutation rate in metastatic colorectal cancer patients. <i>Oncotarget</i> , 2015, 6, 31604-31612.	0.8	30
210	KRAS Early Testing: Consensus Initiative and Cost-Effectiveness Evaluation for Metastatic Colorectal Patients in an Italian Setting. <i>PLoS ONE</i> , 2014, 9, e85897.	1.1	12
211	Pharmacogenetic interaction analysis of VEGFR-2 and IL-8 polymorphisms in advanced breast cancer patients treated with paclitaxel and bevacizumab. <i>Pharmacogenomics</i> , 2014, 15, 1985-1999.	0.6	16
212	Dissecting signaling pathways in hepatocellular carcinoma: new perspectives in medical therapy. <i>Future Oncology</i> , 2014, 10, 285-304.	1.1	13
213	Pharmacogenomics of cetuximab in metastatic colorectal carcinoma. <i>Pharmacogenomics</i> , 2014, 15, 1701-1715.	0.6	4
214	KRAS and BRAF genotyping of synchronous colorectal carcinomas. <i>Oncology Letters</i> , 2014, 7, 1532-1536.	0.8	7
215	Not only chemotherapy in the second-line treatment of metastatic gastric cancer. <i>Annals of Oncology</i> , 2014, 25, 544-545.	0.6	4
216	Docetaxel plus oral metronomic cyclophosphamide: A phase II study with pharmacodynamic and pharmacogenetic analyses in castration-resistant prostate cancer patients. <i>Cancer</i> , 2014, 120, 3923-3931.	2.0	33

#	ARTICLE	IF	CITATIONS
217	Randomized trial on adjuvant treatment with FOLFIRI followed by docetaxel and cisplatin versus 5-fluorouracil and folinic acid for radically resected gastric cancer. <i>Annals of Oncology</i> , 2014, 25, 1373-1378.	0.6	84
218	Prospective study of EGFR intron 1 (CA)n repeats variants as predictors of benefit from cetuximab and irinotecan in chemo-refractory metastatic colorectal cancer (mCRC) patients. <i>Pharmacogenomics Journal</i> , 2014, 14, 322-327.	0.9	11
219	Bevacizumab in the pre-operative treatment of locally advanced rectal cancer: A systematic review. <i>World Journal of Gastroenterology</i> , 2014, 20, 6081.	1.4	24
220	Biomarkers and Response to Bevacizumab Letter. <i>Clinical Cancer Research</i> , 2014, 20, 1056-1057.	3.2	8
221	EGFR ligands as pharmacodynamic biomarkers in metastatic colorectal cancer patients treated with cetuximab and irinotecan. <i>Targeted Oncology</i> , 2014, 9, 205-214.	1.7	27
222	Dedicated supportive care team at the oncology unit: a model of simultaneous care for cancer patients. <i>Supportive Care in Cancer</i> , 2014, 22, 867-868.	1.0	7
223	Multivariate prognostic factors analysis for second-line chemotherapy in advanced biliary tract cancer. <i>British Journal of Cancer</i> , 2014, 110, 2165-2169.	2.9	69
224	Initial Therapy with FOLFOXIRI and Bevacizumab for Metastatic Colorectal Cancer. <i>New England Journal of Medicine</i> , 2014, 371, 1609-1618.	13.9	845
225	Molecular analysis of cell-free circulating DNA for the diagnosis of somatic mutations associated with resistance to tyrosine kinase inhibitors in non-small-cell lung cancer. <i>Expert Review of Molecular Diagnostics</i> , 2014, 14, 453-468.	1.5	17
226	Modified FOLFOXIRI plus cetuximab (cet) as induction treatment in unresectable metastatic colorectal cancer (mCRC) patients (pts): Preliminary results of the phase II randomized Macbeth trial by GONO group. <i>Journal of Clinical Oncology</i> , 2014, 32, 3596-3596.	0.8	4
227	The Role of Metronomic Chemotherapy in the Treatment of Metastatic Colorectal Cancer Patients. , 2014, , 135-142.		0
228	Electrochemotherapy and its controversial results in patients with head and neck cancer. <i>Anticancer Research</i> , 2014, 34, 967-72.	0.5	11
229	Adjuvant Systemic Chemotherapy After Putative Curative Resection of Colorectal Liver and Lung Metastases. <i>Clinical Colorectal Cancer</i> , 2013, 12, 188-194.	1.0	28
230	Regorafenib monotherapy for previously treated metastatic colorectal cancer (CORRECT): an international, multicentre, randomised, placebo-controlled, phase 3 trial. <i>Lancet</i> , The, 2013, 381, 303-312.	6.3	2,276
231	Histopathologic evaluation of liver metastases from colorectal cancer in patients treated with FOLFOXIRI plus bevacizumab. <i>British Journal of Cancer</i> , 2013, 108, 2549-2556.	2.9	51
232	Could Interferon Still Play a Role in Metastatic Renal Cell Carcinoma? A Randomized Study of Two Schedules of Sorafenib Plus Interferon-Alpha 2a (RAPSODY). <i>European Urology</i> , 2013, 63, 254-261.	0.9	29
233	The good, the bad and the ugly: a tale of miR-101, miR-21 and miR-155 in pancreatic intraductal papillary mucinous neoplasms. <i>Annals of Oncology</i> , 2013, 24, 734-741.	0.6	83
234	Supportive care and not only palliative care in the route of cancer patients. <i>Supportive Care in Cancer</i> , 2013, 21, 657-658.	1.0	7

#	ARTICLE	IF	CITATIONS
235	Dicer and Drosha expression and response to Bevacizumab-based therapy in advanced colorectal cancer patients. <i>European Journal of Cancer</i> , 2013, 49, 1501-1508.	1.3	19
236	Body mass index and impaired fasting blood glucose as predictive factor of time to progression (TTP) in cetuximab-based colorectal cancer treatment. <i>Cancer Biology and Therapy</i> , 2013, 14, 467-468.	1.5	5
237	FOLFOXIRI in combination with panitumumab as first-line treatment in quadruple wild-type (KRAS,) Tj ETQq1 1 0.784314 rgBT /Overlo Nord Ovest (GONO). <i>Annals of Oncology</i> , 2013, 24, 2062-2067.	0.6	86
238	Reply: Comment on "Histopathologic evaluation of liver metastases from colorectal cancer patients treated with FOLFOXIRI plus bevacizumab". <i>British Journal of Cancer</i> , 2013, 109, 3129-3130.	2.9	3
239	VEGF-A polymorphisms predict progression-free survival among advanced castration-resistant prostate cancer patients treated with metronomic cyclophosphamide. <i>British Journal of Cancer</i> , 2013, 109, 957-964.	2.9	41
240	FOLFOXIRI/Bevacizumab Versus FOLFIRI/Bevacizumab as First-Line Treatment in Unresectable Metastatic Colorectal Cancer: Results of Phase III Tribe Trial by Gono Group. <i>Annals of Oncology</i> , 2013, 24, iv21.	0.6	5
241	Long-Survivors with Lung Metastases and Kras Mutations Have an Increased Risk to Develop Brain Metastases From Colorectal Cancer. <i>Annals of Oncology</i> , 2013, 24, iv15.	0.6	1
242	Prospective Analysis of the Early Modulation of Plasma Amphiregulin During Treatment with Cetuximab and Irinotecan in Metastatic Colorectal Cancer Patients. <i>Annals of Oncology</i> , 2013, 24, iv28.	0.6	0
243	Conference Scene: Annual Meeting of the American Society of Clinical Oncology. <i>Colorectal Cancer</i> , 2013, 2, 401-404.	0.8	0
244	Oral multikinase inhibitor regorafenib for the treatment of patients with metastatic colorectal cancer. <i>Colorectal Cancer</i> , 2013, 2, 411-417.	0.8	1
245	Prospective Validation of Candidate SNPs of VEGF/VEGFR Pathway in Metastatic Colorectal Cancer Patients Treated with First-Line FOLFIRI Plus Bevacizumab. <i>PLoS ONE</i> , 2013, 8, e66774.	1.1	64
246	Sorafenib plus daily low-dose temozolomide for relapsed glioblastoma: a phase II study. <i>Anticancer Research</i> , 2013, 33, 3487-94.	0.5	53
247	High Let-7a MicroRNA Levels in KRAS-Mutated Colorectal Carcinomas May Rescue Anti-EGFR Therapy Effects in Patients with Chemotherapy-Refractory Metastatic Disease. <i>Oncologist</i> , 2012, 17, 823-829.	1.9	74
248	Natural history of bone metastasis in colorectal cancer: final results of a large Italian bone metastases study. <i>Annals of Oncology</i> , 2012, 23, 2072-2077.	0.6	108
249	Prognosis of mucinous histology for patients with radically resected stage II and III colon cancer. <i>Annals of Oncology</i> , 2012, 23, 135-141.	0.6	79
250	Prognostic Value of CD133 Caused by Mutant K-Ras and B-Raf Letter. <i>Clinical Cancer Research</i> , 2012, 18, 4473-4473.	3.2	0
251	A Phase II Trial of Fixed-Dose Rate Gemcitabine plus Capecitabine in Metastatic/Advanced Biliary Tract Cancer Patients. <i>Oncology</i> , 2012, 82, 75-82.	0.9	7
252	Resectable liver metastases from colorectal cancer: where we are now and where do we go from here?. <i>Colorectal Cancer</i> , 2012, 1, 397-411.	0.8	0

#	ARTICLE	IF	CITATIONS
253	Analysis of HER-3, insulin growth factor-1, nuclear factor-kB and epidermal growth factor receptor gene copy number in the prediction of clinical outcome for K-RAS wild-type colorectal cancer patients receiving irinotecan+cetuximab. <i>Annals of Oncology</i> , 2012, 23, 1706-1712.	0.6	34
254	EZH2 inhibition: targeting the crossroad of tumor invasion and angiogenesis. <i>Cancer and Metastasis Reviews</i> , 2012, 31, 753-761.	2.7	148
255	Cetuximab rechallenge in metastatic colorectal cancer patients: how to come away from acquired resistance?. <i>Annals of Oncology</i> , 2012, 23, 2313-2318.	0.6	170
256	Outcome of Second-Line Treatment After First-Line Chemotherapy With the GONO FOLFOXIRI Regimen. <i>Clinical Colorectal Cancer</i> , 2012, 11, 71-76.	1.0	17
257	EZH2 polymorphism and benefit from bevacizumab in colorectal cancer: another piece to the puzzle. <i>Annals of Oncology</i> , 2012, 23, 1370-1371.	0.6	7
258	An EZH2 polymorphism is associated with clinical outcome in metastatic colorectal cancer patients. <i>Annals of Oncology</i> , 2012, 23, 1207-1213.	0.6	40
259	Upfront Chemotherapy Regimens in Unresectable Disease: One, Two, or Three Cytotoxics?. <i>Current Colorectal Cancer Reports</i> , 2012, 8, 153-160.	1.0	0
260	Pharmacogenetic Concerns in Metastatic Colorectal Cancer Therapy. <i>Current Colorectal Cancer Reports</i> , 2012, 8, 263-271.	1.0	1
261	High-Throughput MicroRNA (miRNAs) Arrays Unravel the Prognostic Role of MiR-211 in Pancreatic Cancer. <i>PLoS ONE</i> , 2012, 7, e49145.	1.1	67
262	O-0023 Phase 3 Correct Trial of Regorafenib in Metastatic Colorectal Cancer (mCRC). <i>Annals of Oncology</i> , 2012, 23, iv15-iv16.	0.6	1
263	PD-0009 Primary Tumor Location is a Major Independent Prognostic Factor for Mrcr Patients. <i>Annals of Oncology</i> , 2012, 23, iv22.	0.6	0
264	P-0262 Prospective Evaluation of Candidate Snps of Vegf/Vegfr Pathway in Metastatic Colorectal Cancer Patients Treated with First-Line Folfiri Plus Bevacizumab (BV). <i>Annals of Oncology</i> , 2012, 23, iv105-iv106.	0.6	0
265	P-0263 Prospective Study of Egfr Intron 1 CA Tandem Repeats as Predictive Factor of Benefit from Cetuximab and Irinotecan. <i>Annals of Oncology</i> , 2012, 23, iv106.	0.6	0
266	Circulating endothelial cells and their apoptotic fraction are mutually independent predictive biomarkers in Bevacizumab-based treatment for advanced colorectal cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2012, 138, 1187-1196.	1.2	27
267	Clinical, pharmacokinetic and pharmacodynamic evaluations of metronomic UFT and cyclophosphamide plus celecoxib in patients with advanced refractory gastrointestinal cancers. <i>Angiogenesis</i> , 2012, 15, 275-286.	3.7	61
268	Clinical impact of anti-epidermal growth factor receptor monoclonal antibodies in first-line treatment of metastatic colorectal cancer. <i>Cancer</i> , 2012, 118, 1523-1532.	2.0	34
269	PML as a potential predictive factor of oxaliplatin/fluoropyrimidine-based first line chemotherapy efficacy in colorectal cancer patients. <i>Journal of Cellular Physiology</i> , 2012, 227, 927-933.	2.0	5
270	Prospective study of EGFR intron 1 CA tandem repeats to predict factor benefit from cetuximab and irinotecan.. <i>Journal of Clinical Oncology</i> , 2012, 30, 3540-3540.	0.8	6

#	ARTICLE	IF	CITATIONS
271	Results of a phase III randomized, double-blind, placebo-controlled, multicenter trial (CORRECT) of regorafenib plus best supportive care (BSC) versus placebo plus BSC in patients (pts) with metastatic colorectal cancer (mCRC) who have progressed after standard therapies.. <i>Journal of Clinical Oncology</i> , 2012, 30, LBA385-LBA385.	0.8	34
272	Cytotoxic triplets plus a biologic: state-of-the-art in maximizing the potential of up-front medical treatment of metastatic colorectal cancer. <i>Expert Opinion on Biological Therapy</i> , 2011, 11, 519-531.	1.4	3
273	Anti-HER agents in gastric cancer: from bench to bedside. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2011, 8, 369-383.	8.2	73
274	Retrospective exploratory analysis of VEGF polymorphisms in the prediction of benefit from first-line FOLFIRI plus bevacizumab in metastatic colorectal cancer. <i>BMC Cancer</i> , 2011, 11, 247.	1.1	69
275	Epidermal growth factor receptor (EGFR) gene promoter methylation and cetuximab treatment in colorectal cancer patients. <i>British Journal of Cancer</i> , 2011, 104, 1786-1790.	2.9	65
276	Pharmacodynamic and pharmacogenetic angiogenesis-related markers of first-line FOLFOXIRI plus bevacizumab schedule in metastatic colorectal cancer. <i>British Journal of Cancer</i> , 2011, 104, 1262-1269.	2.9	85
277	Cetuximab plus irinotecan after irinotecan failure in elderly metastatic colorectal cancer patients: Clinical outcome according to KRAS and BRAF mutational status. <i>Critical Reviews in Oncology/Hematology</i> , 2011, 78, 243-251.	2.0	31
278	Human Equilibrative Nucleoside Transporter 1 (hENT1) Levels Predict Response to Gemcitabine in Patients With Biliary Tract Cancer (BTC). <i>Current Cancer Drug Targets</i> , 2011, 11, 123-129.	0.8	42
279	Liver metastases from colorectal cancer: how to best complement medical treatment with surgical approaches. <i>Future Oncology</i> , 2011, 7, 1299-1323.	1.1	14
280	Randomized Trial of Two Induction Chemotherapy Regimens in Metastatic Colorectal Cancer: An Updated Analysis. <i>Journal of the National Cancer Institute</i> , 2011, 103, 21-30.	3.0	160
281	Early magnesium modifications as a surrogate marker of efficacy of cetuximab-based anticancer treatment in KRAS wild-type advanced colorectal cancer patients. <i>Annals of Oncology</i> , 2011, 22, 1141-1146.	0.6	54
282	Correlation of basal EGFR expression with pancreatic cancer grading but not with clinical outcome after gemcitabine-based treatment. <i>Annals of Oncology</i> , 2011, 22, 482-484.	0.6	8
283	Faithful Markers of Circulating Cancer Stem Cells: Is CD133 Sufficient for Validation in Clinics?. <i>Journal of Clinical Oncology</i> , 2011, 29, 3487-3488.	0.8	14
284	Should Oncologists Be Aware in Their Clinical Practice of <i>KRAS</i> Molecular Analysis?. <i>Journal of Clinical Oncology</i> , 2011, 29, e206-e207.	0.8	17
285	Impact of <i>ABCG2</i> polymorphisms on the clinical outcome and toxicity of gefitinib in non-small-cell lung cancer patients. <i>Pharmacogenomics</i> , 2011, 12, 159-170.	0.6	63
286	Targeting Vascular Endothelial Growth Factor Pathway in First-Line Treatment of Metastatic Colorectal Cancer: State-of-the-Art and Future Perspectives in Clinical and Molecular Selection of Patients. <i>Current Cancer Drug Targets</i> , 2010, 10, 37-45.	0.8	12
287	Phase II study of sequential cisplatin plus 5-fluorouracil/leucovorin (5-FU/LV) followed by irinotecan plus 5-FU/LV followed by docetaxel plus 5-FU/LV in patients with metastatic gastric or gastro-oesophageal junction adenocarcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2010, 66, 559-566.	1.1	5
288	Dihydropyrimidine dehydrogenase polymorphisms and fluoropyrimidine toxicity: ready for routine clinical application within personalized medicine?. <i>EPMA Journal</i> , 2010, 1, 495-502.	3.3	22

#	ARTICLE	IF	CITATIONS
289	Insulin-like growth factor 1 expression correlates with clinical outcome in KRAS wild type colorectal cancer patients treated with cetuximab and irinotecan. <i>International Journal of Cancer</i> , 2010, 127, 1941-1947.	2.3	67
290	METRONOMIC CYCLOPHOSPHAMIDE IN ELDERLY PATIENTS WITH ADVANCED, CASTRATION-RESISTANT PROSTATE CANCER. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 986-988.	1.3	27
291	Reply: KRAS status analysis and anti-EGFR therapies: is comprehensiveness a biologist's fancy or a clinical necessity?. <i>British Journal of Cancer</i> , 2010, 102, 1076-1077.	2.9	1
292	Host genetic variants in the IGF binding protein-3 impact on survival of patients with advanced gastric cancer treated with palliative chemotherapy. <i>Pharmacogenomics</i> , 2010, 11, 1247-1256.	0.6	6
293	High concordance of BRAF status between primary colorectal tumours and related metastatic sites: implications for clinical practice. <i>Annals of Oncology</i> , 2010, 21, 1565.	0.6	38
294	Capecitabine after gastrectomy for advanced gastric cancer: have we got the patient right?. <i>Annals of Oncology</i> , 2010, 21, 181.	0.6	5
295	Palliative treatment of unresectable metastatic colorectal cancer. <i>Expert Opinion on Pharmacotherapy</i> , 2010, 11, 63-77.	0.9	18
296	Impact of Cytidine Deaminase Polymorphisms on Toxicity After Gemcitabine: The Question Is Still Ongoing. <i>Journal of Clinical Oncology</i> , 2010, 28, e221-e222.	0.8	21
297	Predictors of Benefit in Colorectal Cancer Treated With Cetuximab: Are We Getting Lost in Translation? <i>Journal of Clinical Oncology</i> , 2010, 28, e173-e174.	0.8	4
298	MicroRNA-21 in Pancreatic Cancer: Correlation with Clinical Outcome and Pharmacologic Aspects Underlying Its Role in the Modulation of Gemcitabine Activity. <i>Cancer Research</i> , 2010, 70, 4528-4538.	0.4	409
299	How useful is adjuvant irinotecan in stage IV CRC?. <i>Nature Reviews Clinical Oncology</i> , 2010, 7, 190-191.	12.5	3
300	Second-line Treatment for Non-Small-Cell Lung Cancer: One Size Does Not Fit All. <i>Clinical Lung Cancer</i> , 2010, 11, 320-327.	1.1	11
301	Association of Polymorphisms in <i>AKT1</i> and <i>EGFR</i> with Clinical Outcome and Toxicity in Non-Small Cell Lung Cancer Patients Treated with Gefitinib. <i>Molecular Cancer Therapeutics</i> , 2010, 9, 581-593.	1.9	67
302	Bevacizumab with FOLFOXIRI (irinotecan, oxaliplatin, fluorouracil, and folinate) as first-line treatment for metastatic colorectal cancer: a phase 2 trial. <i>Lancet Oncology</i> , The, 2010, 11, 845-852.	5.1	234
303	Genetic modulation of the Let-7 microRNA binding to KRAS 3'-untranslated region and survival of metastatic colorectal cancer patients treated with salvage cetuximab-irinotecan. <i>Pharmacogenomics Journal</i> , 2010, 10, 458-464.	0.9	109
304	Magnitude of benefit of the addition of bevacizumab to first-line chemotherapy for metastatic colorectal cancer: meta-analysis of randomized clinical trials. <i>Journal of Experimental and Clinical Cancer Research</i> , 2010, 29, 58.	3.5	46
305	Metronomic Chemotherapy for Metastatic Prostate Cancer. <i>Drugs and Aging</i> , 2010, 27, 689-696.	1.3	21
306	Circulating endothelial cells and endothelial progenitors as predictive markers of clinical response to bevacizumab-based first-line treatment in advanced colorectal cancer patients. <i>Annals of Oncology</i> , 2010, 21, 2382-2389.	0.6	94

#	ARTICLE	IF	CITATIONS
307	Review: Beyond KRAS: perspectives on new potential markers of intrinsic and acquired resistance to epidermal growth factor receptor inhibitors in metastatic colorectal cancer. <i>Therapeutic Advances in Medical Oncology</i> , 2009, 1, 167-181.	1.4	7
308	Variations in the interleukin-1 receptor antagonist gene impact on survival of patients with advanced colorectal cancer. <i>Pharmacogenomics Journal</i> , 2009, 9, 78-84.	0.9	23
309	Do we need biopsies of metastases for colorectal cancer patients?. <i>British Journal of Cancer</i> , 2009, 101, 374-375.	2.9	2
310	Mucinous histology predicts for poor response rate and overall survival of patients with colorectal cancer and treated with first-line oxaliplatin- and/or irinotecan-based chemotherapy. <i>British Journal of Cancer</i> , 2009, 100, 881-887.	2.9	164
311	A multicenter phase II study of the combination of oxaliplatin, irinotecan and capecitabine in the first-line treatment of metastatic colorectal cancer. <i>British Journal of Cancer</i> , 2009, 100, 1720-1724.	2.9	30
312	Discordant somatic and germline <i>VEGF-A</i> genotype in a cancer patient resistant to paclitaxel/bevacizumab with chemosensitive hepatic metastasis. <i>Pharmacogenomics</i> , 2009, 10, 1225-1229.	0.6	7
313	Cigarettes smoking habit may reduce benefit from cetuximab-based treatment in advanced colorectal cancer patients. <i>Expert Opinion on Biological Therapy</i> , 2009, 9, 945-949.	1.4	15
314	Is erlotinib really active after failure of gefitinib in advanced non-small-cell lung cancer patients?. <i>Annals of Oncology</i> , 2009, 20, 790-791.	0.6	6
315	Clinical and Pharmacodynamic Evaluation of Metronomic Cyclophosphamide, Celecoxib, and Dexamethasone in Advanced Hormone-refractory Prostate Cancer. <i>Clinical Cancer Research</i> , 2009, 15, 4954-4962.	3.2	85
316	Long-Term Outcome of Initially Unresectable Metastatic Colorectal Cancer Patients Treated with 5-Fluorouracil/Leucovorin, Oxaliplatin, and Irinotecan (FOLFOXIRI) Followed by Radical Surgery of Metastases. <i>Annals of Surgery</i> , 2009, 249, 420-425.	2.1	213
317	Epidermal Growth Factor Receptor (EGFR) gene copy number (GCN) correlates with clinical activity of irinotecan-cetuximab in K-RAS wild-type colorectal cancer: a fluorescence in situ (FISH) and chromogenic in situ hybridization (CISH) analysis. <i>BMC Cancer</i> , 2009, 9, 303.	1.1	66
318	Metronomic 5-fluorouracil, oxaliplatin and irinotecan in colorectal cancer. <i>European Journal of Pharmacology</i> , 2009, 619, 8-14.	1.7	35
319	VEGF gene polymorphisms and susceptibility to colorectal cancer disease in Italian population. <i>International Journal of Colorectal Disease</i> , 2009, 24, 165-170.	1.0	47
320	Use of pegfilgrastim support on day 9 to maintain relative dose intensity of chemotherapy in breast cancer patients receiving a day 1 and 8 CMF regimen. <i>Clinical and Translational Oncology</i> , 2009, 11, 842-848.	1.2	5
321	A dose finding and pharmacokinetic study of capecitabine in combination with oxaliplatin and irinotecan in metastatic colorectal cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2009, 63, 965-969.	1.1	15
322	Pharmacokinetics, a main actor in a many-sided approach to severe 5-FU toxicity prediction. <i>British Journal of Clinical Pharmacology</i> , 2009, 67, 132-134.	1.1	9
323	Refractory neuroendocrine tumor response to liposomal doxorubicin and capecitabine. <i>Nature Reviews Clinical Oncology</i> , 2009, 6, 670-674.	12.5	5
324	KRAS codon 61, 146 and BRAF mutations predict resistance to cetuximab plus irinotecan in KRAS codon 12 and 13 wild-type metastatic colorectal cancer. <i>British Journal of Cancer</i> , 2009, 101, 715-721.	2.9	509

#	ARTICLE	IF	CITATIONS
325	Phase II study of cetuximab in combination with cisplatin and docetaxel in patients with untreated advanced gastric or gastro-oesophageal junction adenocarcinoma (DOCETUX study). <i>British Journal of Cancer</i> , 2009, 101, 1261-1268.	2.9	130
326	Randomised multicenter phase II study of two schedules of docetaxel and gemcitabine or cisplatin/gemcitabine followed by docetaxel as first line treatment for advanced non-small cell lung cancer. <i>Lung Cancer</i> , 2009, 66, 327-332.	0.9	12
327	Cisplatin plus Gemcitabine as Adjuvant Chemotherapy for Radically Resected Non-Small-Cell Lung Cancer: A Pilot Study. <i>Clinical Lung Cancer</i> , 2009, 10, 53-57.	1.1	14
328	PTEN Expression and KRAS Mutations on Primary Tumors and Metastases in the Prediction of Benefit From Cetuximab Plus Irinotecan for Patients With Metastatic Colorectal Cancer. <i>Journal of Clinical Oncology</i> , 2009, 27, 2622-2629.	0.8	402
329	Long-Term Outcome of Unresectable Metastatic Colorectal Cancer: Does Adjuvant Chemotherapy Play a Role After Resection?. <i>Annals of Surgery</i> , 2009, 250, 655.	2.1	0
330	First-Line Systemic Chemotherapy with Folfoxiri Followed by Radical Surgical Resection of Metastases for the Treatment of Unresectable Metastatic Colorectal Cancer Patients. , 2009, , 285-293.		0
331	Baseline elevated leukocyte count in peripheral blood is associated with poor survival in patients with advanced non-small cell lung cancer: a prognostic model. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008, 134, 1143-1149.	1.2	49
332	Antiangiogenic and anticololectal cancer effects of metronomic irinotecan chemotherapy alone and in combination with semaxinib. <i>British Journal of Cancer</i> , 2008, 98, 1619-1629.	2.9	85
333	Liver-only metastatic colorectal cancer patients and thymidylate synthase polymorphisms for predicting response to 5-fluorouracil-based chemotherapy. <i>British Journal of Cancer</i> , 2008, 99, 716-721.	2.9	29
334	Triplet Combination of Fluoropyrimidines, Oxaliplatin, and Irinotecan in the First-Line Treatment of Metastatic Colorectal Cancer. <i>Clinical Colorectal Cancer</i> , 2008, 7, 7-14.	1.0	15
335	Pharmacogenetic profiling in patients with advanced colorectal cancer treated with first-line FOLFIRI chemotherapy. <i>Pharmacogenomics Journal</i> , 2008, 8, 278-288.	0.9	97
336	Molecular predictive factors of response to anti-EGFR antibodies in colorectal cancer patients. <i>European Journal of Cancer, Supplement</i> , 2008, 6, 86-90.	2.2	2
337	Pharmacogenetic Profiling for Cetuximab Plus Irinotecan Therapy in Patients With Refractory Advanced Colorectal Cancer. <i>Journal of Clinical Oncology</i> , 2008, 26, 1427-1434.	0.8	124
338	Liver Transplantation for Metastatic Sinonasal Undifferentiated Carcinoma: A Case Report. <i>Transplantation Proceedings</i> , 2008, 40, 3821-3822.	0.3	4
339	Cetuximab plus gemcitabine and cisplatin compared with gemcitabine and cisplatin alone in patients with advanced pancreatic cancer: a randomised, multicentre, phase II trial. <i>Lancet Oncology</i> , The, 2008, 9, 39-44.	5.1	130
340	Optimal approach to potentially resectable liver metastases from colorectal cancer. <i>Expert Review of Anticancer Therapy</i> , 2008, 8, 1533-1539.	1.1	4
341	First line chemotherapy with planned sequential administration of gemcitabine followed by docetaxel in elderly advanced non-small-cell lung cancer patients: a multicenter phase II study. <i>British Journal of Cancer</i> , 2008, 98, 558-563.	2.9	7
342	A pharmacokinetic and pharmacodynamic study on metronomic irinotecan in metastatic colorectal cancer patients. <i>British Journal of Cancer</i> , 2008, 98, 1312-1319.	2.9	63

#	ARTICLE	IF	CITATIONS
343	5-Fluorouracil Pharmacokinetics Predicts Disease-free Survival in Patients Administered Adjuvant Chemotherapy for Colorectal Cancer. <i>Clinical Cancer Research</i> , 2008, 14, 2749-2755.	3.2	52
344	High Concordance of <i>KRAS</i> Status Between Primary Colorectal Tumors and Related Metastatic Sites: Implications for Clinical Practice. <i>Oncologist</i> , 2008, 13, 1270-1275.	1.9	218
345	Correlation of <i>CDA</i> , <i>ERCC1</i> , and <i>XPD</i> Polymorphisms with Response and Survival in Gemcitabine/Cisplatin-Treated Advanced Non-Small Cell Lung Cancer Patients. <i>Clinical Cancer Research</i> , 2008, 14, 1797-1803.	3.2	193
346	EGF-receptor targeting with monoclonal antibodies in colorectal carcinomas: rationale for a pharmacogenomic approach. <i>Pharmacogenomics</i> , 2008, 9, 55-69.	0.6	12
347	Erlotinib after Failure of Gefitinib in Patients with Advanced Non-small Cell Lung Cancer Previously Responding to Gefitinib. <i>Journal of Thoracic Oncology</i> , 2008, 3, 912-914.	0.5	39
348	First-line chemotherapy in metastatic colorectal cancer: new approaches and therapeutic algorithms. Always hit hard first?. <i>Current Opinion in Oncology</i> , 2008, 20, 459-465.	1.1	11
349	Cancer Pharmacogenomics: Germline DNA, Tumor DNA, or Both?. <i>Current Pharmacogenomics and Personalized Medicine: the International Journal for Expert Reviews in Pharmacogenomics</i> , 2007, 5, 87-101.	0.3	3
350	Phase III Trial of Infusional Fluorouracil, Leucovorin, Oxaliplatin, and Irinotecan (FOLFOXIRI) Compared With Infusional Fluorouracil, Leucovorin, and Irinotecan (FOLFIRI) As First-Line Treatment for Metastatic Colorectal Cancer: The Gruppo Oncologico Nord Ovest. <i>Journal of Clinical Oncology</i> , 2007, 25, 1670-1676.	0.8	1,083
351	Nuclear Factor- κ B Tumor Expression Predicts Response and Survival in Irinotecan-Refractory Metastatic Colorectal Cancer Treated With Cetuximab-Irinotecan Therapy. <i>Journal of Clinical Oncology</i> , 2007, 25, 3930-3935.	0.8	121
352	Vascular Endothelial Growth Factor Levels in Immunodepleted Plasma of Cancer Patients As a Possible Pharmacodynamic Marker for Bevacizumab Activity. <i>Journal of Clinical Oncology</i> , 2007, 25, 1816-1818.	0.8	56
353	Pharmacogenetic Profiling in Patients With Advanced Colorectal Cancer Treated With First-Line FOLFOX-4 Chemotherapy. <i>Journal of Clinical Oncology</i> , 2007, 25, 1247-1254.	0.8	250
354	A Pilot Study of a Day One and Eight Every Three Weeks Administration of Docetaxel in Metastatic Cancer Patients. <i>Tumori</i> , 2007, 93, 145-149.	0.6	0
355	Phase II study of sequential chemotherapy with docetaxel-estramustine followed by mitoxantrone-prednisone in patients with advanced hormone-refractory prostate cancer. <i>British Journal of Cancer</i> , 2007, 97, 1613-1617.	2.9	5
356	Chemotherapy intensification. <i>Current Colorectal Cancer Reports</i> , 2007, 3, 116-122.	1.0	0
357	Treatment with 5-Fluorouracil/Folinic Acid, Oxaliplatin, and Irinotecan Enables Surgical Resection of Metastases in Patients With Initially Unresectable Metastatic Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2006, 13, 58-65.	0.7	156
358	Capecitabine and Mitomycin c May be an Effective Treatment Option for Third-line Chemotherapy in Advanced Colorectal Cancer. <i>Tumori</i> , 2006, 92, 384-388.	0.6	17
359	A pharmacokinetic-based test to prevent severe 5-fluorouracil toxicity. <i>Clinical Pharmacology and Therapeutics</i> , 2006, 80, 384-395.	2.3	63
360	Irinotecan in combination with thalidomide in patients with advanced solid tumors: a clinical study with pharmacodynamic and pharmacokinetic evaluation. <i>Cancer Chemotherapy and Pharmacology</i> , 2006, 58, 585-593.	1.1	13

#	ARTICLE	IF	CITATIONS
361	Second-Line Chemotherapy with a Modified Schedule of Docetaxel in Elderly Patients with Advanced-Stage Non-Small-Cell Lung Cancer. <i>Clinical Lung Cancer</i> , 2006, 7, 401-405.	1.1	19
362	First-line 5-fluorouracil/folinic acid, oxaliplatin and irinotecan (FOLFOXIRI) does not impair the feasibility and the activity of second line treatments in metastatic colorectal cancer. <i>Annals of Oncology</i> , 2006, 17, 1249-1254.	0.6	22
363	Reply to the Letter to the Editor on "Cost-opportunity analysis in clinical oncology: from the "wild west" to a correct integration of the disciplines, avoiding the "war of the worlds", by D. Tassinari et al. (<i>Ann Oncol</i> 2006; 17: 876). <i>Annals of Oncology</i> , 2006, 17, 877-878.	0.6	0
364	Epirubicin/paclitaxel/etoposide in extensive-stage small-cell lung cancer: a phase II study. <i>British Journal of Cancer</i> , 2006, 94, 1263-1266.	2.9	6
365	Capecitabine and mitomycin C may be an effective treatment option for third-line chemotherapy in advanced colorectal cancer. <i>Tumori</i> , 2006, 92, 384-8.	0.6	7
366	Improved Analysis of 5-Fluorouracil and 5,6-Dihydro-5-Fluorouracil by HPLC With Diode Array Detection for Determination of Cellular Dihydropyrimidine Dehydrogenase Activity and Pharmacokinetic Profiling. <i>Therapeutic Drug Monitoring</i> , 2005, 27, 362-368.	1.0	24
367	Adjuvant sequential methotrexate + 5-fluorouracil vs 5-fluorouracil plus leucovorin in radically resected stage III and high-risk stage II colon cancer. <i>British Journal of Cancer</i> , 2005, 92, 24-29.	2.9	16
368	Cyclophosphamide-methotrexate + metronomic chemotherapy for the palliative treatment of metastatic breast cancer. A comparative pharmacoeconomic evaluation. <i>Annals of Oncology</i> , 2005, 16, 1243-1252.	0.6	91
369	A Phase I and Pharmacokinetic Study of Irinotecan Given as a 7-Day Continuous Infusion in Metastatic Colorectal Cancer Patients Pretreated with 5-Fluorouracil or Raltitrexed. <i>Clinical Cancer Research</i> , 2004, 10, 1657-1663.	3.2	23
370	First-line treatment of metastatic colorectal cancer with irinotecan, oxaliplatin and 5-fluorouracil/leucovorin (FOLFOXIRI): results of a phase II study with a simplified biweekly schedule. <i>Annals of Oncology</i> , 2004, 15, 1766-1772.	0.6	99
371	A randomised clinical trial of two docetaxel regimens (weekly vs 3 week) in the second-line treatment of non-small-cell lung cancer. The DISTAL 01 study. <i>British Journal of Cancer</i> , 2004, 91, 1996-2004.	2.9	158
372	5-Fluorouracil Administered as a 48-Hour Semiintermittent Infusion in Combination With Leucovorin, Cisplatin and Epirubicin. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2004, 27, 101-105.	0.6	2
373	Hypersensitivity reactions related to oxaliplatin (OHP). <i>British Journal of Cancer</i> , 2003, 89, 477-481.	2.9	113
374	Adjuvant chemotherapy in the treatment of colon cancer: randomized multicenter trial of the Italian National Intergroup of Adjuvant Chemotherapy in Colon Cancer (INTACC). <i>Annals of Oncology</i> , 2003, 14, 1365-1372.	0.6	25
375	Biweekly Chemotherapy With Oxaliplatin, Irinotecan, Infusional Fluorouracil, and Leucovorin: A Pilot Study in Patients With Metastatic Colorectal Cancer. <i>Journal of Clinical Oncology</i> , 2002, 20, 4006-4014.	0.8	148
376	Severe 5-fluorouracil toxicity associated with a marked alteration of pharmacokinetics of 5-fluorouracil and its catabolite 5-fluoro-5,6-dihydrouracil: a case report. <i>European Journal of Clinical Pharmacology</i> , 2002, 58, 593-595.	0.8	17
377	Cholinergic toxic syndrome by the anticancer drug irinotecan: Acetylcholinesterase does not play a major role. <i>Clinical Pharmacology and Therapeutics</i> , 2002, 71, 263-271.	2.3	6
378	Limited sampling model for the analysis of 5-fluorouracil pharmacokinetics in adjuvant chemotherapy for colorectal cancer. <i>Clinical Pharmacology and Therapeutics</i> , 2002, 72, 627-637.	2.3	23

#	ARTICLE	IF	CITATIONS
379	Sequence Effect of Irinotecan and Fluorouracil Treatment on Pharmacokinetics and Toxicity in Chemotherapy-Naive Metastatic Colorectal Cancer Patients. <i>Journal of Clinical Oncology</i> , 2001, 19, 3456-3462.	0.8	51
380	5-Fluorouracil Administered as a 48-Hour Chronomodulated Infusion in Combination with Leucovorin and Cisplatin: A Randomized Phase II Study in Metastatic Colorectal Cancer. <i>Oncology</i> , 2001, 61, 28-35.	0.9	9
381	Relationship between 5-fluorouracil disposition, toxicity and dihydropyrimidine dehydrogenase activity in cancer patients. <i>Annals of Oncology</i> , 2001, 12, 1301-1306.	0.6	94
382	Oral Doxifluridine in Advanced Hepatocellular Carcinoma: A Phase II Study. <i>Oncology</i> , 2000, 59, 204-209.	0.9	7
383	Infusions of Fluorouracil and Leucovorin: Effects of the Timing and Semi-Intermittency of Drug Delivery. <i>Oncology</i> , 1999, 57, 195-201.	0.9	22
384	Protracted continuous infusion of 5-fluorouracil and low-dose leucovorin in patients with metastatic colorectal cancer resistant to 5-fluorouracil bolus-based chemotherapy: a phase II study. <i>Cancer Chemotherapy and Pharmacology</i> , 1999, 44, 159-163.	1.1	14
385	Suramin in combination with weekly epirubicin for patients with advanced hormone-refractory prostate carcinoma. , 1999, 86, 470-476.		30
386	Pharmacokinetic Optimisation of the Treatment of Cancer with High Dose Zidovudine. <i>Clinical Pharmacokinetics</i> , 1998, 34, 173-180.	1.6	10
387	Biochemical Modulation by 5-Fluorouracil and 1-Folinic Acid of Tumor Uptake of Intra-Arterial 5-[123I]Iodo-2'-Deoxyuridine in Patients with Liver Metastases from Colorectal Cancer. <i>Acta Oncologica</i> , 1996, 35, 941-945.	0.8	14
388	Intravenous azidothymidine with fluorouracil and leucovorin: a phase I-II study in previously untreated metastatic colorectal cancer patients.. <i>Journal of Clinical Oncology</i> , 1996, 14, 729-736.	0.8	19
389	Phase II Study of Oral Doxifluridine in Elderly Patients with Advanced Non-Small-Cell Lung Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1996, 19, 592-594.	0.6	9
390	Suramin in patients with metastatic colorectal cancer pretreated with fluoropyrimidine-based chemotherapy. A phase II Study. <i>Cancer</i> , 1995, 75, 440-443.	2.0	16
391	Double 5-Fluorouracil Modulation with Folinic Acid and Recombinant Alpha-2B-Interferon. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1994, 17, 210-214.	0.6	3
392	Alpha-2B-interferon plus floxuridine in metastatic renal cell carcinoma a phase I-II study. <i>Cancer</i> , 1993, 72, 564-568.	2.0	11
393	Recombinant α -2a Interferon Plus Vinblastine in the Treatment of Metastatic Renal Cell Carcinoma. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1989, 12, 43-45.	0.6	20
394	Moving-Strip Abdomino-Pelvic Radiotherapy After cis-Platinum-Based Chemotherapy and Second-Look Operation A Feasibility Study in Advanced Ovarian Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1988, 11, 16-20.	0.6	8
395	Regional Pharmacokinetic Selectivity of Intraperitoneal Cisplatin in Ovarian Cancer. <i>Oncology</i> , 1988, 45, 69-73.	0.9	3