

Zhixiong Huang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4021681/zhixiong-huang-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

933
citations

14
h-index

28
g-index

87
ext. papers

1,174
ext. citations

3.1
avg, IF

4.66
L-index

#	Paper	IF	Citations
81	Mechanical properties and thermal conductivity of graphene nanoplatelet/epoxy composites. <i>Journal of Materials Science</i> , 2015 , 50, 1082-1093	4.3	262
80	Effect of Functionalization of Graphene Nanoplatelets on the Mechanical and Thermal Properties of Silicone Rubber Composites. <i>Materials</i> , 2016 , 9,	3.5	70
79	Size effect of graphene nanoplatelets on the morphology and mechanical behavior of glass fiber/epoxy composites. <i>Journal of Materials Science</i> , 2016 , 51, 3337-3348	4.3	60
78	Improved ablation resistance of carbon-phenolic composites by introducing zirconium silicide particles. <i>Composites Part B: Engineering</i> , 2015 , 82, 100-107	10	49
77	Mechanical and dynamic mechanical properties of epoxy syntactic foams reinforced by short carbon fiber. <i>Polymer Composites</i> , 2016 , 37, 1960-1970	3	25
76	Thermal stability and ablation resistance, and ablation mechanism of carbon-phenolic composites with different zirconium silicide particle loadings. <i>Composites Part B: Engineering</i> , 2018 , 154, 313-320	10	25
75	Effects of functionalized graphene nanoplatelets on the morphology and properties of epoxy resins. <i>High Performance Polymers</i> , 2016 , 28, 525-536	1.6	24
74	Improved high-temperature mechanical property of carbon-phenolic composites by introducing titanium diboride particles. <i>Composites Part B: Engineering</i> , 2019 , 157, 289-294	10	24
73	Improved Ablation Resistance of Silicone Rubber Composites by Introducing Montmorillonite and Silicon Carbide Whisker. <i>Materials</i> , 2016 , 9,	3.5	23
72	Novel cardanol-containing boron-modified phenolic resin composites: Non-isothermal curing kinetics, thermal properties, and ablation mechanism. <i>High Performance Polymers</i> , 2017 , 29, 279-288	1.6	19
71	Mechanical and Damping Properties of Glass Fiber and Mica-Reinforced Epoxy Composites. <i>Polymer-Plastics Technology and Engineering</i> , 2012 , 51, 840-844		19
70	Processing and characterization of high content multilayer graphene/epoxy composites with high electrical conductivity. <i>Polymer Composites</i> , 2016 , 37, 2897-2906	3	16
69	Mechanical, Dynamic Mechanical and Electrical Properties of Conductive Carbon Black/Piezoelectric Ceramic/Chlorobutyl Rubber Composites. <i>Polymer-Plastics Technology and Engineering</i> , 2012 , 51, 105-110		14
68	Preparation and Ferroelectric Properties of Ho ³⁺ /Mo ⁶⁺ Cosubstituted Bi ₄ Ti ₃ O ₁₂ Thin Films by Sol-Gel Method. <i>Journal of Electronic Materials</i> , 2010 , 39, 258-261	1.9	14
67	Effects of Zirconium Silicide on the Vulcanization, Mechanical and Ablation Resistance Properties of Ceramifiable Silicone Rubber Composites. <i>Polymers</i> , 2020 , 12,	4.5	13
66	Surface modification of hollow glass microsphere with different coupling agents for potential applications in phenolic syntactic foams. <i>Journal of Applied Polymer Science</i> , 2017 , 134,	2.9	13
65	Effects of Functionalized Graphene Nanoplatelets on the Morphology and Properties of Phenolic Resins. <i>Journal of Nanomaterials</i> , 2016 , 2016, 1-7	3.2	13

64	Preparation and performance of ceramizable heat-resistant organic adhesive for joining Al ₂ O ₃ ceramics. <i>International Journal of Adhesion and Adhesives</i> , 2014 , 55, 132-138	3.4	12
63	Interfacial bond dependence of damping properties of carbon nanotubes enhanced polymers. <i>Polymer Composites</i> , 2014 , 35, 548-556	3	12
62	Synthesis of Fumed Silica Treated with Organosilane and Its Effect on Epoxy Resin. <i>Polymer-Plastics Technology and Engineering</i> , 2013 , 52, 145-148		12
61	Effect of high-temperature treatment on the mechanical and thermal properties of phenolic syntactic foams. <i>Polymer Engineering and Science</i> , 2018 , 58, 2200-2209	2.3	11
60	Solvothermal degradation and reuse of carbon fiber reinforced boron phenolic resin composites. <i>Composites Part B: Engineering</i> , 2021 , 221, 109011	10	11
59	Investigation of properties of nano-silica modified epoxy resin films and composites using RFI technology. <i>Composites Part B: Engineering</i> , 2018 , 155, 288-298	10	10
58	Thermal behavior of phenolic-based ceramizable composites modified by nano-aluminum oxide. <i>High Performance Polymers</i> , 2016 , 28, 1096-1101	1.6	9
57	Performance of CTBN(carboxyl-terminated poly (butadiene-co-acrylonitrile))-EP(diglycidyl ether of bisphenol-A (DGEBA)) prepolymers and CTBN-EP/polyetheramine (PEA) system. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2009 , 24, 757-762	1	9
56	Compressive and fracture properties of syntactic foam filled with hollow plastic bead(HPC). <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2007 , 22, 499-501	1	9
55	The Effects of Dynamic Load on the Damping Performance of Piezoelectric Ceramic/Conductive Carbon/Epoxy Resin Composites. <i>Polymer-Plastics Technology and Engineering</i> , 2010 , 49, 979-982		8
54	Low-temperature synthesis of Bi ₄ Ti ₃ O ₁₂ nanocrystals by hydrothermal method. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 7453-7457	2.1	7
53	Fabrication and Anti-Oxidation Ability of SiC-SiO ₂ Coated Carbon Fibers Using Sol-Gel Method. <i>Materials</i> , 2018 , 11,	3.5	7
52	Study of the equilibrium swelling of poly(methyl methacrylate-co-n-butyl methacrylate) immersed in water via MD simulation. <i>Chemical Engineering Science</i> , 2017 , 173, 483-492	4.4	7
51	Dynamic Mechanical Properties of Phenolic Resin/Chlorinated Butyl Rubber Composites. <i>Journal of Macromolecular Science - Physics</i> , 2014 , 53, 813-819	1.4	7
50	Self-gradient mechanism, morphology and damping analysis of a thickness continuous gradient epoxy/polyurethane interpenetrating polymer network. <i>RSC Advances</i> , 2016 , 6, 111688-111701	3.7	7
49	Effect of the Flux on the Fire-Resistance Properties of Cerami-Fiable Epdm Rubber Composites. <i>Advanced Composites Letters</i> , 2018 , 27, 096369351802700	1.2	7
48	Thermal Decomposition and Ceramifying Process of Ceramifiable Silicone Rubber Composite with Hydrated Zinc Borate. <i>Materials</i> , 2019 , 12,	3.5	6
47	Fluxing Agents on Ceramification of Composites of MgO-Al ₂ O ₃ -SiO ₂ /Boron Phenolic Resin. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2018 , 33, 381-388	1	6

46	Conductive behaviors of carbon nanofibers reinforced epoxy composites. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2008 , 23, 139-142	1	6
45	Nano-silica modified phenolic resin film: manufacturing and properties. <i>Nanotechnology Reviews</i> , 2020 , 9, 209-218	6.3	6
44	Bionic boron/silicon-modified phenolic resin system with multifunctional groups: synthesis, thermal properties and ablation mechanism. <i>Biosurface and Biotribology</i> , 2018 , 4, 85-93	1	6
43	Flame-retardant mechanism of magnesium oxychloride in epoxy resin. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2009 , 24, 127-131	1	5
42	(0 0 2)-oriented growth and morphologies of ZnO thin films prepared by sol-gel method. <i>Materials Science-Poland</i> , 2016 , 34, 555-563	0.6	5
41	Hydrothermal Synthesis of PbTiO ₃ Nanocrystals with a pH-Adjusting Agent of Ammonia Solution. <i>Electronic Materials Letters</i> , 2018 , 14, 610-615	2.9	4
40	Composition Distribution, Damping and Thermal Properties of the Thickness-Continuous Gradient Epoxy/Polyurethane Interpenetrating Polymer Networks. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 135	2.6	4
39	Synthesis and Properties of Polyphenylsilsesquioxane Modified Phenolic Resin by in-situ Polymerization from Phenyltriethoxysilane Precursor. <i>Journal of Macromolecular Science - Physics</i> , 2016 , 55, 810-821	1.4	4
38	Polyhedral oligomeric silsesquioxane (POSS)-modified phenolic resin: Synthesis and anti-oxidation properties. <i>E-Polymers</i> , 2021 , 21, 316-326	2.7	4
37	A Novel Zirconium Modified Arylacetylene Resin: Preparation, Thermal Properties and Ceramifiable Mechanism. <i>Polymers</i> , 2020 , 12,	4.5	3
36	Synthesis and Photocatalytic Activity of One-dimensional Fe ₂ O ₃ Nanorods. <i>Chemistry Letters</i> , 2015 , 44, 1682-1684	1.7	3
35	Damping properties of epoxy-based composite embedded with sol-gel-derived Pb(Zr _{0.53} Ti _{0.47})O ₃ thin film annealed at different temperatures. <i>Journal of Materials Science: Materials in Electronics</i> , 2012 , 23, 940-944	2.1	3
34	Effect of La doping on microstructure and ferroelectric properties of Bi ₄ Ti ₃ O ₁₂ thin films prepared by sol-gel method. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2008 , 23, 622-624	1	3
33	Effect of thermal crosslink conditions on dynamic mechanical behaviors of flexible epoxy. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2008 , 23, 825-829	1	3
32	Improving ablation properties of ceramifiable vitreous silica fabric reinforced boron phenolic resin composites via an incorporation of MoSi ₂ . <i>Plastics, Rubber and Composites</i> , 2020 , 49, 456-469	1.5	3
31	Synthesis and Thermal Degradation Study of Polyhedral Oligomeric Silsesquioxane (POSS) Modified Phenolic Resin. <i>Polymers</i> , 2021 , 13,	4.5	3
30	ZrO ₂ f-coated Cf hybrid fibrous reinforcements and properties of their reinforced ceramicizable phenolic resin matrix composites. <i>Journal of the European Ceramic Society</i> , 2021 , 41, 1810-1816	6	3
29	Recovering Quadruple-cation Perovskite Films from Water Caused Permanent Degradations. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2020 , 35, 57-64	1	2

28	Effect of Bi content in precursor solutions on microstructure and ferroelectric properties of bismuth cerium titanate thin films. <i>Science in China Series D: Earth Sciences</i> , 2009 , 52, 878-882		2
27	Synthesis, characterization and flame-retardant properties of epoxy resins and AACHH composites. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2009 , 24, 763-767	1	2
26	Cure reaction kinetics of low pressure sheet molding compound system thickened by crystalline polymer. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2007 , 22, 380-384	1	2
25	Ferroelectric properties of Bi _{3.4} Ho _{0.6} Ti ₃ O ₁₂ thin films prepared by sol-gel method. <i>Science in China Series D: Earth Sciences</i> , 2008 , 51, 1439-1444		2
24	Ceramification of Composites of MgO-Al ₂ O ₃ -SiO ₂ /Boron Phenolic Resin with Different Calcine Time. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2021 , 36, 174-182	1	2
23	Study on preparation and properties of bentonite-modified epoxy sheet molding compound. <i>E-Polymers</i> , 2021 , 21, 309-315	2.7	2
22	Efficient synthesis of dendritic PbTiO ₃ nanorods by hydrothermal method. <i>Journal of Materials Science: Materials in Electronics</i> , 2020 , 31, 12345-12354	2.1	1
21	The diffusion of an antifoulant in an equilibrium swollen P(MMA-co-n-BMA): A molecular dynamics simulation study. <i>Progress in Organic Coatings</i> , 2018 , 123, 314-321	4.8	1
20	Castor Oil-Based Polyurethane/Epoxy Intercross-linked Polymer Network Adhesives for Metal Substrates. <i>Journal of Macromolecular Science - Physics</i> , 2014 , 53, 1621-1628	1.4	1
19	Influence of annealing time on the microstructure and properties of Pb(Zr _{0.53} Ti _{0.47})O ₃ thin films. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2012 , 27, 88-91	1	1
18	Synthesis of Single-Crystalline Silicon Nitride (Si ₃ N ₄) Nanowires with Controlled Diameters by Nitriding Cryomilled Nanocrystalline Silicon Powder. <i>Materials Research Society Symposia Proceedings</i> , 2010 , 1279, 1		1
17	Effects of Accelerated Thermo-Oxidative Aging on Properties of a Damped-Encapsulating Epoxy Adhesive. <i>Polymer-Plastics Technology and Engineering</i> , 2008 , 47, 180-185		1
16	Quantitative Analysis of Damping Enhancement and Piezoelectric Effect Mechanism of CNTs/PMN/EP Composites. <i>Advances in Materials Science and Engineering</i> , 2018 , 2018, 1-7	1.5	1
15	Ultralight Open-Cell Graphene Aerogels with Multiple, Gradient Microstructures for Efficient Microwave Absorption. <i>Nanomaterials</i> , 2022 , 12, 1896	5.4	1
14	A closed-loop recycling process for carbon fiber reinforced vinyl ester resin composite. <i>Chemical Engineering Journal</i> , 2022 , 446, 137254	14.7	1
13	Decomposition mechanism of boron phenolic resin composites under temperature gradient. <i>Plastics, Rubber and Composites</i> , 1-10	1.5	0
12	Synthesis of PbTiO ₃ nanoplates by two-step hydrothermal method with pH-adjusting agent of ammonia solution. <i>Journal of Asian Ceramic Societies</i> , 1-9	2.4	0
11	Role of Liquid-Phase Amount in Ceramization of Silicone Rubber Composites and Its Controlling. <i>Materials</i> , 2022 , 15, 3675	3.5	0

- 10 Morphology evolution of BaTi₅O₁₁ nanocrystals prepared by hydrothermal method and their permittivity. *Journal of Materials Science: Materials in Electronics*, **2020**, 31, 6883-6889 2.1
- 9 Poly(vinyl pyrrolidone)-assisted hydrothermal synthesis of Pb(Zr_{0.52}Ti_{0.48})O₃ nanocrystals. *Journal of Materials Science: Materials in Electronics*, **2019**, 30, 17164-17169 2.1
- 8 A facile synthesis of carbon black fluid grafting by polyetheramine using neutralization reaction. *Journal Wuhan University of Technology, Materials Science Edition*, **2014**, 29, 357-360 1
- 7 Facile synthesis and characterization of silica nanoscale ionic materials. *Journal Wuhan University of Technology, Materials Science Edition*, **2013**, 28, 673-676 1
- 6 Synthesis of PEG-MAH crystalline polymer and its thickening traits to LPMC. *Journal Wuhan University of Technology, Materials Science Edition*, **2008**, 23, 403-406 1
- 5 Synthesis of single-crystalline Pb(Zr_{0.52}Ti_{0.48})O₃ nanocrystals by hydrothermal method. *Materials Science-Poland*, **2019**, 37, 473-481 0.6
- 4 Ba₄Ti₁₃O₃₀ nanocrystals prepared by hydrothermal method. *International Journal of Ceramic Engineering & Science*, **2020**, 2, 3-6 2
- 3 Investigation on the Mechanical and Thermal Insulation Properties of Hollow Microspheres/Phenolic Syntactic Foams. *Advances in Materials Science and Engineering*, **2022**, 2022, 1-10^{1.5}
- 2 Enhanced Thermal Resistance of Boron Phenolic Composites by Addition of TiSi₂ Particles. *Journal Wuhan University of Technology, Materials Science Edition*, **2021**, 36, 839-844 1
- 1 Recovery of polyimide waste film by mechanical method to improve the heat fade resistance of BPR matrix friction composites. *Wear*, **2022**, 204398 3.5