

Anna Marie Bloch Münster

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4022877/publications.pdf>

Version: 2024-02-01

12
papers

161
citations

1306789

7
h-index

1199166

12
g-index

12
all docs

12
docs citations

12
times ranked

365
citing authors

#	ARTICLE	IF	CITATIONS
1	Gastrointestinal bleeding and the risk of colorectal cancer in anticoagulated patients with atrial fibrillation. <i>European Heart Journal</i> , 2022, 43, e38-e44.	1.0	22
2	Effect of remote ischemic preconditioning on fibrin formation and metabolism in patients undergoing hip fracture surgery: a randomized clinical trial. <i>Blood Coagulation and Fibrinolysis</i> , 2022, 33, 25-33.	0.5	3
3	How to increase value and reduce waste in research: initial experiences of applying Lean thinking and visual management in research leadership. <i>BMJ Open</i> , 2022, 12, e058179.	0.8	3
4	Cardiovascular events in patients undergoing hip fracture surgery treated with remote ischaemic preconditioning: 1-year follow-up of a randomised clinical trial. <i>Anaesthesia</i> , 2021, 76, 1042-1050.	1.8	3
5	Reductions in plasmin inhibitor and fibrinogen predict the improved fibrin clot lysis 6 months after obesity surgery. <i>Clinical Obesity</i> , 2020, 10, e12397.	1.1	2
6	Testosterone treatment and association with thrombin generation and coagulation inhibition in Klinefelter syndrome: A cross-sectional study. <i>Thrombosis Research</i> , 2019, 182, 175-181.	0.8	20
7	The effect of remote ischaemic preconditioning on myocardial injury in emergency hip fracture surgery (PIXIE trial): phase II randomised clinical trial. <i>BMJ</i> , 2019, 367, l6395.	3.0	25
8	Nintedanib in Idiopathic Pulmonary Fibrosis: Practical Management Recommendations for Potential Adverse Events. <i>Respiration</i> , 2019, 97, 173-184.	1.2	39
9	Comprehensive characteristics of the anticoagulant activity of dabigatran in relation to its plasma concentration. <i>Thrombosis Research</i> , 2018, 164, 32-39.	0.8	18
10	Measurement of dabigatran: previously demonstrated Hemoclot® Thrombin Inhibitor assay reagent instability on Sysmex CS-2100i is no longer an issue. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 149-152.	0.6	1
11	Fast form alpha-2-macroglobulin - A marker for protease activation in plasma exposed to artificial surfaces. <i>Clinical Biochemistry</i> , 2017, 50, 1203-1208.	0.8	10
12	Protocol Outlines for Parts 1 and 2 of the Prospective Endoscopy III Study for the Early Detection of Colorectal Cancer: Validation of a Concept Based on Blood Biomarkers. <i>JMIR Research Protocols</i> , 2016, 5, e182.	0.5	15