

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4023889/publications.pdf>

Version: 2024-02-01

36  
papers

1,283  
citations

361296

20  
h-index

360920

35  
g-index

36  
all docs

36  
docs citations

36  
times ranked

823  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Effect of friction stir welding parameters on the microstructure and mechanical properties of the dissimilar Al-Cu joints. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 4683-4689. | 2.6 | 316       |
| 2  | Microstructural evolution of aluminum alloy during friction stir welding under different tool rotation rates and cooling conditions. <i>Journal of Materials Science and Technology</i> , 2019, 35, 972-981.   | 5.6 | 70        |
| 3  | Influence of microstructural evolution on tensile properties of friction stir welded joint of rolled SiCp/AA2009-T351 sheet. <i>Materials &amp; Design</i> , 2013, 51, 199-205.  | 5.1 | 57        |
| 4  | Influence of welding parameter on mechanical properties and fracture behavior of friction stir welded Al-Mg-Sc joints. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 612, 236-245.       | 2.6 | 56        |
| 5  | Pinless Friction Stir Spot Welding of Mg-3Al-1Zn Alloy with Zn Interlayer. <i>Journal of Materials Science and Technology</i> , 2016, 32, 76-88.   | 5.6 | 55        |
| 6  | Tensile properties and strain-hardening behaviour of friction stir welded SiCp/AA2009 composite joints. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 608, 1-10.                         | 2.6 | 54        |
| 7  | Microstructure and mechanical properties of double-side friction stir welded 6082Al ultra-thick plates. <i>Journal of Materials Science and Technology</i> , 2020, 41, 105-116.  | 5.6 | 48        |
| 8  | Origin of unusual fracture in stirred zone for friction stir welded 2198-T8 Al-Li alloy joints. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 693, 1-13.                                 | 2.6 | 47        |
| 9  | Achieving superior mechanical properties of selective laser melted AlSi10Mg via direct aging treatment. <i>Journal of Materials Science and Technology</i> , 2022, 108, 226-235.   | 5.6 | 45        |
| 10 | Evolution of local texture and its effect on mechanical properties and fracture behavior of friction stir welded joint of extruded Mg-3Al-1Zn alloy. <i>Materials Characterization</i> , 2017, 128, 14-22.   | 1.9 | 44        |
| 11 | Hot deformation and activation energy of a CNT-reinforced aluminum matrix nanocomposite. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 695, 322-331.                                     | 2.6 | 40        |
| 12 | A comparative research on bobbin tool and conventional friction stir welding of Al-Mg-Si alloy plates. <i>Materials Characterization</i> , 2018, 145, 20-28.   | 1.9 | 39        |
| 13 | Achieving superior superplasticity from lamellar microstructure of a nugget in a friction-stir-welded Ti-6Al-4V joint. <i>Scripta Materialia</i> , 2015, 98, 44-47.  | 2.6 | 35        |
| 14 | Achieving ultra-high strength friction stir welded joints of high nitrogen stainless steel by forced water cooling. <i>Journal of Materials Science and Technology</i> , 2018, 34, 2183-2188.  | 5.6 | 31        |
| 15 | Improving joint performance of friction stir welded wrought Mg alloy by controlling non-uniform deformation behavior. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 707, 426-434.        | 2.6 | 29        |
| 16 | Enhanced combination of mechanical properties and electrical conductivity of a hard state Cu-Cr-Zr alloy via one-step friction stir processing. <i>Journal of Materials Processing Technology</i> , 2021, 288, 116880.   | 3.1 | 27        |
| 17 | Three-dimensional processing maps and microstructural evolution of a CNT-reinforced Al-Cu-Mg nanocomposite. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 702, 425-437.                  | 2.6 | 24        |
| 18 | Friction stir welding of as-extruded Mg-Al-Zn alloy with higher Al content. Part I: Formation of banded and line structures. <i>Materials Characterization</i> , 2014, 96, 142-150.  | 1.9 | 23        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | An approach to enhancement of Mg alloy joint performance by additional pass of friction stir processing. <i>Journal of Materials Processing Technology</i> , 2019, 264, 336-345.  | 3.1 | 23        |
| 20 | Deformation behavior and strengthening mechanisms in a CNT-reinforced bimodal-grained aluminum matrix nanocomposite. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 817, 141370.               | 2.6 | 23        |
| 21 | Effect of post weld artificial aging and water cooling on microstructure and mechanical properties of friction stir welded 2198-T8 Al-Li joints. <i>Journal of Materials Science and Technology</i> , 2022, 123, 92-112.  | 5.6 | 21        |
| 22 | Achieving an ultra-high strength in a low alloyed Al alloy via a special structural design. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 755, 28-36.   | 2.6 | 20        |
| 23 | Improved cyclic softening behavior of ultrafine-grained Cu with high microstructural stability. <i>Scripta Materialia</i> , 2019, 166, 10-14.   | 2.6 | 19        |
| 24 | Achieving equal strength joint to parent metal in a friction stir welded ultra-high strength quenching and partitioning steel. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 793, 139979.     | 2.6 | 17        |
| 25 | Superplastic deformation behavior of lamellar microstructure in a hydrogenated friction stir welded Ti-6Al-4V joint. <i>Journal of Alloys and Compounds</i> , 2019, 787, 1320-1326.   | 2.8 | 16        |
| 26 | Improved strength with good conductivity in Cu-Cr-Zr alloys: Determinant effect of under-aging treatment before rolling and aging. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 848, 143395. | 2.6 | 16        |
| 27 | Defect formation, microstructure evolution, and mechanical properties of bobbin tool friction stir welded 2219-T8 alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 832, 142414.           | 2.6 | 15        |
| 28 | Dry sliding wear behavior of titanium matrix composites hybrid-reinforced by <i>in situ</i> TiBw and TiCp. <i>Journal of Composite Materials</i> , 2012, 46, 2637-2645.   | 1.2 | 10        |
| 29 | Static spheroidization and its effect on superplasticity of fine lamellae in nugget of a friction stir welded Ti-6Al-4V joint. <i>Journal of Materials Science and Technology</i> , 2022, 119, 1-10.  | 5.6 | 10        |
| 30 | Effect of static annealing on superplastic behavior of a friction stir welded Ti-6Al-4V alloy joint and microstructural evolution during deformation. <i>Journal of Materials Science and Technology</i> , 2022, 130, 112-123.  | 5.6 | 10        |
| 31 | Failure mechanism of nano-structural interfacial layer in Mg matrix composites reinforced with Cf. <i>Composites Part A: Applied Science and Manufacturing</i> , 2022, 154, 106780.   | 3.8 | 9         |
| 32 | Cyclic deformation behavior and fatigue life modeling of CNT-reinforced heterogeneous aluminum-based nanocomposite. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 840, 142881.                | 2.6 | 9         |
| 33 | High-cycle fatigue and fracture behavior of double-side friction stir welded 6082Al ultra-thick plates. <i>Engineering Fracture Mechanics</i> , 2020, 226, 106887.  | 2.0 | 8         |
| 34 | Realising equal-strength welding with good conductivity in Cu-Cr-Zr alloy via friction stir welding. <i>Science and Technology of Welding and Joining</i> , 2021, 26, 448-454.  | 1.5 | 8         |
| 35 | Low-temperature superplasticity of nugget zone of friction stir welded Al-Mg alloy joint. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 727, 177-183.   | 2.6 | 6         |
| 36 | Ultrasonic spot welding of dissimilar 2024Al alloy and SiCp/2009Al composite. <i>Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications</i> , 2018, , 146442071880913.   | 0.7 | 3         |