

# Maw Pin Tan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4024045/publications.pdf>

Version: 2024-02-01

208  
papers

3,473  
citations

147801

31  
h-index

214800

47  
g-index

213  
all docs

213  
docs citations

213  
times ranked

4368  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | A national survey on the teaching provision of undergraduate geriatric medicine in Malaysia. <i>Gerontology and Geriatrics Education</i> , 2022, 43, 456-467.   | 0.8 | 4         |
| 2  | Mobile Technologies and Healthy Ageing: A Bibliometric Analysis on Publication Trends and Knowledge Structure of mHealth Research for Older Adults. <i>International Journal of Human-Computer Interaction</i> , 2022, 38, 118-130. | 4.8 | 14        |
| 3  | Health Benefits of Social Participation Interventions among Community-Dwelling Older Persons: A Review Article. <i>Experimental Aging Research</i> , 2022, 48, 234-260.   | 1.2 | 4         |
| 4  | Development of Virtual Surveys for the COVID-19 Wave of the AGELESS Longitudinal Study in Malaysia. <i>Gerontology</i> , 2022, 68, 551-555.   | 2.8 | 3         |
| 5  | A five-year prospective evaluation of anticholinergic cognitive burden and falls in the Malaysian elders longitudinal research (MELoR) study. <i>Archives of Gerontology and Geriatrics</i> , 2022, 98, 104535.                     | 3.0 | 2         |
| 6  | Potentially inappropriate prescribing in a falls clinic using the STOPP and START criteria. <i>International Journal of Clinical Pharmacy</i> , 2022, 44, 163-171.  | 2.1 | 1         |
| 7  | Phase angle and diabetes in community-dwelling older adults: cross-sectional analysis from the Malaysian elders longitudinal research (MELoR) study. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 680-684.             | 2.9 | 5         |
| 8  | Bidirectional association between executive and physical functions among older adults: A systematic review. <i>Australasian Journal on Ageing</i> , 2022, 41, 20-41.  | 0.9 | 3         |
| 9  | Acceptance of virtual consultations among older adults and caregivers in Malaysia: a pilot study during the COVID-19 pandemic. <i>Postgraduate Medicine</i> , 2022, 134, 224-229.   | 2.0 | 7         |
| 10 | Author reply: The relationship between alcohol intake and falls. <i>Geriatrics and Gerontology International</i> , 2022, 22, 91-92.   | 1.5 | 0         |
| 11 | Healthcare for older people in lower and middle income countries. <i>Age and Ageing</i> , 2022, 51, .   | 1.6 | 10        |
| 12 | Factors Influencing Quality of Life Among Older Persons Living With Osteoarthritis Using 3 Different Definitions. <i>Topics in Geriatric Rehabilitation</i> , 2022, 38, 26-34.  | 0.4 | 0         |
| 13 | Health-related quality of life of younger and older lower-income households in Malaysia. <i>PLoS ONE</i> , 2022, 17, e0263751.  | 2.5 | 17        |
| 14 | Association between mental illness and blood pressure variability: a systematic review. <i>BioMedical Engineering OnLine</i> , 2022, 21, 19.  | 2.7 | 23        |
| 15 | Anticholinergics and falls in older adults. <i>Expert Review of Clinical Pharmacology</i> , 2022, 15, 285-294.  | 3.1 | 2         |
| 16 | The Association Between Depressive Symptoms and Sarcopenia Among Community-Dwelling Older Adults: A Cross-Sectional Study. <i>Journal of Multidisciplinary Healthcare</i> , 2022, Volume 15, 837-846.                               | 2.7 | 5         |
| 17 | Psychological status and physical performance are independently associated with autonomic function. <i>BioMedical Engineering OnLine</i> , 2022, 21, 29.  | 2.7 | 3         |
| 18 | Income Disparity and Mental Wellbeing among Adults in Semi-Urban and Rural Areas in Malaysia: The Mediating Role of Social Capital. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6604.      | 2.6 | 4         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Blood Pressure Variability and Cognitive Function: a Scoping Review. <i>Current Hypertension Reports</i> , 2022, 24, 375-383.   | 3.5 | 2         |
| 20 | Sustainable fall prevention across Europe: challenges and opportunities. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 2553-2556.   | 2.9 | 5         |
| 21 | Malaysian older persons' perceptions about falls and their desired educational website characteristics: A qualitative study. <i>PLoS ONE</i> , 2022, 17, e0270741.  | 2.5 | 2         |
| 22 | Adult Endogenous Dopaminergic Neuroregeneration Against Parkinson's Disease: Ideal Animal Models?. <i>Neurotoxicity Research</i> , 2021, 39, 504-532.   | 2.7 | 1         |
| 23 | Falls, frailty, and metabolic syndrome in urban dwellers aged 55 years and over in the Malaysian elders longitudinal research (MELoR) study - a cross-sectional Study. <i>Postgraduate Medicine</i> , 2021, 133, 351-356. | 2.0 | 7         |
| 24 | Systematic review on the contents and parameters of self-management education programs in older adults with knee osteoarthritis. <i>Australasian Journal on Ageing</i> , 2021, 40, e1-e12.                                | 0.9 | 2         |
| 25 | Peak expiratory flow rate and sarcopenia risk in older Indonesian people: A nationwide survey. <i>PLoS ONE</i> , 2021, 16, e0246179.  | 2.5 | 12        |
| 26 | 2019 revised algorithm for the management of knee osteoarthritis: the Southeast Asian viewpoint. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 1149-1156.   | 2.9 | 8         |
| 27 | Development of Clustering Algorithms for Older Faller in Malaysia. , 2021, , .  |     | 2         |
| 28 | Supporting family doctors to address elder abuse: a quasi-experimental study in Malaysia. <i>Journal of Elder Abuse and Neglect</i> , 2021, 33, 151-167.  | 1.1 | 1         |
| 29 | Comparison of Retrospective and Prospective Falls Reporting Among Community-Dwelling Older People: Findings From Two Cohort Studies. <i>Frontiers in Public Health</i> , 2021, 9, 612663.                                 | 2.7 | 7         |
| 30 | Virtual Group Exercises and Psychological Status among Community-Dwelling Older Adults during the COVID-19 Pandemic: A Feasibility Study. <i>Geriatrics (Switzerland)</i> , 2021, 6, 31.                                  | 1.7 | 17        |
| 31 | Incidence and multidimensional predictors of occasional and recurrent falls among Malaysian community-dwelling older persons. <i>BMC Geriatrics</i> , 2021, 21, 154.  | 2.7 | 10        |
| 32 | Escalating progression of mental health disorders during the COVID-19 pandemic: Evidence from a nationwide survey. <i>PLoS ONE</i> , 2021, 16, e0248916.  | 2.5 | 62        |
| 33 | Healthcare Utilization and Knee Osteoarthritis Symptoms among Urban Older Malaysian. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3777.   | 2.6 | 3         |
| 34 | Interdisciplinary differences in patient safety culture within a teaching hospital in Southeast Asia. <i>International Journal of Clinical Practice</i> , 2021, 75, e14333.   | 1.7 | 2         |
| 35 | New horizons in falls prevention and management for older adults: a global initiative. <i>Age and Ageing</i> , 2021, 50, 1499-1507.   | 1.6 | 50        |
| 36 | 455 PROSPECTIVE EVALUATION OF FRAILITY IN INDIVIDUALS WITH KNEE PAIN IN MALAYSIAN ELDERS LONGITUDINAL RESEARCH (MELOR) STUDY. <i>Age and Ageing</i> , 2021, 50, ii14-ii18.  | 1.6 | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | The relationship between alcohol intake and falls hospitalization: Results from the <sc>EPICâ€œNorfolk</sc>. <i>Geriatrics and Gerontology International</i> , 2021, 21, 657-663.  | 1.5 | 6         |
| 38 | A Malaysian Delphi consensus on managing knee osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 514.  | 1.9 | 6         |
| 39 | A Qualitative Study on Formal and Informal Carers' Perceptions of Dementia Care Provision and Management in Malaysia. <i>Frontiers in Public Health</i> , 2021, 9, 637484.   | 2.7 | 7         |
| 40 | Disability trajectories prior to death for ten leading causes of death among middle-aged and older adults in Taiwan. <i>BMC Geriatrics</i> , 2021, 21, 420.  | 2.7 | 6         |
| 41 | The Effects of Air Quality on Hospital Admissions for Chronic Respiratory Diseases in Petaling Jaya, Malaysia, 2013â€œ2015. <i>Atmosphere</i> , 2021, 12, 1060.  | 2.3 | 6         |
| 42 | Contrast sensitivity is associated with frailty. <i>European Geriatric Medicine</i> , 2021, 12, 313-319.   | 2.8 | 5         |
| 43 | Challenges and Research Priorities for Dementia Care in Malaysia from the Perspective of Health and Allied Health Professionals. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11010. | 2.6 | 3         |
| 44 | Falls in older persons with type 2 diabetes in the Malaysian Elders Longitudinal Research (MELoR) study. <i>International Journal of Clinical Practice</i> , 2021, 75, e14999.   | 1.7 | 1         |
| 45 | The Malaysian Elders Longitudinal Research (MELoR): Prevalence and Factors Associated With Vision Impairment in an Urban Population in Malaysia. <i>Asia-Pacific Journal of Public Health</i> , 2021, 33, 280-286.           | 1.0 | 3         |
| 46 | DRUG-RELATED PROBLEMS ENCOUNTERED BY COMMUNITY-DWELLING OLDER PERSONS IN THE KLANG VALLEY, MALAYSIA: AN EXPLORATORY STUDY. <i>Journal of the University of Malaya Medical Centre</i> , 2021, 24, 63-69.                      | 0.0 | 1         |
| 47 | Locomotor Assessment of 6-Hydroxydopamine-induced Adult Zebrafish-based Parkinson's Disease Model. <i>Journal of Visualized Experiments</i> , 2021, , .  | 0.3 | 3         |
| 48 | Evaluation of Clinical Practice Guidelines on Fall Prevention and Management for Older Adults. <i>JAMA Network Open</i> , 2021, 4, e2138911.   | 5.9 | 121       |
| 49 | The Prevalence of Orthostatic Hypotension: A Systematic Review and Meta-Analysis. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 117-122.                                    | 3.6 | 92        |
| 50 | Dentition status among an ethnically diverse older urban Malaysian population. <i>Journal of Public Health</i> , 2020, 42, 304-311.  | 1.8 | 4         |
| 51 | Ethnic differences in lifetime cumulative incidence of syncope: the Malaysian elders longitudinal research (MELoR) study. <i>Clinical Autonomic Research</i> , 2020, 30, 121-128.  | 2.5 | 8         |
| 52 | Orthostatic blood pressure changes and physical, functional and cognitive performance: the MELoR study. <i>Clinical Autonomic Research</i> , 2020, 30, 129-137.  | 2.5 | 19        |
| 53 | Use of Medications with Anticholinergic Properties and the Long-Term Risk of Hospitalization for Falls and Fractures in the EPIC-Norfolk Longitudinal Cohort Study. <i>Drugs and Aging</i> , 2020, 37, 105-114.              | 2.7 | 11        |
| 54 | Contributing and Relieving Factors of Suffering in Palliative Care Cancer Patients: A Descriptive Study. <i>Omega: Journal of Death and Dying</i> , 2020, , 003022282094264.   | 1.0 | 0         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | The Influence of Body Mass Index on Characteristics of Falls in the Malaysian Elders Longitudinal Research Study. <i>Topics in Geriatric Rehabilitation</i> , 2020, 36, 71-78.   | 0.4  | 0         |
| 56 | Impact of Knee Pain on Fear of Falling, Changes in Instrumental Activities of Daily Living, and Falls Among Malaysians Age 55 Years and Above. <i>Frontiers in Public Health</i> , 2020, 8, 571196.                                  | 2.7  | 7         |
| 57 | Fibrinogen isoforms as potential blood-based biomarkers of Alzheimer's disease using a proteomics approach. <i>International Journal of Neuroscience</i> , 2020, , 1-12.   | 1.6  | 4         |
| 58 | Factors Associated With Falls Among Urban-Dwellers Aged 55 Years and Over in the Malaysian Elders Longitudinal Research (MELoR) Study. <i>Frontiers in Public Health</i> , 2020, 8, 506238.  | 2.7  | 3         |
| 59 | Robust PPG motion artifact detection using a 1-D convolution neural network. <i>Computer Methods and Programs in Biomedicine</i> , 2020, 196, 105596.  | 4.7  | 36        |
| 60 | Providing a laboratory diagnostic service for pandemic SARS-CoV-2 in a developing country. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2020, 114, 553-555.   | 1.8  | 2         |
| 61 | Perceptions of Family Physicians About Fall Risk Screening, Fall Risk Assessment, and Referral Practices for Fall Prevention in Malaysia. <i>Topics in Geriatric Rehabilitation</i> , 2020, 36, 38-43.                               | 0.4  | 2         |
| 62 | Clinical recognition of elder maltreatment and intention to report among primary care doctors. <i>Journal of Elder Abuse and Neglect</i> , 2020, 32, 72-83.  | 1.1  | 6         |
| 63 | Vision impairment and cognitive function among urban-dwelling Malaysians aged 55 years and over from the Malaysian Elders Longitudinal Research (MELoR) study. <i>Archives of Gerontology and Geriatrics</i> , 2020, 90, 104165.     | 3.0  | 10        |
| 64 | Self-reported generalised pruritus among community-dwelling older adults in Malaysia. <i>BMC Geriatrics</i> , 2020, 20, 223.   | 2.7  | 2         |
| 65 | The effects of age on clinical characteristics, hospitalization and mortality of patients with influenza-related illness at a tertiary care centre in Malaysia. <i>Influenza and Other Respiratory Viruses</i> , 2020, 14, 286-293.  | 3.4  | 16        |
| 66 | Patterns of Suffering in Palliative Care: A Descriptive Study. <i>Omega: Journal of Death and Dying</i> , 2020, 84, 003022282090322.   | 1.0  | 3         |
| 67 | Association between different methods of assessing blood pressure variability and incident cardiovascular disease, cardiovascular mortality and all-cause mortality: a systematic review. <i>Age and Ageing</i> , 2020, 49, 184-192. | 1.6  | 10        |
| 68 | Proteomics as a reliable approach for discovery of blood-based Alzheimer's disease biomarkers: A systematic review and meta-analysis. <i>Ageing Research Reviews</i> , 2020, 60, 101066.   | 10.9 | 27        |
| 69 | The knowledge and self-management educational needs of older adults with knee osteoarthritis: A qualitative study. <i>PLoS ONE</i> , 2020, 15, e0230318.   | 2.5  | 12        |
| 70 | Standing Up for Frailty: Blood Pressure Changes Do Matter. <i>Journal of the American Heart Association</i> , 2020, 9, e016222.  | 3.7  | 4         |
| 71 | Home Hazards With Fear of Falling: Findings From the Baseline Study of the Malaysian Elders Longitudinal Research (MELoR). <i>Frontiers in Public Health</i> , 2020, 8, 612599.  | 2.7  | 8         |
| 72 | Quality of life and its associated factors among older persons in Malaysia. <i>Geriatrics and Gerontology International</i> , 2020, 20, 92-97.   | 1.5  | 7         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Relationship between urinary incontinence and quality of life of older persons in Malaysia. <i>Geriatrics and Gerontology International</i> , 2020, 20, 38-42.   | 1.5 | 3         |
| 74 | Prevalence of dementia and quality of life of caregivers of people living with dementia in Malaysia. <i>Geriatrics and Gerontology International</i> , 2020, 20, 16-20.  | 1.5 | 10        |
| 75 | Development of a Malaysian Undergraduate Geriatric Medicine Curriculum. <i>Aging Medicine and Healthcare</i> , 2020, 11, 82-88.  | 0.4 | 7         |
| 76 | Personal experience and knowledge about psoriasis reduce misconceptions and discriminatory behavior toward people living with psoriasis in Malaysia. <i>Dermatologica Sinica</i> , 2020, 38, 35.   | 0.5 | 3         |
| 77 | The Case for Breast-Conservation Treatment Rates to Be a Quality Metric. <i>Current Oncology</i> , 2020, 27, 442-443.  | 2.2 | 0         |
| 78 | Prevalence and factors associated with falls among older persons in Malaysia. <i>Geriatrics and Gerontology International</i> , 2020, 20, 33-37.   | 1.5 | 6         |
| 79 | Influence of social support on limitation in daily living among older persons in Malaysia. <i>Geriatrics and Gerontology International</i> , 2020, 20, 26-32.  | 1.5 | 3         |
| 80 | Risk factors associated with soil transmitted helminth (STH) infection in two indigenous communities in Malaysia. <i>Tropical Biomedicine</i> , 2020, 37, 379-388.   | 0.7 | 3         |
| 81 | Social Participation Determines Quality of Life Among Urban-Dwelling Older Adults With Stroke in a Developing Country. <i>Journal of Geriatric Physical Therapy</i> , 2019, 42, E77-E84.   | 1.1 | 17        |
| 82 | Swallow syncope: a case report and review of literature. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 191.  | 1.7 | 21        |
| 83 | Body shape, fear of falling, physical performance, and falls among individuals aged 55 years and above. <i>European Geriatric Medicine</i> , 2019, 10, 801-808.  | 2.8 | 2         |
| 84 | Diabetes, arthritis, urinary incontinence, poor self-rated health, higher body mass index and lower handgrip strength are associated with falls among community-dwelling middle-aged and older adults: Pooled analyses from two cross-sectional Malaysian datasets. <i>Geriatrics and Gerontology International</i> , 2019, 19, 798-803. | 1.5 | 20        |
| 85 | Assessment of Delirium Using the Confusion Assessment Method in Older Adult Inpatients in Malaysia. <i>Geriatrics (Switzerland)</i> , 2019, 4, 52.   | 1.7 | 5         |
| 86 | 153 Polypharmacy and Falls: A Global Phenomenon. <i>Age and Ageing</i> , 2019, 48, iv34-iv39.  | 1.6 | 0         |
| 87 | 29 Association between Risk of Falling and History of a Previous Falls over Four Years – Annual Follow-up. <i>Age and Ageing</i> , 2019, 48, iv6-iv8.  | 1.6 | 0         |
| 88 | 110 Lower Hand Grip Strength Influences Falls Risk in Malaysians Aged 55 and above with Diabetes. <i>Age and Ageing</i> , 2019, 48, iv18-iv27.   | 1.6 | 0         |
| 89 | 88 Prospective Association of Obesity and Falls among Malaysian Community-Dwelling Older Adults. <i>Age and Ageing</i> , 2019, 48, iv18-iv27.  | 1.6 | 0         |
| 90 | 46 The Relationship between Cognitive Function and Physical Performance among Older Adults Attending a Falls and Syncope Service in Kuala Lumpur. <i>Age and Ageing</i> , 2019, 48, iv9-iv12.  | 1.6 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | 23 Arterial Stiffness and Falls in Older People: Cross-Sectional Data from the Malaysian Elders Longitudinal Research Study (MELoR). <i>Age and Ageing</i> , 2019, 48, iv6-iv8.   | 1.6 | 0         |
| 92  | 91 Individuals Aged 65-69 Years Have Poorer Postural Control Related to Fear of Falling than Individuals Aged 70-74 Years. <i>Age and Ageing</i> , 2019, 48, iv18-iv27.   | 1.6 | 0         |
| 93  | 60 Obesity in Older Adults in the Epic Norfolk Study is Associated with Reduced 20-Year Falls Hospitalization. <i>Age and Ageing</i> , 2019, 48, iv13-iv17.   | 1.6 | 0         |
| 94  | Ethnic differences in the prevalence, socioeconomic and health related risk factors of knee pain and osteoarthritis symptoms in older Malaysians. <i>PLoS ONE</i> , 2019, 14, e0225075.   | 2.5 | 12        |
| 95  | Factors Determining the Increased Risk of Falls in Individuals With Knee Pain in the Malaysian Elders Longitudinal Research (MELoR) Study. <i>Frontiers in Medicine</i> , 2019, 6, 277.   | 2.6 | 6         |
| 96  | Tai Chi with music improves quality of life among community-dwelling older persons with mild to moderate depressive symptoms: A cluster randomized controlled trial. <i>Geriatric Nursing</i> , 2019, 40, 154-159.  | 1.9 | 16        |
| 97  | Orientation and verbal fluency in the English Longitudinal Study of Ageing: modifiable risk factors for falls?. <i>International Psychogeriatrics</i> , 2019, 31, 1491-1498.  | 1.0 | 8         |
| 98  | Longâ€Term Nasogastric Versus Percutaneous Endoscopic Gastrostomy Tube Feeding in Older Asians With Dysphagia: A Pragmatic Study. <i>Nutrition in Clinical Practice</i> , 2019, 34, 280-289.  | 2.4 | 22        |
| 99  | The Modified Otago Exercises Prevent Grip Strength Deterioration Among Older Fallers in the Malaysian Falls Assessment and Intervention Trial (MyFAIT). <i>Journal of Geriatric Physical Therapy</i> , 2019, 42, 123-129.                                     | 1.1 | 15        |
| 100 | Title is missing!. , 2019, 14, e0225075.  |     | 0         |
| 101 | Title is missing!. , 2019, 14, e0225075.  |     | 0         |
| 102 | Title is missing!. , 2019, 14, e0225075.  |     | 0         |
| 103 | Title is missing!. , 2019, 14, e0225075.  |     | 0         |
| 104 | Elder Abuse and Chronic Pain: Crossâ€Sectional and Longitudinal Results from the Preventing Elder Abuse and Neglect Initiative. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1165-1171.  | 2.6 | 8         |
| 105 | Determinants of quality of life and psychological status in adults with psoriasis. <i>Archives of Dermatological Research</i> , 2018, 310, 443-451.   | 1.9 | 44        |
| 106 | Conducting communityâ€based participatory research in an urban Malaysian community: Lessons learned and challenges in establishing partnerships. <i>Journal of Community and Applied Social Psychology</i> , 2018, 28, 156-168.                               | 2.4 | 2         |
| 107 | Vitamin D deficiency is associated with ethnicity and knee pain in a multiâ€ethnic Southâ€East Asian nation: Results from Malaysian Elders Longitudinal Research ( <scp>MEL</scp>oR). <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 930-936. | 1.9 | 7         |
| 108 | The Impact of Combined Music and Tai Chi on Depressive Symptoms Among Community-Dwelling Older Persons: A Cluster Randomized Controlled Trial. <i>Issues in Mental Health Nursing</i> , 2018, 39, 398-402.  | 1.2 | 22        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Reliability and Validity of the Short Falls Efficacy Scale International in English, Mandarin, and Bahasa Malaysia in Malaysia. <i>International Journal of Aging and Human Development</i> , 2018, 87, 415-428.                     | 1.6 | 18        |
| 110 | A novel language-neutral Visual Cognitive Assessment Test (VCAT): validation in four Southeast Asian countries. <i>Alzheimer's Research and Therapy</i> , 2018, 10, 6.   | 6.2 | 13        |
| 111 | Assessment of sarcopenia in virally suppressed HIV-infected Asians receiving treatment. <i>Aids</i> , 2018, 32, 1025-1034.   | 2.2 | 24        |
| 112 | The Clinimetric Properties of Instruments Measuring Home Hazards for Older People at Risk of Falling: A Systematic Review. <i>Evaluation and the Health Professions</i> , 2018, 41, 82-128.  | 1.9 | 32        |
| 113 | Effect of Modified Otago Exercises on Postural Balance, Fear of Falling, and Fall Risk in Older Fallers With Knee Osteoarthritis and Impaired Gait and Balance: A Secondary Analysis. <i>PM and R</i> , 2018, 10, 254-262.           | 1.6 | 38        |
| 114 | Efficacy of Rebamipide in Organic and Functional Dyspepsia: A Systematic Review and Meta-Analysis. <i>Digestive Diseases and Sciences</i> , 2018, 63, 1250-1260.   | 2.3 | 36        |
| 115 | Factors associated with home hazards: Findings from the Malaysian Elders Longitudinal Research study. <i>Geriatrics and Gerontology International</i> , 2018, 18, 387-395.   | 1.5 | 22        |
| 116 | An Analysis of Geriatric Medicine in Malaysia-Riding the Wave of Political Change. <i>Geriatrics (Switzerland)</i> , 2018, 3, 80.  | 1.7 | 9         |
| 117 | Is Impaired Cerebral Autoregulation Associated with Falls in Older Persons with Orthostatic Hypotension?. <i>International Journal of Cardiology</i> , 2018, 273, 5.   | 1.7 | 0         |
| 118 | Individually-tailored multifactorial intervention to reduce falls in the Malaysian Falls Assessment and Intervention Trial (MyFAIT): A randomized controlled trial. <i>PLoS ONE</i> , 2018, 13, e0199219.                            | 2.5 | 21        |
| 119 | Adaptive template matching of photoplethysmogram pulses to detect motion artefact. <i>Physiological Measurement</i> , 2018, 39, 105005.  | 2.1 | 21        |
| 120 | Editorial: Evidence-Based Practices to Reduce Falls and Fall-Related Injuries Among Older Adults. <i>Frontiers in Public Health</i> , 2018, 6, 222.  | 2.7 | 18        |
| 121 | Prevalence of Anaemia among the Elderly in Malaysia and Its Associated Factors: Does Ethnicity Matter?. <i>Journal of Environmental and Public Health</i> , 2018, 2018, 1-10.  | 0.9 | 15        |
| 122 | Estimating Renal Function in the Elderly Malaysian Patients Attending Medical Outpatient Clinic: A Comparison between Creatinine Based and Cystatin-C Based Equations. <i>International Journal of Nephrology</i> , 2018, 2018, 1-6. | 1.3 | 5         |
| 123 | Cross-sectional analysis of ethnic differences in fall prevalence in urban dwellers aged 55 years and over in the Malaysian Elders Longitudinal Research study. <i>BMJ Open</i> , 2018, 8, e019579.                                  | 1.9 | 29        |
| 124 | Altered body composition, sarcopenia, frailty, and their clinico-biological correlates, in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2018, 56, 58-64.   | 2.2 | 71        |
| 125 | Tackling undernutrition in the Asian healthcare setting: a Southeast Asian expert consensus. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2018, 27, 1161-1174.  | 0.4 | 2         |
| 126 | The consumption of two or more fall risk-increasing drugs rather than polypharmacy is associated with falls. <i>Geriatrics and Gerontology International</i> , 2017, 17, 463-470.  | 1.5 | 61        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | The interrater and test-retest reliability of the Home Falls and Accidents Screening Tool (HOME FAST) in Malaysia: Using raters with a range of professional backgrounds. <i>Journal of Evaluation in Clinical Practice</i> , 2017, 23, 662-669.                            | 1.8 | 13        |
| 128 | Falls amongst older people in Southeast Asia: a scoping review. <i>Public Health</i> , 2017, 145, 96-112.   | 2.9 | 48        |
| 129 | How Can We Best Screen for Cognitive Impairment in Malaysia? A Pilot of the IDEA Cognitive Screen and Picture-Based Memory Impairment Scale and Comparison of Criterion Validity with the Mini Mental State Examination. <i>Clinical Gerontologist</i> , 2017, 40, 249-257. | 2.2 | 9         |
| 130 | Perceptions of healthcare professionals on the usage of percutaneous endoscopic gastrostomy in a teaching hospital from a middle-income South East Asian country. <i>Journal of Nutrition, Health and Aging</i> , 2017, 21, 473-479.  | 3.3 | 7         |
| 131 | Newer drugs to treat prostate symptoms are associated with increased risk of falls. <i>Evidence-based Nursing</i> , 2017, 20, 14-14.  | 0.2 | 0         |
| 132 | Metabolomic-guided discovery of Alzheimer's disease biomarkers from body fluid. <i>Journal of Neuroscience Research</i> , 2017, 95, 2005-2024.  | 2.9 | 39        |
| 133 | Standing beat-to-beat blood pressure variability is reduced among fallers in the Malaysian Elders Longitudinal Study. <i>Medicine (United States)</i> , 2017, 96, e8193.  | 1.0 | 12        |
| 134 | Validation of the CASP-19 Quality of Life Measure in Three Languages in Malaysia. <i>Journal of Tropical Psychology</i> , 2017, 7, .  | 0.3 | 11        |
| 135 | 43 DOES A MULTIFACTORIAL INTERVENTIONAL PROGRAMME ON FALLS PREVENTION IN OLDER FALLERS IMPROVE FRAILTY OUTCOMES? PRELIMINARY RESULTS FROM THE MALAYSIAN FALLS ASSESSMENT INTERVENTION TRIAL (MYFAIT). <i>Age and Ageing</i> , 2017, 46, ii14-ii14.                          | 1.6 | 0         |
| 136 | 6-OHDA-Lesioned Adult Zebrafish as a Useful Parkinson's Disease Model for Dopaminergic Neuroregeneration. <i>Neurotoxicity Research</i> , 2017, 32, 496-508.  | 2.7 | 40        |
| 137 | A systematic review of studies comparing potential biochemical biomarkers of frailty with frailty assessments. <i>European Geriatric Medicine</i> , 2017, 8, 397-407.   | 2.8 | 11        |
| 138 | 44 THE EFFECTS OF A TAILORED MULTIFACTORIAL INTERVENTION ON RATE OF FALL AND TIME-TO-FIRST FALL IN MALAYSIA. <i>Age and Ageing</i> , 2017, 46, ii14-ii14.   | 1.6 | 0         |
| 139 | Peripheral cytokines, CXCL10 and interleukin-13, are associated with Malaysian Alzheimer's disease. <i>Geriatrics and Gerontology International</i> , 2017, 17, 839-846.  | 1.5 | 25        |
| 140 | Socioeconomic and sociocultural determinants of psychological distress and quality of life among patients with psoriasis in a selected multi-ethnic Malaysian population. <i>Psychology, Health and Medicine</i> , 2017, 22, 184-195.                                       | 2.4 | 22        |
| 141 | 119 CHARACTERISTICS OF FALL RECURRENCE: RESULTS OF THE MALAYSIAN FALLS ASSESSMENT AND INTERVENTION TRIAL (MYFAIT). <i>Age and Ageing</i> , 2017, 46, i32-i34.   | 1.6 | 0         |
| 142 | 27 PICTURE-BASED MEMORY IMPAIRMENT SCREEN FOR DEMENTIA: INFLUENCE OF ETHNICITY AND EDUCATION LEVEL AMONG THE ELDERLY IN MALAYSIA. <i>Age and Ageing</i> , 2017, 46, ii7-ii7.  | 1.6 | 0         |
| 143 | Orthostatic Hypotension in the Malaysian Elders Longitudinal Research (MELOR). <i>International Journal of Cardiology</i> , 2017, 249, S28.   | 1.7 | 0         |
| 144 | 120 POTENTIAL RISK FACTORS AMONG INDIVIDUALS WITH RECURRENT AND INJURIOUS FALLS RECRUITED TO THE MALAYSIAN FALLS ASSESSMENT AND INTERVENTION TRIAL (MYFAIT). <i>Age and Ageing</i> , 2017, 46, i32-i34.   | 1.6 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | The mediating role of psychological symptoms on falls risk among older adults with osteoarthritis. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 2025-2032.                        | 2.9 | 9         |
| 146 | Influence of hip and knee osteoarthritis on dynamic postural control parameters among older fallers. <i>Journal of Rehabilitation Medicine</i> , 2017, 49, 258-263.                            | 1.1 | 14        |
| 147 | 102THE INFLUENCE OF AGE AND SYSTOLIC BLOOD PRESSURE ON BLOOD PRESSURE VARIABILITY AMONG HEALTHY OLDER INDIVIDUALS. <i>Age and Ageing</i> , 2017, 46, i25-i26.                                  | 1.6 | 0         |
| 148 | Microstructural integrity of white matter tracts amongst older fallers: A DTI study. <i>PLoS ONE</i> , 2017, 12, e0179895.   | 2.5 | 8         |
| 149 | Experience of a rapid access falls and syncope service at a teaching hospital in Kuala Lumpur. <i>Medical Journal of Malaysia</i> , 2017, 72, 203-208.   | 0.2 | 0         |
| 150 | Normative data for hand grip strength and key pinch strength, stratified by age and gender for a multiethnic Asian population. <i>Singapore Medical Journal</i> , 2016, 57, 578-584.           | 0.6 | 61        |
| 151 | Stroke and Fallsâ€”Clash of the Two Titans in Geriatrics. <i>Geriatrics (Switzerland)</i> , 2016, 1, 31.   | 1.7 | 28        |
| 152 | Evaluation of Two New Indices of Blood Pressure Variability Using Postural Change in Older Fallers. <i>Medicine (United States)</i> , 2016, 95, e3614.   | 1.0 | 15        |
| 153 | Elder mistreatment in a community dwelling population: the Malaysian Elder Mistreatment Project (MAESTRO) cohort study protocol. <i>BMJ Open</i> , 2016, 6, e011057.                           | 1.9 | 15        |
| 154 | Droxidopa for orthostatic hypotension. <i>Journal of Hypertension</i> , 2016, 34, 1933-1941.   | 0.5 | 21        |
| 155 | Cognitive assessment tools in Asia: a systematic review. <i>International Psychogeriatrics</i> , 2016, 28, 189-210.  | 1.0 | 58        |
| 156 | Systematic review of qualitative and quantitative studies on the attitudes and barriers to percutaneous endoscopic gastrostomy feeding. <i>Clinical Nutrition</i> , 2016, 35, 1226-1235.       | 5.0 | 19        |
| 157 | Defining metabolic syndrome and factors associated with metabolic syndrome in a poly-pharmaceutical population. <i>Postgraduate Medicine</i> , 2016, 128, 797-804.                             | 2.0 | 4         |
| 158 | Pilot study to investigate the feasibility of the Home Falls and Accidents Screening Tool (HOME FAST) to identify older Malaysian people at risk of falls. <i>BMJ Open</i> , 2016, 6, e012048. | 1.9 | 10        |
| 159 | Falls and Fear of Falling After Stroke: A Caseâ€”Control Study. <i>PM and R</i> , 2016, 8, 1173-1180.  | 1.6 | 59        |
| 160 | Effect of the Otago exercises on postural balance and fear of falling among older fallers with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2016, 24, S66.                       | 1.3 | 0         |
| 161 | Tenâ€”year mortality in older patients attending the emergency department after a fall. <i>Geriatrics and Gerontology International</i> , 2016, 16, 111-117.                                   | 1.5 | 37        |
| 162 | Aging in Multi-ethnic Malaysia: Table 1.. <i>Gerontologist, The</i> , 2016, 56, 603-609.   | 3.9 | 63        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Anticholinergic burden is associated with recurrent and injurious falls in older individuals. <i>Maturitas</i> , 2016, 84, 32-37.  | 2.4 | 66        |
| 164 | Postural blood pressure electrocardiographic changes are associated with falls in older people. <i>Clinical Autonomic Research</i> , 2016, 26, 41-48.  | 2.5 | 15        |
| 165 | The Effectiveness of a Wireless Modular Bed Absence Sensor Device for Fall Prevention among Older Inpatients. <i>Frontiers in Public Health</i> , 2016, 4, 292.  | 2.7 | 7         |
| 166 | The Effect of Hearing Augmentation on Cognitive Assessment Scores: A Pilot Crossover Randomized Controlled Trial. <i>IFMBE Proceedings</i> , 2016, , 24-29.  | 0.3 | 1         |
| 167 | A cluster randomized trial on improving nurses'™ detection and management of elder abuse and neglect (Iâ€‹<sc>NEED</sc>): study protocol. <i>Journal of Advanced Nursing</i> , 2015, 71, 2661-2672.                      | 3.3 | 7         |
| 168 | Utilization of the emergency department by older residents in <sc>K</sc>uala <sc>L</sc>umpur, <sc>M</sc>alaysia. <i>Geriatrics and Gerontology International</i> , 2015, 15, 944-950.                                    | 1.5 | 6         |
| 169 | The Evaluation of New Index for Blood Pressure Variability Using Posture Change Among Older Fallers. <i>Journal of Hypertension</i> , 2015, 33, e3.  | 0.5 | 0         |
| 170 | Psychological interventions in cardiovascular disease. <i>Current Opinion in Psychiatry</i> , 2015, 28, 371-377.   | 6.3 | 26        |
| 171 | Improved Measurement of Blood Pressure by Extraction of Characteristic Features from the Cuff Oscillometric Waveform. <i>Sensors</i> , 2015, 15, 14142-14161.  | 3.8 | 20        |
| 172 | Mild Joint Symptoms Are Associated with Lower Risk of Falls than Asymptomatic Individuals with Radiological Evidence of Osteoarthritis. <i>PLoS ONE</i> , 2015, 10, e0141368.  | 2.5 | 13        |
| 173 | Barriers faced by healthcare professionals when managing falls in older people in Kuala Lumpur, Malaysia: a qualitative study. <i>BMJ Open</i> , 2015, 5, e008460.   | 1.9 | 29        |
| 174 | Pain Assessment Using Self-reported, Nurse-reported, and Observational Pain Assessment Tools among Older Individuals with Cognitive Impairment. <i>Pain Management Nursing</i> , 2015, 16, 595-601.                      | 0.9 | 33        |
| 175 | Physical therapies for improving balance and reducing falls risk in osteoarthritis of the knee: a systematic review. <i>Age and Ageing</i> , 2015, 44, 16-24.  | 1.6 | 46        |
| 176 | Percutaneous endoscopic gastrostomy versus nasogastric feeding in older individuals with non-stroke dysphagia: A systematic review. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 190-197.                   | 3.3 | 30        |
| 177 | Strategies on fall prevention for older people living in the community: A report from a round-table meeting in IAGG 2013. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2015, 6, 39-44.                        | 0.7 | 14        |
| 178 | Polypharmacy and falls in older people: Balancing evidence-based medicine against falls risk. <i>Postgraduate Medicine</i> , 2015, 127, 330-337.   | 2.0 | 105       |
| 179 | A Descriptive Study of Nasogastric Tube Feeding Among Geriatric Inpatients in Malaysia: Utilization, Complications, and Caregiver Opinions. <i>Journal of Nutrition in Gerontology and Geriatrics</i> , 2015, 34, 34-49. | 1.0 | 17        |
| 180 | Attitudes of Health Care Professionals Towards Gastrostomy Feeding in Older Adults in Malaysia. <i>International Journal of Gerontology</i> , 2015, 9, 40-45.  | 0.6 | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | The association of antihypertensives with postural blood pressure and falls among seniors residing in the community: a caseâ€“control study. <i>European Journal of Clinical Investigation</i> , 2015, 45, 1069-1076.                | 3.4 | 23        |
| 182 | Blood pressure lowering therapy in older people: Does it really cause postural hypotension or falls?. <i>Postgraduate Medicine</i> , 2015, 127, 186-193.   | 2.0 | 25        |
| 183 | Cardiac Iodine-123-Meta-Iodo-Benzylguanidine Uptake in Carotid Sinus Hypersensitivity. <i>PLoS ONE</i> , 2015, 10, e0126241.   | 2.5 | 3         |
| 184 | The Use of the Self-Standing Turning Transfer Device to Perform Bed-To-Chair Transfers Reduces Physical Stress among Caregivers of Older Patients in a Middle-Income Developing Country. <i>Frontiers in Medicine</i> , 2014, 1, 32. | 2.6 | 5         |
| 185 | Smartphone-Based Solutions for Fall Detection and Prevention: Challenges and Open Issues. <i>Sensors</i> , 2014, 14, 7181-7208.  | 3.8 | 178       |
| 186 | Symptomatic Presentation of Carotid Sinus Hypersensitivity Is Associated With Impaired Cerebral Autoregulation. <i>Journal of the American Heart Association</i> , 2014, 3, e000514.   | 3.7 | 7         |
| 187 | Determinants of mortality among older adults with pressure ulcers. <i>Archives of Gerontology and Geriatrics</i> , 2014, 59, 536-541.  | 3.0 | 90        |
| 188 | An individually-tailored multifactorial intervention program for older fallers in a middle-income developing country: Malaysian Falls Assessment and Intervention Trial (MyFAIT). <i>BMC Geriatrics</i> , 2014, 14, 78.              | 2.7 | 30        |
| 189 | 115 * IP-10 AND IL-13 AS POTENTIALLY NEW, NON-CLASSICAL BLOOD-BASED CYTOKINE BIOMARKERS FOR ALZHEIMER'S DISEASE. <i>Age and Ageing</i> , 2014, 43, i32-i32.  | 1.6 | 3         |
| 190 | Allele-specific polymerase chain reaction for the detection of Alzheimerâ€™s disease-related single nucleotide polymorphisms. <i>BMC Medical Genetics</i> , 2013, 14, 27.  | 2.1 | 29        |
| 191 | Osteoarthritis and falls in the older person. <i>Age and Ageing</i> , 2013, 42, 561-566.   | 1.6 | 56        |
| 192 | Long term survival of patients with raised pulmonary arterial systolic pressure utilizing echocardiographyâ€“a five-year prospective study. <i>Journal of Geriatric Cardiology</i> , 2013, 9, 328-335.                               | 0.2 | 0         |
| 193 | Mathematical frameworks to assess the dynamics of cerebral autoregulation. , 2012, , .   |     | 0         |
| 194 | A study of orthostatic hypotension, heart rate variability and baroreflex sensitivity in late-life depression. <i>Journal of Affective Disorders</i> , 2011, 131, 374-378.   | 4.1 | 40        |
| 195 | Home orthostatic training in chronic fatigue syndrome â€“ a randomized, placeboâ€“controlled feasibility study. <i>European Journal of Clinical Investigation</i> , 2010, 40, 18-24.   | 3.4 | 16        |
| 196 | Vasovagal syncope in the older person: differences in presentation between older and younger patients. <i>Age and Ageing</i> , 2010, 39, 465-470.  | 1.6 | 44        |
| 197 | Carotid sinus hypersensitivity: disease state or clinical sign of ageing? Insights from a controlled study of autonomic function in symptomatic and asymptomatic subjects. <i>Europace</i> , 2010, 12, 1630-1636.                    | 1.7 | 33        |
| 198 | An approach to the evaluation and management of syncope in adults. <i>BMJ: British Medical Journal</i> , 2010, 340, c880-c880.   | 2.3 | 45        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Home orthostatic training in vasovagal syncope modifies autonomic tone: results of a randomized, placebo-controlled pilot study. <i>Europace</i> , 2010, 12, 240-246.         | 1.7 | 49        |
| 200 | Results of carotid sinus massage in a tertiary referral unit--is carotid sinus syndrome still relevant?. <i>Age and Ageing</i> , 2009, 38, 680-686.                           | 1.6 | 22        |
| 201 | Arm Span to Height Ratio Is Related to Severity of Dyspnea, Reduced Spirometry Volumes, and Right Heart Strain. <i>Chest</i> , 2009, 135, 448-454.                            | 0.8 | 8         |
| 202 | Head-up Tilt Table Testing: a state-of-the-art review. <i>Minerva Medica</i> , 2009, 100, 329-38.   | 0.9 | 10        |
| 203 | Vasovagal Syncope in the Older Patient. <i>Journal of the American College of Cardiology</i> , 2008, 51, 599-606.   | 2.8 | 90        |
| 204 | The relationship between carotid sinus hypersensitivity, orthostatic hypotension, and vasovagal syncope: a case-control study. <i>Europace</i> , 2008, 10, 1400-1405.         | 1.7 | 35        |
| 205 | Cardiovascular assessment of falls in older people. <i>Clinical Interventions in Aging</i> , 2006, 1, 57-66.  | 2.9 | 44        |
| 206 | Ruptured fusiform cerebral aneurysm in a neonate. <i>Child's Nervous System</i> , 1998, 14, 467-469.  | 1.1 | 24        |
| 207 | Social Participation's Association with Falls and Frailty in Malaysia: A Cross-Sectional Study. <i>Journal of Frailty &amp; Aging</i> , 2010, 1-7.                            | 1.3 | 4         |
| 208 | Cognitive frailty and 5-year adverse health-related outcomes for the Malaysian elders longitudinal research (MELoR) study. <i>European Geriatric Medicine</i> , 2010, 1, 1-7. | 2.8 | 0         |