Saori Kashima

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4024506/publications.pdf

Version: 2024-02-01

218677 315739 84 1,868 26 38 h-index citations g-index papers 87 87 87 3054 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	The 2018 Japan Floods Increased Prescriptions of Antidementia Drugs Among Disaster Victims. Journal of the American Medical Directors Association, 2022, 23, 1045-1051.	2.5	4
2	Effects of theÂ2018 Japan Floods on long-term care insurance costs in Japan: retrospective cohort study. BMC Public Health, 2022, 22, 341.	2.9	5
3	Temporal trends in voluntary behavioural changes during the early stages of the COVID-19 outbreak in Japan. Public Health, 2021, 192, 37-44.	2.9	16
4	Association of the past epidemic of Mycobacterium tuberculosis with mortality and incidence of COVID-19. PLoS ONE, 2021, 16, e0253169.	2.5	11
5	Low creatinine levels in diabetes mellitus among older individuals: the Yuport Medical Checkup CenterÂStudy. Scientific Reports, 2021, 11, 15167.	3.3	7
6	Education policies to increase rural physicians in Japan: a nationwide cohort study. Human Resources for Health, 2021, 19, 102.	3.1	10
7	Effects of transport-related COVID-19 policy measures: A case study of six developed countries. Transport Policy, 2021, 110, 37-57.	6.6	31
8	Effects of dairy intake on anthropometric failure in children ages 6 to 23 mo consuming vegetarian diets and fulfilling minimum dietary diversity in India. Nutrition, 2021, 91-92, 111446.	2.4	5
9	Predictive variables for hemodialysis and death in Japanese spotted fever, and the association between distance from rivers and incidence. Ticks and Tick-borne Diseases, 2021, 12, 101544.	2.7	2
10	The effect of the 2018 Japan Floods on cognitive decline among long-term care insurance users in Japan: a retrospective cohort study. Environmental Health and Preventive Medicine, 2021, 26, 113.	3.4	11
11	Nitrogen dioxide and acute respiratory tract infections in children in Indonesia. Archives of Environmental and Occupational Health, 2020, 75, 274-280.	1.4	10
12	Levels of fasting plasma glucose in nonâ€hospitalized older people with high hemoglobin A1c levels. Journal of Diabetes Investigation, 2020, 11, 750-751.	2.4	0
13	Long-term exposure to nitrogen dioxide and natural-cause and cause-specific mortality in Japan. Science of the Total Environment, 2020, 741, 140465.	8.0	6
14	Serum Alanine Transaminase as a Predictor of Type 2 Diabetes Incidence: The Yuport Prospective Cohort Study. Tohoku Journal of Experimental Medicine, 2020, 251, 183-191.	1.2	3
15	Geographical distribution of family physicians in Japan: a nationwide cross-sectional study. BMC Family Practice, 2019, 20, 147.	2.9	17
16	White Blood Cell Count and C-Reactive Protein Independently Predicted Incident Diabetes: Yuport Medical Checkup Center Study. Endocrine Research, 2019, 44, 127-137.	1.2	15
17	Emigration of regional quota graduates of Japanese medical schools to non-designated prefectures: a prospective nationwide cohort study. BMJ Open, 2019, 9, e029335.	1.9	1
18	Effects of Household Air Pollution From Solid Fuel Use and Environmental Tobacco Smoke on Child Health Outcomes in Indonesia. Journal of Occupational and Environmental Medicine, 2019, 61, 335-339.	1.7	19

#	Article	IF	CITATIONS
19	Geographic Distribution of Regional Quota Program Graduates of Japanese Medical Schools: A Nationwide Cohort Study. Academic Medicine, 2019, 94, 1244-1252.	1.6	17
20	Acute exposure to sulfur dioxide and mortality: Historical data from Yokkaichi, Japan. Archives of Environmental and Occupational Health, 2019, 74, 271-278.	1.4	16
21	Intrauterine and Early Postnatal Exposure to Particulate Air Pollution and Kawasaki Disease: A Nationwide Longitudinal Survey in Japan. Journal of Pediatrics, 2018, 193, 147-154.e2.	1.8	16
22	Comparison of land use regression models for NO2 based on routine and campaign monitoring data from an urban area of Japan. Science of the Total Environment, 2018, 631-632, 1029-1037.	8.0	18
23	Aging of hospital physicians in rural Japan: A longitudinal study based on national census data. PLoS ONE, 2018, 13, e0198317.	2.5	25
24	Prenatal exposure to outdoor air pollution and child behavioral problems at school age in Japan. Environment International, 2017, 99, 192-198.	10.0	47
25	Low serum creatinine is a type 2 diabetes risk factor in men and women: The Yuport Health Checkup Center cohort study. Diabetes and Metabolism, 2017, 43, 460-464.	2.9	27
26	Temporal trends of infant and birth outcomes in Minamata after severe methylmercury exposure. Environmental Pollution, 2017, 231, 1586-1592.	7. 5	13
27	Are People With a History of Disease More Susceptible to a Short-term Exposure to Asian Dust?. Epidemiology, 2017, 28, S60-S66.	2.7	9
28	Results of physician licence examination and scholarship contract compliance by the graduates of regional quotas in Japanese medical schools: a nationwide cross-sectional survey. BMJ Open, 2017, 7, e019418.	1.9	12
29	Characteristics of Physician Outflow from Disaster Areas following the Great East Japan Earthquake. PLoS ONE, 2017, 12, e0169220.	2.5	4
30	Have the tsunami and nuclear accident following the Great East Japan Earthquake affected the local distribution of hospital physicians?. PLoS ONE, 2017, 12, e0178020.	2.5	1
31	Drug Dependence Treatment Awareness among Japanese Female Stimulant Drug Offenders. International Journal of Environmental Research and Public Health, 2016, 13, 1127.	2.6	1
32	Prenatal Exposure to Traffic-related Air Pollution and Child Behavioral Development Milestone Delays in Japan. Epidemiology, 2016, 27, 57-65.	2.7	67
33	Fine-particulate Air Pollution from Diesel Emission Control and Mortality Rates in Tokyo. Epidemiology, 2016, 27, 769-778.	2.7	38
34	Secondary sex ratio in regions severely exposed to methylmercury "Minamata disease― International Archives of Occupational and Environmental Health, 2016, 89, 659-665.	2.3	6
35	Asian dust effect on cause-specific mortality in five cities across South Korea and Japan. Atmospheric Environment, 2016, 128, 20-27.	4.1	44
36	The effect of concentrating obstetrics services in fewer hospitals on patient access: a simulation. International Journal of Health Geographics, 2016, 15, 4.	2.5	9

3

#	Article	IF	Citations
37	Acute exposure to fine and coarse particulate matter and infant mortality in Tokyo, Japan (2002–2013). Science of the Total Environment, 2016, 551-552, 66-72.	8.0	40
38	Associations of acute exposure to fine and coarse particulate matter and mortality among older people in Tokyo, Japan. Science of the Total Environment, 2016, 542, 354-359.	8.0	43
39	Prevalence and characteristics of nonâ€obese diabetes in <scp>J</scp> apanese men and women: the <scp>Y</scp> uport <scp>M</scp> edical <scp>C</scp> heckup <scp>C</scp> enter Study 日本ç"·æ€§ä¸Žå¥ of Diabetes, 2015, 7, 523-530.	^{∠3} æ.®§éžè,	¥è ≴ 3-者的
40	Association Between Remoteness to a Health Care Facility and Incidence of Ambulance Calls in Rural Areas of Japan. Health Services Research and Managerial Epidemiology, 2015, 2, 233339281559829.	0.9	2
41	Selection and concentration of obstetric facilities in <scp>J</scp> apan: Longitudinal study based on national census data. Journal of Obstetrics and Gynaecology Research, 2015, 41, 919-925.	1.3	12
42	Health Impact Assessment of PM10 and PM2.5 in 27 Southeast and East Asian Cities. Journal of Occupational and Environmental Medicine, 2015, 57, 751-756.	1.7	41
43	Non-Linear Concentration-Response Relationships between Ambient Ozone and Daily Mortality. PLoS ONE, 2015, 10, e0129423.	2.5	35
44	Geographic Distribution of CT, MRI and PET Devices in Japan: A Longitudinal Analysis Based on National Census Data. PLoS ONE, 2015, 10, e0126036.	2.5	38
45	Cancer and non-cancer excess mortality resulting from mixed exposure to polychlorinated biphenyls and polychlorinated dibenzofurans from contaminated rice oil: "Yusho― International Archives of Occupational and Environmental Health, 2015, 88, 419-430.	2.3	5
46	Residential proximity to major roads and obstetrical complications. Science of the Total Environment, 2015, 508, 188-192.	8.0	49
47	Outdoor air pollution and term low birth weight in Japan. Environment International, 2015, 74, 106-111.	10.0	42
48	Geographic Distribution of Radiologists and Utilization of Teleradiology in Japan: A Longitudinal Analysis Based on National Census Data. PLoS ONE, 2015, 10, e0139723.	2.5	23
49	Prefecture-level economic conditions and risk of suicide in Japan: a repeated cross-sectional analysis 1975–2010. European Journal of Public Health, 2014, 24, 949-954.	0.3	11
50	Outdoor Air Pollution and Out-of-Hospital Cardiac Arrest in Okayama, Japan. Journal of Occupational and Environmental Medicine, 2014, 56, 1019-1023.	1.7	14
51	Asian Dust and Daily Emergency Ambulance Calls Among Elderly People in Japan. Journal of Occupational and Environmental Medicine, 2014, 56, 1277-1283.	1.7	17
52	Cardiovascular Emergency Hospital Visits and Hourly Changes in Air Pollution. Stroke, 2014, 45, 1264-1268.	2.0	46
53	Hourly differences in air pollution and risk of respiratory disease in the elderly: a time-stratified case-crossover study. Environmental Health, 2014, 13, 67.	4.0	39
54	Correspondence to the Editor Re: Maternal exposure to high levels of dioxins in relation to birth weight in women affected by Yusho disease. Environment International, 2014, 64, 69-70.	10.0	2

#	Article	IF	CITATIONS
55	Residential proximity to major roads and adverse birth outcomes: a hospital-based study. Environmental Health, 2013, 12, 34.	4.0	27
56	Regional impact of exposure to a polychlorinated biphenyl and polychlorinated dibenzofuran mixture from contaminated rice oil on stillbirth rate and secondary sex ratio. Environment International, 2013, 59, 12-15.	10.0	13
57	Air pollution: another cause of lung cancer. Lancet Oncology, The, 2013, 14, 788-789.	10.7	28
58	Undiagnosed diabetes has poorer profiles for cardiovascular and metabolic markers than known diabetes: The Yuport Medical Checkup Center Study. Diabetes Research and Clinical Practice, 2013, 101, e7-e10.	2.8	5
59	Long-term exposure to traffic-related air pollution and the risk of death from hemorrhagic stroke and lung cancer in Shizuoka, Japan. Science of the Total Environment, 2013, 443, 397-402.	8.0	76
60	Associations of Particulate Matter With Stroke Mortality. Journal of Occupational and Environmental Medicine, 2013, 55, 768-771.	1.7	21
61	Social and Geographical Inequalities in Suicide in Japan from 1975 through 2005: A Census-Based Longitudinal Analysis. PLoS ONE, 2013, 8, e63443.	2.5	19
62	Do Non-Glycaemic Markers Add Value to Plasma Glucose and Hemoglobin A1c in Predicting Diabetes? Yuport Health Checkup Center Study. PLoS ONE, 2013, 8, e66899.	2.5	5
63	Asian dust and daily all-cause or cause-specific mortality in western Japan. Occupational and Environmental Medicine, 2012, 69, 908-915.	2.8	54
64	Frequency of Antenatal Care Visits and Neonatal Mortality in Indonesia. Journal of Tropical Pediatrics, 2012, 58, 184-188.	1.5	19
65	Social and geographic inequalities in premature adult mortality in Japan: a multilevel observational study from 1970 to 2005. BMJ Open, 2012, 2, e000425.	1.9	28
66	The impact of rural hospital closures on equity of commuting time for haemodialysis patients: simulation analysis using the capacity-distance model. International Journal of Health Geographics, 2012, 11, 28.	2.5	14
67	Trends of preterm birth and low birth weight in Japan: a one hospital-based study. BMC Pregnancy and Childbirth, 2012, 12, 162.	2.4	18
68	Geographic Inequalities in All-Cause Mortality in Japan: Compositional or Contextual?. PLoS ONE, 2012, 7, e39876.	2.5	13
69	Does Openâ€air Exposure to Volatile Organic Compounds near a Plastic Recycling Factory Cause Health Effects?. Journal of Occupational Health, 2012, 54, 79-87.	2.1	9
70	Residential proximity to major roads and placenta/birth weight ratio. Science of the Total Environment, 2012, 414, 98-102.	8.0	28
71	Association between Proximity to a Health Center and Early Childhood Mortality in Madagascar. PLoS ONE, 2012, 7, e38370.	2.5	22
72	Concordance of Two Diabetes Diagnostic Criteria Using Fasting Plasma Glucose and Hemoglobin A1c: The Yuport Medical Checkup Centre Study. PLoS ONE, 2012, 7, e47747.	2.5	2

#	Article	IF	CITATION
73	The Impact of Travel Time on Geographic Distribution of Dialysis Patients. PLoS ONE, 2012, 7, e47753.	2.5	8
74	Residential proximity to heavy traffic and birth weight in Shizuoka, Japan. Environmental Research, 2011, 111, 377-387.	7.5	27
75	Residential Proximity to Major Roads and Preterm Births. Epidemiology, 2011, 22, 74-80.	2.7	45
76	Acute non-cancer mortality excess after polychlorinated biphenyls and polychlorinated dibenzofurans mixed exposure from contaminated rice oil: Yusho. Science of the Total Environment, 2011, 409, 3288-3294.	8.0	9
77	Diesel vehicle emission and death rates in Tokyo, Japan: A natural experiment. Science of the Total Environment, 2011, 409, 3620-3627.	8.0	22
78	Effects of Traffic-Related Outdoor Air Pollution on Respiratory Illness and Mortality in Children, Taking Into Account Indoor Air Pollution, in Indonesia. Journal of Occupational and Environmental Medicine, 2010, 52, 340-345.	1.7	25
79	Mosquito breeding sites and People's knowledge of mosquitoes and mosquito borne diseases: A comparison of temporary housing and non-damaged village areas in Sri Lanka after the tsunami strike in 2004. Tropical Medicine and Health, 2010, 38, 81-86.	2.8	0
80	Long-term exposure to traffic-related air pollution and mortality in Shizuoka, Japan. Occupational and Environmental Medicine, 2010, 67, 111-117.	2.8	56
81	Long-term exposure to methylmercury and its effects on hypertension in Minamata. Environmental Research, 2010, 110, 40-46.	7.5	63
82	Physical Activity and Mortality Risk in the Japanese Elderly. American Journal of Preventive Medicine, 2010, 38, 410-418.	3.0	88
83	Application of land use regression to regulatory air quality data in Japan. Science of the Total Environment, 2009, 407, 3055-3062.	8.0	67
84	What has methylmercury in umbilical cords told us? — Minamata disease. Science of the Total Environment, 2009, 408, 272-276.	8.0	32