

# Jun Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/402462/publications.pdf>

Version: 2024-02-01

111  
papers

4,558  
citations

70961

41  
h-index

128067

60  
g-index

114  
all docs

114  
docs citations

114  
times ranked

3950  
citing authors

#	ARTICLE	IF	CITATIONS
1	Reduction of nitrobenzene by a zero-valent iron microspheres/polyvinylidene fluoride (mZVI/PVDF) membrane. <i>Separation and Purification Technology</i> , 2022, 282, 120006.	3.9	10
2	Microstructure design and construction of anti-wetting and anti-fouling multifunctional Janus membrane for robust membrane distillation. <i>Chemical Engineering Journal</i> , 2022, 430, 132973.	6.6	33
3	Development and performance of stable PANI/MWNT conductive membrane for contaminants degradation and anti-fouling behavior. <i>Separation and Purification Technology</i> , 2022, 282, 120112.	3.9	14
4	Techno-economic assessment of a hybrid forward osmosis and membrane distillation system for agricultural water recovery. <i>Separation and Purification Technology</i> , 2022, 283, 120196.	3.9	21
5	Improved permeability of tight acid resistant nanofiltration membrane via citric acid post-treatment. <i>Journal of Membrane Science</i> , 2022, 648, 120381.	4.1	16
6	Constructing chemical stable 4-carboxyl-quinoline linked covalent organic frameworks via Doebner reaction for nanofiltration. <i>Nature Communications</i> , 2022, 13, 2615.	5.8	42
7	Electrothermal hollow fiber membrane for convenient heat management in Joule vacuum membrane distillation. <i>Chemical Engineering Journal</i> , 2022, 443, 136521.	6.6	15
8	A novel electrocoagulation-membrane stripping hybrid system for simultaneous ammonia recovery and contaminant removal. <i>Separation and Purification Technology</i> , 2022, 296, 121377.	3.9	5
9	Ibuprofen removal from drinking water by electro-peroxone in carbon cloth filter. <i>Chemical Engineering Journal</i> , 2021, 415, 127618.	6.6	28
10	Development of a novel electrocoagulation membrane reactor with electrically conductive membranes as cathode to mitigate membrane fouling. <i>Journal of Membrane Science</i> , 2021, 618, 118713.	4.1	30
11	The effects of electrophoresis, bubbles and electroosmosis for conductive membrane performance in the electro-filtration process. <i>Journal of Membrane Science</i> , 2021, 620, 118955.	4.1	19
12	Effect and mechanism of an anionic surfactant on membrane performance during direct contact membrane distillation. <i>Journal of Membrane Science</i> , 2020, 595, 117495.	4.1	50
13	A polyvinylidene fluoride (PVDF)@silica aerogel (SiAG) insulating membrane for improvement of thermal efficiency during membrane distillation. <i>Journal of Membrane Science</i> , 2020, 597, 117632.	4.1	9
14	Mass transfer and interfacial reaction mechanisms in a novel electro-catalytic membrane contactor for wastewater treatment by O <sub>3</sub> . <i>Applied Catalysis B: Environmental</i> , 2020, 264, 118512.	10.8	16
15	Comparison of emerging contaminant abatement by conventional ozonation, catalytic ozonation, O <sub>3</sub> /H <sub>2</sub> O <sub>2</sub> and electro-peroxone processes. <i>Journal of Hazardous Materials</i> , 2020, 389, 121829.	6.5	52
16	One step prepared Janus acid-resistant nanofiltration membranes with opposite surface charges for acidic wastewater treatment. <i>Separation and Purification Technology</i> , 2020, 250, 117245.	3.9	51
17	Titanium nitride nanoparticle embedded membrane for photothermal membrane distillation. <i>Chemosphere</i> , 2020, 256, 127053.	4.2	52
18	Influence of incorporating beta zeolite nanoparticles on water permeability and ion selectivity of polyamide nanofiltration membranes. <i>Journal of Environmental Sciences</i> , 2020, 98, 77-84.	3.2	38

#	ARTICLE	IF	CITATIONS
19	Enhanced mineralization of reactive brilliant red X-3B by UV driven photocatalytic membrane contact ozonation. <i>Journal of Hazardous Materials</i> , 2020, 391, 122194.	6.5	7
20	Electrospun nanofibrous omniphobic membrane for anti-surfactant-wetting membrane distillation desalination. <i>Desalination</i> , 2019, 468, 114068.	4.0	61
21	Electrothermally Driven Membrane Distillation for Low-Energy Consumption and Wetting Mitigation. <i>Environmental Science &amp; Technology</i> , 2019, 53, 13506-13513.	4.6	44
22	Anti-oil-fouling hydrophobic-superoleophobic composite membranes for robust membrane distillation performance. <i>Science of the Total Environment</i> , 2019, 696, 133883.	3.9	43
23	Fabrication of a novel conductive ultrafiltration membrane and its application for electrochemical removal of hexavalent chromium. <i>Journal of Membrane Science</i> , 2019, 584, 191-201.	4.1	67
24	A novel electro-catalytic membrane contactor for improving the efficiency of ozone on wastewater treatment. <i>Applied Catalysis B: Environmental</i> , 2019, 249, 316-321.	10.8	49
25	Electrically responsive ultrafiltration polyaniline membrane to solve fouling under applied potential. <i>Journal of Membrane Science</i> , 2019, 572, 442-452.	4.1	33
26	Development of a composite membrane with underwater-oleophobic fibrous surface for robust anti-oil-fouling membrane distillation. <i>Journal of Colloid and Interface Science</i> , 2019, 537, 375-383.	5.0	41
27	Development of polyaniline conductive membrane for electrically enhanced membrane fouling mitigation. <i>Journal of Membrane Science</i> , 2019, 570-571, 371-379.	4.1	83
28	Fabrication of PVDF nanofibrous hydrophobic composite membranes reinforced with fabric substrates via electrospinning for membrane distillation desalination. <i>Journal of Environmental Sciences</i> , 2019, 75, 277-288.	3.2	62
29	Hydrophilic surface coating on hydrophobic PTFE membrane for robust anti-oil-fouling membrane distillation. <i>Applied Surface Science</i> , 2018, 450, 57-65.	3.1	118
30	Study on the effects of cations and anions on the removal of perfluorooctane sulphonate by nanofiltration membrane. <i>Separation and Purification Technology</i> , 2018, 202, 385-396.	3.9	22
31	Domestic wastewater treatment by forward osmosis-membrane distillation (FO-MD) integrated system. <i>Water Science and Technology</i> , 2018, 77, 1514-1523.	1.2	32
32	Preparation of PVDF-CTFE hydrophobic membrane by non-solvent induced phase inversion: Relation between polymorphism and phase inversion. <i>Journal of Membrane Science</i> , 2018, 550, 480-491.	4.1	43
33	Optimizing stretching conditions in fabrication of PTFE hollow fiber membrane for performance improvement in membrane distillation. <i>Journal of Membrane Science</i> , 2018, 550, 126-135.	4.1	51
34	A novel Z-scheme sonocatalyst system, Er <sup>3+</sup> :Y <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> @Ni(Fe <sub>0.05</sub> Ga <sub>0.95</sub> ) <sub>2</sub> O <sub>4</sub> -Au-BiVO <sub>4</sub> , and application in sonocatalytic degradation of sulfanilamide. <i>Ultrasonics Sonochemistry</i> , 2018, 45, 150-166.	3.8	27
35	Composite membrane with electrospun multiscale-textured surface for robust oil-fouling resistance in membrane distillation. <i>Journal of Membrane Science</i> , 2018, 546, 179-187.	4.1	83
36	Metal cation removal by P(VC-r-AA) copolymer ultrafiltration membranes. <i>Frontiers of Chemical Science and Engineering</i> , 2018, 12, 262-272.	2.3	5

#	ARTICLE	IF	CITATIONS
37	A novel dual-layer composite membrane with underwater-superoleophobic/hydrophobic asymmetric wettability for robust oil-fouling resistance in membrane distillation desalination. <i>Desalination</i> , 2018, 428, 240-249.	4.0	79
38	Synergistic Enhancement of Thermal Conductivity and Dielectric Properties in Al <sub>2</sub> O <sub>3</sub> /BaTiO <sub>3</sub> /PP Composites. <i>Materials</i> , 2018, 11, 1536.	1.3	29
39	Preparation of carboxylic multiwalled-carbon-nanotube-modified poly(m-phenylene isophthalamide) hollow fiber nanofiltration membranes with improved performance and application for dye removal. <i>Applied Surface Science</i> , 2018, 453, 502-512.	3.1	36
40	Characteristics and formation mechanism of membrane fouling in a full-scale RO wastewater reclamation process: Membrane autopsy and fouling characterization. <i>Journal of Membrane Science</i> , 2018, 563, 843-856.	4.1	87
41	Enhancement of energy utilization using nanofluid in solar powered membrane distillation. <i>Chemosphere</i> , 2018, 212, 554-562.	4.2	51
42	Hydrolysis of polyaluminum chloride prior to coagulation: Effects on coagulation behavior and implications for improving coagulation performance. <i>Journal of Environmental Sciences</i> , 2017, 57, 162-169.	3.2	30
43	Effects of feed solution pH and draw solution concentration on the performance of phenolic compounds removal in forward osmosis process. <i>Journal of Environmental Chemical Engineering</i> , 2017, 5, 2508-2514.	3.3	16
44	Control of protein (BSA) fouling by ultrasonic irradiation during membrane distillation process. <i>Separation and Purification Technology</i> , 2017, 175, 287-297.	3.9	47
45	Ozone mass transfer behaviors on physical and chemical absorption for hollow fiber membrane contactors. <i>Water Science and Technology</i> , 2017, 76, 1360-1369.	1.2	12
46	Preparation of a novel sonocatalyst, Au/NiGa <sub>2</sub> O <sub>4</sub> -Au-Bi <sub>2</sub> O <sub>3</sub> nanocomposite, and application in sonocatalytic degradation of organic pollutants. <i>Ultrasonics Sonochemistry</i> , 2017, 38, 335-346.	3.8	45
47	Fabrication and characterization of electrospun superhydrophobic PVDF-HFP/SiNPs hybrid membrane for membrane distillation. <i>Separation and Purification Technology</i> , 2017, 189, 82-89.	3.9	84
48	Preparation, evaluation and modification of PVDF-CTFE hydrophobic membrane for MD desalination application. <i>Desalination</i> , 2017, 402, 162-172.	4.0	38
49	Electrospun porous poly(tetrafluoroethylene-co-hexafluoropropylene-vinylidene) Tj ETQq1 1 0.784314 rgBT /Overlock 1.7 43	1.7	43
50	A hybrid process combining homogeneous catalytic ozonation and membrane distillation for wastewater treatment. <i>Chemosphere</i> , 2016, 160, 134-140.	4.2	30
51	Poly(m-phenylene isophthalamide) (PMIA): A potential polymer for breaking through the selectivity-permeability trade-off for ultrafiltration membranes. <i>Journal of Membrane Science</i> , 2016, 518, 72-78.	4.1	79
52	Comprehensive utilization of phosphate in a highly concentrated recirculating cooling water system using secondary-treated municipal wastewater as make-up. <i>Desalination and Water Treatment</i> , 2016, 57, 10210-10221.	1.0	2
53	Preparation of Interconnected Biomimetic Poly(vinylidene fluoride-co-chloroacrylate) Membranes by Inversion Process. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 32604-32615.	4.0	24
54	Polyamide/PVC based composite hollow fiber nanofiltration membranes: Effect of substrate on properties and performance. <i>Journal of Membrane Science</i> , 2016, 505, 231-240.	4.1	72

#	ARTICLE	IF	CITATIONS
55	A novel microwave assisted photo-catalytic membrane distillation process for treating the organic wastewater containing inorganic ions. <i>Journal of Water Process Engineering</i> , 2016, 9, 1-8.	2.6	24
56	Interconnected PVDF-CTFE hydrophobic membranes for MD desalination: effect of PEGs on phase inversion process. <i>RSC Advances</i> , 2016, 6, 20926-20937.	1.7	13
57	Fabrication and performance of PET mesh enhanced cellulose acetate membranes for forward osmosis. <i>Journal of Environmental Sciences</i> , 2016, 45, 7-17.	3.2	39
58	Preparation of PVDF-CTFE hydrophobic membranes for MD application: Effect of LiCl-based mixed additives. <i>Journal of Membrane Science</i> , 2016, 506, 71-85.	4.1	56
59	Ultrasonic irradiation control of silica fouling during membrane distillation process. <i>Desalination</i> , 2016, 386, 48-57.	4.0	34
60	Effect of non-solvent additives on the morphology, pore structure, and direct contact membrane distillation performance of PVDF-CTFE hydrophobic membranes. <i>Journal of Environmental Sciences</i> , 2016, 45, 28-39.	3.2	37
61	Hydroxyl carboxylate based non-phosphorus corrosion inhibition process for reclaimed water pipeline and downstream recirculating cooling water system. <i>Journal of Environmental Sciences</i> , 2016, 39, 13-21.	3.2	13
62	Fabrication of hydrophobic flat sheet and hollow fiber membranes from PVDF and PVDF-CTFE for membrane distillation. <i>Journal of Membrane Science</i> , 2016, 497, 183-193.	4.1	69
63	Ultrafiltration performance and fouling resistance of PVB/SPES blend membranes with different degree of sulfonation. <i>Journal of Materials Research</i> , 2015, 30, 2688-2701.	1.2	2
64	Fabrication of novel poly(m-phenylene isophthalamide) hollow fiber nanofiltration membrane for effective removal of trace amount perfluorooctane sulfonate from water. <i>Journal of Membrane Science</i> , 2015, 477, 74-85.	4.1	64
65	Poly(vinyl chloride) and poly(ether sulfone)â€‹i>â€‹poly(ether glycol) methyl ether methacrylate blend membranes with improved ultrafiltration performance and fouling resistance. <i>Journal of Applied Polymer Science</i> , 2015, 132, .	1.3	23
66	Effect of non-solvent additives on the morphology and separation performance of poly( m -phenylene) Tj ETQq0 0 0 rgBT /Overlock 10 T	4.6	37
67	Immobilization of high concentrations of soluble Mn(II) from electrolytic manganese solid waste using inorganic chemicals. <i>Environmental Science and Pollution Research</i> , 2015, 22, 7782-7793.	2.7	25
68	Coagulation behavior of polyaluminum chloride: Effects of pH and coagulant dosage. <i>Chinese Journal of Chemical Engineering</i> , 2015, 23, 1041-1046.	1.7	77
69	Humic acid fouling mitigation by ultrasonic irradiation in membrane distillation process. <i>Separation and Purification Technology</i> , 2015, 154, 328-337.	3.9	41
70	Development of a novel integrated membrane system incorporated with an activated coke adsorption unit for advanced coal gasification wastewater treatment. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015, 484, 99-107.	2.3	24
71	Ultrasonic assisted direct contact membrane distillation hybrid process for membrane scaling mitigation. <i>Desalination</i> , 2015, 375, 33-39.	4.0	37
72	An ultrasonic assisted direct contact membrane distillation hybrid process for desalination. <i>Journal of Membrane Science</i> , 2015, 476, 59-67.	4.1	31

#	ARTICLE	IF	CITATIONS
73	Research on red mud treatment by a circulating superconducting magnetic separator. <i>Environmental Technology (United Kingdom)</i> , 2014, 35, 1243-1249.	1.2	7
74	A facile transesterification route to polysulfone-poly(ethylene glycol) amphiphilic block copolymers with improved protein resistance. <i>Polymer Chemistry</i> , 2014, 5, 2836-2842.	1.9	22
75	Preparation and characterization of PVDF flat-sheet membranes for direct contact membrane distillation. <i>Separation and Purification Technology</i> , 2014, 135, 211-222.	3.9	104
76	Effect of microwave irradiation on typical inorganic salts crystallization in membrane distillation process. <i>Journal of Membrane Science</i> , 2014, 455, 24-30.	4.1	36
77	Kinetic study of $\alpha$ -amylase in the process of starch hydrolysis by microcalorimetry. <i>Thermochimica Acta</i> , 2014, 579, 70-73.	1.2	2
78	Effects of calcium carbonate nano-particles on the properties of PVDF/nonwoven fabric flat-sheet composite membranes for direct contact membrane distillation. <i>Desalination</i> , 2014, 347, 25-33.	4.0	73
79	Evaluation of chemical immobilization treatments for reducing arsenic transport in red mud. <i>Environmental Earth Sciences</i> , 2013, 70, 1775-1782.	1.3	6
80	Boron removal and desalination from seawater by PVDF flat-sheet membrane through direct contact membrane distillation. <i>Desalination</i> , 2013, 326, 115-124.	4.0	57
81	Effect of microwave irradiation on vacuum membrane distillation. <i>Journal of Membrane Science</i> , 2013, 429, 473-479.	4.1	38
82	Coagulation of arsenic adsorbed ferrihydrite with the use of polyaluminium chloride (PAC) or polyferric sulfate (PFS). <i>Desalination and Water Treatment</i> , 2012, 49, 157-164.	1.0	4
83	Preparation and characterization of PVDF/nonwoven fabric flat-sheet composite membranes for desalination through direct contact membrane distillation. <i>Separation and Purification Technology</i> , 2012, 101, 1-10.	3.9	60
84	Biological sulfate removal from acrylic fiber manufacturing wastewater using a two-stage UASB reactor. <i>Journal of Environmental Sciences</i> , 2012, 24, 343-350.	3.2	27
85	Preparation and properties of PVDF composite hollow fiber membranes for desalination through direct contact membrane distillation. <i>Journal of Membrane Science</i> , 2012, 405-406, 185-200.	4.1	146
86	Evaluation of arsenic immobilization in red mud by CO <sub>2</sub> or waste acid acidification combined ferrous (Fe <sup>2+</sup> ) treatment. <i>Journal of Hazardous Materials</i> , 2012, 199-200, 43-50.	6.5	10
87	Preparation of High Concentration Polyaluminum Chloride with High Alc Content by Membrane Distillation. <i>Chinese Journal of Chemical Engineering</i> , 2011, 19, 173-176.	1.7	8
88	Evaluation of performance and microbial community in a two-stage UASB reactor pretreating acrylic fiber manufacturing wastewater. <i>Bioresource Technology</i> , 2011, 102, 5709-5716.	4.8	22
89	Immobilization of phosphorus in sewage sludge using inorganic amendments. <i>Environmental Earth Sciences</i> , 2011, 63, 221-228.	1.3	9
90	Feasibility study of iron mineral separation from red mud by high gradient superconducting magnetic separation. <i>Physica C: Superconductivity and Its Applications</i> , 2011, 471, 91-96.	0.6	76

#	ARTICLE	IF	CITATIONS
91	Concentrating primary reverse osmosis concentrate by direct contact membrane distillation. <i>Water Science and Technology: Water Supply</i> , 2010, 10, 403-410.	1.0	2
92	Research on magnetic seeding flocculation for arsenic removal by superconducting magnetic separation. <i>Separation and Purification Technology</i> , 2010, 73, 264-270.	3.9	69
93	Arsenic removal from aqueous solution using ferrous based red mud sludge. <i>Journal of Hazardous Materials</i> , 2010, 177, 131-137.	6.5	84
94	Regeneration of carbon nanotubes exhausted with dye reactive red 3BS using microwave irradiation. <i>Journal of Hazardous Materials</i> , 2010, 178, 1125-1127.	6.5	27
95	Fluoride removal from brackish groundwater by direct contact membrane distillation. <i>Journal of Environmental Sciences</i> , 2010, 22, 1860-1867.	3.2	40
96	Boron removal from aqueous solution by direct contact membrane distillation. <i>Journal of Hazardous Materials</i> , 2010, 177, 613-619.	6.5	71
97	Fabrication of asymmetric poly (m-phenylene isophthalamide) nanofiltration membrane for chromium(VI) removal. <i>Journal of Environmental Sciences</i> , 2010, 22, 1335-1341.	3.2	62
98	Fabrication and characterization of hydrophobic PVDF hollow fiber membranes for desalination through direct contact membrane distillation. <i>Separation and Purification Technology</i> , 2009, 69, 78-86.	3.9	125
99	Experimental study of arsenic removal by direct contact membrane distillation. <i>Journal of Hazardous Materials</i> , 2009, 163, 874-879.	6.5	107
100	Removal of phosphate from aqueous solution by red mud using a factorial design. <i>Journal of Hazardous Materials</i> , 2009, 165, 1193-1199.	6.5	113
101	Sorption of endrin to montmorillonite and kaolinite clays. <i>Journal of Hazardous Materials</i> , 2009, 168, 210-214.	6.5	37
102	Integration of accelerated precipitation softening with membrane distillation for high-recovery desalination of primary reverse osmosis concentrate. <i>Separation and Purification Technology</i> , 2009, 67, 21-25.	3.9	79
103	High-concentration $\text{Al}^{13}$ nanoclusters sol prepared by chemical synthesis and membrane distillation concentration process. <i>Separation and Purification Technology</i> , 2009, 69, 221-223.	3.9	8
104	Study on concentrating primary reverse osmosis retentate by direct contact membrane distillation. <i>Desalination</i> , 2009, 247, 540-550.	4.0	31
105	Preparation of hydrophobic PVDF hollow fiber membranes for desalination through membrane distillation. <i>Water Science and Technology</i> , 2009, 59, 1219-1226.	1.2	23
106	Integration of direct contact membrane distillation and recirculating cooling water system for pure water production. <i>Journal of Cleaner Production</i> , 2008, 16, 1847-1855.	4.6	19
107	Arsenate removal from aqueous solutions using modified red mud. <i>Journal of Hazardous Materials</i> , 2008, 152, 486-492.	6.5	102
108	Flocculation of kaolin suspension with the adsorption of N,N-disubstituted hydrophobically modified polyacrylamide. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2008, 317, 388-393.	2.3	27

#	ARTICLE	IF	CITATIONS
109	Raw Fermentation Media for Industrial Production of Bacterial Cellulose. Advanced Materials Research, 0, 821-822, 1093-1097.	0.3	0
110	The Research of Hydrophilic Modification of PVC/PES Blended Membrane by the Additive of CA. Advanced Materials Research, 0, 1052, 8-13.	0.3	3
111	Fabrication and characterization of high-strength PVDF/nonwoven fabric electrospun composite membranes for direct contact membrane distillation. , 0, 95, 61-73.		0