

# Lourdes Gimeno

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4024884/publications.pdf>

Version: 2024-02-01

21  
papers

538  
citations

933447

10  
h-index

794594

19  
g-index

22  
all docs

22  
docs citations

22  
times ranked

822  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Neuroepithelial secondary organizers and cell fate specification in the developing brain. <i>Brain Research Reviews</i> , 2003, 43, 179-191.   | 9.0 | 154       |
| 2  | Molecular mechanisms controlling brain development: an overview of neuroepithelial secondary organizers. <i>International Journal of Developmental Biology</i> , 2010, 54, 7-20.                                       | 0.6 | 97        |
| 3  | Dock10, a novel C2H protein selectively induced by interleukin-4 in human B lymphocytes. <i>Molecular Immunology</i> , 2008, 45, 3411-3418.  | 2.2 | 39        |
| 4  | Identification of apoptosis-related PLZF target genes. <i>Biochemical and Biophysical Research Communications</i> , 2007, 359, 317-322.  | 2.1 | 37        |
| 5  | KIR Gene Mismatching and KIR/C Ligands in Liver Transplantation. <i>Transplantation</i> , 2013, 95, 1037-1044.   | 1.0 | 34        |
| 6  | Activating Killer-Cell Immunoglobulin-Like Receptors Are Associated With the Severity of Coronavirus Disease 2019. <i>Journal of Infectious Diseases</i> , 2021, 224, 229-240.   | 4.0 | 27        |
| 7  | Epidemiology, Evolution, and Long-Term Survival of Alcoholic Cirrhosis Patients Submitted to Liver Transplantation in Southeastern Spain. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 794-805.   | 2.4 | 26        |
| 8  | The Neber Approach to 2-(Tetrazol-5-yl)-2 <i>H</i> -Azirines. <i>Journal of Organic Chemistry</i> , 2013, 78, 6983-6991.   | 3.2 | 24        |
| 9  | NK Cell Education in Tumor Immune Surveillance: DNAM-1/KIR Receptor Ratios as Predictive Biomarkers for Solid Tumor Outcome. <i>Cancer Immunology Research</i> , 2018, 6, 1537-1547.                                   | 3.4 | 24        |
| 10 | Overexpression of KIR inhibitory ligands (HLA-I) determines that immunosurveillance of myeloma depends on diverse and strong NK cell licensing. <i>Onc Immunology</i> , 2016, 5, e1093721.                             | 4.6 | 17        |
| 11 | Circulating aberrant plasma cells allow risk stratification of patients with myeloma. <i>American Journal of Hematology</i> , 2016, 91, E353-E355.   | 4.1 | 10        |
| 12 | Immunological Risk Stratification of Bladder Cancer Based on Peripheral Blood Natural Killer Cell Biomarkers. <i>European Urology Oncology</i> , 2021, 4, 246-255.   | 5.4 | 10        |
| 13 | KIR+ CD8+ T Lymphocytes in Cancer Immunosurveillance and Patient Survival: Gene Expression Profiling. <i>Cancers</i> , 2020, 12, 2991.   | 3.7 | 9         |
| 14 | Activating KIRs on Educated NK Cells Support Downregulation of CD226 and Inefficient Tumor Immunosurveillance. <i>Cancer Immunology Research</i> , 2019, 7, 1307-1317.   | 3.4 | 8         |
| 15 | Expression of NK Cell Receptor Ligands on Leukemic Cells Is Associated with the Outcome of Childhood Acute Leukemia. <i>Cancers</i> , 2021, 13, 2294.  | 3.7 | 7         |
| 16 | NKG2D Polymorphism in Melanoma Patients from Southeastern Spain. <i>Cancers</i> , 2019, 11, 438.   | 3.7 | 6         |
| 17 | MHC Class I Chain-Related Gene A Diversity in Patients with Cutaneous Malignant Melanoma from Southeastern Spain. <i>Disease Markers</i> , 2015, 2015, 1-6.  | 1.3 | 5         |
| 18 | Proliferation to Apoptosis Tumor Cell Ratio as a Biomarker to Improve Clinical Management of Pre-Malignant and Symptomatic Plasma Cell Neoplasms. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3895. | 4.1 | 2         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Blood-based risk stratification for pre-malignant and symptomatic plasma cell neoplasms to improve patient management. American Journal of Cancer Research, 2021, 11, 2736-2753.                    | 1.4 | 2         |
| 20 | CD8+ T lymphocytes are sensitive to NKG2A/HLA-E licensing interaction: role in the survival of cancer patients. Oncoimmunology, 2021, 10, 1986943.  | 4.6 | 0         |
| 21 | Predictive value of 1q21 gain in multiple myeloma is strongly dependent on concurrent cytogenetic abnormalities and first-line treatment. American Journal of Cancer Research, 2021, 11, 4438-4454. | 1.4 | 0         |