Lourdes Gimeno

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4024884/publications.pdf

Version: 2024-02-01

933447 794594 21 538 10 19 citations h-index g-index papers 22 22 22 822 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Immunological Risk Stratification of Bladder Cancer Based on Peripheral Blood Natural Killer Cell Biomarkers. European Urology Oncology, 2021, 4, 246-255.	5 . 4	10
2	Proliferation to Apoptosis Tumor Cell Ratio as a Biomarker to Improve Clinical Management of Pre-Malignant and Symptomatic Plasma Cell Neoplasms. International Journal of Molecular Sciences, 2021, 22, 3895.	4.1	2
3	Activating Killer-Cell Immunoglobulin-Like Receptors Are Associated With the Severity of Coronavirus Disease 2019. Journal of Infectious Diseases, 2021, 224, 229-240.	4.0	27
4	Expression of NK Cell Receptor Ligands on Leukemic Cells Is Associated with the Outcome of Childhood Acute Leukemia. Cancers, 2021, 13, 2294.	3.7	7
5	CD8+ T lymphocytes are sensitive to NKG2A/HLA-E licensing interaction: role in the survival of cancer patients. Oncolmmunology, 2021, 10, 1986943.	4.6	O
6	Blood-based risk stratification for pre-malignant and symptomatic plasma cell neoplasms to improve patient management. American Journal of Cancer Research, 2021, 11, 2736-2753.	1.4	2
7	Predictive value of 1q21 gain in multiple myeloma is strongly dependent on concurrent cytogenetic abnormalities and first-line treatment. American Journal of Cancer Research, 2021, 11, 4438-4454.	1.4	O
8	KIR+ CD8+ T Lymphocytes in Cancer Immunosurveillance and Patient Survival: Gene Expression Profiling. Cancers, 2020, 12, 2991.	3.7	9
9	Activating KIRs on Educated NK Cells Support Downregulation of CD226 and Inefficient Tumor Immunosurveillance. Cancer Immunology Research, 2019, 7, 1307-1317.	3.4	8
10	NKG2D Polymorphism in Melanoma Patients from Southeastern Spain. Cancers, 2019, 11, 438.	3.7	6
11	NK Cell Education in Tumor Immune Surveillance: DNAM-1/KIR Receptor Ratios as Predictive Biomarkers for Solid Tumor Outcome. Cancer Immunology Research, 2018, 6, 1537-1547.	3.4	24
12	Epidemiology, Evolution, and Longâ€Term Survival of Alcoholic Cirrhosis Patients Submitted to Liver Transplantation in Southeastern ⟨scp⟩S⟨/scp⟩pain. Alcoholism: Clinical and Experimental Research, 2016, 40, 794-805.	2.4	26
13	Circulating aberrant plasma cells allow risk stratification of patients with myeloma. American Journal of Hematology, 2016, 91, E353-E355.	4.1	10
14	Overexpression of KIR inhibitory ligands (HLA-I) determines that immunosurveillance of myeloma depends on diverse and strong NK cell licensing. Oncolmmunology, 2016, 5, e1093721.	4.6	17
15	MHC Class I Chain-Related Gene A Diversity in Patients with Cutaneous Malignant Melanoma from Southeastern Spain. Disease Markers, 2015, 2015, 1-6.	1.3	5
16	The Neber Approach to 2-(Tetrazol-5-yl)-2 <i>H</i> -Azirines. Journal of Organic Chemistry, 2013, 78, 6983-6991.	3.2	24
17	KIR Gene Mismatching and KIR/C Ligands in Liver Transplantation. Transplantation, 2013, 95, 1037-1044.	1.0	34
18	Molecular mechanisms controlling brain development: an overview of neuroepithelial secondary organizers. International Journal of Developmental Biology, 2010, 54, 7-20.	0.6	97

Lourdes Gimeno

#	Article	IF	CITATIONS
19	Dock10, a novel CZH protein selectively induced by interleukin-4 in human B lymphocytes. Molecular Immunology, 2008, 45, 3411-3418.	2.2	39
20	Identification of apoptosis-related PLZF target genes. Biochemical and Biophysical Research Communications, 2007, 359, 317-322.	2.1	37
21	Neuroepithelial secondary organizers and cell fate specification in the developing brain. Brain Research Reviews, 2003, 43, 179-191.	9.0	154