Beata JÄd Zejewska

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4026728/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Multifunctional Oxazolone Derivative as an Optical Amplifier, Generator, and Modulator. Journal of Physical Chemistry B, 2022, 126, 1742-1757.	1.2	10
2	Synthesis and optical properties of linear and branched styrylpyridinium dyes in different environments. Journal of Molecular Liquids, 2022, 356, 119007.	2.3	5
3	A Modified Oxazolone Dye Dedicated to Spectroscopy and Optoelectronics. Journal of Organic Chemistry, 2022, 87, 7319-7332.	1.7	8
4	Effect of the Chloro-Substitution on Electrochemical and Optical Properties of New Carbazole Dyes. Materials, 2021, 14, 3091.	1.3	3
5	Effective Singlet Oxygen Sensitizers Based on the Phenazine Skeleton as Efficient Light Absorbers in Dye Photoinitiating Systems for Radical Polymerization of Acrylates. Materials, 2021, 14, 3085.	1.3	5
6	Aromatic Amines in Organic Synthesis. Part II. p-Aminocinnamaldehydes. Molecules, 2021, 26, 4360.	1.7	1
7	Acenaphthoquinoxaline Derivatives as Dental Photoinitiators of Acrylates Polymerization. Materials, 2021, 14, 4881.	1.3	2
8	Tailoring the nonlinear absorption of fluorescent dyes by substitution at a boron center. Journal of Materials Chemistry C, 2021, 9, 6225-6233.	2.7	6
9	Fluorescent Chitosan Modified with Heterocyclic Aromatic Dyes. Materials, 2021, 14, 6429.	1.3	3
10	An optical modulator on the pyrazolone-based bi-component system. Dyes and Pigments, 2020, 172, 107805.	2.0	13
11	2′-(1H-phenanthro[9,10-d]imidazol-2-yl)-phenyl-4-carboxylic acid N-hydroxysuccinimide ester: A new phenanthroimidazole derivative as a fluorescent probe for medical imaging applications. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2020, 228, 117757.	2.0	9
12	Experimental and theoretical insight into spectroscopic properties and bioactivity of 4-(4-formylbenzylidene)-2-phenyloxazol-5(4H)-one dye for future applications in biochemistry. Journal of Molecular Liquids, 2020, 314, 113632.	2.3	12
13	Structural effect of oxazolone derivatives on the initiating abilities of dye-borate photoredox systems in radical polymerization under visible light. RSC Advances, 2020, 10, 21487-21494.	1.7	5
14	Highly Effective Sensitizers Based on Merocyanine Dyes for Visible Light Initiated Radical Polymerization. Polymers, 2020, 12, 1242.	2.0	8
15	Controlling Two-Photon Action Cross Section by Changing a Single Heteroatom Position in Fluorescent Dyes. Journal of Physical Chemistry Letters, 2020, 11, 5920-5925.	2.1	14
16	Electrospray ionization collision induced dissociation of thiocarbocyanine and selenocarbocyanine dyes. Journal of Mass Spectrometry, 2019, 54, 592-599.	0.7	2
17	The impact of the heteroatom in a five-membered ring on the photophysical properties of difluoroborates. Dyes and Pigments, 2019, 170, 107481.	2.0	9
18	Spectral and physicochemical properties of difluoroboranyls containing N,N-dimethylamino group studied by solvatochromic methods. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2018, 199, 86-95.	2.0	10

#	Article	IF	CITATIONS
19	Difluoroboranyl derivatives as efficient panchromatic photoinitiators in radical polymerization reactions. Polymer Bulletin, 2018, 75, 3267-3281.	1.7	10
20	Influence of the Nature of the Amino Group in Highly Fluorescent Difluoroborates Exhibiting Intramolecular Charge Transfer. Journal of Organic Chemistry, 2018, 83, 7779-7788.	1.7	22
21	The trans/cis photoisomerization in hydrogen bonded complexes with stability controlled by substituent effects: 3-(6-aminopyridin-3-yl)acrylate case study. RSC Advances, 2018, 8, 23698-23710.	1.7	5
22	Photophysical Properties of Phenacylphenantridine Difluoroboranyls: Effect of Substituent and Double Benzannulation. Journal of Organic Chemistry, 2017, 82, 1529-1537.	1.7	37
23	Convenient Synthesis of p-Aminobenzoic Acids and their Methyl Esters. Organic Preparations and Procedures International, 2017, 49, 45-52.	0.6	4
24	Two-photon absorption of BF ₂ -carrying compounds: insights from theory and experiment. Physical Chemistry Chemical Physics, 2017, 19, 5705-5708.	1.3	17
25	Synthesis, photophysical and biological properties of a new oxazolone fluorescent probe for bioimaging: an experimental and theoretical study. Organic and Biomolecular Chemistry, 2017, 15, 8952-8966.	1.5	10
26	Synthesis, photophysical properties and systematic evaluations of new phenanthroimidazole fluorescent probe for bioimaging: Experimental and theoretical study. Journal of Photochemistry and Photobiology B: Biology, 2017, 166, 74-85.	1.7	21
27	Experimental and theoretical studies of the influence of solvent polarity on the spectral properties of two push-pull oxazol-5-(4 H)-one compounds. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2017, 171, 258-267.	2.0	27
28	Photostability of push-pull phenanthroimidazole derivative upon one-Âand two-photon excitation. Dyes and Pigments, 2017, 136, 150-160.	2.0	17
29	Spectroscopic and nonlinear optical properties of new chalcone fluorescent probes for bioimaging applications: a theoretical and experimental study. Journal of Molecular Modeling, 2016, 22, 125.	0.8	25
30	Synthesis, spectroscopic, physicochemical properties and binding site analysis of 4-(1H-phenanthro[9,10-d]-imidazol-2-yl)-benzaldehyde fluorescent probe for imaging in cell biology: Experimental and theoretical study. Journal of Photochemistry and Photobiology B: Biology, 2016, 164, 112-122.	1.7	15
31	One- and two-photon-induced isomerization of styryl compounds possessing A-ï€-A′ structure. Dyes and Pigments, 2016, 132, 237-247.	2.0	7
32	Synthesis and Photophysical Properties of Novel Donor–Acceptor <i>N</i> -(Pyridin-2-yl)-Substituted Benzo(thio)amides and Their Difluoroboranyl Derivatives. Journal of Physical Chemistry A, 2016, 120, 4116-4123.	1.1	22
33	The Influence of the π-Conjugated Spacer on Photophysical Properties of Difluoroboranyls Derived from Amides Carrying a Donor Group. Journal of Organic Chemistry, 2016, 81, 2280-2292.	1.7	45
34	Application of spectroscopic and theoretical methods in the studies of photoisomerization and photophysical properties of the push—pull styryl-benzimidazole dyes. Photochemical and Photobiological Sciences, 2016, 15, 117-128.	1.6	19
35	Influence of Substituent and Benzoannulation on Photophysical Properties of 1-Benzoylmethyleneisoquinoline Difluoroborates. Journal of Organic Chemistry, 2015, 80, 2072-2080.	1.7	47
36	Synthesis and Linear and Nonlinear Optical Properties of Three Push–Pull Oxazol-5(4 <i>H</i>)-one Compounds. Journal of Organic Chemistry, 2015, 80, 9641-9651.	1.7	36

#	Article	IF	CITATIONS
37	Synthesis and studies of novel homodimeric styrylbenzimidazolium dyes applied as photoinitiators for the radical polymerization of acrylic monomers. Polimery, 2015, 60, 242-250.	0.4	0
38	Synthesis and photophysical properties of two-photon chromophores containing 1H-benzimidazole residue. Dyes and Pigments, 2014, 111, 162-175.	2.0	14
39	Factors affecting the TMPTA radical polymerization photoinitiated by phenyltrialkylborates paired with tri-cationic hemicyanine dye. Kinetic studies. Colloid and Polymer Science, 2013, 291, 2225-2236.	1.0	10
40	Influence of degree of methyl methacrylate polymerization on spectroscopic properties of ethyl 5-(4-aminophenyl)- and 5-(4-dimethylaminophenyl)-3-amino-2,4-dicyanobenzoate. Journal of Luminescence, 2013, 134, 414-422.	1.5	8
41	Substituent effects on the photophysical properties of fluorescent 2-benzoylmethylenequinoline difluoroboranes: A combined experimental and quantum chemical study. Dyes and Pigments, 2013, 99, 957-965.	2.0	42
42	Styryl dye possessing donor-π-acceptor structure – Synthesis, spectroscopic and computational studies. Dyes and Pigments, 2013, 99, 673-685.	2.0	33
43	Interaction of Carbocyanine Dyes with DNA: Synthesis and Spectroscopic Studies. Applied Spectroscopy, 2013, 67, 672-680.	1.2	4
44	Applicability of hemicyanine phenyltrialkylborate salts as freeâ€radical photoinitiators in the visibleâ€light polymerization of acrylate. Journal of Applied Polymer Science, 2012, 123, 3535-3544.	1.3	5
45	Synthesis and spectroscopic investigation of cationic donorâ€(Ï€â€bridge)â€acceptor dye, 4â€{ <i>N</i> â€(5,6,7,8â€tetrahydroisoquinoliniumâ€5â€ylidene)methyl]â€ <i>N</i> , <i>N</i> â€dialkylaniline iod Coloration Technology, 2011, 127, 288-296.	d e. .7	2
46	Synthesis of tetramethylammonium phenyltrialkylborate salts by the addition of alkyllithium reagents to a triorganylborane or organoboranylhalides. Journal of Organometallic Chemistry, 2011, 696, 2135-2141.	0.8	4
47	Dipole moment determination of 4-[N-(5,6,7,8-tetrahydroisoquinolinium-5-ylidene)methyl]-N,N-dialkylaniline iodides in solution. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2011, 79, 985-992.	2.0	4
48	Phenyltrialkylborates as co-initiators with cyanine dyes in visible light polymerization of acrylates. Polymer, 2011, 52, 2110-2119.	1.8	21
49	Solvent Effects on the Spectroscopic Properties of Styrylquinolinium Dyes Series. Journal of Fluorescence, 2010, 20, 73-86.	1.3	20
50	Novel <i>N</i> â€ethylâ€2â€styrylquinolinium iodides as sensitizers in the photoinitiated freeâ€radical polymerization of trimethylolopropane triacrylate. II. Journal of Applied Polymer Science, 2010, 118, 165-172.	1.3	10
51	Studies on an argon laserâ€induced photopolymerization employing both mono―and bischromophoric hemicyanine dye—Borate complex as a photoinitiator. Part III. Journal of Applied Polymer Science, 2010, 118, 1395-1405.	1.3	5
52	Styrylbenzimidazolium dye–borate complex as an effective, singlet state photoinitiator in an argon laser-induced TMPTA photopolymerization. Journal of Photochemistry and Photobiology A: Chemistry, 2010, 209, 32-40.	2.0	10
53	Tetramethylammonium phenyltrialkylborates as co-initiators with novel two-cationic styrylbenzimidazolium dyes in highly efficient, visible light polymerization of acrylate. Journal of Photochemistry and Photobiology A: Chemistry, 2010, 214, 276-283.	2.0	14
54	Styrylquinolinium borates as donor–acceptor initiators for sensitized photopolymerization of TMPTA. Materials Chemistry and Physics, 2009, 117, 448-454.	2.0	8

#	Article	IF	CITATIONS
55	Unusually highly efficient, singlet state, visible light photoinitiators based on styrylbenzimidazolium phenyltributylborate photoredox pairs for vinyl monomers free radical polymerization. Journal of Polymer Science Part A, 2009, 47, 4119-4129.	2.5	13
56	The synthesis and spectroscopic investigation of dichromophoric hemicyanine dyes. Dyes and Pigments, 2009, 80, 297-306.	2.0	19
57	Accelerated Photobleaching of a Cyanine Dye in the Presence of a Ternary Target DNA, PNA Probe, Dye Catalytic Complex: A Molecular Diagnostic. Analytical Chemistry, 2009, 81, 2043-2052.	3.2	24
58	Photopolymerization of trimethylolpropane triacrylate induced by diselenide derivatives. Polimery, 2009, 54, 417-420.	0.4	5
59	Development of new heterobicationic monomethine dyes as effective photoinitiator of free radical polymerization in visibleâ€light region. Journal of Applied Polymer Science, 2008, 108, 1636-1645.	1.3	6
60	Studies on an argon laser-induced photopolymerization employing both mono- and bischromophoric hemicyanine dye–borate complex as a photoinitiator. Journal of Photochemistry and Photobiology A: Chemistry, 2008, 195, 105-115.	2.0	24
61	Studies on an argon laser-induced photopolymerization employing both mono- and bischromophoric hemicyanine dye–borate complex as a photoinitiator: Part II. Materials Chemistry and Physics, 2008, 111, 400-408.	2.0	26
62	Silver-nanoparticle immobilized initiator and co-initiators for free radical polymerization. Materials Letters, 2008, 62, 4260-4262.	1.3	1
63	Polymethine Dyes as Fluorescent Probes and Visible-Light Photoinitiators for Free Radical Polymerization. Topics in Heterocyclic Chemistry, 2008, , 183-220.	0.2	10
64	1,3-Bis[4-(p-aminostyryl)-pyridinyl]-propane dibromide derivatives: Synthesis and spectroscopic investigation. Dyes and Pigments, 2007, 73, 361-367.	2.0	12
65	Dichromophoric hemicyanine dyes. Synthesis and spectroscopic investigation. Dyes and Pigments, 2007, 74, 262-268.	2.0	19
66	Bischromophoric styrylpyridinium dyes. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2007, 67, 306-315.	2.0	11
67	Novel 6-bromo-3-ethyl-2-styrylbenzothiazolium n-butyl-triphenylborates as photoinitiators of trimethylolopropane triacrylate (TMPTA) polymerization. Polymer Bulletin, 2007, 58, 691-701.	1.7	2
68	New heterobicationic hemicyanine dyes: Synthesis, spectroscopic properties, and photoinitiating ability. Journal of Polymer Science Part A, 2006, 44, 6345-6359.	2.5	19
69	Stilbene-Like Molecules as Fluorescent Probes Applied for Monitoring of Polymerization Process. Journal of Fluorescence, 2006, 16, 525-534.	1.3	22
70	Organosilicon sulfides as co-initiators in photoinduced free radical polymerization. Polymer Bulletin, 2006, 56, 119-128.	1.7	3
71	Asymmetric cyanine dyes as fluorescence probes and visible-light photoinitiators of free-radical polymerization processes. Journal of Applied Polymer Science, 2006, 99, 207-217.	1.3	27
72	Electron Transfer Photoinitiating Systems. The Effect of the Co-Initiator Structure on the Photoinitiation Ability of a Photoredox Pair Containing Neutral Hemicyanine Dyes as Sensitizers. Macromolecular Materials and Engineering, 2006, 291, 646-654.	1.7	7

#	Article	IF	CITATIONS
73	Onium Salts of Amino Acids as Co-Initiators in Photoinduced Free-Radical Polymerization. Macromolecular Materials and Engineering, 2006, 291, 1179-1184.	1.7	5
74	The synthesis and the solvent and substituent effect on the spectroscopic characteristic of 3-ethyl-2-(p-substitued styryl)benzothiazolium iodides. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2005, 62, 115-125.	2.0	28
75	Electron transfer processes in photoinitiating systems composed of hemicyanine sec-butyltriphenylborate ion pairs. Polymer Bulletin, 2005, 54, 409-416.	1.7	6
76	Hemicyanine sec-butyltriphenylborate salts as effective initiators of free radical polymerization initiated via photoinduced electron transfer process. Part II. Kinetic studies and application of electron transfer theory. Polimery, 2005, 50, 418-423.	0.4	3
77	Developing of Fluorescence Probes Based on Stilbazolium Salts for Monitoring Free Radical Polymerization Processes. II. Journal of Fluorescence, 2004, 14, 295-307.	1.3	25
78	Photochemical preparation of polymer-clay composites. Applied Clay Science, 2004, 25, 221-227.	2.6	22
79	Hemicyaninen-butyltriphenylborate salts as effective initiators of free-radical polymerization photoinitiated via photoinduced electron-transfer process. Journal of Polymer Science Part A, 2003, 41, 3017-3026.	2.5	29
80	Hemicyanine dyes: synthesis, structure and photophysical properties. Dyes and Pigments, 2003, 58, 47-58.	2.0	40
81	Styrylpyridinium borate salts as dye photoinitiators of free-radical polymerization. Journal of Polymer Science Part A, 2002, 40, 1433-1440.	2.5	35
82	Photochemical preparation of polymer-clay composites. Polimery, 2002, 47, 136-138.	0.4	3
83	Hexaarylbisimidazoles and ketocyanine dyes as effective electron transfer photoinitiating systems. Polimery, 2002, 47, 654-656.	0.4	5
84	Kinetic study of free-radical polymerization photoinitiated by cyanine-borate salts. II Journal of Polymer Science Part A, 2000, 38, 2365-2374.	2.5	20
85	Development of fluorescence probes based on stilbazolium salts for monitoring free radical polymerization processes. Journal of the Chemical Society Perkin Transactions II, 1999, , 1909-1917.	0.9	28