
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4027447/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Inhibition of yes-associated protein suppresses migration, invasion, and metastasis in non-small cell lung cancer in vitro and in vivo. Clinical and Experimental Medicine, 2022, 22, 221-228.	3.6	1
2	Efficacy of conversion surgery after a single intraperitoneal administration of paclitaxel and systemic chemotherapy for gastric cancer with peritoneal metastasis. Langenbeck's Archives of Surgery, 2022, 407, 975-983.	1.9	4
3	PI3K/Akt/YAP signaling promotes migration and invasion of DLD‑1 colorectal cancer cells. Oncology Letters, 2022, 23, 106.	1.8	6
4	EGFR inhibition reverses epithelial‑mesenchymal transition, and decreases tamoxifen resistance via Snail and Twist downregulation in breast cancer cells. Oncology Reports, 2022, 47, .	2.6	7
5	Activation of Serum/Glucocorticoid Regulated Kinase 1/Nuclear Factor-κB Pathway Are Correlated with Low Sensitivity to Bortezomib and Ixazomib in Resistant Multiple Myeloma Cells. Biomedicines, 2021, 9, 33.	3.2	8
6	Rhosin Suppressed Tumor Cell Metastasis through Inhibition of Rho/YAP Pathway and Expression of RHAMM and CXCR4 in Melanoma and Breast Cancer Cells. Biomedicines, 2021, 9, 35.	3.2	14
7	Perifosine enhances the potential antitumor effect of 5-fluorourasil and oxaliplatin in colon cancer cells harboring the PIK3CA mutation. European Journal of Pharmacology, 2021, 898, 173957.	3.5	11
8	Interleukin 19 suppresses RANKL-induced osteoclastogenesis via the inhibition of NF-κB and p38MAPK activation and c-Fos expression in RAW264.7 cells. Cytokine, 2021, 144, 155591.	3.2	10
9	Sorafenib treatment of metastatic melanoma with c‑Kit aberration reduces tumor growth and promotes survival. Oncology Letters, 2021, 22, 827.	1.8	7
10	Objective evaluation of nutritional status using the prognostic nutritional index during and after chemoradiotherapy in Japanese patients with head and neck cancer: a retrospective study. European Journal of Hospital Pharmacy, 2021, 28, 266-270.	1.1	5
11	Gabapentin and Duloxetine Prevent Oxaliplatin- and Paclitaxel-Induced Peripheral Neuropathy by Inhibiting Extracellular Signal-Regulated Kinase 1/2 (ERK1/2) Phosphorylation in Spinal Cords of Mice. Pharmaceuticals, 2021, 14, 30.	3.8	8
12	Inhibition of HSP90 overcomes melphalan resistance through downregulation of Src in multiple myeloma cells. Clinical and Experimental Medicine, 2020, 20, 63-71.	3.6	16
13	Dimethyl fumarate suppresses metastasis and growth of melanoma cells by inhibiting the nuclear translocation of NF-κB. Journal of Dermatological Science, 2020, 99, 168-176.	1.9	18
14	The HGF/Met/NF-κB Pathway Regulates RANKL Expression in Osteoblasts and Bone Marrow Stromal Cells. International Journal of Molecular Sciences, 2020, 21, 7905.	4.1	8
15	Dasatinib reverses drug resistance by downregulating MDR1 and Survivin in Burkitt lymphoma cells. BMC Complementary Medicine and Therapies, 2020, 20, 84.	2.7	11
16	Combination therapy with dacarbazine and statins improved the survival rate in mice with metastatic melanoma. Journal of Cellular Physiology, 2019, 234, 17975-17989.	4.1	20
17	Overactivation of Akt Contributes to MEK Inhibitor Primary and Acquired Resistance in Colorectal Cancer Cells. Cancers, 2019, 11, 1866.	3.7	35
18	Phase II trial of neoadjuvant chemotherapy with intraperitoneal paclitaxel, Sâ€1, and intravenous cisplatin and paclitaxel for stage IIIA or IIIB gastric cancer. Journal of Surgical Oncology, 2019, 119, 56-63.	1.7	7

#	Article	IF	CITATIONS
19	Overexpression of HIF-1α contributes to melphalan resistance in multiple myeloma cells by activation of ERK1/2, Akt, and NF-κB. Laboratory Investigation, 2019, 99, 72-84.	3.7	32
20	RANKL-induced c-Src activation contributes to conventional anti-cancer drug resistance and dasatinib overcomes this resistance in RANK-expressing multiple myeloma cells. Clinical and Experimental Medicine, 2019, 19, 133-141.	3.6	11
21	Bavachin induces the apoptosis of multiple myeloma cell lines by inhibiting the activation of nuclear factor kappa B and signal transducer and activator of transcription 3. Biomedicine and Pharmacotherapy, 2018, 100, 486-494.	5.6	28
22	The MIPâ€1α autocrine loop contributes to decreased sensitivity to anticancer drugs. Journal of Cellular Physiology, 2018, 233, 4258-4271.	4.1	20
23	Pioglitazone inhibits cancer cell growth through STAT3 inhibition and enhanced AIF expression via a PPARγâ€independent pathway. Journal of Cellular Physiology, 2018, 233, 3638-3647.	4.1	23
24	Rebamipide suppresses 5-fluorouracil-induced cell death via the activation of Akt/mTOR pathway and regulates the expression of Bcl-2 family proteins. Toxicology in Vitro, 2018, 46, 284-293.	2.4	8
25	Intraperitoneal and Systemic Chemotherapy for Patients with Gastric Cancer with Peritoneal Metastasis: A Phase II Trial. Anticancer Research, 2018, 38, 5975-5981.	1.1	12
26	Tamoxifen suppresses paclitaxel-, vincristine-, and bortezomib-induced neuropathy via inhibition of the protein kinase C/extracellular signal-regulated kinase pathway. Tumor Biology, 2018, 40, 101042831880867.	1.8	21
27	Trametinib suppresses chemotherapy-induced cold and mechanical allodynia via inhibition of extracellular-regulated protein kinase 1/2 activation. American Journal of Cancer Research, 2018, 8, 1239-1248.	1.4	9
28	Statins induce apoptosis through inhibition of Ras signaling pathways and enhancement of Bim and p27 expression in human hematopoietic tumor cells. Tumor Biology, 2017, 39, 101042831773494.	1.8	43
29	The sensitivity of head and neck carcinoma cells to statins is related to the expression of their Ras expression status, and statinâ induced apoptosis is mediated via suppression of the Ras/ <scp>ERK</scp> and Ras/ <scp>mTOR</scp> pathways. Clinical and Experimental Pharmacology and Physiology, 2017, 44, 222-234.	1.9	34
30	Contributions of MET activation to BCR-ABL1 tyrosine kinase inhibitor resistance in chronic myeloid leukemia cells. Oncotarget, 2017, 8, 38717-38730.	1.8	15
31	Mangiferin enhances the sensitivity of human multiple myeloma cells to anticancer drugs through suppression of the nuclear factor l°B pathway. International Journal of Oncology, 2016, 48, 2704-2712.	3.3	22
32	Mangiferin induces apoptosis in multiple myeloma cell lines by suppressing the activation of nuclear factor kappa B-inducing kinase. Chemico-Biological Interactions, 2016, 251, 26-33.	4.0	29
33	Mangiferin, a novel nuclear factor kappa B-inducing kinase inhibitor, suppresses metastasis and tumor growth in a mouse metastatic melanoma model. Toxicology and Applied Pharmacology, 2016, 306, 105-112.	2.8	36
34	Statins inhibited the MIP-1α expression via inhibition of Ras/ERK and Ras/Akt pathways in myeloma cells. Biomedicine and Pharmacotherapy, 2016, 78, 23-29.	5.6	27
35	RANK-RANKL interactions are involved in cell adhesion-mediated drug resistance in multiple myeloma cell lines. Tumor Biology, 2016, 37, 9099-9110.	1.8	22
36	A phase II trial of perioperative chemotherapy involving a single intraperitoneal administration of paclitaxel followed by sequential Sâ€1 plus intravenous paclitaxel for serosaâ€positive gastric cancer. Journal of Surgical Oncology, 2015, 111, 1041-1046.	1.7	11

#	Article	IF	CITATIONS
37	PKC/MEK inhibitors suppress oxaliplatinâ€induced neuropathy and potentiate the antitumor effects. International Journal of Cancer, 2015, 137, 243-250.	5.1	22
38	Overexpression of survivin via activation of ERK1/2, Akt, and NF-κB plays a central role in vincristine resistance in multiple myeloma cells. Leukemia Research, 2015, 39, 445-452.	0.8	58
39	Bisphosphonates and statins inhibit expression and secretion of MIP-1α via suppression of Ras/MEK/ERK/AML-1A and Ras/PI3K/Akt/AML-1A pathways. American Journal of Cancer Research, 2015, 5, 168-79.	1.4	7
40	Mangiferin suppresses CIA by suppressing the expression of TNF-α, IL-6, IL-1β, and RANKL through inhibiting the activation of NF-κB and ERK1/2. American Journal of Translational Research (discontinued), 2015, 7, 1371-81.	0.0	30
41	Statins improve survival by inhibiting spontaneous metastasis and tumor growth in a mouse melanoma model. American Journal of Cancer Research, 2015, 5, 3186-97.	1.4	16
42	Dimethyl fumarate induces apoptosis of hematopoietic tumor cells via inhibition of NF-κB nuclear translocation and down-regulation of Bcl-xL and XIAP. Biomedicine and Pharmacotherapy, 2014, 68, 999-1005.	5.6	32
43	Nitrogen-containing bisphosphonates inhibit RANKL- and M-CSF-induced osteoclast formation through the inhibition of ERK1/2 and Akt activation. Journal of Biomedical Science, 2014, 21, 10.	7.0	62
44	By inhibiting Src, verapamil and dasatinib overcome multidrug resistance via increased expression of Bim and decreased expressions of MDR1 and survivin in human multidrug-resistant myeloma cells. Leukemia Research, 2014, 38, 121-130.	0.8	47
45	Inhibition of the tumour necrosis factor-alpha autocrine loop enhances the sensitivity of multiple myeloma cells to anticancer drugs. European Journal of Cancer, 2013, 49, 3708-3717.	2.8	32
46	Activation of NF-κB by the RANKL/RANK system up-regulates snail and twist expressions and induces epithelial-to-mesenchymal transition in mammary tumor cell lines. Journal of Experimental and Clinical Cancer Research, 2013, 32, 62.	8.6	95
47	Nitrogen-containing bisphosphonates induce apoptosis of hematopoietic tumor cells via inhibition of Ras signaling pathways and Bim-mediated activation of the intrinsic apoptotic pathway. Biochemical Pharmacology, 2013, 85, 163-172.	4.4	32
48	Study on Anti-Proliferative Activities of Cultured <i>Cordyceps Militaris </i> on Cancer Cells. Japanese Journal of Complementary and Alternative Medicine, 2013, 10, 51-57.	1.0	0
49	Overexpression of MDR1 and survivin, and decreased Bim expression mediate multidrug-resistance in multiple myeloma cells. Leukemia Research, 2012, 36, 1315-1322.	0.8	66
50	Bisphosphonate- and statin-induced enhancement of OPG expression and inhibition of CD9, M-CSF, and RANKL expressions via inhibition of the Ras/MEK/ERK pathway and activation of p38MAPK in mouse bone marrow stromal cell line ST2. Molecular and Cellular Endocrinology, 2012, 361, 219-231.	3.2	58
51	Reduction of metastasis, cell invasion, and adhesion in mouse osteosarcoma by YM529/ONO-5920-induced blockade of the Ras/MEK/ERK and Ras/PI3K/Akt pathway. Toxicology and Applied Pharmacology, 2012, 259, 402-410.	2.8	59
52	Blockade of the Ras/MEK/ERK and Ras/PI3K/Akt pathways by statins reduces the expression of bFGF, HGF, and TGF-β as angiogenic factors in mouse osteosarcoma. Cytokine, 2011, 54, 100-107.	3.2	70
53	Mangiferin induces apoptosis by suppressing Bcl-xL and XIAP expressions and nuclear entry of NF-ήB in HL-60 cells. Archives of Pharmacal Research, 2011, 34, 469-475.	6.3	45
54	Statin-induced apoptosis via the suppression of ERK1/2 and Akt activation by inhibition of the geranylgeranyl-pyrophosphate biosynthesis in glioblastoma. Journal of Experimental and Clinical Cancer Research, 2011, 30, 74.	8.6	104

#	Article	lF	CITATIONS
55	Nitrogen-containing bisphosphonate, YM529/ONO-5920, inhibits tumor metastasis in mouse melanoma through suppression of the Rho/ROCK pathway. Clinical and Experimental Metastasis, 2010, 27, 529-538.	3.3	19
56	Macrophage inflammatory proteinâ€lα induces osteoclast formation by activation of the MEK/ERK/câ€Fos pathway and inhibition of the p38MAPK/IRFâ€3/IFNâ€Î² pathway. Journal of Cellular Biochemistry, 2010, 111, 1661-1672.	2.6	25
57	Reduction of lung metastasis, cell invasion, and adhesion in mouse melanoma by statin-induced blockade of the Rho/Rho-associated coiled-coil-containing protein kinase pathway. Journal of Experimental and Clinical Cancer Research, 2010, 29, 127.	8.6	85
58	Tamoxifen inhibits tumor cell invasion and metastasis in mouse melanoma through suppression of PKC/MEK/ERK and PKC/PI3K/Akt pathways. Experimental Cell Research, 2009, 315, 2022-2032.	2.6	71
59	Dimethylfumarate inhibits tumor cell invasion and metastasis by suppressing the expression and activities of matrix metalloproteinases in melanoma cells. Cell Biology International, 2009, 33, 1087-1094.	3.0	48
60	Nitrogenâ€containing bisphosphonate, YM529/ONOâ€5920, inhibits macrophage inflammatory protein 1α expression and secretion in mouse myeloma cells. Cancer Science, 2008, 99, 152-158.	3.9	17
61	Macrophage inflammatory protein-1α (MIP-1α) enhances a receptor activator of nuclear factor κB ligand (RANKL) expression in mouse bone marrow stromal cells and osteoblasts through MAPK and PI3K/Akt pathways. Molecular and Cellular Biochemistry, 2007, 304, 53-60.	3.1	66
62	The protein kinase C inhibitor, H7, inhibits tumor cell invasion and metastasis in mouse melanoma via suppression of ERK1/2. Clinical and Experimental Metastasis, 2007, 24, 431-438.	3.3	19
63	Mevastatin induces apoptosis in HL60 cells dependently on decrease in phosphorylated ERK. Molecular and Cellular Biochemistry, 2005, 269, 109-114.	3.1	38
64	Nitrogen-containing bisphosphonate, YM529/ONO-5920 (a novel minodronic acid), inhibits RANKL expression in a cultured bone marrow stromal cell line ST2. Biochemical and Biophysical Research Communications, 2005, 328, 91-97.	2.1	32
65	Diethyldithiocarbamate can induce two different type of death: Apoptosis and necrosis mediating the differential MAP kinase activation and redox regulation in HL60 cells. Molecular and Cellular Biochemistry, 2004, 265, 123-132.	3.1	14
66	Pretreatment with PKC inhibitor triggers TNF-α induced apoptosis in TNF-α–resistant B16 melanoma BL6 cells. Life Sciences, 2003, 74, 781-792.	4.3	8
67	A new bisphosphonate, YM529 induces apoptosis in HL60 cells by decreasing phosphorylation of single survival signal ERK. Life Sciences, 2003, 73, 2655-2664.	4.3	27
68	Apoptosis-Inducing Effect of a New Bisphosphonate, YM529, on Various Hematopoietic Tumor Cell Lines Biological and Pharmaceutical Bulletin, 2003, 26, 96-100.	1.4	19
69	Change of Cu,Zn-superoxide Dismutase Activity of Guinea Pig Lung in Experimental Asthma. Free Radical Research, 2002, 36, 601-606.	3.3	30
70	Age-related change of antioxidant capacities in the cerebral cortex and hippocampus of stroke-prone spontaneously hypertensive rats. Neuroscience Letters, 1999, 273, 41-44.	2.1	32