

Gyula Szab

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4028157/gyula-szabo-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

1,677
citations

21
h-index

38
g-index

83
ext. papers

1,792
ext. citations

4
avg, IF

3.71
L-index

#	Paper	IF	Citations
80	Kisspeptin-8 Induces Anxiety-Like Behavior and Hypolocomotion by Activating the HPA Axis and Increasing GABA Release in the Nucleus Accumbens in Rats. <i>Biomedicines</i> , 2021 , 9,	4.8	7
79	Changes in striatal dopamine release and locomotor activity following acute withdrawal from chronic nicotine are mediated by CRF1, but not CRF2, receptors. <i>Brain Research</i> , 2019 , 1706, 41-47	3.7	3
78	The effects of the urocortins on the hypothalamic-pituitary-adrenal axis - similarities and discordancies between rats and mice. <i>Peptides</i> , 2019 , 112, 1-13	3.8	1
77	Kisspeptin modulates pain sensitivity of CFLP mice. <i>Peptides</i> , 2018 , 105, 21-27	3.8	3
76	Anxiolytic- and antidepressant-like actions of Urocortin 2 and its fragments in mice. <i>Brain Research</i> , 2018 , 1680, 62-68	3.7	3
75	Effects of kisspeptin on diabetic rat platelets. <i>Canadian Journal of Physiology and Pharmacology</i> , 2017 , 95, 1319-1326	2.4	3
74	Selective CRF2 receptor agonists ameliorate the anxiety- and depression-like state developed during chronic nicotine treatment and consequent acute withdrawal in mice. <i>Brain Research</i> , 2016 , 1652, 21-29	3.7	12
73	The effects of CRF and urocortins on the hippocampal glutamate release. <i>Neurochemistry International</i> , 2015 , 90, 67-71	4.4	8
72	The effect of kisspeptin on the regulation of vascular tone. <i>Canadian Journal of Physiology and Pharmacology</i> , 2015 , 93, 787-91	2.4	6
71	The effect of obestatin on anxiety-like behaviour in mice. <i>Behavioural Brain Research</i> , 2015 , 293, 41-5	3.4	8
70	The effect of urocortin I on the hypothalamic ACTH secretagogues and its impact on the hypothalamic-pituitary-adrenal axis. <i>Neuropeptides</i> , 2014 , 48, 15-20	3.3	15
69	Ghrelin and nicotine stimulate equally the dopamine release in the rat amygdala. <i>Neurochemical Research</i> , 2013 , 38, 1989-95	4.6	15
68	Ghrelin amplifies the nicotine-induced dopamine release in the rat striatum. <i>Neurochemistry International</i> , 2013 , 63, 239-43	4.4	24
67	Obestatin prevents analgesic tolerance to morphine and reverses the effects of mild morphine withdrawal in mice. <i>Regulatory Peptides</i> , 2013 , 186, 77-82		10
66	The interaction of Urocortin II and Urocortin III with amygdalar and hypothalamic corticotropin-releasing factor (CRF)--reflections on the regulation of the hypothalamic-pituitary-adrenal (HPA) axis. <i>Neuropeptides</i> , 2013 , 47, 333-8	3.3	20
65	Ligand-specific regulation of the endogenous mu-opioid receptor by chronic treatment with mu-opioid peptide agonists. <i>BioMed Research International</i> , 2013 , 2013, 501086	3	5
64	Cytoskeletal protein translation and expression in the rat brain are stressor-dependent and region-specific. <i>PLoS ONE</i> , 2013 , 8, e73504	3.7	5

63	The effect of pituitary adenylate cyclase-activating polypeptide on elevated plus maze behavior and hypothermia induced by morphine withdrawal. <i>Neuropeptides</i> , 2012 , 46, 11-7	3.3	5
62	Intranasal application of secretin, similarly to intracerebroventricular administration, influences the motor behavior of mice probably through specific receptors. <i>Journal of Molecular Neuroscience</i> , 2012 , 48, 558-64	3.3	6
61	Restraint stress in rats alters gene transcription and protein translation in the hippocampus. <i>Neurochemical Research</i> , 2012 , 37, 958-64	4.6	13
60	Secretin attenuates the hereditary repetitive hyperactive movements in a mouse model. <i>Journal of Molecular Neuroscience</i> , 2011 , 43, 109-14	3.3	8
59	Endocrine, behavioral and autonomic effects of neuropeptide AF. <i>Hormones and Behavior</i> , 2009 , 56, 24-34	3.7	21
58	The effects of CRF and the urocortins on [3H]GABA release from the rat amygdala--an in vitro superfusion study. <i>Brain Research Bulletin</i> , 2008 , 75, 15-7	3.9	15
57	Alterations of behavior and spatial learning after unilateral entorhinal ablation of rats. <i>Life Sciences</i> , 2006 , 78, 2683-8	6.8	22
56	The effects of endomorphins and diprotin A on striatal dopamine release induced by electrical stimulation-an in vitro superfusion study in rats. <i>Neurochemistry International</i> , 2006 , 49, 665-8	4.4	10
55	Seizure, neurotransmitter release, and gene expression are closely related in the striatum of 4-aminopyridine-treated rats. <i>Epilepsy Research</i> , 2003 , 55, 117-29	3	37
54	The effects of pituitary adenylate cyclase-activating polypeptide on acute and chronic morphine actions in mice. <i>Regulatory Peptides</i> , 2002 , 109, 57-62		10
53	Chronic ethanol exposure results in increased acute functional tolerance in selected lines of HAFT and LAFT mice. <i>Psychopharmacology</i> , 2001 , 155, 405-12	4.7	19
52	Influence of degradation on binding properties and biological activity of endomorphin 1. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 284, 771-6	3.4	19
51	The effect of vasoactive intestinal polypeptide and pituitary adenylate cyclase activating polypeptide on tolerance to morphine and alcohol in mice. <i>Annals of the New York Academy of Sciences</i> , 1998 , 865, 566-9	6.5	6
50	Vasoactive intestinal polypeptide induces analgesia and impairs the antinociceptive effect of morphine in mice. <i>Neuropeptides</i> , 1998 , 32, 557-62	3.3	9
49	Oxytocin and addiction: a review. <i>Psychoneuroendocrinology</i> , 1998 , 23, 945-62	5	155
48	Antisense oligonucleotide to c-fos blocks the ability of arginine vasopressin to maintain ethanol tolerance. <i>European Journal of Pharmacology</i> , 1996 , 306, 67-72	5.3	6
47	Effects of brain natriuretic peptide on effects of morphine in mice. <i>Neuropeptides</i> , 1996 , 30, 438-42	3.3	6
46	Effects of secretin on acute and chronic effects of morphine. <i>Pharmacology Biochemistry and Behavior</i> , 1995 , 51, 469-72	3.9	15

45	Oxytocin blocks the development of heroin-fentanyl cross-tolerance in mice. <i>Pharmacology Biochemistry and Behavior</i> , 1995 , 52, 591-4	3.9	7
44	Effects of calcitonin gene-related peptide on acute and chronic effects of morphine. <i>Pharmacology Biochemistry and Behavior</i> , 1995 , 52, 595-9	3.9	7
43	Brain-derived neurotrophic factor, neurotrophin-3 and neurotrophin-4/5 maintain functional tolerance to ethanol. <i>European Journal of Pharmacology</i> , 1995 , 287, 35-41	5.3	8
42	The NMDA receptor antagonist dizocilpine differentially affects environment-dependent and environment-independent ethanol tolerance. <i>Psychopharmacology</i> , 1994 , 113, 511-7	4.7	35
41	The role of central corticotiberin in the hyperosmosis-induced secretion of neurohypophysial hormones and corticosterone in the rat. <i>Neuropeptides</i> , 1994 , 27, 15-8	3.3	1
40	The role of central corticotiberin in the ether stress-induced secretion of neurohypophyseal hormones and corticosterone in the rat. <i>Neuropeptides</i> , 1994 , 26, 33-7	3.3	7
39	Role of endogenous corticotropin-releasing factor in mediation of neuroendocrine and behavioral responses to cholecystokinin octapeptide sulfate ester in rats. <i>Neuroendocrinology</i> , 1993 , 57, 340-5	5.6	53
38	Critical role of endogenous corticotropin-releasing factor (CRF) in the mediation of the behavioral action of cocaine in rats. <i>Life Sciences</i> , 1992 , 51, 2019-24	6.8	38
37	Oxytocin modulates behavioural adaptation to repeated treatment with cocaine in rats. <i>Neuropharmacology</i> , 1992 , 31, 593-8	5.5	33
36	Effects of cocaine and pimozide on plasma and brain alpha-melanocyte-stimulating hormone levels in rats. <i>Neuroendocrinology</i> , 1992 , 55, 9-13	5.6	11
35	Effect of neuropeptide y on body temperature of normal and alcohol-tolerant rats. <i>Bulletin of Experimental Biology and Medicine</i> , 1992 , 113, 446-449	0.8	3
34	Opposite actions of oxytocin and vasopressin in the development of cocaine-induced behavioral sensitization in mice. <i>Pharmacology Biochemistry and Behavior</i> , 1992 , 43, 491-4	3.9	30
33	Oxytocin blocks the development of heroin-enkephalin cross-tolerance in mice. <i>Pharmacology Biochemistry and Behavior</i> , 1992 , 43, 187-92	3.9	12
32	Effects of atrial natriuretic peptide on acute and chronic effects of morphine. <i>Pharmacology Biochemistry and Behavior</i> , 1992 , 43, 193-7	3.9	10
31	Effects of cocaine on the contents of neurohypophyseal hormones in the plasma and in different brain structures in rats. <i>Neuropeptides</i> , 1992 , 23, 27-31	3.3	59
30	Comparative effects of arginine vasopressin, [pGlu4,Cyt6]arginine vasopressin-(4-9) and nerve growth factor on maintenance of functional tolerance to ethanol in mice. <i>European Journal of Pharmacology</i> , 1991 , 199, 131-4	5.3	12
29	Selective attenuation of cocaine-induced stereotyped behaviour by oxytocin: putative role of basal forebrain target sites. <i>Neuropeptides</i> , 1991 , 19, 51-6	3.3	67
28	Central effects of antiserum against human atrial natriuretic polypeptide on water and electrolyte metabolism and plasma arginine-8-vasopressin level in conscious rats. <i>Neuropeptides</i> , 1991 , 19, 183-7	3.3	3

27	Oxytocin attenuates the cocaine-induced exploratory hyperactivity in mice. <i>NeuroReport</i> , 1990 , 1, 200-2	1.7	50
26	Opposite changes in turnover of noradrenaline and dopamine in the CNS of ethanol-dependent mice. <i>Neuropharmacology</i> , 1990 , 29, 37-45	5.5	23
25	The role of oxytocin-dopamine interactions in cocaine-induced locomotor hyperactivity. <i>Neuropharmacology</i> , 1990 , 29, 365-8	5.5	103
24	The effects of beta-endorphin on arginine-8-vasopressin and oxytocin levels in rat brain areas. <i>Experientia</i> , 1989 , 45, 472-4		1
23	Effect of a selective μ -opioid agonist, d-pen ² -d-pen ⁵ -enkephalin (DPDPE), on grooming and sniffing activity. <i>International Journal of Psychophysiology</i> , 1989 , 7, 275-276	2.9	
22	Antiamnesic effects of D-pipecolic acid and analogues of Pro-Leu-Gly-NH ₂ in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1988 , 31, 833-7	3.9	8
21	Endogenous oxytocin inhibits morphine tolerance through limbic forebrain oxytocin receptors. <i>Brain Research</i> , 1988 , 463, 284-8	3.7	18
20	Forskolin promotes the development of ethanol tolerance in 6-hydroxydopamine-treated mice. <i>Life Sciences</i> , 1988 , 42, 615-21	6.8	16
19	Neurohypophyseal hormones and behavior. <i>Progress in Brain Research</i> , 1987 , 72, 109-18	2.9	11
18	Effects of beta-endorphin ²⁻⁹ on arginine-8-vasopressin and oxytocin levels in hypothalamic and limbic brain regions. <i>Brain Research</i> , 1987 , 403, 155-7	3.7	7
17	Microinjection of oxytocin into limbic-mesolimbic brain structures disrupts heroin self-administration behavior: a receptor-mediated event?. <i>Life Sciences</i> , 1987 , 41, 1265-71	6.8	42
16	Effect of an imidazobenzodiazepine, Ro15-4513, on the incoordination and hypothermia produced by ethanol and pentobarbital. <i>Life Sciences</i> , 1987 , 41, 611-9	6.8	94
15	EFFECTS OF NEUROHYPOPHYSEAL PEPTIDE HORMONES ON ALCOHOL DEPENDENCE AND WITHDRAWAL. <i>Alcohol and Alcoholism</i> , 1987 ,	3.5	1
14	D-pipecolic acid inhibits ethanol tolerance in mice. <i>Neurochemical Research</i> , 1986 , 11, 1677-82	4.6	2
13	Opposite effects of intraventricular and intracisternal administration of vasopressin on blood pressure in rats. <i>Peptides</i> , 1986 , 7, 539-40	3.8	9
12	Development of morphine tolerance under tonic control of brain oxytocin. <i>Drug and Alcohol Dependence</i> , 1986 , 17, 369-75	4.9	15
11	The effect on brain 5-HT of central lysine-vasopressin administration into different cerebral ventricular compartments depends on the site of injection. <i>Neuropeptides</i> , 1986 , 7, 241-5	3.3	3
10	The effects of neurohypophyseal hormones on tolerance to the hypothermic effect of ethanol. <i>Alcohol</i> , 1985 , 2, 567-74	2.7	41

9	Effects of haloperidol on morphine-induced antinociception morphine tolerance and withdrawal in hyperprolactinaemic rats. <i>Neuropharmacology</i> , 1985 , 24, 1027-31	5-5	5
8	Cholecystokinin octapeptides influence tolerance to ethanol in mice. <i>Neuropeptides</i> , 1985 , 6, 397-404	3-3	4
7	Increased sensitivity to picrotoxin as an index of physical dependence on alcohol in the mouse. <i>Drug and Alcohol Dependence</i> , 1984 , 14, 187-95	4-9	5
6	Decreased serotonin turnover in the dorsal hippocampus of rat brain shortly after adrenalectomy: selective normalization after corticosterone substitution. <i>Brain Research</i> , 1982 , 239, 659-63	3-7	145
5	The effects of des-enkephalin-gamma-endorphin and des-Tyr1-a-endorphin on regional serotonin metabolism in rat brain. <i>Brain Research</i> , 1982 , 245, 384-8	3-7	4
4	Effects of cholecystokinin octapeptide on striatal dopamine metabolism and on apomorphine-induced stereotyped cage-climbing in mice. <i>European Journal of Pharmacology</i> , 1981 , 69, 313-9	5-3	73
3	Dose-related effect of the oxytocin fragment (prolyl-leucyl-glycinamide) on ?-MPT-induced catecholamine disappearance and serotonin level in rat brain. <i>Neurochemistry International</i> , 1981 , 3, 411-4	4-4	8
2	The involvement of catecholaminergic mechanisms in the behavioural action of vasopressin. <i>Neuroscience Letters</i> , 1977 , 5, 337-44	3-3	60
1	Neurohypophyseal Hormones and Behavior 1977 , 201-210		2