

Jeeser A Almeida

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4028286/publications.pdf>

Version: 2024-02-01

69
papers

1,105
citations

566801

15
h-index

454577

30
g-index

70
all docs

70
docs citations

70
times ranked

2161
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Research in Exercise Science and Gut Microbiota: A Two-way Relationship. , 2022, , 308-318. | | 0 |
| 2 | Protective role of intergenerational paternal resistance training on fibrosis, inflammatory profile, and redox status in the adipose tissue of rat offspring fed with a high-fat diet. Life Sciences, 2022, 295, 120377. | 2.0 | 6 |
| 3 | Host defense peptide IDR-1002 associated with ciprofloxacin as a new antimicrobial and immunomodulatory strategy for dental pulp revascularization therapy. Microbial Pathogenesis, 2021, 152, 104634. | 1.3 | 11 |
| 4 | The use of host defense peptides in root canal therapy in rats. Clinical Oral Investigations, 2021, 25, 3623-3632. | 1.4 | 3 |
| 5 | Impact of the metabolic syndrome on the evolution of neurodegenerative diseases. Neural Regeneration Research, 2021, 16, 688. | 1.6 | 11 |
| 6 | The Effects of High-Protein Diet and Resistance Training on Glucose Control and Inflammatory Profile of Visceral Adipose Tissue in Rats. Nutrients, 2021, 13, 1969. | 1.7 | 4 |
| 7 | Changes in Compliance With Physical Activity Guidelines and Cardiovascular Disease Mortality. Journal of Physical Activity and Health, 2021, 18, 638-643. | 1.0 | 1 |
| 8 | Effects of 12 weeks of resistance training on rat gut microbiota composition. Journal of Experimental Biology, 2021, 224, . | 0.8 | 14 |
| 9 | Antimicrobial and immunomodulatory in vitro profile of double antibiotic paste. International Endodontic Journal, 2021, 54, 1850-1860. | 2.3 | 5 |
| 10 | High-intensity aerobic training lowers blood pressure and modulates the renal renin-angiotensin system in spontaneously hypertensive rats. Clinical and Experimental Hypertension, 2020, 42, 233-238. | 0.5 | 4 |
| 11 | High-Protein Diet Associated with Bocaiuva Supplementation Decreases Body Fat and Improves Glucose Tolerance in Resistance-Trained Rats. Journal of Medicinal Food, 2020, 23, 258-265. | 0.8 | 7 |
| 12 | Protective Effect of $\hat{\pm}$ -Linolenic Acid on Non-Alcoholic Hepatic Steatosis and Interleukin-6 and -10 in Wistar Rats. Nutrients, 2020, 12, 9. | 1.7 | 25 |
| 13 | High-protein diet associated with resistance training reduces cardiac TNF- $\hat{\pm}$ levels and up-regulates MMP-2 activity in rats. Archives of Physiology and Biochemistry, 2020, , 1-7. | 1.0 | 3 |
| 14 | Paternal Resistance Training Induced Modifications in the Left Ventricle Proteome Independent of Offspring Diet. Oxidative Medicine and Cellular Longevity, 2020, 2020, 1-19. | 1.9 | 9 |
| 15 | Paternal Resistance Training Modulates Calcaneal Tendon Proteome in the Offspring Exposed to High-Fat Diet. Frontiers in Cell and Developmental Biology, 2020, 8, 380. | 1.8 | 8 |
| 16 | Proteomic changes in skeletal muscle of aged rats in response to resistance training. Cell Biochemistry and Function, 2020, 38, 500-509. | 1.4 | 14 |
| 17 | Omics and the molecular exercise physiology. Advances in Clinical Chemistry, 2020, 96, 55-84. | 1.8 | 22 |
| 18 | Physical Activity Level, Anthropometric and Cardiovascular Profile Among Students in Sergipe State Attending Public Schools. International Journal of Cardiovascular Sciences, 2020, , . | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Synergistic activity of chlorhexidine and synoecaâ€MP peptide against <i>Pseudomonas aeruginosa</i>. <i>Journal of Cellular Physiology</i> , 2019, 234, 16068-16079. | 2.0 | 5 |
| 20 | Limited Effects of Low-to-Moderate Aerobic Exercise on the Gut Microbiota of Mice Subjected to a High-Fat Diet. <i>Nutrients</i> , 2019, 11, 149. | 1.7 | 21 |
| 21 | Identification of the forceâ€velocity curve on dynamic resistance exercise for rats. <i>Chinese Journal of Physiology</i> , 2019, 62, 241. | 0.4 | 1 |
| 22 | The effects of glucose concentrations associated with lipopolysaccharide and interferon-gamma stimulus on mediatorsâ€™ production of RAW 264.7 cells. <i>Cytokine</i> , 2018, 107, 18-25. | 1.4 | 11 |
| 23 | Antimicrobial and proinflammatory effects of two viperidins. <i>Cytokine</i> , 2018, 111, 309-316. | 1.4 | 12 |
| 24 | EFFECTS OF DIFFERENT VOLUMES OF RESISTANCE EXERCISE ON THE FOOD INTAKE OF RATS. <i>Revista Brasileira De Medicina Do Esporte</i> , 2018, 24, 145-148. | 0.1 | 0 |
| 25 | Effects of Acute Aerobic Exercise on Rats Serum Extracellular Vesicles Diameter, Concentration and Small RNAs Content. <i>Frontiers in Physiology</i> , 2018, 9, 532. | 1.3 | 71 |
| 26 | Interplay between circulating nitric oxide and interleukin-17 in elderly outpatients with non-inflammatory conditions. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2018, 9, 20-26. | 0.4 | 0 |
| 27 | The Effects of Acute and Chronic Exercise on Skeletal Muscle Proteome. <i>Journal of Cellular Physiology</i> , 2017, 232, 257-269. | 2.0 | 53 |
| 28 | Resistance training minimizes the biomechanical effects of aging in three different rat tendons. <i>Journal of Biomechanics</i> , 2017, 53, 29-35. | 0.9 | 18 |
| 29 | Oxidative stability of sesame and flaxseed oils and their effects on morphometric and biochemical parameters in an animal model. <i>Journal of the Science of Food and Agriculture</i> , 2017, 97, 3359-3364. | 1.7 | 19 |
| 30 | Beneficial effects of resistance training on the protein profile of the calcaneal tendon during aging. <i>Experimental Gerontology</i> , 2017, 100, 54-62. | 1.2 | 10 |
| 31 | Antimicrobial and immunomodulatory activity of host defense peptides, clavanins and LL-37, in vitro : An endodontic perspective. <i>Peptides</i> , 2017, 95, 16-24. | 1.2 | 16 |
| 32 | Fractionated Concurrent Exercise throughout the Day Does Not Promote Acute Blood Pressure Benefits in Hypertensive Middle-aged Women. <i>Frontiers in Cardiovascular Medicine</i> , 2017, 4, 6. | 1.1 | 6 |
| 33 | SUPLEMENTAÃƒO COM AMÃŠNDOA DE BACURI NA COMPOSIÃƒO CORPORAL DE RATOS SUBMETIDOS AO EXERCÃƒCIO. <i>Revista Brasileira De Medicina Do Esporte</i> , 2017, 23, 294-299. | 0.1 | 2 |
| 34 | The Effects of Resistance Training Volume on Skeletal Muscle Proteome. <i>International Journal of Exercise Science</i> , 2017, 10, 1051-1066. | 0.5 | 9 |
| 35 | Extreme Conditioning Program Induced Acute Hypotensive Effects are Independent of the Exercise Session Intensity. <i>International Journal of Exercise Science</i> , 2017, 10, 1165-1173. | 0.5 | 5 |
| 36 | Two Consecutive Days of Extreme Conditioning Program Training Affects Pro and Anti-inflammatory Cytokines and Osteoprotegerin without Impairments in Muscle Power. <i>Frontiers in Physiology</i> , 2016, 7, 260. | 1.3 | 56 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Endothelial nitric oxide synthase Glu298Asp gene polymorphism influences body composition and biochemical parameters but not the nitric oxide response to eccentric resistance exercise in elderly obese women. <i>Clinical Physiology and Functional Imaging</i> , 2016, 36, 482-489. | 0.5 | 7 |
| 38 | Acute eccentric resistance exercise decreases matrix metalloproteinase activity in obese elderly women. <i>Clinical Physiology and Functional Imaging</i> , 2016, 36, 139-145. | 0.5 | 19 |
| 39 | NanoUPLC-MSE proteomic analysis of osteoclastogenesis downregulation by IL-4. <i>Journal of Proteomics</i> , 2016, 131, 8-16. | 1.2 | 8 |
| 40 | Exercise Impacts The Global Profile Of MiRNA In Plasma And Skeletal Muscle In Hypertensive Rats. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 732. | 0.2 | 0 |
| 41 | Understanding the responsiveness of nitric oxide to acute eccentric resistance exercise in elderly obese women. <i>Journal of Clinical and Translational Research</i> , 2016, 2, 70-77. | 0.3 | 0 |
| 42 | Salivary nitrite content, cognition and power in Mixed Martial Arts fighters after rapid weight loss: a case study. <i>Journal of Clinical and Translational Research</i> , 2016, 2, 63-69. | 0.3 | 4 |
| 43 | Effects of aerobic exercise intensity on 24-h ambulatory blood pressure in individuals with type 2 diabetes and prehypertension. <i>Journal of Physical Therapy Science</i> , 2015, 27, 51-56. | 0.2 | 30 |
| 44 | Post-exercise hypotension of normotensive young men through track running sessions. <i>Revista Brasileira De Medicina Do Esporte</i> , 2015, 21, 192-195. | 0.1 | 6 |
| 45 | Nandrolone increases angiotensin-I converting enzyme activity in rats tendons. <i>Revista Brasileira De Medicina Do Esporte</i> , 2015, 21, 173-177. | 0.1 | 2 |
| 46 | Role of exercise intensity on GLUT4 content, aerobic fitness and fasting plasma glucose in type 2 diabetic mice. <i>Cell Biochemistry and Function</i> , 2015, 33, 435-442. | 1.4 | 14 |
| 47 | Immune Response Profile against Persistent Endodontic Pathogens <i>Candida albicans</i> and <i>Enterococcus faecalis</i> In Vitro. <i>Journal of Endodontics</i> , 2015, 41, 1061-1065. | 1.4 | 22 |
| 48 | Exercise performed around MLSS decreases systolic blood pressure and increases aerobic fitness in hypertensive rats. <i>BMC Physiology</i> , 2015, 15, 1. | 3.6 | 17 |
| 49 | Classification of pro-inflammatory status for interleukin-6 affects relative muscle strength in obese elderly women. <i>Aging Clinical and Experimental Research</i> , 2015, 27, 791-797. | 1.4 | 16 |
| 50 | Discussion of "The effects of pre-exhaustion, exercise order, and rest intervals in a full-body resistance training intervention" Pre-exhaustion exercise and neuromuscular adaptations: an inefficient method?. <i>Applied Physiology, Nutrition and Metabolism</i> , 2015, 40, 850-851. | 0.9 | 2 |
| 51 | NanoUPLC/MSE proteomic analysis reveals modulation on left ventricle proteome from hypertensive rats after exercise training. <i>Journal of Proteomics</i> , 2015, 113, 351-365. | 1.2 | 16 |
| 52 | Similar hypotensive effects of combined aerobic and resistance exercise with 1 set versus 3 sets in women with metabolic syndrome. <i>Clinical Physiology and Functional Imaging</i> , 2015, 35, 443-450. | 0.5 | 5 |
| 53 | Qualidade de vida e s ndrome metab lica em mulheres brasileiras: an lise da correla o com a aptid o aer bia e a for a muscular. <i>Motricidade</i> , 2015, 11, . | 0.2 | 2 |
| 54 | Efeitos do exerc cio de for a versus combinado sobre a hipotens o p s-exerc cio em mulheres com s ndrome metab lica. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2014, 16, 522. | 0.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Exercise Training at MLSS Decreases Weight Gain and Increases Aerobic Capacity in Obese Zucker Rats. <i>International Journal of Sports Medicine</i> , 2014, 35, 199-202. | 0.8 | 13 |
| 56 | Exercise induction of gut microbiota modifications in obese, non-obese and hypertensive rats. <i>BMC Genomics</i> , 2014, 15, 511. | 1.2 | 244 |
| 57 | Circulating miR-1, miR-133a, and miR-206 levels are increased after a half-marathon run. <i>Biomarkers</i> , 2014, 19, 585-589. | 0.9 | 74 |
| 58 | Enhancing of Women Functional Status with Metabolic Syndrome by Cardioprotective and Anti-Inflammatory Effects of Combined Aerobic and Resistance Training. <i>PLoS ONE</i> , 2014, 9, e110160. | 1.1 | 13 |
| 59 | Effects of acute exercise over heart proteome from monogenic obese (ob/ob) mice. <i>Journal of Cellular Physiology</i> , 2013, 228, 824-834. | 2.0 | 13 |
| 60 | Determination of the Maximal Lactate Steady State in Obese Zucker Rats. <i>International Journal of Sports Medicine</i> , 2013, 34, 214-217. | 0.8 | 21 |
| 61 | Acute and chronic effects of resistance exercise on blood pressure in elderly women and the possible influence of ACE I/D polymorphism. <i>International Journal of General Medicine</i> , 2013, 6, 581. | 0.8 | 30 |
| 62 | Pharmacological Potential of Exercise and RAS Vasoactive Peptides for Prevention of Diseases. <i>Current Protein and Peptide Science</i> , 2013, 14, 459-471. | 0.7 | 7 |
| 63 | Assessment of maximal lactate steady state during treadmill exercise in SHR. <i>BMC Research Notes</i> , 2012, 5, 661. | 0.6 | 15 |
| 64 | A influência do genótipo da ECA sobre a aptidão cardiovascular de jovens do sexo masculino moderadamente ativos. <i>Arquivos Brasileiros De Cardiologia</i> , 2012, 98, 315-320. | 0.3 | 8 |
| 65 | Physiological Responses to a Tap Dance Choreography: Comparisons with Graded Exercise Test and Prescription Recommendations. <i>Journal of Strength and Conditioning Research</i> , 2010, 24, 1954-1959. | 1.0 | 13 |
| 66 | Effect of Rest Interval on Isokinetic Muscle Recovery in Children and Adolescents. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 553. | 0.2 | 0 |
| 67 | Validade de equações de predição em estimar o VO ₂ max de brasileiros jovens a partir do desempenho em corrida de 1.600m. <i>Revista Brasileira De Medicina Do Esporte</i> , 2010, 16, 57-60. | 0.1 | 13 |
| 68 | Host defense peptides clavanins A and MO reduce in vitro osteoclastogenesis. <i>Brazilian Journal of Oral Sciences</i> , 0, 20, e211512. | 0.1 | 0 |
| 69 | Systemic conditions of diabetic patients diagnosed with apical periodontitis. <i>Rgo</i> , 0, 69, . | 0.2 | 0 |