

Ester Marco

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4029387/publications.pdf>

Version: 2024-02-01

46
papers

1,489
citations

361296

20
h-index

345118

36
g-index

51
all docs

51
docs citations

51
times ranked

1785
citing authors

#	ARTICLE	IF	CITATIONS
1	Frailty among chronic kidney disease patients on the kidney transplant waiting list: the sexâ€“frailty paradox. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 109-118.	1.4	9
2	Frailty in kidney transplant candidates: a comparison between physical frailty phenotype and FRAIL scales. <i>Journal of Nephrology</i> , 2022, 35, 1841-1849.	0.9	3
3	Outcomes of Frail Patients While Waiting for Kidney Transplantation: Differences between Physical Frailty Phenotype and FRAIL Scale. <i>Journal of Clinical Medicine</i> , 2022, 11, 672.	1.0	7
4	The effect of motor relearning on balance, mobility and performance of activities of daily living among post-stroke patients: Study protocol for a randomised controlled trial. <i>European Stroke Journal</i> , 2022, 7, 76-84.	2.7	4
5	Prognostic Utility of a New Risk Stratification Protocol for Secondary Prevention in Patients Attending Cardiac Rehabilitation. <i>Journal of Clinical Medicine</i> , 2022, 11, 1910.	1.0	2
6	Is EAT-10 Useful to Assess Swallowing during the Chemo-Radiotherapy Phase in Patients with Head and Neck Cancer? A Pilot Study. <i>Annals of Otology, Rhinology and Laryngology</i> , 2021, 130, 689-698.	0.6	5
7	Feasibility, tolerability, and effects of exercise-based prehabilitation after neoadjuvant therapy in esophagogastric cancer patients undergoing surgery: an interventional pilot study. <i>Ecological Management and Restoration</i> , 2021, 34, .	0.2	13
8	Malnutrition According to GLIM Criteria Is Associated with Mortality and Hospitalizations in Rehabilitation Patients with Stable Chronic Obstructive Pulmonary Disease. <i>Nutrients</i> , 2021, 13, 369.	1.7	28
9	Application of ultrasound for muscle assessment in sarcopenia: 2020 SARCUS update. <i>European Geriatric Medicine</i> , 2021, 12, 45-59.	1.2	123
10	Sarcopenia, Malnutrition, and Cachexia: Adapting Definitions and Terminology of Nutritional Disorders in Older People with Cancer. <i>Nutrients</i> , 2021, 13, 761.	1.7	100
11	The FRAILMar Study Protocol: Frailty in Patients With Advanced Chronic Kidney Disease Awaiting Kidney Transplantation. A Randomized Clinical Trial of Multimodal Prehabilitation. <i>Frontiers in Medicine</i> , 2021, 8, 675049.	1.2	17
12	Acute sarcopenia changes following hospitalization: influence of pre-admission care dependency level. <i>Age and Ageing</i> , 2021, 50, 2140-2146.	0.7	11
13	Impact of and Reasons for Not Performing Exercise Training After an Acute Coronary Syndrome in the Setting of an Interdisciplinary Cardiac Rehabilitation Program: Results From a Risk-Op- Acute Coronary Syndrome Ambispective Registry. <i>Frontiers in Physiology</i> , 2021, 12, 768199.	1.3	1
14	Is peak expiratory flow an accurate sarcopenia screening tool in older patients referred to respiratory rehabilitation?. <i>European Geriatric Medicine</i> , 2020, 11, 297-306.	1.2	5
15	European Academy for medicine of ageing session participants' report on malnutrition assessment and diagnostic methods; an international survey. <i>Clinical Nutrition ESPEN</i> , 2020, 35, 75-80.	0.5	15
16	Taking a step toward implementation of Global Leadership Initiative on Malnutrition (GLIM) criteria in geriatric rehabilitation. <i>European Geriatric Medicine</i> , 2020, 11, 349-352.	1.2	6
17	Prognostic Value of the ESPEN Consensus and Guidelines for Malnutrition: Prediction of Postâ€“Discharge Clinical Outcomes in Older Inpatients. <i>Nutrition in Clinical Practice</i> , 2019, 34, 304-312.	1.1	13
18	Combined aerobic exercise and high-intensity respiratory muscle training in patients surgically treated for non-small cell lung cancer: a pilot randomized clinical trial. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2019, 55, 113-122.	1.1	52

#	ARTICLE	IF	CITATIONS
19	Effects of prophylactic swallowing exercises on dysphagia and quality of life in patients with head and neck cancer receiving (chemo) radiotherapy: the Redyor study, a protocol for a randomized clinical trial. <i>Trials</i> , 2019, 20, 503.	0.7	21
20	Sarcopenia in Acute Care Patients: Protocol for the European Collaboration of Geriatric Surveys: Sarcopenia 9+ EAMA Project. <i>Journal of the American Medical Directors Association</i> , 2019, 20, e1-e3.	1.2	10
21	Sarcopenia According to the Revised European Consensus on Definition and Diagnosis (EWGSOP2) Criteria Predicts Hospitalizations and Long-Term Mortality in Rehabilitation Patients With Stable Chronic Obstructive Pulmonary Disease. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1047-1049.	1.2	28
22	The SARCUS project: evidence-based muscle assessment through ultrasound. <i>European Geriatric Medicine</i> , 2019, 10, 157-158.	1.2	13
23	Ultrasound assessment of rectus femoris muscle in rehabilitation patients with chronic obstructive pulmonary disease screened for sarcopenia: correlation of muscle size with quadriceps strength and fat-free mass. <i>European Geriatric Medicine</i> , 2019, 10, 89-97.	1.2	16
24	Malnutrition according to ESPEN consensus predicts hospitalizations and long-term mortality in rehabilitation patients with stable chronic obstructive pulmonary disease. <i>Clinical Nutrition</i> , 2019, 38, 2180-2186.	2.3	46
25	Malnutrition according to ESPEN definition predicts long-term mortality in general older population: Findings from the EPIDOS study-Toulouse cohort. <i>Clinical Nutrition</i> , 2019, 38, 2652-2658.	2.3	26
26	ASPEN-AND-ESPEN: A postacute-care comparison of the basic definition of malnutrition from the American Society of Parenteral and Enteral Nutrition and Academy of Nutrition and Dietetics with the European Society for Clinical Nutrition and Metabolism definition. <i>Clinical Nutrition</i> , 2019, 38, 297-302.	2.3	26
27	Clinical application of the basic definition of malnutrition proposed by the European Society for Clinical Nutrition and Metabolism (ESPEN): Comparison with classical tools in geriatric care. <i>Archives of Gerontology and Geriatrics</i> , 2018, 76, 210-214.	1.4	19
28	Application of ultrasound for muscle assessment in sarcopenia: towards standardized measurements. <i>European Geriatric Medicine</i> , 2018, 9, 739-757.	1.2	122
29	Respiratory muscle strength training and neuromuscular electrical stimulation in subacute dysphagic stroke patients: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2017, 31, 761-771.	1.0	62
30	Malnutrition in postacute geriatric care: Basic ESPEN diagnosis and etiology based diagnoses analyzed by length of stay, in-hospital mortality, and functional rehabilitation indexes. <i>Archives of Gerontology and Geriatrics</i> , 2017, 73, 169-176.	1.4	22
31	Prevalence of malnutrition and sarcopenia in a post-acute care geriatric unit: Applying the new ESPEN definition and EWGSOP criteria. <i>Clinical Nutrition</i> , 2017, 36, 1339-1344.	2.3	62
32	The PSSMAR study. Postacute sarcopenia: Supplementation with Î²-hydroxyMethylbutyrate after resistance training: Study protocol of a randomized, double-blind controlled trial. <i>Maturitas</i> , 2016, 94, 117-124.	1.0	4
33	Effects of interval and continuous exercise training on autonomic cardiac function in <sc>COPD</sc> patients. <i>Clinical Respiratory Journal</i> , 2016, 10, 83-89.	0.6	17
34	Does gait speed contribute to sarcopenia case-finding in a postacute rehabilitation setting?. <i>Archives of Gerontology and Geriatrics</i> , 2015, 61, 176-181.	1.4	22
35	Usefulness of Citric Cough Test for Screening of Silent Aspiration in Subacute Stroke Patients: A Prospective Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 1277-1283.	0.5	16
36	Inspiratory and expiratory muscle training in subacute stroke. <i>Neurology</i> , 2015, 85, 564-572.	1.5	56

#	ARTICLE	IF	CITATIONS
37	Sarcopenia, physical rehabilitation and functional outcomes of patients in a subacute geriatric care unit. <i>Archives of Gerontology and Geriatrics</i> , 2014, 59, 39-43.	1.4	66
38	Efficacy of an Integrated Hospital-primary Care Program for Heart Failure: A Population-based Analysis of 56,742 Patients. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014, 67, 283-293.	0.4	39
39	High-intensity vs. sham inspiratory muscle training in patients with chronic heart failure: a prospective randomized trial. <i>European Journal of Heart Failure</i> , 2013, 15, 892-901.	2.9	64
40	Effects of information and training provision in satisfaction of patients and carers in stroke rehabilitation. <i>NeuroRehabilitation</i> , 2013, 33, 639-647.	0.5	12
41	Usefulness of the volume-viscosity swallow test for screening dysphagia in subacute stroke patients in rehabilitation income. <i>NeuroRehabilitation</i> , 2013, 33, 631-638.	0.5	35
42	Analysis of the expectations of elderly patients before undergoing total knee replacement. <i>Archives of Gerontology and Geriatrics</i> , 2010, 51, e83-e87.	1.4	30
43	Assessment of angle velocity in girls with adolescent idiopathic scoliosis. <i>Scoliosis</i> , 2009, 4, 20.	0.4	21
44	CROSS-VALIDATION OF A MODEL FOR PREDICTING FUNCTIONAL STATUS AND LENGTH OF STAY IN PATIENTS WITH STROKE. <i>Journal of Rehabilitation Medicine</i> , 2006, 38, 204-206.	0.8	14
45	Growth and Curve Stabilization in Girls With Adolescent Idiopathic Scoliosis. <i>Spine</i> , 2005, 30, 411-417.	1.0	39
46	Trunk control test as a functional predictor in stroke patients. <i>Journal of Rehabilitation Medicine</i> , 2002, 34, 267-272.	0.8	141