Raymond C K Chan

List of Publications by Citations

Source: https://exaly.com/author-pdf/4030600/raymond-c-k-chan-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

456 papers

12,822 citations

54 h-index

94 g-index

487 ext. papers

15,697 ext. citations

4.5 avg, IF

6.58 L-index

#	Paper	IF	Citations
456	Assessment of executive functions: review of instruments and identification of critical issues. <i>Archives of Clinical Neuropsychology</i> , 2008 , 23, 201-16	2.7	764
455	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018 , 173, 1705-1715.e16	56.2	360
454	Short-term effects of antipsychotic treatment on cerebral function in drug-naive first-episode schizophrenia revealed by "resting state" functional magnetic resonance imaging. <i>Archives of General Psychiatry</i> , 2010 , 67, 783-92		294
453	Is depression a disconnection syndrome? Meta-analysis of diffusion tensor imaging studies in patients with MDD. <i>Journal of Psychiatry and Neuroscience</i> , 2013 , 38, 49-56	4.5	287
452	Resting-state functional connectivity in treatment-resistant depression. <i>American Journal of Psychiatry</i> , 2011 , 168, 642-8	11.9	247
451	NEUROPSYCHOLOGICAL MEASURES OF EXECUTIVE FUNCTION AND ANTISOCIAL BEHAVIOR: A META-ANALYSIS*. <i>Criminology</i> , 2011 , 49, 1063-1107	4.1	245
45 ⁰	Brain anatomical abnormalities in high-risk individuals, first-episode, and chronic schizophrenia: an activation likelihood estimation meta-analysis of illness progression. <i>Schizophrenia Bulletin</i> , 2011 , 37, 177-88	1.3	242
449	Clozapine alone versus clozapine and risperidone with refractory schizophrenia. <i>New England Journal of Medicine</i> , 2006 , 354, 472-82	59.2	218
448	Facial emotion processing in schizophrenia: a meta-analysis of functional neuroimaging data. <i>Schizophrenia Bulletin</i> , 2010 , 36, 1029-39	1.3	214
447	Cross-cultural validation of the Depression Anxiety Stress Scale-21 in China. <i>Psychological Assessment</i> , 2016 , 28, e88-e100	5.3	202
446	Voxelwise meta-analysis of gray matter reduction in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012 , 36, 11-6	5.5	170
445	Motivational deficits in effort-based decision making in individuals with subsyndromal depression, first-episode and remitted depression patients. <i>Psychiatry Research</i> , 2014 , 220, 874-82	9.9	152
444	Neurological soft signs as candidate endophenotypes for schizophrenia: a shooting star or a Northern star?. <i>Neuroscience and Biobehavioral Reviews</i> , 2008 , 32, 957-71	9	152
443	A meta-analysis of association studies between the 10-repeat allele of a VNTR polymorphism in the 3RUTR of dopamine transporter gene and attention deficit hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 541-50	3.5	147
442	Abnormal regional spontaneous neural activity in treatment-refractory depression revealed by resting-state fMRI. <i>Human Brain Mapping</i> , 2011 , 32, 1290-9	5.9	146
441	Impaired facial emotion perception in schizophrenia: a meta-analysis. <i>Psychiatry Research</i> , 2010 , 178, 381-90	9.9	141
440	Neurological soft signs in schizophrenia: a meta-analysis. <i>Schizophrenia Bulletin</i> , 2010 , 36, 1089-104	1.3	140

(2019-2009)

439	earthquake in China. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 15412-7	11.5	122	
438	Localization of cerebral functional deficits in treatment-naive, first-episode schizophrenia using resting-state fMRI. <i>NeuroImage</i> , 2010 , 49, 2901-6	7.9	120	
437	The influence of anhedonia on feedback negativity in major depressive disorder. <i>Neuropsychologia</i> , 2014 , 53, 213-20	3.2	115	
436	Abnormal small-world architecture of top-down control networks in obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2011 , 36, 23-31	4.5	112	
435	Anticipatory and consummatory components of the experience of pleasure in schizophrenia: cross-cultural validation and extension. <i>Psychiatry Research</i> , 2010 , 175, 181-3	9.9	106	
434	Base rate of post-concussion symptoms among normal people and its neuropsychological correlates. <i>Clinical Rehabilitation</i> , 2001 , 15, 266-73	3.3	102	
433	Comprehension of metaphor and irony in schizophrenia during remission: the role of theory of mind and IQ. <i>Psychiatry Research</i> , 2008 , 157, 21-9	9.9	101	
432	High-field magnetic resonance imaging of suicidality in patients with major depressive disorder. <i>American Journal of Psychiatry</i> , 2010 , 167, 1381-90	11.9	99	
431	Dysexecutive symptoms among a non-clinical sample: A study with the use of the Dysexecutive Questionnaire. <i>British Journal of Psychology</i> , 2001 , 92, 551-565	4	98	
430	Depressive disorders: focally altered cerebral perfusion measured with arterial spin-labeling MR imaging. <i>Radiology</i> , 2009 , 251, 476-84	20.5	95	
429	Examination of postconcussion-like symptoms in healthy university students: relationships to subjective and objective neuropsychological function performance. <i>Archives of Clinical Neuropsychology</i> , 2006 , 21, 339-47	2.7	94	
428	Neurological soft signs are not "soft" in brain structure and functional networks: evidence from ALE meta-analysis. <i>Schizophrenia Bulletin</i> , 2014 , 40, 626-41	1.3	92	
427	Revisiting the therapeutic effect of rTMS on negative symptoms in schizophrenia: a meta-analysis. <i>Psychiatry Research</i> , 2014 , 215, 505-13	9.9	91	
426	The Temporal Experience of Pleasure Scale (TEPS): exploration and confirmation of factor structure in a healthy Chinese sample. <i>PLoS ONE</i> , 2012 , 7, e35352	3.7	91	
425	Specific executive dysfunction in patients with first-episode medication-nalle schizophrenia. <i>Schizophrenia Research</i> , 2006 , 82, 51-64	3.6	91	
424	Extending the utility of the Depression Anxiety Stress scale by examining its psychometric properties in Chinese settings. <i>Psychiatry Research</i> , 2012 , 200, 879-83	9.9	86	
423	A Meta-Analysis of Working Memory Impairments in Autism Spectrum Disorders. <i>Neuropsychology Review</i> , 2017 , 27, 46-61	7.7	85	
422	F15. NEGATIVE BELIEF UPDATING BIAS FOR POSITIVE LIFE EVENTS IN PATIENTS WITH SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2019 , 45, S259-S260	1.3	78	

421	S85. INDIVIDUALS WITH POSITIVE AND NEGATIVE SCHIZOTYPY EXHIBIT A REVERSED PATTERN OF THALAMIC-CEREBELLAR BRAIN CONNECTIVITY. <i>Schizophrenia Bulletin</i> , 2019 , 45, S339-S340	1.3	78
420	S38. SCHIZOPHRENIA PATIENTS WITH PROMINENT NEGATIVE SYMPTOMS HAVE MORE SEVERE OLFACTORY IDENTIFICATION IMPAIRMENTS THAN SCHIZOPHRENIA PATIENTS WITHOUT PROMINENT NEGATIVE SYMPTOMS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S320-S321	1.3	78
419	M71. Altered Multi-Voxel Prefrontal and Mesolimbic Patterns Associated With Reward Processing in Schizophrenia: Evidence From Representational Similarity Analysis. <i>Schizophrenia Bulletin</i> , 2017 , 43, S236-S236	1.3	78
418	M158. ASSOCIATIONS OF NEUROLOGICAL SOFT SIGNS AND CEREBELLAR-CEREBRAL FUNCTIONAL CONNECTIVITY IN PATIENTS WITH FIRST-EPISODE SCHIZOPHRENIA AND THEIR UNAFFECTED SIBLINGS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S196-S196	1.3	78
417	M165. CEREBELLAR VOLUMES REDUCED IN PATIENTS WITH SCHIZOPHRENIA BASED ON ANATOMICAL, TASK-FREE AND TASK-BASED FUNCTIONAL PARCELLATIONS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S199-S199	1.3	78
416	F65. NETWORK ANALYSIS OF EMPATHY, SCHIZOTYPY AND AFFECTIVE STATES IN A COLLEGE SAMPLE. <i>Schizophrenia Bulletin</i> , 2018 , 44, S244-S245	1.3	78
415	Schizotypy as an organizing framework for social and affective sciences. <i>Schizophrenia Bulletin</i> , 2015 , 41 Suppl 2, S427-35	1.3	75
414	Objective measures of prospective memory do not correlate with subjective complaints in schizophrenia. <i>Schizophrenia Research</i> , 2008 , 103, 229-39	3.6	72
413	Meta-analysis of prospective memory in schizophrenia: nature, extent, and correlates. <i>Schizophrenia Research</i> , 2009 , 114, 64-70	3.6	65
412	Extract of Ginkgo biloba treatment for tardive dyskinesia in schizophrenia: a randomized, double-blind, placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 615-21	4.6	63
411	White matter reduction in patients with schizophrenia as revealed by voxel-based morphometry: an activation likelihood estimation meta-analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 1390-4	5.5	62
410	A study of trait anhedonia in non-clinical Chinese samples: evidence from the Chapman Scales for Physical and Social Anhedonia. <i>PLoS ONE</i> , 2012 , 7, e34275	3.7	62
409	Clinical utility of the Snaith-Hamilton-Pleasure scale in the Chinese settings. <i>BMC Psychiatry</i> , 2012 , 12, 184	4.2	58
408	Distinguishing bipolar and major depressive disorders by brain structural morphometry: a pilot study. <i>BMC Psychiatry</i> , 2015 , 15, 298	4.2	57
407	Neurological soft signs in non-psychotic first-degree relatives of patients with schizophrenia: a systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2010 , 34, 889-96	9	57
406	The effect of implementation intention on prospective memory: a systematic and meta-analytic review. <i>Psychiatry Research</i> , 2015 , 226, 14-22	9.9	56
405	Deficits in sustaining reward responses in subsyndromal and syndromal major depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 1045-52	5.5	56
404	Diminished caudate and superior temporal gyrus responses to effort-based decision making in patients with first-episode major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Psychiatry</i> 2016, 64, 52,9	5.5	55

(2010-2015)

403	Role of depression severity and impulsivity in the relationship between hopelessness and suicidal ideation in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2015 , 183, 83-9	6.6	55
402	Abnormal spontaneous brain activity in medication-nalle ADHD children: a resting state fMRI study. <i>Neuroscience Letters</i> , 2011 , 502, 89-93	3.3	54
401	The neural basis of motor sequencing: an fMRI study of healthy subjects. <i>Neuroscience Letters</i> , 2006 , 398, 189-94	3.3	54
400	The components of executive functioning in a cohort of patients with chronic schizophrenia: a multiple single-case study design. <i>Schizophrenia Research</i> , 2006 , 81, 173-89	3.6	53
399	Facial emotion processing in patients with schizophrenia and their non-psychotic siblings: a functional magnetic resonance imaging study. <i>Schizophrenia Research</i> , 2012 , 134, 143-50	3.6	51
398	Neurological soft signs and their relationships to neurocognitive functions: a re-visit with the structural equation modeling design. <i>PLoS ONE</i> , 2009 , 4, e8469	3.7	51
397	Time perception deficit in children with ADHD. Brain Research, 2007, 1170, 90-6	3.7	51
396	Brain structural abnormalities in obsessive-compulsive disorder: converging evidence from white matter and grey matter. <i>Asian Journal of Psychiatry</i> , 2012 , 5, 290-6	6.7	50
395	Neurocognitive deficits in first-episode schizophrenic patients and their first-degree relatives. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 407-16	3.5	50
394	A further study on the sustained attention response to task (SART): the effect of age, gender and education. <i>Brain Injury</i> , 2001 , 15, 819-29	2.1	49
393	Attentional deficits in patients with closed head injury: a further study to the discriminative validity of the test of everyday attention. <i>Brain Injury</i> , 2000 , 14, 227-36	2.1	49
392	Multisensory temporal binding window in autism spectrum disorders and schizophrenia spectrum disorders: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 86, 66-	·76	48
391	Neurological soft signs discriminate schizophrenia from major depression but not bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 43, 72-8	5.5	48
390	Prospective memory in patients with closed head injury: a review. <i>Neuropsychologia</i> , 2011 , 49, 2156-65	3.2	48
389	Attentional deficits in patients with persisting postconcussive complaints: a general deficit or specific component deficit?. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2002 , 24, 1081-93	2.1	48
388	The development of prospective memory in typically developing children. <i>Neuropsychology</i> , 2011 , 25, 342-52	3.8	47
387	Are there sub-types of attentional deficits in patients with persisting post-concussive symptoms? A cluster analytical study. <i>Brain Injury</i> , 2003 , 17, 131-48	2.1	47
386	Do executive function deficits differentiate between children with attention deficit hyperactivity disorder (ADHD) and ADHD comorbid with oppositional defiant disorder? A cross-cultural study using performance-based tests and the behavior rating inventory of executive function. <i>Clinical</i>	4.4	45

385	Prospective memory deficits in subjects with schizophrenia spectrum disorders: a comparison study with schizophrenic subjects, psychometrically defined schizotypal subjects, and healthy controls. <i>Schizophrenia Research</i> , 2008 , 106, 70-80	3.6	45
384	Anhedonia in schizophrenia: Deficits in both motivation and hedonic capacity. <i>Schizophrenia Research</i> , 2015 , 168, 465-74	3.6	44
383	Measures of Empathy 2015 , 257-289		44
382	Executive function profile of Chinese boys with attention-deficit hyperactivity disorder: different subtypes and comorbidity. <i>Archives of Clinical Neuropsychology</i> , 2011 , 26, 120-32	2.7	43
381	Theory of mind impairments in patients with first-episode schizophrenia and their unaffected siblings. <i>Schizophrenia Research</i> , 2015 , 166, 1-8	3.6	42
380	Neurobiological changes of schizotypy: evidence from both volume-based morphometric analysis and resting-state functional connectivity. <i>Schizophrenia Bulletin</i> , 2015 , 41 Suppl 2, S444-54	1.3	42
379	Neural correlates of uncertain decision making: ERP evidence from the Iowa Gambling Task. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 776	3.3	42
378	Alexithymia and emotional regulation: A cluster analytical approach. <i>BMC Psychiatry</i> , 2011 , 11, 33	4.2	42
377	The Network Structure of Schizotypal Personality Traits. <i>Schizophrenia Bulletin</i> , 2018 , 44, S468-S479	1.3	41
376	The Chinese version of the Obsessive-Compulsive Inventory-Revised scale: replication and extension to non-clinical and clinical individuals with OCD symptoms. <i>BMC Psychiatry</i> , 2011 , 11, 129	4.2	41
375	Prospective memory in schizophrenia: further clarification of nature of impairment. <i>Schizophrenia Research</i> , 2008 , 105, 114-24	3.6	41
374	Common variants on Xq28 conferring risk of schizophrenia in Han Chinese. <i>Schizophrenia Bulletin</i> , 2014 , 40, 777-86	1.3	40
373	Neuroleptic effects on P50 sensory gating in patients with first-episode never-medicated schizophrenia. <i>Schizophrenia Research</i> , 2009 , 108, 151-7	3.6	40
372	A regulation role of the prefrontal cortex in the fist-edge-palm task: evidence from functional connectivity analysis. <i>Neurolmage</i> , 2008 , 41, 1345-51	7.9	40
371	Characteristics and clinical correlates of prospective memory performance in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2012 , 135, 34-9	3.6	39
370	Sustained attention in patients with mild traumatic brain injury. Clinical Rehabilitation, 2005, 19, 188-93	3.3	39
369	Minor physical anomalies in patients with schizophrenia, unaffected first-degree relatives, and healthy controls: a meta-analysis. <i>PLoS ONE</i> , 2011 , 6, e24129	3.7	38
368	Altered connectivity within and between the default mode, central executive, and salience networks in obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , 2017 , 223, 106-114	6.6	37

(2014-2016)

367	Neural substrates of the impaired effort expenditure decision making in schizophrenia. <i>Neuropsychology</i> , 2016 , 30, 685-96	3.8	36	
366	Alterations in the processing of non-drug-related affective stimuli in abstinent heroin addicts. <i>NeuroImage</i> , 2010 , 49, 971-6	7.9	36	
365	Magnetization transfer imaging reveals the brain deficit in patients with treatment-refractory depression. <i>Journal of Affective Disorders</i> , 2009 , 117, 157-61	6.6	36	
364	Comparative study of OROS-MPH and atomoxetine on executive function improvement in ADHD: a randomized controlled trial. <i>International Journal of Neuropsychopharmacology</i> , 2012 , 15, 15-26	5.8	36	
363	How does spinal cord injury affect marital relationship? A story from both sides of the couple. <i>Disability and Rehabilitation</i> , 2000 , 22, 764-75	2.4	36	
362	Practice, training, and research in neuropsychology in mainland China: challenges and opportunities. <i>Clinical Neuropsychologist</i> , 2016 , 30, 1207-1213	4.4	35	
361	Mapping genomic loci implicates genes and synaptic biology in schizophrenia <i>Nature</i> , 2022 ,	50.4	35	
360	Distinct processing of social and monetary rewards in late adolescents with trait anhedonia. <i>Neuropsychology</i> , 2016 , 30, 274-80	3.8	34	
359	The neuroplastic effect of working memory training in healthy volunteers and patients with schizophrenia: Implications for cognitive rehabilitation. <i>Neuropsychologia</i> , 2015 , 75, 149-62	3.2	34	
358	Neurological soft signs in individuals with schizotypal personality features. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010 , 44, 800-4	2.6	34	
357	Experiential pleasure deficits in different stages of schizophrenia. <i>Schizophrenia Research</i> , 2015 , 166, 98-103	3.6	33	
356	The Chapman psychosis-proneness scales: Consistency across culture and time. <i>Psychiatry Research</i> , 2015 , 228, 143-9	9.9	33	
355	Clinical Utility and Lifespan Profiling of Neurological Soft Signs in Schizophrenia Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2016 , 42, 560-70	1.3	33	
354	Semantic processing disturbance in patients with schizophrenia: a meta-analysis of the N400 component. <i>PLoS ONE</i> , 2011 , 6, e25435	3.7	33	
353	Brief assessment of schizotypal traits: A multinational study. <i>Schizophrenia Research</i> , 2018 , 197, 182-19	13.6	33	
352	In vivo gamma-aminobutyric acid and glutamate levels in people with first-episode schizophrenia: A proton magnetic resonance spectroscopy study. <i>Schizophrenia Research</i> , 2018 , 193, 295-303	3.6	33	
351	The development of a Chinese equivalence version of letter-number span test. <i>Clinical Neuropsychologist</i> , 2008 , 22, 112-21	4.4	32	
350	P300 aberration in first-episode schizophrenia patients: a meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e97794	3.7	31	

349	Whole-genome sequencing of monozygotic twins discordant for schizophrenia indicates multiple genetic risk factors for schizophrenia. <i>Journal of Genetics and Genomics</i> , 2017 , 44, 295-306	4	30
348	Impact of acute stress on human brain microstructure: An MR diffusion study of earthquake survivors. <i>Human Brain Mapping</i> , 2013 , 34, 367-73	5.9	30
347	Facial perception bias in patients with major depression. <i>Psychiatry Research</i> , 2012 , 197, 217-20	9.9	30
346	Anhedonia and emotional word memory in patients with depression. <i>Psychiatry Research</i> , 2012 , 200, 361-7	9.9	30
345	Prospective memory in patients with first-onset schizophrenia and their non-psychotic siblings. <i>Neuropsychologia</i> , 2011 , 49, 2217-24	3.2	30
344	The application of "dysexecutive syndrome" measures across cultures: performance and checklist assessment in neurologically healthy and traumatically brain-injured Hong Kong Chinese volunteers. <i>Journal of the International Neuropsychological Society</i> , 2002 , 8, 771-80	3.1	30
343	Anhedonia correlates with abnormal functional connectivity of the superior temporal gyrus and the caudate nucleus in patients with first-episode drug-naive major depressive disorder. <i>Journal of Affective Disorders</i> , 2017 , 218, 284-290	6.6	29
342	Anhedonia is associated with blunted reward sensitivity in first-degree relatives of patients with major depression. <i>Journal of Affective Disorders</i> , 2016 , 190, 640-648	6.6	29
341	Disordered connectivity associated with memory deficits in children with autism spectrum disorders. <i>Research in Autism Spectrum Disorders</i> , 2011 , 5, 237-245	3	29
340	The pattern of coping in persons with spinal cord injuries. <i>Disability and Rehabilitation</i> , 2000 , 22, 501-7	2.4	29
339	White matter microstructural abnormalities and their association with anticipatory anhedonia in depression. <i>Psychiatry Research - Neuroimaging</i> , 2017 , 264, 29-34	2.9	28
338	Experience of pleasure and emotional expression in individuals with schizotypal personality features. <i>PLoS ONE</i> , 2012 , 7, e34147	3.7	28
337	The neural mechanism of hedonic processing and judgment of pleasant odors: An activation likelihood estimation meta-analysis. <i>Neuropsychology</i> , 2016 , 30, 970-979	3.8	27
336	Individuals with psychometric schizotypy show similar social but not physical anhedonia to patients with schizophrenia. <i>Psychiatry Research</i> , 2014 , 216, 161-7	9.9	27
335	An ecologically valid performance-based social functioning assessment battery for schizophrenia. <i>Psychiatry Research</i> , 2013 , 210, 787-93	9.9	27
334	Prospective memory predicts medication management ability and correlates with non-adherence to medications in individuals with clinically stable schizophrenia. <i>Schizophrenia Research</i> , 2013 , 147, 293	-360	27
333	Trait and state positive emotional experience in schizophrenia: a meta-analysis. <i>PLoS ONE</i> , 2012 , 7, e40	6 3 27	27
332	What does the nose know? Olfactory function predicts social network size in human. <i>Scientific Reports</i> , 2016 , 6, 25026	4.9	27

(2016-2010)

331	Coping flexibility in college students with depressive symptoms. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 66	3	26	
330	An instrument to assess mental patientsRcapacity to appraise and report subjective quality of life. <i>Quality of Life Research</i> , 2005 , 14, 687-94	3.7	26	
329	Theory of mind correlates with clinical insight but not cognitive insight in patients with schizophrenia. <i>Psychiatry Research</i> , 2016 , 237, 188-95	9.9	25	
328	Cognitive empathy partially mediates the association between negative schizotypy traits and social functioning. <i>Psychiatry Research</i> , 2013 , 210, 62-8	9.9	25	
327	Prevalence of neurological soft signs and their neuropsychological correlates in typically developing Chinese children and Chinese children with ADHD. <i>Developmental Neuropsychology</i> , 2010 , 35, 698-711	1.8	25	
326	Executive functioning in healthy elderly Chinese people. <i>Archives of Clinical Neuropsychology</i> , 2007 , 22, 501-11	2.7	25	
325	Grey matter reduction in the caudate nucleus in patients with persistent negative symptoms: An ALE meta-analysis. <i>Schizophrenia Research</i> , 2018 , 192, 9-15	3.6	24	
324	Executive function in first-episode schizophrenia: a three-year longitudinal study of an ecologically valid test. <i>Schizophrenia Research</i> , 2011 , 126, 87-92	3.6	24	
323	Subjective awareness of everyday dysexecutive behavior precedes RobjectiveRexecutive problems in schizotypy: a replication and extension study. <i>Psychiatry Research</i> , 2011 , 185, 340-6	9.9	24	
322	Body image attitude among Chinese college students. <i>PsyCh Journal</i> , 2018 , 7, 31-40	1.4	23	
321	Domain-specific hedonic deficits towards social affective but not monetary incentives in social anhedonia. <i>Scientific Reports</i> , 2014 , 4, 4056	4.9	23	
320	Minor physical anomalies: potentially informative vestiges of fetal developmental disruptions in schizophrenia. <i>International Journal of Developmental Neuroscience</i> , 2011 , 29, 245-50	2.7	23	
319	Perceptual bias of patients with schizophrenia in morphed facial expression. <i>Psychiatry Research</i> , 2011 , 185, 60-5	9.9	23	
318	Latent factor structure of the Das-Naglieri Cognitive Assessment System: a confirmatory factor analysis in a Chinese setting. <i>Research in Developmental Disabilities</i> , 2011 , 32, 1988-97	2.7	23	
317	A psychometric study of the Test of Everyday Attention for Children in the Chinese setting. <i>Archives of Clinical Neuropsychology</i> , 2008 , 23, 455-66	2.7	23	
316	Reliability and validity of the Cantonese version of the Test of Everyday Attention among normal Hong Kong Chinese: a preliminary report. <i>Clinical Rehabilitation</i> , 2002 , 16, 900-9	3.3	23	
315	"Female Preponderance" of Depression in Non-clinical Populations: A Meta-Analytic Study. <i>Frontiers in Psychology</i> , 2016 , 7, 1398	3.4	23	
314	Differential mesolimbic and prefrontal alterations during reward anticipation and consummation in positive and negative schizotypy. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 254, 127-36	2.9	23	

Effects of nicotine on response inhibition and interference control. *Psychopharmacology*, **2017**, 234, 109 3-7, 111₂₂

312	The developmental trajectories of executive function of children and adolescents with Attention Deficit Hyperactivity Disorder. <i>Research in Developmental Disabilities</i> , 2013 , 34, 1434-45	2.7	22
311	Effects of aging, planning, and interruption on complex prospective memory. <i>Neuropsychological Rehabilitation</i> , 2013 , 23, 45-63	3.1	22
310	Facial emotion perception in Chinese patients with schizophrenia and non-psychotic first-degree relatives. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 393-400	5.5	22
309	Maturation of social attribution skills in typically developing children: an investigation using the social attribution task. <i>Behavioral and Brain Functions</i> , 2010 , 6, 10	4.1	22
308	Blink rate does matter: a study of blink rate, sustained attention, and neurological signs in schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2004 , 192, 781-3	1.8	22
307	Present-fatalistic time perspective and life satisfaction: The moderating role of age. <i>Personality and Individual Differences</i> , 2016 , 99, 161-165	3.3	22
306	Co-occurrence of autistic and schizotypal traits and its association with emotional and psychosocial function in Chinese college students. <i>Psychiatry Research</i> , 2017 , 248, 64-70	9.9	21
305	Comparisons of schizotypal traits across 12 countries: Results from the International Consortium for Schizotypy Research. <i>Schizophrenia Research</i> , 2018 , 199, 128-134	3.6	21
304	Bipolar disorder and schizophrenia share a similar deficit in semantic inhibition: a meta-analysis based on Hayling Sentence Completion Test performance. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 46, 153-60	5.5	21
303	Validation of the Chinese version of the Clinical Assessment Interview for Negative Symptoms (CAINS): a preliminary report. <i>Frontiers in Psychology</i> , 2015 , 6, 7	3.4	21
302	A 2-STAGE FACTOR ANALYSIS OF THE EMOTIONAL EXPRESSIVITY SCALE IN THE CHINESE CONTEXT. <i>Psychologia</i> , 2010 , 53, 44-50	0.2	21
301	Neurological abnormalities in Chinese schizophrenic patients. <i>Behavioural Neurology</i> , 2007 , 18, 171-81	3	21
300	Increased prefrontal and parietal cortical thickness does not correlate with anhedonia in patients with untreated first-episode major depressive disorders. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 234, 144-51	2.9	20
299	Empathy towards individuals of the same and different ethnicity when depicted in negative and positive contexts. <i>Personality and Individual Differences</i> , 2013 , 55, 8-13	3.3	20
298	Emotion categorization perception in schizophrenia in conversations with different social contexts. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 438-45	2.6	20
297	Sustained attention deficit along the psychosis proneness continuum: a study on the Sustained Attention to Response Task (SART). <i>Cognitive and Behavioral Neurology</i> , 2009 , 22, 180-5	1.6	20
296	A study of sensitivity of the sustained attention to response task in patients with schizophrenia. <i>Clinical Neuropsychologist</i> , 2004 , 18, 114-21	4.4	20

295	The influence of taste-congruent soundtracks on visual attention and food choice: A cross-cultural eye-tracking study in Chinese and Danish consumers. <i>Food Quality and Preference</i> , 2020 , 85, 103962	5.8	20
294	Altered Functional Connectivity of the Default Mode Network in Patients With Schizo-obsessive Comorbidity: A Comparison Between Schizophrenia and Obsessive-compulsive Disorder. <i>Schizophrenia Bulletin</i> , 2019 , 45, 199-210	1.3	20
293	Course of neurological soft signs in first-episode schizophrenia: Relationship with negative symptoms and cognitive performances. <i>Scientific Reports</i> , 2015 , 5, 11053	4.9	19
292	Rostral medial prefrontal dysfunctions and consummatory pleasure in schizophrenia: a meta-analysis of functional imaging studies. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 231, 187-96	2.9	19
291	Temporal processing impairment in children with attention-deficit-hyperactivity disorder. <i>Research in Developmental Disabilities</i> , 2012 , 33, 538-48	2.7	19
290	Neurological soft signs in obsessive-compulsive disorder: the effect of co-morbid psychosis and evidence for familiality. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012 , 39, 200-5	5.5	19
289	Stage effects of negative emotion on spatial and verbal working memory. <i>BMC Neuroscience</i> , 2010 , 11, 60	3.2	19
288	Attentional deficits in patients with post-concussion symptoms: a componential perspective. <i>Brain Injury</i> , 2001 , 15, 71-94	2.1	19
287	Trajectories of schizotypy and their emotional and social functioning: An 18-month follow-up study. <i>Schizophrenia Research</i> , 2018 , 193, 384-390	3.6	19
286	Decreased Subcortical and Increased Cortical Degree Centrality in a Nonclinical College Student Sample with Subclinical Depressive Symptoms: A Resting-State fMRI Study. <i>Frontiers in Human Neuroscience</i> , 2016 , 10, 617	3.3	19
285	The role of hedonics in the Human Affectome. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 102, 221-2	2 4 1	18
284	The neural basis of olfactory function and its relationship with anhedonia in individuals with schizotypy: An exploratory study. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 234, 202-7	2.9	18
283	Cross Cultural Validation and Extension of the Clinical Assessment Interview for Negative Symptoms (CAINS) in the Chinese Context: Evidence from a Spectrum Perspective. <i>Schizophrenia Bulletin</i> , 2018 , 44, S547-S555	1.3	18
282	Disrupted cortical network as a vulnerability marker for obsessive-compulsive disorder. <i>Brain Structure and Function</i> , 2014 , 219, 1801-12	4	18
281	Prospective memory performance in patients with drug-nalle, first-episode psychosis. <i>Schizophrenia Research</i> , 2013 , 143, 285-90	3.6	18
280	Brain structural plasticity in survivors of a major earthquake. <i>Journal of Psychiatry and Neuroscience</i> , 2013 , 38, 381-7	4.5	18
279	Theory of mind impairment and its clinical correlates in patients with schizophrenia, major depressive disorder and bipolar disorder. <i>Schizophrenia Research</i> , 2018 , 197, 349-356	3.6	18
278	Early maladaptive schemas as mediators between childhood maltreatment and later psychological distress among Chinese college students. <i>Psychiatry Research</i> , 2018 , 259, 493-500	9.9	18

277	The effects of working memory training on enhancing hedonic processing to affective rewards in individuals with high social anhedonia. <i>Psychiatry Research</i> , 2016 , 245, 482-490	9.9	17
276	The Social Cognition and Interaction Training (SCIT): an extension to individuals with schizotypal personality features. <i>Psychiatry Research</i> , 2010 , 178, 208-10	9.9	17
275	Dexterous movement complexity and cerebellar activation: a meta-analysis. <i>Brain Research Reviews</i> , 2009 , 59, 316-23		17
274	Cortical Thickness Changes Correlate with Cognition Changes after Cognitive Training: Evidence from a Chinese Community Study. <i>Frontiers in Aging Neuroscience</i> , 2016 , 8, 118	5.3	17
273	Validation of the Chinese version of the Anticipatory and Consummatory Interpersonal Pleasure Scale. <i>PsyCh Journal</i> , 2016 , 5, 238-244	1.4	17
272	Multivariate Neural Representations of Value during Reward Anticipation and Consummation in the Human Orbitofrontal Cortex. <i>Scientific Reports</i> , 2016 , 6, 29079	4.9	17
271	Resting-State Default Mode Network Related Functional Connectivity Is Associated With Sustained Attention Deficits in Schizophrenia and Obsessive-Compulsive Disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2018 , 12, 319	3.5	17
270	Breakdown of the striatal-default mode network loop in schizophrenia. <i>Schizophrenia Research</i> , 2015 , 168, 366-72	3.6	16
269	Low-pleasure beliefs in patients with schizophrenia and individuals with social anhedonia. <i>Schizophrenia Research</i> , 2018 , 201, 137-144	3.6	16
268	Prefrontal cortex connectivity dysfunction in performing the Fist-Edge-Palm task in patients with first-episode schizophrenia and non-psychotic first-degree relatives. <i>NeuroImage: Clinical</i> , 2015 , 9, 411	-7 ^{5.3}	16
267	Dimensional schizotypy and social cognition: an fMRI imaging study. <i>Frontiers in Behavioral Neuroscience</i> , 2015 , 9, 133	3.5	16
266	Prospective memory in non-psychotic first-degree relatives of patients with schizophrenia. <i>Psychiatry Research</i> , 2010 , 179, 285-90	9.9	16
265	Identification of neuroglycan C and interacting partners as potential susceptibility genes for schizophrenia in a Southern Chinese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 103-13	3.5	16
264	The differential clinical and neurocognitive profiles of COMT SNP rs165599 genotypes in schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2005 , 11, 202-4	3.1	16
263	The Cambridge Neurological Inventory: Clinical, Demographic, and Ethnic Correlates. <i>Psychiatric Annals</i> , 2003 , 33, 202-210	0.5	16
262	Disassociation of cognitive and affective aspects of theory of mind in obsessive-compulsive disorder. <i>Psychiatry Research</i> , 2017 , 255, 367-372	9.9	15
261	Problems in remembering to carry out future actions in first-episode schizophrenia: primary or secondary impairment?. <i>Journal of Psychiatric Research</i> , 2015 , 61, 141-9	5.2	15
260	Olfactory identification deficit and its relationship with hedonic traits in patients with first-episode schizophrenia and individuals with schizotypy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 83, 137-141	5.5	15

(2010-2018)

259	Association of schizotypy with striatocortical functional connectivity and its asymmetry in healthy adults. <i>Human Brain Mapping</i> , 2018 , 39, 288-299	5.9	15	
258	Striatal dysfunction in patients with schizophrenia and their unaffected first-degree relatives. <i>Schizophrenia Research</i> , 2018 , 195, 215-221	3.6	15	
257	Revisiting the overlap between autistic and schizotypal traits in the non-clinical population using meta-analysis and network analysis. <i>Schizophrenia Research</i> , 2019 , 212, 6-14	3.6	15	
256	Association study of polymorphisms in the alpha 7 nicotinic acetylcholine receptor subunit and catechol-o-methyl transferase genes with sensory gating in first-episode schizophrenia. <i>Psychiatry Research</i> , 2013 , 209, 431-8	9.9	15	
255	Facial emotion perception abnormality in patients with early schizophrenia. <i>Schizophrenia Research</i> , 2013 , 147, 230-5	3.6	15	
254	Exploratory study on the base-rate of paranoid ideation in a non-clinical Chinese sample. <i>Psychiatry Research</i> , 2011 , 185, 254-60	9.9	15	
253	Neurological abnormalities and neurocognitive functions in healthy elder people: a structural equation modeling analysis. <i>Behavioral and Brain Functions</i> , 2011 , 7, 32	4.1	15	
252	Two dissociable aspects of feeling-of-knowing: knowing that you know and knowing that you do not know. <i>Quarterly Journal of Experimental Psychology</i> , 2007 , 60, 672-80	1.8	15	
251	Structural and diffusion property alterations in unaffected siblings of patients with obsessive-compulsive disorder. <i>PLoS ONE</i> , 2014 , 9, e85663	3.7	15	
250	Evidence of structural invariance across three groups of Meehlian schizotypes. <i>NPJ Schizophrenia</i> , 2016 , 2, 16016	5.5	15	
249	Neurological soft signs precede the onset of schizophrenia: a study of individuals with schizotypy, ultra-high-risk individuals, and first-onset schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 49-56	5.1	15	
248	The effect and mechanisms of implementation intention in improving prospective memory performance in schizophrenia patients. <i>Psychiatry Research</i> , 2016 , 244, 86-93	9.9	14	
247	Cognitive and affective components of empathy and their relationship with personality dimensions in a Chinese sample. <i>Asian Journal of Social Psychology</i> , 2016 , 19, 244-253	1.4	14	
246	Different aspects of dysexecutive syndrome in patients with moyamoya disease and its clinical subtypes. <i>Journal of Neurosurgery</i> , 2016 , 125, 299-307	3.2	14	
245	Impaired Memory for Instructions in Children with Attention-Deficit Hyperactivity Disorder Is Improved by Action at Presentation and Recall. <i>Frontiers in Psychology</i> , 2017 , 8, 39	3.4	14	
244	Contribution of specific cognitive dysfunction to people with schizotypal personality. <i>Psychiatry Research</i> , 2011 , 186, 71-5	9.9	14	
243	Coping flexibility in young adults: comparison between subjects with and without schizotypal personality features. <i>Schizophrenia Research</i> , 2010 , 122, 185-92	3.6	14	
242	Executive control in schizophrenia in task involving semantic inhibition and working memory. <i>Psychiatry Research</i> , 2010 , 179, 259-66	9.9	14	

241	Do deaf adults with limited language have advanced theory of mind?. <i>Research in Developmental Disabilities</i> , 2010 , 31, 1491-501	2.7	14
240	Prospection deficits in schizophrenia: Evidence from clinical and subclinical samples. <i>Journal of Abnormal Psychology</i> , 2018 , 127, 710-721	7	14
239	Schizophrenia Spectrum Disorders Show Reduced Specificity and Less Positive Events in Mental Time Travel. <i>Frontiers in Psychology</i> , 2016 , 7, 1121	3.4	14
238	Generalizability of machine learning for classification of schizophrenia based on resting-state functional MRI data. <i>Human Brain Mapping</i> , 2020 , 41, 172-184	5.9	14
237	Schizophrenia and prospective memory impairments: a review. Clinical Neuropsychologist, 2018, 32, 836	-84547	14
236	Self-reported pleasure experience and motivation in individuals with schizotypal personality disorders proneness. <i>East Asian Archives of Psychiatry</i> , 2011 , 21, 115-22	1.1	14
235	Psychometric Properties of the Chinese Version of the Eating Attitudes Test in Young Female Patients with Eating Disorders in Mainland China. <i>European Eating Disorders Review</i> , 2017 , 25, 613-617	5.3	13
234	Validation and extension of the Questionnaire of Cognitive and Affective Empathy in the Chinese setting. <i>PsyCh Journal</i> , 2019 , 8, 439-448	1.4	13
233	Subjective pleasure experience in patients with recent-onset schizophrenia: A preliminary report. <i>Psychiatry Research</i> , 2015 , 228, 166-9	9.9	13
232	The influence of input and output modality on following instructions in working memory. <i>Scientific Reports</i> , 2015 , 5, 17657	4.9	13
231	Temporal perception deficits in schizophrenia: integration is the problem, not deployment of attentions. <i>Scientific Reports</i> , 2015 , 5, 9745	4.9	13
230	Distinct structural neural patterns of trait physical and social anhedonia: evidence from cortical thickness, subcortical volumes and inter-regional correlations. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 224, 184-91	2.9	13
229	Semantic processing impairment in individuals with schizotypal personality disorder features: a preliminary event-related potential study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 40, 93-102	5.5	13
228	Dysfunction in different phases of working memory in schizophrenia: evidence from ERP recordings. <i>Schizophrenia Research</i> , 2011 , 133, 112-9	3.6	13
227	Improving motivation through real-time fMRI-based self-regulation of the nucleus accumbens. <i>Neuropsychology</i> , 2018 , 32, 764-776	3.8	13
226	The neural transfer effect of working memory training to enhance hedonic processing in individuals with social anhedonia. <i>Scientific Reports</i> , 2016 , 6, 35481	4.9	13
225	Perspectives on Machine Learning for Classification of Schizotypy Using fMRI Data. <i>Schizophrenia Bulletin</i> , 2018 , 44, S480-S490	1.3	12
224	Age differences in delay discounting in Chinese adults. <i>Personality and Individual Differences</i> , 2016 , 90, 205-209	3.3	12

Tractography-based classification in distinguishing patients with first-episode schizophrenia from healthy individuals. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 88, 66-73	5.5	12	
Working memory dysfunctions predict social problem solving skills in schizophrenia. <i>Psychiatry Research</i> , 2014 , 220, 96-101	9.9	12	
The effect and mechanisms of implementation intentions on prospective memory in individuals with and without schizotypal personality features. <i>Memory</i> , 2014 , 22, 349-59	1.8	12	
Neurological soft signs in persons with amnestic mild cognitive impairment and the relationships to neuropsychological functions. <i>Behavioral and Brain Functions</i> , 2012 , 8, 29	4.1	12	
Effort-cost computation in a transdiagnostic psychiatric sample: Differences among patients with schizophrenia, bipolar disorder, and major depressive disorder. <i>PsyCh Journal</i> , 2020 , 9, 210-222	1.4	12	
ADHD subtypes and neuropsychological performance in an adult sample. <i>Research in Developmental Disabilities</i> , 2016 , 55, 55-63	2.7	12	
Forming implementation intentions improves prospective memory in early psychosis. <i>Psychiatry Research</i> , 2015 , 228, 265-71	9.9	11	
Luria revisited: cognitive research in schizophrenia, past implications and future challenges. <i>Philosophy, Ethics, and Humanities in Medicine</i> , 2015 , 10, 4	2.2	11	
Audiovisual temporal integration: Cognitive processing, neural mechanisms, developmental trajectory and potential interventions. <i>Neuropsychologia</i> , 2020 , 140, 107396	3.2	11	
Clustering of Schizotypal Features in Unaffected First-Degree Relatives of Schizophrenia Patients. <i>Schizophrenia Bulletin</i> , 2018 , 44, S536-S546	1.3	11	
Negative Schizotypy and Altered Functional Connectivity During Facial Emotion Processing. <i>Schizophrenia Bulletin</i> , 2018 , 44, S491-S500	1.3	11	
Altered grey matter volume and cortical thickness in patients with schizo-obsessive comorbidity. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 276, 65-72	2.9	11	
Childhood trauma is not a confounder of the overlap between autistic and schizotypal traits: A study in a non-clinical adult sample. <i>Psychiatry Research</i> , 2017 , 257, 111-117	9.9	11	
The effect of the muscarinic M receptor antagonist biperiden on cognition in medication free subjects with psychosis. <i>European Neuropsychopharmacology</i> , 2017 , 27, 854-864	1.2	11	
An exploratory study of the influence of conversation prosody on emotion and intention identification in schizophrenia. <i>Brain Research</i> , 2009 , 1281, 58-63	3.7	11	
Cortical asymmetries in unaffected siblings of patients with obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 234, 346-51	2.9	10	
Abnormal auditory-evoked gamma band oscillations in first-episode schizophrenia during both eye open and eye close states. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 86, 279-286	5.5	10	
Effects of cue frequency and repetition on prospective memory: an ERP investigation. <i>International Journal of Psychophysiology</i> , 2013 , 90, 250-7	2.9	10	
	healthy individuals. Progress in Neuro-Psychapharmacology and Biological Psychiatry, 2019, 88, 66-73 Working memory dysfunctions predict social problem solving skills in schizophrenia. Psychiatry Research, 2014, 220, 96-101 The effect and mechanisms of implementation intentions on prospective memory in individuals with and without schizotypal personality features. Memory, 2014, 22, 349-59 Neurological soft signs in persons with amnestic mild cognitive impairment and the relationships to neuropsychological functions. Behavioral and Brain Functions, 2012, 8, 29 Effort-cost computation in a transdiagnostic psychiatric sample: Differences among patients with schizophrenia, bipolar disorder, and major depressive disorder. PsyCh Journal, 2020, 9, 210-222 ADHD subtypes and neuropsychological performance in an adult sample. Research in Developmental Disabilities, 2016, 55, 55-63 Forming implementation intentions improves prospective memory in early psychosis. Psychiatry Research, 2015, 228, 265-71 Luria revisited: cognitive research in schizophrenia, past implications and future challenges. Philosophy, Ethics, and Humanities in Medicine, 2015, 10, 4 Audiovisual temporal integration: Cognitive processing, neural mechanisms, developmental trajectory and potential interventions. Neuropsychologia, 2020, 140, 107396 Clustering of Schizotypal Features in Unaffected First-Degree Relatives of Schizophrenia Patients. Schizophrenia Bulletin, 2018, 44, S336-5546 Negative Schizotypy and Altered Functional Connectivity During Facial Emotion Processing. Schizophrenia Bulletin, 2018, 44, S491-5500 Altered grey matter volume and cortical thickness in patients with schizo-obsessive comorbidity. Psychiatry Research - Neuroimaging, 2018, 276, 55-72 Childhood trauma is not a confounder of the overlap between autistic and schizotypal traits: A study in a non-clinical adult sample. Psychiatry Research, 2017, 257, 111-117 The effect of the muscarinic M receptor antagonist biperioden on cognition in medication free subjects with	healthy individuals. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 88, 66-73 Working memory dysfunctions predict social problem solving skills in schizophrenia. Psychiatry Research, 2014, 220, 96-101 The effect and mechanisms of implementation intentions on prospective memory in individuals with and without schizotypal personality features. Memory, 2014, 22, 349-59 Neurological soft signs in persons with amnestic mild cognitive impairment and the relationships to neuropsychological functions. Behavioral and Brain Functions, 2012, 8, 29 Effort-cost computation in a transdiagnostic psychiatric sample: Differences among patients with schizophrenia, bipolar disorder, and major depressive disorder. Psych Journal, 2020, 9, 210-222 ADHD subtypes and neuropsychological performance in an adult sample. Research in Developmental Disabilities, 2016, 55, 55-63 Forming implementation intentions improves prospective memory in early psychosis. Psychiatry Research, 2015, 228, 265-71 Luria revisited: cognitive research in schizophrenia, past implications and future challenges. Philosophy. Ethics, and Humanities in Medicine, 2015, 10, 4 Audiovisual temporal integration: Cognitive processing, neural mechanisms, developmental trajectory and potential interventions. Neuropsychologia, 2020, 140, 107396 Clustering of Schizotypal Features in Unaffected First-Degree Relatives of Schizophrenia Patients. Schizophrenia Bulletin, 2018, 44, 533-5346 Negative Schizotypy and Altered Functional Connectivity During Facial Emotion Processing. Schizophrenia Bulletin, 2018, 44, 5491-5500 Altered grey matter volume and cortical thickness in patients with schizo-obsessive comorbidity. Psychiatry Research - Neuroimaging, 2018, 276, 65-72 Childhood trauma is not a confounder of the overlap between autistic and schizotypal traits: A study in a non-clinical adult sample. Psychiatry Research, 2017, 277, 854-864 An exploratory study of the influence of conversation prosody on emotion and intention identification in schi	healthy individuals. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 88, 66-73 55 12 Working memory dysfunctions predict social problem solving skills in schizophrenia. Psychiatry Research, 2014, 220, 96-101 The effect and mechanisms of implementation intentions on prospective memory in individuals with and without schizotypal personality features. Memory, 2014, 22, 349-59 Neurological soft signs in persons with amnestic mild cognitive impairment and the relationships to europsychological functions. Behavioral and Brain Functions, 2012, 8, 29 Effort-cost computation in a transdiagnostic psychiatric sample: Differences among patients with schizophrenia, bipolar disorder, and major depressive disorder. Psych Journal, 2020, 9, 210-222 ADHD subtypes and neuropsychological performance in an adult sample. Research in Developmental Disabilities, 2016, 55, 55-63 Forming implementation intentions improves prospective memory in early psychosis. Psychiatry Research, 2015, 228, 265-71 Luria revisited: cognitive research in schizophrenia, past implications and future challenges. Pshilosophy, Ethics, and Humanities in Medicine, 2015, 10, 4 Audiovisual temporal integration: Cognitive processing, neural mechanisms, developmental trajectory and potential interventions. Neuropsychologia, 2020, 140, 107396 Clustering of Schizotypal Features in Unaffected First-Degree Relatives of Schizophrenia Patients. Schizophrenia Bulletin, 2018, 44, S336-S346 Negative Schizotypy and Altered Functional Connectivity During Facial Emotion Processing. 13 11 Altered grey matter volume and cortical thickness in patients with schizo-obsessive comorbidity. Psychiatry Research - Neuroimaging, 2018, 276, 65-72 Childhood trauma is not a confounder of the overlap between autistic and schizotypal traits: A study in a non-clinical adult sample. Psychiatry Research, 2017, 257, 111-117 The effect of the muscarinic M receptor antagonist biperiden on cognition in medication free subjects with psychosis. European Neuropsych

205	Re-visiting the nature and relationships between neurological signs and neurocognitive functions in first-episode schizophrenia: An invariance model across time. <i>Scientific Reports</i> , 2015 , 5, 11850	4.9	10
204	Do patients with schizophrenia have a general or specific deficit in the perception of social threat? A meta-analytic study. <i>Psychiatry Research</i> , 2011 , 185, 1-8	9.9	10
203	Social attribution in children with high functioning autism and Asperger syndrome: An exploratory study in the Chinese setting. <i>Research in Autism Spectrum Disorders</i> , 2011 , 5, 1538-1548	3	10
202	A family study of endophenotypes for psychosis within an early intervention programme in Hong Kong: Rationale and preliminary findings. <i>Science Bulletin</i> , 2011 , 56, 3394-3397		10
201	The association between family history of mental disorder and delusional-like experiences: a general population study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 478-83	3.5	10
200	Prospective memory in healthy Chinese people: the latent structure of the Comprehensive Assessment of Prospective Memory Questionnaire. <i>Neuropsychological Rehabilitation</i> , 2010 , 20, 459-70	3.1	10
199	Multitasking performance of Chinese children with ADHD. <i>Journal of the International Neuropsychological Society</i> , 2006 , 12, 575-9	3.1	10
198	Social functioning in Chinese college students with and without schizotypal personality traits: an exploratory study of the Chinese version of the First Episode Social Functioning Scale. <i>PLoS ONE</i> , 2013 , 8, e61115	3.7	10
197	Schizotypy is associated with reduced mnemonic precision in visual working memory. <i>Schizophrenia Research</i> , 2018 , 193, 91-97	3.6	10
196	Impaired cue identification and intention retrieval underlie prospective memory deficits in patients with first-episode schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 270-277	2.6	9
195	Culture-Sex Interaction and the Self-Report Empathy in Australians and Mainland Chinese. <i>Frontiers in Psychology</i> , 2019 , 10, 396	3.4	9
194	Evidence in cortical folding patterns for prenatal predispositions to hallucinations in schizophrenia. <i>Translational Psychiatry</i> , 2020 , 10, 387	8.6	9
193	Neural responses during the anticipation and receipt of olfactory reward and punishment in human. <i>Neuropsychologia</i> , 2018 , 111, 172-179	3.2	9
192	Suspiciousness in young minds: Convergent evidence from non-clinical, clinical and community twin samples. <i>Schizophrenia Research</i> , 2018 , 199, 135-141	3.6	9
191	Neural correlates of prospective memory in individuals with schizotypal personality features. Neuropsychology, 2014 , 28, 373-81	3.8	9
190	Happy facial expression processing with different social interaction cues: an fMRI study of individuals with schizotypal personality traits. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 44, 108-17	5.5	9
189	Developmental trajectories of schizotypal personality disorder-like behavioural manifestations: a two-year longitudinal prospective study of college students. <i>BMC Psychiatry</i> , 2013 , 13, 323	4.2	9
188	The relation between prospective memory and working memory: Evidence from event-related potential data. <i>PsyCh Journal</i> , 2013 , 2, 113-21	1.4	9

(2019-2006)

187	Latent structure of the Test of Everyday Attention in a non-clinical Chinese sample. <i>Archives of Clinical Neuropsychology</i> , 2006 , 21, 477-85	2.7	9
186	Neurological Soft Signs and Brain Network Abnormalities in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020 , 46, 562-571	1.3	9
185	Clinical utility of the dual n-back task in schizophrenia: A functional imaging approach. <i>Psychiatry Research - Neuroimaging</i> , 2019 , 284, 37-44	2.9	9
184	Enhancing Psychosis-Spectrum Nosology Through an International Data Sharing Initiative. <i>Schizophrenia Bulletin</i> , 2018 , 44, S460-S467	1.3	9
183	Association between Maltreatment, Positive Parent-Child Interaction, and Psychosocial Well-Being in Young Children. <i>Journal of Pediatrics</i> , 2019 , 213, 180-186.e1	3.6	8
182	The structural invariance of the Temporal Experience of Pleasure Scale across time and culture. <i>PsyCh Journal</i> , 2018 , 7, 59-67	1.4	8
181	Mediation effect of beliefs about pleasure and emotional experience between social anhedonia and prediction of pleasant events. <i>Psychiatry Research</i> , 2018 , 264, 39-45	9.9	8
180	Profiling of experiential pleasure, emotional regulation and emotion expression in patients with schizophrenia. <i>Schizophrenia Research</i> , 2018 , 195, 396-401	3.6	8
179	Affective experience and motivated behavior in schizophrenia spectrum disorders: Evidence from clinical and nonclinical samples. <i>Neuropsychology</i> , 2016 , 30, 673-84	3.8	8
178	Heritability estimates of spatial working memory and set-shifting in a healthy Chinese twin sample: A preliminary study. <i>PsyCh Journal</i> , 2018 , 7, 144-151	1.4	8
177	Worry and metacognitions as predictors of the development of anxiety and paranoia. <i>Scientific Reports</i> , 2019 , 9, 14723	4.9	8
176	Neural Temporal Dynamics of Facial Emotion Processing: Age Effects and Relationship to Cognitive Function. <i>Frontiers in Psychology</i> , 2017 , 8, 1110	3.4	8
175	Chinese and Australians showed difference in mental time travel in emotion and content but not specificity. <i>Frontiers in Psychology</i> , 2015 , 6, 879	3.4	8
174	A preliminary study of food transfer in Sichuan snub-nosed monkeys (Rhinopithecus roxellana). <i>American Journal of Primatology</i> , 2008 , 70, 148-52	2.5	8
173	The Effects of Ethnically Congruent Music on Eye Movements and Food Choice-A Cross-Cultural Comparison between Danish and Chinese Consumers. <i>Foods</i> , 2020 , 9,	4.9	8
172	Devaluation of Rewards for the Future Is Associated With Schizotypal Personality Features. <i>Australian Psychologist</i> , 2016 , 51, 481-489	1.7	8
171	Neural correlates of prospective memory impairments in schizophrenia. <i>Neuropsychology</i> , 2016 , 30, 169	9-8.8	8
170	Functional connectivity of the default mode network is associated with prospection in schizophrenia patients and individuals with social anhedonia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 92, 412-420	5.5	8

169	Sounds Healthy: Modelling sound-evoked consumer food choice through visual attention. <i>Appetite</i> , 2021 , 164, 105264	4.5	8
168	Life review therapy enhances mental time travel in patients with schizophrenia. <i>Psychiatry Research</i> , 2017 , 258, 145-152	9.9	7
167	Effects of perceptual and semantic cues on ERP modulations associated with prospective memory. <i>International Journal of Psychophysiology</i> , 2015 , 98, 151-6	2.9	7
166	Neural mechanism and heritability of complex motor sequence and audiovisual integration: A healthy twin study. <i>Human Brain Mapping</i> , 2018 , 39, 1438-1448	5.9	7
165	Network analysis of schizotypal personality traits and their association with other subclinical psychiatric features. <i>Asian Journal of Psychiatry</i> , 2019 , 44, 209-216	6.7	7
164	Evidence of dysexecutive syndrome in patients with acromegaly. <i>Pituitary</i> , 2017 , 20, 661-667	4.3	7
163	Oxytocin and Schizophrenia Spectrum Disorders. <i>Current Topics in Behavioral Neurosciences</i> , 2018 , 35, 515-527	3.4	7
162	Time-based but not event-based prospective memory remains impaired one year after the onset of schizophrenia: A prospective study. <i>Schizophrenia Research</i> , 2015 , 169, 147-152	3.6	7
161	Perceived importance of prospective memory failures in adults with traumatic brain injury. <i>Neuropsychological Rehabilitation</i> , 2014 , 24, 61-70	3.1	7
160	Differential relationship between neurological and cognitive dysfunction in first episode psychosis patients and in healthy individuals. <i>Schizophrenia Research</i> , 2012 , 142, 159-64	3.6	7
159	Impact of the aging process on event-, time-, and activity-based prospective memory. <i>PsyCh Journal</i> , 2013 , 2, 63-73	1.4	7
158	Structural alterations in the caudate nucleus and precuneus in un-medicated anorexia nervosa patients. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 281, 12-18	2.9	7
157	Effect of emotional cues on prospective memory performance in patients with schizophrenia and major depressive disorder. <i>Schizophrenia Research</i> , 2018 , 201, 145-150	3.6	7
156	The remediation effects of working memory training in schizophrenia patients with prominent negative symptoms. <i>Cognitive Neuropsychiatry</i> , 2019 , 24, 434-453	2	6
155	Affective forecasting and accuracy in social anhedonia: Predicted and experienced emotion for a social interaction. <i>Journal of Clinical Psychology</i> , 2019 , 75, 1684-1700	2.8	6
154	Developmental Trajectories of Attention in Typically Developing Chinese Children: A Four-Wave Longitudinal Study. <i>Developmental Neuropsychology</i> , 2018 , 43, 479-496	1.8	6
153	Identifying Schizo-Obsessive Comorbidity by Tract-Based Spatial Statistics and Probabilistic Tractography. <i>Schizophrenia Bulletin</i> , 2020 , 46, 442-453	1.3	6
152	Strategies for the study of neuropsychiatric disorders using endophenotypes in developing countries: a potential databank from china. <i>Frontiers in Human Neuroscience</i> , 2010 , 4, 207	3.3	6

(2011-2019)

151	Association between decreased HDL levels and cognitive deficits in patients with bipolar disorder: a pilot study. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 25	5.4	6	
150	Emotional Experiences Predict the Conversion of Individuals with Attenuated Psychosis Syndrome to Psychosis: A 6-Month Follow up Study. <i>Frontiers in Psychology</i> , 2016 , 7, 818	3.4	6	
149	Anticipatory pleasure for future rewards is attenuated in patients with schizophrenia but not in individuals with schizotypal traits. <i>Schizophrenia Research</i> , 2019 , 206, 118-126	3.6	6	
148	Implementation intention training for prospective memory in schizophrenia: A 3-month follow-up study. <i>Schizophrenia Research</i> , 2019 , 206, 378-385	3.6	6	
147	Neurological Signs at the First Psychotic Episode as Correlates of Long-Term Outcome: Results From the AESOP-10 Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 118-127	1.3	6	
146	The development of multitasking in children aged 7-12years: Evidence from cross-sectional and longitudinal data. <i>Journal of Experimental Child Psychology</i> , 2017 , 161, 63-80	2.3	5	
145	Working memory training can improve anhedonia in college students with subsyndromal depressive symptoms. <i>PsyCh Journal</i> , 2019 , 8, 401-410	1.4	5	
144	Altered brain white matter microstructural asymmetry in children with ADHD. <i>Psychiatry Research</i> , 2020 , 285, 112817	9.9	5	
143	Exploring the links between alexithymia, empathy and schizotypy in college students using network analysis. <i>Cognitive Neuropsychiatry</i> , 2020 , 25, 245-253	2	5	
142	An attempt at revisiting the factor structure of the Dysexecutive Questionnaire in the Chinese setting. <i>PsyCh Journal</i> , 2018 , 7, 25-30	1.4	5	
141	Classification of social anhedonia using temporal and spatial network features from a social cognition fMRI task. <i>Human Brain Mapping</i> , 2019 , 40, 4965-4981	5.9	5	
140	Associations of cortical thickness, surface area and subcortical volumes with insight in drug-nalle adults with obsessive-compulsive disorder. <i>NeuroImage: Clinical</i> , 2019 , 24, 102037	5.3	5	
139	Verbal self-monitoring in individuals with schizotypal personality traits: an exploratory ERP study. <i>Asian Journal of Psychiatry</i> , 2014 , 11, 53-8	6.7	5	
138	The indirect assessment of social anhedonia in Chinese adolescents: Preliminary findings. <i>Psychiatry Research</i> , 2017 , 257, 418-423	9.9	5	
137	Anticipatory pleasure predicts effective connectivity in the mesolimbic system. <i>Frontiers in Behavioral Neuroscience</i> , 2015 , 9, 217	3.5	5	
136	Validation of the Griffith Empathy Measure in the Chinese Context. <i>Brain Impairment</i> , 2014 , 15, 10-17	1	5	
135	Consortium for the Human Information and Neurocognitive Endophenotype (CHINE) in mainland China: An example from neurological soft signs for neuropsychiatric disorders. <i>Science Bulletin</i> , 2011 , 56, 3409-3415		5	
134	Event-related potential correlates of suspicious thoughts in individuals with schizotypal personality features. <i>Social Neuroscience</i> , 2011 , 6, 559-68	2	5	

133	Latent structure of the Test of Everyday Attention: convergent evidence from patients with traumatic brain injury. <i>Brain Injury</i> , 2006 , 20, 653-9	2.1	5
132	VISUAL ATTENTION, EMOTIONAL AND BEHAVIORAL RESPONSES TO FACIAL EXPRESSION IN YOUNG CHILDREN WITH AUTISM. <i>Psychologia</i> , 2011 , 54, 156-165	0.2	5
131	Following Instructions in Patients With Schizophrenia: The Benefits of Actions at Encoding and Recall. <i>Schizophrenia Bulletin</i> , 2018 , 44, 137-146	1.3	5
130	Delay discounting and affective priming in individuals with negative schizotypy. <i>Schizophrenia Research</i> , 2019 , 210, 180-187	3.6	5
129	Neurological soft signs and grey matter abnormalities in individuals with ultra-high risk for psychosis. <i>PsyCh Journal</i> , 2019 , 8, 252-260	1.4	5
128	Affective forecasting in individuals with social anhedonia: The role of social components in anticipated emotion, prospection and neural activation. <i>Schizophrenia Research</i> , 2020 , 215, 322-329	3.6	5
127	Altered grey matter volume and white matter integrity in individuals with high schizo-obsessive traits, high schizotypal traits and obsessive-compulsive symptoms. <i>Asian Journal of Psychiatry</i> , 2020 , 52, 102096	6.7	5
126	Neurological Soft Signs Are Associated With Altered Cerebellar-Cerebral Functional Connectivity in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1452-1462	1.3	5
125	Dysexecutive symptoms among a non-clinical sample: A study with the use of the Dysexecutive Questionnaire. <i>British Journal of Psychology</i> , 2001 , 92 Part 3, 551-565	4	5
124	Post-Ingestive Sensations Driving Post-Ingestive Food Pleasure: A Cross-Cultural Consumer Study Comparing Denmark and China. <i>Foods</i> , 2020 , 9,	4.9	4
123	Motivation deficits in individuals with social anhedonia. <i>Psychiatry Research</i> , 2018 , 261, 527-534	9.9	4
122	Crossing Boundaries in Schizotypy Research: An Introduction to the Special Supplement. <i>Schizophrenia Bulletin</i> , 2018 , 44, S457-S459	1.3	4
121	Revisiting the persistent negative symptoms proxy score using the Clinical Assessment Interview for Negative Symptoms. <i>Schizophrenia Research</i> , 2018 , 202, 248-253	3.6	4
120	Inheritance of Neural Substrates for Motivation and Pleasure. <i>Psychological Science</i> , 2019 , 30, 1205-121	7 7.9	4
119	Preliminary study of visual perspective in mental time travel in schizophrenia. <i>Psychiatry Research</i> , 2017 , 256, 225-227	9.9	4
118	Do patients with schizophrenia and healthy elderly people show similar patterns of prospective memory performance?. <i>Archives of Clinical Neuropsychology</i> , 2010 , 25, 648-55	2.7	4
117	Facial emotion linked cooperation in patients with paranoid schizophrenia: a test on the Interpersonal Communication Model. <i>International Journal of Social Psychiatry</i> , 2011 , 57, 509-17	8.5	4
116	Emotion-behavior decoupling in individuals with schizophrenia, bipolar disorder, and major depressive disorder. <i>Journal of Abnormal Psychology</i> , 2020 , 129, 331-342	7	4

(2020-2020)

115	Audiovisual temporal integration and rapid temporal recalibration in adolescents and adults: Age-related changes and its correlation with autistic traits. <i>Autism Research</i> , 2020 , 13, 615-626	5.1	4
114	The effect of implementation intentions on prospective memory performance in patients with schizophrenia: A multinomial modeling approach. <i>Schizophrenia Research</i> , 2020 , 215, 120-125	3.6	4
113	Self-reported sensory responsiveness patterns in typically-developing and early-onset schizophrenia adolescents: Its relationship with schizotypal and autistic traits. <i>Journal of Psychiatric Research</i> , 2020 , 131, 255-262	5.2	4
112	The impact of childhood trauma on thalamic functional connectivity in patients with obsessive-compulsive disorder. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	4
111	Cerebellar hypoactivation is associated with impaired sensory integration in schizophrenia. <i>Journal of Abnormal Psychology</i> , 2021 , 130, 102-111	7	4
110	The general facilitation effect of implementation intentions on prospective memory performance in patients with schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2018 , 23, 350-363	2	4
109	A Cross-Cultural Examination of the Experiences in Close Relationships Revised General Short Form (ECR-R-GSF) in an Australian and a Chinese Sample. <i>Journal of Relationships Research</i> , 2019 , 10,	1.1	3
108	The nature of prospective memory deficit in patients with obsessive-compulsive disorder. <i>Psychiatry Research</i> , 2015 , 230, 479-86	9.9	3
107	Dissociation between affective experience and motivated behaviour in schizophrenia patients and their unaffected first-degree relatives and schizotypal individuals. <i>Psychological Medicine</i> , 2018 , 48, 14	74-148	33
106	Structural neural correlates of multitasking: A voxel-based morphometry study. <i>PsyCh Journal</i> , 2016 , 5, 219-227	1.4	3
105	A trend toward smaller optical angles and medial-ocular distance in schizophrenia spectrum, but not in bipolar and major depressive disorders. <i>PsyCh Journal</i> , 2016 , 5, 228-237	1.4	3
104	Neural correlates of prospection impairments in schizophrenia: Evidence from voxel-based morphometry analysis. <i>Psychiatry Research - Neuroimaging</i> , 2019 , 293, 110987	2.9	3
103	Moderating effect of age on the association between future time perspective and preventive coping. <i>PsyCh Journal</i> , 2017 , 6, 185-193	1.4	3
102	An application of individual subtest scores calculation in the Cantonese version of the Test of Everyday Attention. <i>Psychological Reports</i> , 2003 , 93, 1275-82	1.6	3
101	Talking while performing a task: a better attentional performance in patients with closed head injury?. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2002 , 24, 695-704	2.1	3
100	Prospective Memory Influences Social Functioning in People With First-Episode Schizophrenia: A Network Analysis and Longitudinal Study <i>Journal of Clinical Psychiatry</i> , 2022 , 83,	4.6	3
99	Neural correlates of audiovisual sensory integration. <i>Neuropsychology</i> , 2018 , 32, 329-336	3.8	3
98	Network structure of anticipatory pleasure and risk features: Evidence from a large college sample. <i>PsyCh Journal</i> , 2020 , 9, 223-233	1.4	3

97	Revisiting anticipatory hedonic processing in patients with schizophrenia: An examination between representation activation and maintenance. <i>Schizophrenia Research</i> , 2020 , 216, 138-146	3.6	3
96	Semantic processing event-related potential features in patients with schizophrenia and bipolar disorder. <i>PsyCh Journal</i> , 2020 , 9, 247-257	1.4	3
95	Impaired olfactory identification and hedonic judgment in schizophrenia patients with prominent negative symptoms. <i>Cognitive Neuropsychiatry</i> , 2020 , 25, 126-138	2	3
94	Applying network analysis to investigate the links between dimensional schizotypy and cognitive and affective empathy. <i>Journal of Affective Disorders</i> , 2020 , 277, 313-321	6.6	3
93	Schizotypal and obsessive-compulsive traits: Co-occurrence rate and relationship with executive function, emotion experience, and emotion expressivity in college students. <i>PsyCh Journal</i> , 2020 , 9, 74	9- 75 9	3
92	Altered brain structural and functional connectivity in schizotypy. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	3
91	Network analysis of executive function, emotion, and social anhedonia. <i>PsyCh Journal</i> , 2021 ,	1.4	3
90	Cognitive insight is correlated with cognitive impairments and contributes to medication adherence in schizophrenia patients. <i>Asian Journal of Psychiatry</i> , 2021 , 60, 102644	6.7	3
89	Latent structure of self-report negative symptoms in patients with schizophrenia: A preliminary study. <i>Asian Journal of Psychiatry</i> , 2021 , 61, 102680	6.7	3
88	Event-, Time- and Activity-Based Prospective Memory in Children with ADHD. <i>Developmental Neuropsychology</i> , 2019 , 44, 554-565	1.8	3
87	Visual short-term memory and attention: An investigation of familiarity and stroke count in Chinese characters. <i>Journal of Experimental Psychology: Learning Memory and Cognition</i> , 2021 , 47, 282-294	2.2	3
86	Invariance of factor structure of the 21-item Peters et al. Delusions Inventory (PDI-21) over time and across samples. <i>Psychiatry Research</i> , 2017 , 254, 190-197	9.9	2
85	Searchlight classification based on Amplitude of Low Frequency Fluctuation and functional connectivity in individuals with obsessive-compulsive symptoms. <i>Cognitive Neuropsychiatry</i> , 2019 , 24, 322-334	2	2
84	The interaction between positive schizotypy and high sensitivity C-reactive protein on response inhibition in female individuals. <i>Psychiatry Research</i> , 2019 , 274, 365-371	9.9	2
83	Population-based identity-by-descent mapping combined with exome sequencing to detect rare risk variants for schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , 180, 223-231	3.5	2
82	Association between the COMT gene and neurological abnormalities and poorer executive function in psychosis. <i>Psychiatry Research</i> , 2015 , 230, 742-3	9.9	2
81	Structural and functional brain abnormalities in children with schizotypal disorder: a pilot study. <i>NPJ Schizophrenia</i> , 2020 , 6, 6	5.5	2
80	Validation and extension of the Motivation and Pleasure Scale-Self Report (MAP-SR) across the schizophrenia spectrum in the Chinese context. <i>Asian Journal of Psychiatry</i> , 2020 , 49, 101971	6.7	2

(2021-2020)

79	The thinner the better: Evidence on the internalization of the slimness ideal in Chinese college students. <i>PsyCh Journal</i> , 2020 , 9, 544-552	1.4	2
78	Social anhedonia across mental disorders: A validation study of the Anticipatory and Consummatory Interpersonal Pleasure Scale. <i>PsyCh Journal</i> , 2020 , 9, 160-162	1.4	2
77	Validation of the Chinese version of the Multidimensional Schizotypy Scale (MSS): Convergent evidence from exploratory and confirmatory factor analyses. <i>Asian Journal of Psychiatry</i> , 2020 , 51, 1020	5 ⁶ 7	2
76	Theory of mind performances in first-episode schizophrenia patients: An 18-month follow-up study. <i>Psychiatry Research</i> , 2018 , 261, 357-360	9.9	2
75	Mind wandering in schizophrenia: A thought-sampling study. Consciousness and Cognition, 2019, 74, 102	757.64	2
74	Cultural differences in sensitivity to the relationship between objects and contexts: evidence from P3. <i>NeuroReport</i> , 2014 , 25, 656-60	1.7	2
73	The nature and extent of working memory dysfunction in schizophrenia. <i>PsyCh Journal</i> , 2013 , 2, 175-82	1.4	2
72	Executive inhibition: A study of postcommission error slowing and postomission error speeding. <i>PsyCh Journal</i> , 2013 , 2, 161-6	1.4	2
71	Translating genomic research into care for people with schizophrenia in China. <i>Schizophrenia Research</i> , 2011 , 131, 31-4	3.6	2
70	Pleasure Experience and Emotion Expression in Patients with Schizophrenia. <i>Shanghai Archives of Psychiatry</i> , 2017 , 29, 268-276		2
69	The Most Commonly Used Instruments in Research on Functioning in Schizophrenia. <i>European Psychologist</i> , 2020 , 25, 283-292	4.4	2
68	A Meta-analysis of Mental Time Travel in Individuals with Autism Spectrum Disorders. <i>Journal of Autism and Developmental Disorders</i> , 2021 , 1	4.6	2
67	Differential profiles of response inhibition deficit between male children with autism spectrum disorders and schizophrenia. <i>Autism Research</i> , 2020 , 13, 591-602	5.1	2
66	Grey matter volume and structural covariance associated with schizotypy. <i>Schizophrenia Research</i> , 2020 , 224, 88-94	3.6	2
65	Resting frontal EEG asymmetry and schizotypal traits: a test-retest study. <i>Cognitive Neuropsychiatry</i> , 2020 , 25, 333-347	2	2
64	Distinct clinical manifestations of obsessive-compulsive disorder are associated with cortical thickness alteration. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211009623	2.6	2
63	Social brain network correlates with real-life social network in individuals with schizophrenia and social anhedonia. <i>Schizophrenia Research</i> , 2021 , 232, 77-84	3.6	2
62	Correlations Between Audiovisual Temporal Processing and Sensory Responsiveness in Adolescents with Autistic Traits. <i>Journal of Autism and Developmental Disorders</i> , 2021 , 51, 2450-2460	4.6	2

61	Comparing motor imagery and verbal rehearsal strategies in children ability to follow spoken instructions. <i>Journal of Experimental Child Psychology</i> , 2021 , 203, 105033	2.3	2
60	Neural Correlates of Audiovisual Temporal Binding Window in Individuals With Schizotypal and Autistic Traits: Evidence From Resting-State Functional Connectivity. <i>Autism Research</i> , 2021 , 14, 668-68	0 ^{5.1}	2
59	Neural correlates of future-oriented coping: Preliminary evidence from a resting-state functional connectivity study. <i>PsyCh Journal</i> , 2018 , 7, 239-247	1.4	2
58	Range-Adaptive Value Representation in Different Stages of Schizophrenia: A Proof of Concept Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1524-1533	1.3	2
57	"Sound" Decisions: The Combined Role of Ambient Noise and Cognitive Regulation on the Neurophysiology of Food Cravings <i>Frontiers in Neuroscience</i> , 2022 , 16, 827021	5.1	2
56	Negative belief-updating bias for positive daily life events in individuals with schizophrenia and social anhedonia <i>Cognitive Neuropsychiatry</i> , 2021 , 1-18	2	2
55	Humour processing deficits in individuals with social anhedonia. <i>Psychiatry Research</i> , 2019 , 275, 345-350) 9.9	1
54	Clinical Implication of Brain Asymmetries in Psychiatric Disorders. <i>Biological Psychiatry</i> , 2020 , 87, 1014-1	1916	1
53	Altered cerebellocerebral structural covariance in individuals with attenuated psychosis syndrome. <i>Asian Journal of Psychiatry</i> , 2020 , 53, 102238	6.7	1
52	Relationship between prospective memory and vigilance: Evidence from ERP. <i>Science Bulletin</i> , 2012 , 57, 4057-4063		1
51	Trying to be optimistic? The emotion perception of schizophrenia within conversation context. <i>Psychiatry Research</i> , 2011 , 185, 300-1	9.9	1
50	Which neurological abnormalities and neuropsychological impairments share the same substrate in psychosis?. <i>Science Bulletin</i> , 2011 , 56, 3372-3375		1
49	Is there an anatomical endophenotype for neurodevelopmental disorders? A review of dual disorder anatomical likelihood estimation (ALE) meta-analyses of grey matter volumes. <i>Science Bulletin</i> , 2011 , 56, 3376-3381		1
48	Psychological investigation of the "feeling of being seen through" in a non-clinical sample using an ERP paradigm. <i>Brain Research</i> , 2009 , 1254, 63-73	3.7	1
47	Theory of Mind in the Early Course of Schizophrenia. Current Psychiatry Reviews, 2017, 13,	0.9	1
46	Neurological and Neuropsychological Endophenotypes in Schizophrenia Spectrum Disorders 2011 , 325-	349	1
45	Validation of the Questionnaire of Cognitive and Affective Empathy in patients with schizophrenia, major depressive disorder and bipolar disorder. <i>Cognitive Neuropsychiatry</i> , 2020 , 25, 466-479	2	1
44	Altered activation and functional connectivity in individuals with social anhedonia when envisioning positive future episodes. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	1

43	The effect of effort-reward imbalance on brain structure and resting-state functional connectivity in individuals with high levels of schizotypal traits. <i>Cognitive Neuropsychiatry</i> , 2021 , 26, 166-182	2	1
42	Altered cortico-striatal functional connectivity in people with high levels of schizotypy: A longitudinal resting-state study. <i>Asian Journal of Psychiatry</i> , 2021 , 58, 102621	6.7	1
41	A network analysis of interoception, self-awareness, empathy, alexithymia, and autistic traits. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	1
40	Prospective memory in individuals with first-episode schizophrenia: A two-year longitudinal study. <i>Microbial Biotechnology</i> , 2019 , 13, 1099-1104	3.3	1
39	Impact of long-term institutionalization on experiential pleasure and motivation in patients with schizophrenia. <i>PsyCh Journal</i> , 2020 , 9, 77-86	1.4	1
38	High incentive salience promotes motivation and pleasure experience. <i>PsyCh Journal</i> , 2020 , 9, 150-152	1.4	1
37	Schizophrenia patients with poor clinical insight report less subjective memory problems. <i>PsyCh Journal</i> , 2021 , 10, 437-443	1.4	1
36	The benefits of emotionally salient cues on event-based prospective memory in bipolar patients and schizophrenia patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1503-1	5 5 1∙1	1
35	Individuals with Autistic Traits Exhibit Heightened Alexithymia But Intact Interoceptive-Exteroceptive Sensory Integration. <i>Journal of Autism and Developmental Disorders</i> , 2021 , 1	4.6	1
34	A Conceptual Framework for Multi-Dimensional Measurements of Food Related Pleasure-The Food Pleasure Scale. <i>Foods</i> , 2021 , 10,	4.9	1
33	The past and future of mapping the biomarkers of psychosis. <i>Current Opinion in Behavioral Sciences</i> , 2022 , 43, 1-5	4	1
32	Deficits in maintenance and interference control of working memory in major depression: evidence from the visuospatial change detection task. <i>Cognitive Neuropsychiatry</i> , 2021 , 26, 122-135	2	1
31	Theories and models of negative symptoms in schizophrenia and clinical implications		1
30	First episode psychosis with extrapyramidal signs prior to antipsychotic drug treatment. <i>Science Bulletin</i> , 2011 , 56, 3361-3371		O
29	Shared and distinct reward neural mechanisms among patients with schizophrenia, major depressive disorder, and bipolar disorder: an effort-based functional imaging study <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	0
28	Neural mechanisms of prospection in individuals with schizotypal traits, autistic traits, or depressive symptoms. <i>Journal of Abnormal Psychology</i> , 2021 , 130, 807-814	7	O
27	Longitudinal bifactor modeling of anxiety, depression and schizotypy - The role of rumination as a shared mechanism <i>Schizophrenia Research</i> , 2022 , 240, 153-161	3.6	0
26	Food pleasure across nations: A comparison of the drivers between Chinese and Danish populations. <i>Food Quality and Preference</i> , 2022 , 97, 104493	5.8	O

25	Hub-connected functional connectivity within social brain network weakens the association with real-life social network in schizophrenia patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	0
24	Altered default mode network functional connectivity in individuals with co-occurrence of schizotypy and obsessive-compulsive traits. <i>Psychiatry Research - Neuroimaging</i> , 2020 , 305, 111170	2.9	O
23	Validation of the Chinese Version of the Body Image Concern Inventory. <i>Evaluation and the Health Professions</i> , 2020 , 163278720979651	2.5	0
22	An ERP study on proactive and reactive response inhibition in individuals with schizotypy. <i>Scientific Reports</i> , 2021 , 11, 8394	4.9	O
21	Different trajectories of neurological soft signs progression between treatment-responsive and treatment-resistant schizophrenia patients. <i>Journal of Psychiatric Research</i> , 2021 , 138, 607-614	5.2	0
20	Altered empathy-related resting-state functional connectivity in patients with bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	O
19	Multidimensional Interoception and Autistic Traits Across life Stages: Evidence From a Novel Eye-tracking Task. <i>Journal of Autism and Developmental Disorders</i> , 2021 , 1	4.6	0
18	Convergent validity of the Chinese version of the Multidimensional Schizotypy Scale. <i>Asian Journal of Psychiatry</i> , 2021 , 61, 102671	6.7	O
17	Audiovisual Temporal Processing in Children and Adolescents With Schizophrenia and Children and Adolescents With Autism: Evidence From Simultaneity-Judgment Tasks and Eye-Tracking Data. <i>Clinical Psychological Science</i> ,216770262110315	6	0
16	Patients with bipolar disorder show differential executive dysfunctions: A case-control study. <i>Psychiatry Research</i> , 2016 , 238, 129-136	9.9	O
15	Neural correlates of the effect of implementation intention on prospective memory. <i>PsyCh Journal</i> , 2019 , 8, 261-270	1.4	0
14	Social brain network predicts real-world social network in individuals with social anhedonia. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 317, 111390	2.9	O
13	Dissociation of Proactive and Reactive Cognitive Control in Individuals with Schizotypy: An Event-Related Potential Study. <i>Journal of the International Neuropsychological Society</i> , 2021 , 27, 981-99	13.1	0
12	Validity and normative data of the Chinese Prospective and Retrospective Memory Questionnaire (PRMQ) across adolescence, adults and elderly people <i>Memory</i> , 2021 , 1-10	1.8	O
11	The role of the SLC6A3 3RUTR VNTR in nicotine effects on cognitive, affective, and motor function. <i>Psychopharmacology</i> , 2021 , 239, 489	4.7	0
10	Adopting a cognitive neuroscience approach to study clinically ultra-high-risk individuals. <i>PsyCh Journal</i> , 2017 , 6, 100-101	1.4	
9	Modification and validation of a performance-based functional capacity instrument for individuals with schizophrenia. <i>Psychiatry Research</i> , 2019 , 281, 112572	9.9	
8	Decoding dyadic interactive nonverbal behaviour in Chinese and Australian cohorts: A novel dyadic puzzle-solving task. <i>Asian Journal of Social Psychology</i> , 2017 , 20, 128-136	1.4	

LIST OF PUBLICATIONS

7	(Rhinopithecus roxellana): challenge to begging for nutritional gain. <i>Folia Primatologica</i> , 2010 , 81, 265-	-7 ² ·2
6	AN APPLICATION OF INDIVIDUAL SUBTEST SCORES CALCULATION IN THE CANTONESE VERSION OF THE TEST OF EVERYDAY ATTENTION. <i>Psychological Reports</i> , 2003 , 93, 1275	1.6
5	A Preliminary Study of Memory Functions in Unaffected First-Degree Relatives of Schizophrenia. <i>Lecture Notes in Computer Science</i> , 2013 , 11-19	0.9
4	Anticipatory and Consummatory Anhedonia in Individuals with Schizotypal Traits 2014 , 227-245	
3	Co-occurrence of schizo-obsessive traits and its correlation with altered executive control network functional connectivity. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1
2	Investigation of structural brain correlates of neurological soft signs in individuals at ultra-high risk for psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1475-1485	5.1
1	Volition in prospective Memory: Evidence against differences between free and fixed target events. <i>Consciousness and Cognition</i> , 2021 , 94, 103175	2.6