## Andrea Pfennig

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4031118/publications.pdf

Version: 2024-02-01

109 papers 9,378 citations

38 h-index 90 g-index

128 all docs

128 docs citations

times ranked

128

12261 citing authors

#	Article	IF	CITATIONS
1	Genome-wide association study identifies 30 loci associated with bipolar disorder. Nature Genetics, 2019, 51, 793-803.	21.4	1,191
2	Polymorphisms in FKBP5 are associated with increased recurrence of depressive episodes and rapid response to antidepressant treatment. Nature Genetics, 2004, 36, 1319-1325.	21.4	892
3	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. Brain Imaging and Behavior, 2014, 8, 153-182.	2.1	696
4	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829.	21.4	629
5	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Unipolar Depressive Disorders, Part 1: Update 2013 on the acute and continuation treatment of unipolar depressive disorders. World Journal of Biological Psychiatry, 2013, 14, 334-385.	2.6	480
6	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Unipolar Depressive Disorders in Primary Care. World Journal of Biological Psychiatry, 2007, 8, 67-104.	2.6	335
7	Combined Dexamethasone/Corticotropin Releasing Hormone Test Predicts Treatment Response in Major Depression–A Potential Biomarker?. Biological Psychiatry, 2007, 62, 47-54.	1.3	319
8	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. Lancet, The, 2016, 387, 1085-1093.	13.7	306
9	Prevention of Psychosis. JAMA Psychiatry, 2020, 77, 755.	11.0	287
10	Reciprocal modulation and attenuation in the prefrontal cortex: An fMRI study on emotional–cognitive interaction. Human Brain Mapping, 2004, 21, 202-212.	3.6	225
11	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. Human Molecular Genetics, 2016, 25, 3383-3394.	2.9	182
12	Lithium for prevention of mood episodes in bipolar disorders: systematic review and meta-analysis. International Journal of Bipolar Disorders, 2014, 2, 15.	2.2	168
13	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. PLoS ONE, 2013, 8, e65636.	2.5	156
14	Mood episodes and mood disorders: patterns of incidence and conversion in the first three decades of life. Bipolar Disorders, 2009, 11, 637-649.	1.9	139
15	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. Biological Psychiatry, 2020, 88, 169-184.	1.3	137
16	Hypothalamus-pituitary-adrenal system regulation and suicidal behavior in depression. Biological Psychiatry, 2005, 57, 336-342.	1.3	136
17	The International Consortium on Lithium Genetics (ConLiGen): An Initiative by the NIMH and IGSLI to Study the Genetic Basis of Response to Lithium Treatment. Neuropsychobiology, 2010, 62, 72-78.	1.9	134
18	What is good mental health? A scoping review. European Neuropsychopharmacology, 2020, 31, 33-46.	0.7	131

#	Article	IF	CITATIONS
19	Epidemiology of Bipolar Disorders. Epilepsia, 2005, 46, 8-13.	5.1	128
20	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. JAMA Psychiatry, 2018, 75, 65-74.	11.0	102
21	Lithium's Emerging Role in the Treatment of Refractory Major Depressive Episodes: Augmentation of Antidepressants. Neuropsychobiology, 2010, 62, 36-42.	1.9	101
22	How do we modulate our emotions? Parametric fMRI reveals cortical midline structures as regions specifically involved in the processing of emotional valences. Cognitive Brain Research, 2005, 25, 348-358.	3.0	91
23	Risk constellations prior to the development of bipolar disorders: Rationale of a new risk assessment tool. Journal of Affective Disorders, 2012, 136, 1000-1010.	4.1	90
24	Efficacy of an Algorithm-Guided Treatment Compared With Treatment as Usual. Journal of Clinical Psychopharmacology, 2009, 29, 327-333.	1.4	82
25	Gender differences in thyroid system function: relevance to bipolar disorder and its treatment. Bipolar Disorders, 2014, 16, 58-71.	1.9	81
26	Identification of shared risk loci and pathways for bipolar disorder and schizophrenia. PLoS ONE, 2017, 12, e0171595.	2.5	77
27	The characteristics of sleep in patients with manifest bipolar disorder, subjects at high risk of developing the disease and healthy controls. Journal of Neural Transmission, 2012, 119, 1173-1184.	2.8	74
28	Disturbed sleep as risk factor for the subsequent onset of bipolar disorder – Data from a 10-year prospective-longitudinal study among adolescents and young adults. Journal of Psychiatric Research, 2015, 68, 76-82.	3.1	71
29	An International Society of Bipolar Disorders task force report: Precursors and prodromes of bipolar disorder. Bipolar Disorders, 2019, 21, 720-740.	1.9	71
30	Self-reporting software for bipolar disorder: Validation of ChronoRecord by patients with mania. Psychiatry Research, 2008, 159, 359-366.	3.3	62
31	The role of disturbed sleep in the early recognition of bipolar disorder: a systematic review. Bipolar Disorders, 2011, 13, 227-237.	1.9	61
32	Universal and selective interventions to promote good mental health in young people: Systematic review and meta-analysis. European Neuropsychopharmacology, 2020, 41, 28-39.	0.7	56
33	Large positive effect of lithium on prefrontal cortex N-acetylaspartate in patients with bipolar disorder: 2-centre study. Journal of Psychiatry and Neuroscience, 2012, 37, 185-192.	2.4	54
34	Long-Term Effectiveness of Lithium in Bipolar Disorder. Journal of Clinical Psychiatry, 2008, 69, 1860-1868.	2.2	53
35	Early recognition of bipolar disorder. European Psychiatry, 2007, 22, 92-98.	0.2	49
36	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. Molecular Psychiatry, 2021, 26, 2457-2470.	7.9	44

3

#	Article	IF	Citations
37	Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. Journal of Affective Disorders, 2014, 167, 104-111.	4.1	43
38	Predictors of length of stay in psychiatric inpatient units: Does their effect vary across countries?. European Psychiatry, 2018, 48, 6-12.	0.2	43
39	Influence of atypical features on the quality of prophylactic effectiveness of longâ€ŧerm lithium treatment in bipolar disorders. Bipolar Disorders, 2010, 12, 390-396.	1.9	40
40	Mental illness, problem behaviour, needs and service use in adults with intellectual disability. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 767-776.	3.1	40
41	Impact of sunlight on the age of onset of bipolar disorder. Bipolar Disorders, 2012, 14, 654-663.	1.9	39
42	Influence of light exposure during early life on the age of onset of bipolar disorder. Journal of Psychiatric Research, 2015, 64, 1-8.	3.1	39
43	The Hypomania Checklist-32 and the Mood Disorder Questionnaire as screening tools — going beyond samples of purely mood-disordered patients. Journal of Affective Disorders, 2011, 128, 291-298.	4.1	38
44	European college of neuropsychopharmacology network on the prevention of mental disorders and mental health promotion (ECNP PMD-MHP). European Neuropsychopharmacology, 2019, 29, 1301-1311.	0.7	38
45	The Diagnosis and Treatment of Bipolar Disorder. Deutsches Ärzteblatt International, 2013, 110, 92-100.	0.9	37
46	Self-reported data from patients with bipolar disorder: Frequency of brief depression. Journal of Affective Disorders, 2007, 101, 227-233.	4.1	34
47	The bipolar disorder prodrome revisited: Is there a symptomatic pattern?. Journal of Affective Disorders, 2013, 151, 551-560.	4.1	34
48	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). Journal of Affective Disorders, 2022, 299, 367-376.	4.1	33
49	Diagnosis and treatment in the early illness phase of bipolar disorders. European Archives of Psychiatry and Clinical Neuroscience, 2008, 258, 50-54.	3.2	32
50	Subsyndromal Mood Symptoms: A Useful Concept for Maintenance Studies of Bipolar Disorder?. Psychopathology, 2010, 43, 1-7.	1.5	32
51	Predictors and outcomes of suicidal ideation during peripartum period. Journal of Affective Disorders, 2019, 257, 518-526.	4.1	32
52	Healthcare system performance in continuity of care for patients with severe mental illness: A comparison of five European countries. Health Policy, 2020, 124, 25-36.	3.0	30
53	Psychotherapeutic interventions in individuals at risk of developing bipolar disorder: a systematic review. Microbial Biotechnology, 2014, 8, 3-11.	1.7	29
54	Aims and structure of the German Research Consortium BipoLife for the study of bipolar disorder. International Journal of Bipolar Disorders, 2016, 4, 26.	2.2	29

#	Article	IF	Citations
55	Ghrelin Plasma Levels during Psychopharmacological Treatment. Neuropsychobiology, 2005, 52, 11-16.	1.9	28
56	Neurocognitive Impairment and Dementia in Mood Disorders. Journal of Neuropsychiatry and Clinical Neurosciences, 2007, 19, 373-382.	1.8	28
57	Prophylactic lithium treatment and cognitive performance in patients with a long history of bipolar illness: no simple answers in complex disease-treatment interplay. International Journal of Bipolar Disorders, 2014, 2, 1.	2.2	28
58	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. Frontiers in Psychiatry, 2018, 9, 207.	2.6	28
59	Early specific cognitive-behavioural psychotherapy in subjects at high risk for bipolar disorders: study protocol for a randomised controlled trial. Trials, 2014, 15, 161.	1.6	25
60	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. Translational Psychiatry, 2021, 11, 606.	4.8	25
61	Characteristics, symptomatology and naturalistic treatment in individuals at-risk for bipolar disorders: Baseline results in the first 180 help-seeking individuals assessed at the dresden high-risk project. Journal of Affective Disorders, 2014, 152-154, 427-433.	4.1	23
62	The influence of cross-sectoral treatment models on patients with mental disorders in Germany: study protocol of a nationwide long-term evaluation study (EVA64). BMC Psychiatry, 2018, 18, 139.	2.6	23
63	Whole-exome sequencing of 81 individuals from 27 multiply affected bipolar disorder families. Translational Psychiatry, 2020, 10, 57.	4.8	23
64	Primary prevention of depression: An umbrella review of controlled interventions. Journal of Affective Disorders, 2021, 294, 957-970.	4.1	23
65	Stability of lithium treatment in bipolar disorder - long-term follow-up of 346 patients. International Journal of Bipolar Disorders, 2013, $1,11.$	2.2	22
66	Temperament and prodromal symptoms prior to first manic/hypomanic episodes: Results from a pilot study. Journal of Affective Disorders, 2015, 173, 39-44.	4.1	21
67	Longitudinal changes in the antecedent and early manifest course of bipolar disorder—A narrative review of prospective studies. Australian and New Zealand Journal of Psychiatry, 2017, 51, 509-523.	2.3	21
68	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. Bipolar Disorders, 2019, 21, 68-75.	1.9	20
69	Effectiveness of Global Treatment Budgets for Patients With Mental Disorders—Claims Data Based Meta-Analysis of 13 Controlled Studies From Germany. Frontiers in Psychiatry, 2020, 11, 131.	2.6	20
70	Specialised teams or personal continuity across inpatient and outpatient mental healthcare? Study protocol for a natural experiment. BMJ Open, 2015, 5, e008996.	1.9	18
71	Improving early recognition and intervention in people at increased risk for the development of bipolar disorder: study protocol of a prospective-longitudinal, naturalistic cohort study (Early-BipoLife). International Journal of Bipolar Disorders, 2020, 8, 22.	2.2	18
72	The "DGPPN-Cohort― a national collaboration initiative by the German Association for Psychiatry and Psychotherapy (DGPPN) for establishing a large-scale cohort of psychiatric patients. European Archives of Psychiatry and Clinical Neuroscience, 2013, 263, 695-701.	3.2	17

#	Article	IF	CITATIONS
73	Screening for Depression and High Utilization of Health Care Resources Among Patients in Primary Care. Community Mental Health Journal, 2014, 50, 753-758.	2.0	17
74	Type 2 diabetes and pre-diabetic abnormalities in patients with bipolar disorders. Journal of Affective Disorders, 2016, 189, 240-245.	4.1	17
75	Factors associated with satisfaction of inpatient psychiatric care: a cross country comparison. Psychological Medicine, 2020, 50, 284-292.	4.5	17
76	Disturbed sleep in bipolar disorder is related to an elevation of IL-6 in peripheral monocytes. Medical Hypotheses, 2013, 81, 1031-1033.	1.5	16
77	Impulsivity predicts illness severity in long-term course of bipolar disorder: A prospective approach. Australian and New Zealand Journal of Psychiatry, 2018, 52, 876-886.	2.3	16
78	Multiperspective and Multimethod Evaluation of Flexible and Integrative Psychiatric Care Models in Germany: Study Protocol of a Prospective, Controlled Multicenter Observational Study (PsychCare). Frontiers in Psychiatry, 2021, 12, 659773.	2.6	16
79	Gene set enrichment analysis and expression pattern exploration implicate an involvement of neurodevelopmental processes in bipolar disorder. Journal of Affective Disorders, 2018, 228, 20-25.	4.1	14
80	Melatonin suppression by melanopsin-weighted light in patients with bipolar I disorder compared to healthy controls. Journal of Psychiatry and Neuroscience, 2020, 45, 79-87.	2.4	14
81	Efficacy of cognitiveâ€behavioral group therapy in patients at risk for serious mental illness presenting with subthreshold bipolar symptoms: Results from a prespecified interim analysis of a multicenter, randomized, controlled study. Bipolar Disorders, 2020, 22, 517-529.	1.9	14
82	Can network analysis shed light on predictors of lithium response in bipolar I disorder?. Acta Psychiatrica Scandinavica, 2020, 141, 522-533.	4.5	13
83	Individuals at increased risk for development of bipolar disorder display structural alterations similar to people with manifest disease. Translational Psychiatry, 2021, 11, 485.	4.8	13
84	MEMENTA—â€~Mental healthcare provision for adults with intellectual disability and a mental disorder'. A cross-sectional epidemiological multisite study assessing prevalence of psychiatric symptomatology, needs for care and quality of healthcare provision for adults with intellectual disability in Germany: a study protocol: TableÂ1. BMJ Open, 2014, 4, e004878.	1.9	11
85	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. British Journal of Psychiatry, 2022, 220, 219-228.	2.8	11
86	Creativity in persons atâ€risk for bipolar disorderâ€"A pilot study. Microbial Biotechnology, 2019, 13, 1165-1172.	1.7	10
87	Use of psychiatric hospitals and social integration of patients with psychiatric disorders: a prospective cohort study in five European countries. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1425-1438.	3.1	10
88	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. Scientific Reports, 2021, 11, 17823.	3.3	10
89	Medikamentöse Behandlung der SuizidalitÃĦ Verhaltenstherapie, 2005, 15, 29-37.	0.4	8
90	Prevalence of Prediabetes and Diabetes Mellitus Type II in Bipolar Disorder. Frontiers in Psychiatry, 2020, 11, 314.	2.6	8

#	Article	IF	Citations
91	Mapping Research Domain Criteria using a transdiagnostic mini-RDoC assessment in mental disorders: a confirmatory factor analysis. European Archives of Psychiatry and Clinical Neuroscience, 2023, 273, 527-539.	3.2	7
92	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. International Journal of Bipolar Disorders, 2021, 9, 26.	2.2	6
93	Association of Attention-Deficit/Hyperactivity Disorder and Depression Polygenic Scores with Lithium Response: A Consortium for Lithium Genetics Study. Complex Psychiatry, 2021, 7, 80-89.	0.9	6
94	Risk Stratification for Bipolar Disorder Using Polygenic Risk Scores Among Young High-Risk Adults. Frontiers in Psychiatry, 2020, 11, 552532.	2.6	5
95	Clinical Risk Constellations for the Development of Bipolar Disorders. Medicina (Lithuania), 2021, 57, 792.	2.0	5
96	Evaluation of a flexible and integrative psychiatric care model in a department of child and adolescent psychiatry in $T\tilde{A}^{1/4}$ bingen, Germany: study protocol (EVA_TIBAS). BMC Health Services Research, 2021, 21, 1262.	2.2	5
97	The German research consortium for the study of bipolar disorder (BipoLife): a magnetic resonance imaging study protocol. International Journal of Bipolar Disorders, 2021, 9, 37.	2.2	5
98	Physical Health Profile and Associated Behavior During the COVID-19 Pandemic in Patients With Bipolar Disorder. Frontiers in Psychiatry, 2021, 12, 759694.	2.6	5
99	Changes and Challenges in Inpatient Mental Health Care During the First Two High Incidence Phases of the COVID-19 Pandemic in Germany – Results From the COVID ΠPsychiatry Survey. Frontiers in Psychiatry, 2022, 13, 855040.	2.6	5
100	Role of the IL-6-Receptor expression in CD14+ monocytes in modulating sleep in patients with bipolar disorder. Journal of Affective Disorders, 2018, 239, 152-160.	4.1	4
101	Predictors of personal continuity of care of patients with severe mental illness: A comparison across five European countries. European Psychiatry, 2019, 56, 69-74.	0.2	4
102	Blood pressure control in the year following coronary events. International Journal of Cardiology, 2008, 130, 205-210.	1.7	3
103	Comparing discrimination among people with schizophrenia, affective and anxiety disorders. A multilevel study in five European countries. Journal of Affective Disorders, 2021, 279, 191-202.	4.1	3
104	Early detection of bipolar disorders and treatment recommendations for help-seeking adolescents and young adults: Findings of the Early Detection and Intervention Center Dresden. International Journal of Bipolar Disorders, 2021, 9, 23.	2.2	3
105	The big five model in bipolar disorder: a latent profile analysis and its impact on longterm illness severity. International Journal of Bipolar Disorders, 2022, 10, 1.	2.2	3
106	Olanzapine in the treatment of depression with psychotic features: A prospective open-label study. International Journal of Psychiatry in Clinical Practice, 2008, 12, 202-209.	2.4	2
107	Do outcomes of psychiatric hospital treatment differ for migrants and non-migrants?. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1957-1965.	3.1	1
108	Neurocognition in neurology. Lancet Neurology, The, 2009, 8, 233.	10.2	0

#	Article	IF	CITATIONS
109	Reply to the Letter to the Editor by George et al World Journal of Biological Psychiatry, 2014, 15, 169-170.	2.6	O