

Andrea Pfennig

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4031118/publications.pdf>

Version: 2024-02-01

109
papers

9,378
citations

87888

38
h-index

45317

90
g-index

128
all docs

128
docs citations

128
times ranked

12261
citing authors

#	ARTICLE	IF	CITATIONS
1	Mapping Research Domain Criteria using a transdiagnostic mini-RDoC assessment in mental disorders: a confirmatory factor analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2023, 273, 527-539.	3.2	7
2	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). <i>Journal of Affective Disorders</i> , 2022, 299, 367-376.	4.1	33
3	The big five model in bipolar disorder: a latent profile analysis and its impact on longterm illness severity. <i>International Journal of Bipolar Disorders</i> , 2022, 10, 1.	2.2	3
4	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228.	2.8	11
5	Changes and Challenges in Inpatient Mental Health Care During the First Two High Incidence Phases of the COVID-19 Pandemic in Germany – Results From the COVID – Psychiatry Survey. <i>Frontiers in Psychiatry</i> , 2022, 13, 855040.	2.6	5
6	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470.	7.9	44
7	Comparing discrimination among people with schizophrenia, affective and anxiety disorders. A multilevel study in five European countries. <i>Journal of Affective Disorders</i> , 2021, 279, 191-202.	4.1	3
8	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	21.4	629
9	Do outcomes of psychiatric hospital treatment differ for migrants and non-migrants?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1957-1965.	3.1	1
10	Multiperspective and Multimethod Evaluation of Flexible and Integrative Psychiatric Care Models in Germany: Study Protocol of a Prospective, Controlled Multicenter Observational Study (PsychCare). <i>Frontiers in Psychiatry</i> , 2021, 12, 659773.	2.6	16
11	Early detection of bipolar disorders and treatment recommendations for help-seeking adolescents and young adults: Findings of the Early Detection and Intervention Center Dresden. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 23.	2.2	3
12	Clinical Risk Constellations for the Development of Bipolar Disorders. <i>Medicina (Lithuania)</i> , 2021, 57, 792.	2.0	5
13	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 26.	2.2	6
14	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823.	3.3	10
15	Individuals at increased risk for development of bipolar disorder display structural alterations similar to people with manifest disease. <i>Translational Psychiatry</i> , 2021, 11, 485.	4.8	13
16	Primary prevention of depression: An umbrella review of controlled interventions. <i>Journal of Affective Disorders</i> , 2021, 294, 957-970.	4.1	23
17	Association of Attention-Deficit/Hyperactivity Disorder and Depression Polygenic Scores with Lithium Response: A Consortium for Lithium Genetics Study. <i>Complex Psychiatry</i> , 2021, 7, 80-89.	0.9	6
18	Evaluation of a flexible and integrative psychiatric care model in a department of child and adolescent psychiatry in Tübingen, Germany: study protocol (EVA_TIBAS). <i>BMC Health Services Research</i> , 2021, 21, 1262.	2.2	5

#	ARTICLE	IF	CITATIONS
19	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606.	4.8	25
20	The German research consortium for the study of bipolar disorder (BipoLife): a magnetic resonance imaging study protocol. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 37.	2.2	5
21	Physical Health Profile and Associated Behavior During the COVID-19 Pandemic in Patients With Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 759694.	2.6	5
22	Factors associated with satisfaction of inpatient psychiatric care: a cross country comparison. <i>Psychological Medicine</i> , 2020, 50, 284-292.	4.5	17
23	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020, 88, 169-184.	1.3	137
24	Healthcare system performance in continuity of care for patients with severe mental illness: A comparison of five European countries. <i>Health Policy</i> , 2020, 124, 25-36.	3.0	30
25	What is good mental health? A scoping review. <i>European Neuropsychopharmacology</i> , 2020, 31, 33-46.	0.7	131
26	Risk Stratification for Bipolar Disorder Using Polygenic Risk Scores Among Young High-Risk Adults. <i>Frontiers in Psychiatry</i> , 2020, 11, 552532.	2.6	5
27	Universal and selective interventions to promote good mental health in young people: Systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2020, 41, 28-39.	0.7	56
28	Melatonin suppression by melanopsin-weighted light in patients with bipolar I disorder compared to healthy controls. <i>Journal of Psychiatry and Neuroscience</i> , 2020, 45, 79-87.	2.4	14
29	Prevalence of Prediabetes and Diabetes Mellitus Type II in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 314.	2.6	8
30	Use of psychiatric hospitals and social integration of patients with psychiatric disorders: a prospective cohort study in five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1425-1438.	3.1	10
31	Efficacy of cognitive-behavioral group therapy in patients at risk for serious mental illness presenting with subthreshold bipolar symptoms: Results from a prespecified interim analysis of a multicenter, randomized, controlled study. <i>Bipolar Disorders</i> , 2020, 22, 517-529.	1.9	14
32	Prevention of Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 755.	11.0	287
33	Whole-exome sequencing of 81 individuals from 27 multiply affected bipolar disorder families. <i>Translational Psychiatry</i> , 2020, 10, 57.	4.8	23
34	Can network analysis shed light on predictors of lithium response in bipolar I disorder?. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 522-533.	4.5	13
35	Effectiveness of Global Treatment Budgets for Patients With Mental Disorders—Claims Data Based Meta-Analysis of 13 Controlled Studies From Germany. <i>Frontiers in Psychiatry</i> , 2020, 11, 131.	2.6	20
36	Improving early recognition and intervention in people at increased risk for the development of bipolar disorder: study protocol of a prospective-longitudinal, naturalistic cohort study (Early-BipoLife). <i>International Journal of Bipolar Disorders</i> , 2020, 8, 22.	2.2	18

#	ARTICLE	IF	CITATIONS
37	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75.	1.9	20
38	Predictors and outcomes of suicidal ideation during peripartum period. <i>Journal of Affective Disorders</i> , 2019, 257, 518-526.	4.1	32
39	European college of neuropsychopharmacology network on the prevention of mental disorders and mental health promotion (ECNP PMD-MHP). <i>European Neuropsychopharmacology</i> , 2019, 29, 1301-1311.	0.7	38
40	An International Society of Bipolar Disorders task force report: Precursors and prodromes of bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 720-740.	1.9	71
41	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	21.4	1,191
42	Predictors of personal continuity of care of patients with severe mental illness: A comparison across five European countries. <i>European Psychiatry</i> , 2019, 56, 69-74.	0.2	4
43	Creativity in persons at risk for bipolar disorder – A pilot study. <i>Microbial Biotechnology</i> , 2019, 13, 1165-1172.	1.7	10
44	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74.	11.0	102
45	Predictors of length of stay in psychiatric inpatient units: Does their effect vary across countries?. <i>European Psychiatry</i> , 2018, 48, 6-12.	0.2	43
46	Gene set enrichment analysis and expression pattern exploration implicate an involvement of neurodevelopmental processes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 228, 20-25.	4.1	14
47	Role of the IL-6-Receptor expression in CD14+ monocytes in modulating sleep in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 239, 152-160.	4.1	4
48	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207.	2.6	28
49	The influence of cross-sectoral treatment models on patients with mental disorders in Germany: study protocol of a nationwide long-term evaluation study (EVA64). <i>BMC Psychiatry</i> , 2018, 18, 139.	2.6	23
50	Impulsivity predicts illness severity in long-term course of bipolar disorder: A prospective approach. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 876-886.	2.3	16
51	Longitudinal changes in the antecedent and early manifest course of bipolar disorder – A narrative review of prospective studies. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 509-523.	2.3	21
52	Identification of shared risk loci and pathways for bipolar disorder and schizophrenia. <i>PLoS ONE</i> , 2017, 12, e0171595.	2.5	77
53	Mental illness, problem behaviour, needs and service use in adults with intellectual disability. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 767-776.	3.1	40
54	Aims and structure of the German Research Consortium BipoLife for the study of bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 26.	2.2	29

#	ARTICLE	IF	CITATIONS
55	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394.	2.9	182
56	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016, 387, 1085-1093.	13.7	306
57	Type 2 diabetes and pre-diabetic abnormalities in patients with bipolar disorders. <i>Journal of Affective Disorders</i> , 2016, 189, 240-245.	4.1	17
58	Specialised teams or personal continuity across inpatient and outpatient mental healthcare? Study protocol for a natural experiment. <i>BMJ Open</i> , 2015, 5, e008996.	1.9	18
59	Temperament and prodromal symptoms prior to first manic/hypomanic episodes: Results from a pilot study. <i>Journal of Affective Disorders</i> , 2015, 173, 39-44.	4.1	21
60	Disturbed sleep as risk factor for the subsequent onset of bipolar disorder – Data from a 10-year prospective-longitudinal study among adolescents and young adults. <i>Journal of Psychiatric Research</i> , 2015, 68, 76-82.	3.1	71
61	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015, 64, 1-8.	3.1	39
62	Reply to the Letter to the Editor by George et al.. <i>World Journal of Biological Psychiatry</i> , 2014, 15, 169-170.	2.6	0
63	MENTA – Mental healthcare provision for adults with intellectual disability and a mental disorder™. A cross-sectional epidemiological multisite study assessing prevalence of psychiatric symptomatology, needs for care and quality of healthcare provision for adults with intellectual disability in Germany: a study protocol: Table 1. <i>BMJ Open</i> , 2014, 4, e004878.	1.9	11
64	Gender differences in thyroid system function: relevance to bipolar disorder and its treatment. <i>Bipolar Disorders</i> , 2014, 16, 58-71.	1.9	81
65	Psychotherapeutic interventions in individuals at risk of developing bipolar disorder: a systematic review. <i>Microbial Biotechnology</i> , 2014, 8, 3-11.	1.7	29
66	Lithium for prevention of mood episodes in bipolar disorders: systematic review and meta-analysis. <i>International Journal of Bipolar Disorders</i> , 2014, 2, 15.	2.2	168
67	Prophylactic lithium treatment and cognitive performance in patients with a long history of bipolar illness: no simple answers in complex disease-treatment interplay. <i>International Journal of Bipolar Disorders</i> , 2014, 2, 1.	2.2	28
68	Characteristics, symptomatology and naturalistic treatment in individuals at-risk for bipolar disorders: Baseline results in the first 180 help-seeking individuals assessed at the dresden high-risk project. <i>Journal of Affective Disorders</i> , 2014, 152-154, 427-433.	4.1	23
69	Screening for Depression and High Utilization of Health Care Resources Among Patients in Primary Care. <i>Community Mental Health Journal</i> , 2014, 50, 753-758.	2.0	17
70	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. <i>Brain Imaging and Behavior</i> , 2014, 8, 153-182.	2.1	696
71	Early specific cognitive-behavioural psychotherapy in subjects at high risk for bipolar disorders: study protocol for a randomised controlled trial. <i>Trials</i> , 2014, 15, 161.	1.6	25
72	Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. <i>Journal of Affective Disorders</i> , 2014, 167, 104-111.	4.1	43

#	ARTICLE	IF	CITATIONS
73	The "DGPPN-Cohort" a national collaboration initiative by the German Association for Psychiatry and Psychotherapy (DGPPN) for establishing a large-scale cohort of psychiatric patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 695-701.	3.2	17
74	Stability of lithium treatment in bipolar disorder - long-term follow-up of 346 patients. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 11.	2.2	22
75	The bipolar disorder prodrome revisited: Is there a symptomatic pattern?. <i>Journal of Affective Disorders</i> , 2013, 151, 551-560.	4.1	34
76	Disturbed sleep in bipolar disorder is related to an elevation of IL-6 in peripheral monocytes. <i>Medical Hypotheses</i> , 2013, 81, 1031-1033.	1.5	16
77	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Unipolar Depressive Disorders, Part 1: Update 2013 on the acute and continuation treatment of unipolar depressive disorders. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 334-385.	2.6	480
78	The Diagnosis and Treatment of Bipolar Disorder. <i>Deutsches A&#x0308;rzteblatt International</i> , 2013, 110, 92-100.	0.9	37
79	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013, 8, e65636.	2.5	156
80	Large positive effect of lithium on prefrontal cortex N-acetylaspartate in patients with bipolar disorder: 2-centre study. <i>Journal of Psychiatry and Neuroscience</i> , 2012, 37, 185-192.	2.4	54
81	The characteristics of sleep in patients with manifest bipolar disorder, subjects at high risk of developing the disease and healthy controls. <i>Journal of Neural Transmission</i> , 2012, 119, 1173-1184.	2.8	74
82	Risk constellations prior to the development of bipolar disorders: Rationale of a new risk assessment tool. <i>Journal of Affective Disorders</i> , 2012, 136, 1000-1010.	4.1	90
83	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 654-663.	1.9	39
84	The role of disturbed sleep in the early recognition of bipolar disorder: a systematic review. <i>Bipolar Disorders</i> , 2011, 13, 227-237.	1.9	61
85	The Hypomania Checklist-32 and the Mood Disorder Questionnaire as screening tools "going beyond samples of purely mood-disordered patients. <i>Journal of Affective Disorders</i> , 2011, 128, 291-298.	4.1	38
86	Influence of atypical features on the quality of prophylactic effectiveness of long-term lithium treatment in bipolar disorders. <i>Bipolar Disorders</i> , 2010, 12, 390-396.	1.9	40
87	The International Consortium on Lithium Genetics (ConLiGen): An Initiative by the NIMH and IGSLI to Study the Genetic Basis of Response to Lithium Treatment. <i>Neuropsychobiology</i> , 2010, 62, 72-78.	1.9	134
88	Lithium's Emerging Role in the Treatment of Refractory Major Depressive Episodes: Augmentation of Antidepressants. <i>Neuropsychobiology</i> , 2010, 62, 36-42.	1.9	101
89	Subsyndromal Mood Symptoms: A Useful Concept for Maintenance Studies of Bipolar Disorder?. <i>Psychopathology</i> , 2010, 43, 1-7.	1.5	32
90	Efficacy of an Algorithm-Guided Treatment Compared With Treatment as Usual. <i>Journal of Clinical Psychopharmacology</i> , 2009, 29, 327-333.	1.4	82

#	ARTICLE	IF	CITATIONS
91	Neurocognition in neurology. <i>Lancet Neurology</i> , The, 2009, 8, 233.	10.2	0
92	Mood episodes and mood disorders: patterns of incidence and conversion in the first three decades of life. <i>Bipolar Disorders</i> , 2009, 11, 637-649.	1.9	139
93	Diagnosis and treatment in the early illness phase of bipolar disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 50-54.	3.2	32
94	Blood pressure control in the year following coronary events. <i>International Journal of Cardiology</i> , 2008, 130, 205-210.	1.7	3
95	Self-reporting software for bipolar disorder: Validation of ChronoRecord by patients with mania. <i>Psychiatry Research</i> , 2008, 159, 359-366.	3.3	62
96	Olanzapine in the treatment of depression with psychotic features: A prospective open-label study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2008, 12, 202-209.	2.4	2
97	Long-Term Effectiveness of Lithium in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1860-1868.	2.2	53
98	Neurocognitive Impairment and Dementia in Mood Disorders. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2007, 19, 373-382.	1.8	28
99	Early recognition of bipolar disorder. <i>European Psychiatry</i> , 2007, 22, 92-98.	0.2	49
100	World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Unipolar Depressive Disorders in Primary Care. <i>World Journal of Biological Psychiatry</i> , 2007, 8, 67-104.	2.6	335
101	Combined Dexamethasone/Corticotropin Releasing Hormone Test Predicts Treatment Response in Major Depression—A Potential Biomarker?. <i>Biological Psychiatry</i> , 2007, 62, 47-54.	1.3	319
102	Self-reported data from patients with bipolar disorder: Frequency of brief depression. <i>Journal of Affective Disorders</i> , 2007, 101, 227-233.	4.1	34
103	Medikamentöse Behandlung der Suizidalität. <i>Verhaltenstherapie</i> , 2005, 15, 29-37.	0.4	8
104	Epidemiology of Bipolar Disorders. <i>Epilepsia</i> , 2005, 46, 8-13.	5.1	128
105	How do we modulate our emotions? Parametric fMRI reveals cortical midline structures as regions specifically involved in the processing of emotional valences. <i>Cognitive Brain Research</i> , 2005, 25, 348-358.	3.0	91
106	Ghrelin Plasma Levels during Psychopharmacological Treatment. <i>Neuropsychobiology</i> , 2005, 52, 11-16.	1.9	28
107	Hypothalamus-pituitary-adrenal system regulation and suicidal behavior in depression. <i>Biological Psychiatry</i> , 2005, 57, 336-342.	1.3	136
108	Polymorphisms in FKBP5 are associated with increased recurrence of depressive episodes and rapid response to antidepressant treatment. <i>Nature Genetics</i> , 2004, 36, 1319-1325.	21.4	892

#	ARTICLE	IF	CITATIONS
109	Reciprocal modulation and attenuation in the prefrontal cortex: An fMRI study on emotionalâ€“cognitive interaction. Human Brain Mapping, 2004, 21, 202-212.	3.6	225