Rajendra N Goyal

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4031770/rajendra-n-goyal-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

186
papers

6,434
citations

41
p-index
g-index

6,857
ext. papers

6,857
ext. citations

74
g-index

6.23
L-index

#	Paper	IF	Citations
186	Determination of Tryptophan at Carbon Nanomaterials Modified Glassy Carbon Sensors: A Comparison. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 066504	3.9	4
185	Comparison of Different Unmodified and Nano-Material Modified Sensors for the Ultrasensitive Determination of Serotonin. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 027539	3.9	3
184	Simultaneous determination of melatonin and 5-hydroxytrptophan at the disposable poly-(melamine)/poly-(o-aminophenol) composite modified screen printed sensor. <i>Journal of Electroanalytical Chemistry</i> , 2020 , 874, 114458	4.1	9
183	Edge plane pyrolytic graphite as a sensing surface for the determination of fluvoxamine in urine samples of obsessive-compulsive disorder patients. <i>Biosensors and Bioelectronics</i> , 2020 , 168, 112489	11.8	2
182	Electrochemical Determination of Diacerein, An Anti-Osteoarthritis Drug at Unmodified Pyrolytic Graphite Surface. <i>Journal of the Electrochemical Society</i> , 2019 , 166, B1695-B1700	3.9	3
181	Simultaneous detection of ATP metabolites in human plasma and urine based on palladium nanoparticle and poly(bromocresol green) composite sensor. <i>Biosensors and Bioelectronics</i> , 2019 , 126, 758-766	11.8	13
180	A Simple and Highly Selective Determination of Telmisartan at Sodium Dodecyl Sulfate Modified Pyrolytic Graphite Surface. <i>Electroanalysis</i> , 2018 , 30, 892-900	3	5
179	Silver nanoparticles decorated graphene nanoribbon modified pyrolytic graphite sensor for determination of histamine. <i>Sensors and Actuators B: Chemical</i> , 2018 , 268, 383-391	8.5	32
178	Conducting polymer-based electrochemical biosensors for neurotransmitters: A review. <i>Biosensors and Bioelectronics</i> , 2018 , 102, 540-552	11.8	209
177	A melamine based molecularly imprinted sensor for the determination of 8-hydroxydeoxyguanosine in human urine. <i>Talanta</i> , 2017 , 166, 215-222	6.2	23
176	A poly-(melamine)/poly-(glutamic acid) based electrochemical sensor for sensitive determination of 2-Thioxanthine. <i>Sensors and Actuators B: Chemical</i> , 2017 , 250, 552-562	8.5	11
175	Melamine/Fe3O4Nanoparticles Based Molecular Imprinted Highly Sensitive Sensor for Determination of Hydrochlorothiazide: An Antihypertensive Drug. <i>Journal of the Electrochemical Society</i> , 2017 , 164, B240-B246	3.9	9
174	Gold-palladium nanoparticles aided electrochemically reduced graphene oxide sensor for the simultaneous estimation of lomefloxacin and amoxicillin. <i>Sensors and Actuators B: Chemical</i> , 2017 , 243, 658-668	8.5	55
173	Graphene Nanoribbons/Poly-Bromocresol Green Based Sensor for the Simultaneous Determination of 3,4-Dihydroxyphenylacetic Acid and 5-Hydroxyindoleacetic Acid. <i>Journal of the Electrochemical Society</i> , 2017 , 164, B695-B703	3.9	8
172	A Novel Hybrid Nano-composite Grafted Electrochemically Reduced Graphene Oxide Based Sensor for Sensitive Determination of Efavirenz. <i>Electroanalysis</i> , 2017 , 29, 456-465	3	3
171	Graphene/conducting polymer nano-composite loaded screen printed carbon sensor for simultaneous determination of dopamine and 5-hydroxytryptamine. <i>Sensors and Actuators B: Chemical</i> , 2017 , 239, 993-1002	8.5	90
170	Palladium nano particles decorated multi-walled carbon nanotubes modified sensor for the determination of 5-hydroxytryptophan in biological fluids. <i>Sensors and Actuators B: Chemical</i> , 2017 , 239, 1060-1068	8.5	21

(2015-2016)

169	Determination of 8-Hydroxydeoxyguanosine: A potential biomarker of oxidative stress, using carbon-allotropic nanomaterials modified glassy carbon sensor. <i>Talanta</i> , 2016 , 161, 735-742	6.2	30	
168	Amino Functionalized Graphene Oxide and Polymer Nanocomposite Based Electrochemical Platform for Sensitive Assay of Anti-Doping Drug Atenolol in Biological Fluids. <i>Journal of the Electrochemical Society</i> , 2016 , 163, B601-B608	3.9	8	
167	Nanopalladium grained polymer nanocomposite based sensor for the sensitive determination of Melatonin. <i>Electrochimica Acta</i> , 2016 , 211, 18-26	6.7	25	
166	Research progress in electroanalytical techniques for determination of antimalarial drugs in pharmaceutical and biological samples. <i>RSC Advances</i> , 2016 , 6, 57580-57602	3.7	14	
165	Poly-Melamine Film Modified Sensor for the Sensitive and Selective Determination of Propranolol, a Eblocker in Biological Fluids. <i>Journal of the Electrochemical Society</i> , 2016 , 163, H388-H394	3.9	13	
164	Electrochemical investigations of 8-hydroxydeoxyguanosine and its determination at an edge plane pyrolytic graphite electrode. <i>RSC Advances</i> , 2016 , 6, 1722-1728	3.7	15	
163	High energy carbon ion beam irradiated sensor for the voltammetric sensing of purine nucleosides of DNA. <i>Sensors and Actuators B: Chemical</i> , 2016 , 223, 884-892	8.5	2	
162	A facile method to anchor reduced graphene oxide polymer nanocomposite on the glassy carbon surface and its application in the voltammetric estimation of tryptophan in presence of 5-hydroxytryptamine. <i>Sensors and Actuators B: Chemical</i> , 2016 , 233, 445-453	8.5	31	
161	Simultaneous analysis of dopamine and 5-hydroxyindoleacetic acid at nanogold modified screen printed carbon electrodes. <i>Sensors and Actuators B: Chemical</i> , 2015 , 213, 72-81	8.5	31	
160	A categorical review on electroanalytical determination of non-narcotic over-the-counter abused antitussive drugs. <i>Talanta</i> , 2015 , 142, 157-63	6.2	5	
159	Gold nanoparticles decorated poly-melamine modified glassy carbon sensor for the voltammetric estimation of domperidone in pharmaceuticals and biological fluids. <i>Talanta</i> , 2015 , 141, 53-9	6.2	14	
158	A Simple and Sensitive Poly-1,5-Diaminonaphthalene Modified Sensor for the Determination of Sulfamethoxazole in Biological Samples. <i>Electroanalysis</i> , 2015 , 27, 1229-1237	3	16	
157	Graphene and Co-polymer composite based molecularly imprinted sensor for ultratrace determination of melatonin in human biological fluids. <i>RSC Advances</i> , 2015 , 5, 40444-40454	3.7	36	
156	NiOZrO2 nanocomposite modified electrode for the sensitive and selective determination of efavirenz, an anti-HIV drug. <i>RSC Advances</i> , 2015 , 5, 40057-40064	3.7	12	
155	Graphene modified glassy carbon sensor for the determination of aspirin metabolites in human biological samples. <i>Talanta</i> , 2015 , 143, 328-334	6.2	14	
154	Structural and electrochemical characterization of carbon ion beam irradiated reduced graphene oxide and its application in voltammetric determination of norepinephrine. <i>RSC Advances</i> , 2015 , 5, 875	04:75	11 ⁰	
153	Glutaraldehyde sandwiched amino functionalized polymer based aptasensor for the determination and quantification of chloramphenicol. <i>RSC Advances</i> , 2015 , 5, 69356-69364	3.7	14	
152	A carbon ion beam irradiated MWCNT/AuNPs composite sensor for a sensitive assay of purine-nucleosides of DNA. <i>RSC Advances</i> , 2015 , 5, 102300-102310	3.7	1	

151	Estimation of Amoxicillin in Presence of High Concentration of Uric Acid and Other Urinary Metabolites Using an Unmodified Pyrolytic Graphite Sensor. <i>Journal of the Electrochemical Society</i> , 2015 , 162, G8-G13	3.9	14
150	A Sensitive Polymelamine Modified Sensor for the Determination of Lomefloxacin in Biological Fluids. <i>Journal of the Electrochemical Society</i> , 2015 , 162, H86-H92	3.9	11
149	Electroanalysis of antitubercular drugs in pharmaceutical dosage forms and biological fluids: a review. <i>Analytica Chimica Acta</i> , 2015 , 853, 59-76	6.6	31
148	Sensitive determination of domperidone in biological fluids using a conductive polymer modified glassy carbon electrode. <i>Electrochimica Acta</i> , 2015 , 151, 1-7	6.7	16
147	Molecularly imprinted sensor based on o-aminophenol for the selective determination of norepinephrine in pharmaceutical and biological samples. <i>Talanta</i> , 2014 , 125, 167-73	6.2	25
146	In vitro chloramphenicol detection in a Haemophilus influenza model using an aptamer-polymer based electrochemical biosensor. <i>Biosensors and Bioelectronics</i> , 2014 , 55, 337-42	11.8	89
145	Carbon nanotube embedded poly 1,5-diaminonapthalene modified pyrolytic graphite sensor for the determination of sulfacetamide in pharmaceutical formulations. <i>Talanta</i> , 2014 , 118, 96-103	6.2	25
144	A Biocompatible Nano Gold Modified Palladium Sensor for Determination of Dopamine in Biological Fluids. <i>Journal of the Electrochemical Society</i> , 2014 , 161, H41-H46	3.9	15
143	Chiral Recognition of Proline Enantiomers by the Catalytic Oxygen Reduction and Formation of Cu(II)-Polymer Complex Crystals. <i>Electroanalysis</i> , 2014 , 26, 2110-2117	3	2
142	A novel graphene and conductive polymer modified pyrolytic graphite sensor for determination of propranolol in biological fluids. <i>Sensors and Actuators B: Chemical</i> , 2014 , 204, 791-798	8.5	34
141	A novel nanogold-single wall carbon nanotube modified sensor for the electrochemical determination of 8-hydroxyguanine, a diabetes risk biomarker. <i>Bioelectrochemistry</i> , 2014 , 99, 24-9	5.6	11
140	Polymelamine modified edge plane pyrolytic graphite sensor for the electrochemical assay of serotonin. <i>Talanta</i> , 2014 , 120, 17-22	6.2	57
139	A Sensitive Pyrolytic Graphite Sensor for Determination of Omeprazole in Human Blood Plasma and Pharmaceuticals. <i>Journal of the Electrochemical Society</i> , 2014 , 161, H255-H259	3.9	13
138	Graphene modified Palladium sensor for electrochemical analysis of norepinephrine in pharmaceuticals and biological fluids. <i>Electrochimica Acta</i> , 2014 , 125, 622-629	6.7	64
137	Magnetron sputtered Cu3N/NiTiCu shape memory thin film heterostructures for MEMS applications. <i>Journal of Nanoparticle Research</i> , 2013 , 15, 1	2.3	14
136	Strategy of Marine Viruses in Global Ecosystem 2013 , 33-44		
135	Chromatography-Based Determination of Anabolic Steroids in Biological Fluids: Future Prospects Using Electrochemistry and Miniaturized Microchip Device. <i>Chromatographia</i> , 2013 , 76, 1439-1448	2.1	2
134	Simultaneous Monitoring of Aspirin, Paracetamol and Caffeine in Human Urine at Poly-1,5-diaminonapthalene Modified Pyrolytic Graphite Sensor. <i>Journal of the Electrochemical Society</i> , 2013 , 160, G3014-G3019	3.9	9

(2011-2013)

133	Detection of norfloxacin and monitoring its effect on caffeine catabolism in urine samples. <i>Biosensors and Bioelectronics</i> , 2013 , 47, 307-12	11.8	41	
132	A review on determination of steroids in biological samples exploiting nanobio-electroanalytical methods. <i>Analytica Chimica Acta</i> , 2013 , 762, 14-24	6.6	59	
131	AuNPs-poly-DAN modified pyrolytic graphite sensor for the determination of Cefpodoxime Proxetil in biological fluids. <i>Talanta</i> , 2013 , 108, 30-7	6.2	27	•
130	Electrochemical investigations of mometasone furoate, a topical corticosteroid, in micellar medium. <i>Journal of Electroanalytical Chemistry</i> , 2013 , 695, 17-23	4.1	5	
129	Investigation on the downregulation of dopamine by acetaminophen administration based on their simultaneous determination in urine. <i>Biosensors and Bioelectronics</i> , 2013 , 39, 139-44	11.8	61	
128	Gold Nanoparticles and Nanocomposites in Clinical Diagnostics Using Electrochemical Methods. Journal of Nanoparticles, 2013 , 2013, 1-12		39	
127	Electrochemical and peroxidase-catalyzed oxidation of epinephrine. <i>Electrochimica Acta</i> , 2012 , 59, 492-	-4 6 .8	14	
126	Electrochemical sensor for the sensitive determination of norfloxacin in human urine and pharmaceuticals. <i>Bioelectrochemistry</i> , 2012 , 83, 46-51	5.6	49	
125	Carbon nanotube-based electrochemical sensor for the determination of halobetasol propionate, a topical corticosteroid. <i>Journal of Applied Electrochemistry</i> , 2012 , 42, 31-39	2.6	6	
124	The electrochemical sensor for methanol detection using silicon epoxy coated platinum nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2012 , 174, 45-50	8.5	33	
123	Ag ion irradiated based sensor for the electrochemical determination of epinephrine and 5-hydroxytryptamine in human biological fluids. <i>Analytica Chimica Acta</i> , 2012 , 743, 33-40	6.6	25	
122	Simultaneous determination of epinephrine and norepinephrine in human blood plasma and urine samples using nanotubes modified edge plane pyrolytic graphite electrode. <i>Talanta</i> , 2011 , 84, 78-83	6.2	66	
121	Effect of surface modification of indium tin oxide by nanoparticles on the electrochemical determination of tryptophan. <i>Talanta</i> , 2011 , 85, 2626-31	6.2	47	
120	Electrochemical Sensor Based on Oxidation of 2,8-Dihydroxyadenine to Monitor DNA Damage in Calf Thymus DNA. <i>Electroanalysis</i> , 2011 , 23, 1383-1390	3	3	
119	Effect of gold nanoparticle attached multi-walled carbon nanotube-layered indium tin oxide in monitoring the effect of paracetamol on the release of epinephrine. <i>Analytica Chimica Acta</i> , 2011 , 693, 35-40	6.6	22	
118	A novel multi-walled carbon nanotube modified sensor for the selective determination of epinephrine in smokers. <i>Electrochimica Acta</i> , 2011 , 56, 2717-2724	6.7	56	
117	Electrochemical sensor for the simultaneous determination of caffeine and aspirin in human urine samples. <i>Journal of Electroanalytical Chemistry</i> , 2011 , 655, 97-102	4.1	62	
116	Nanogold based electrochemical sensor for determination of norepinephrine in biological fluids. <i>Sensors and Actuators B: Chemical</i> , 2011 , 153, 232-238	8.5	37	

115	Application of modified pyrolytic graphite electrode as a sensor in the simultaneous assay of adenine and adenosine monophosphate. <i>Sensors and Actuators B: Chemical</i> , 2011 , 156, 198-203	8.5	15
114	Single-Walled-Carbon-Nanotube-Modified Pyrolytic Graphite Electrode Used as a Simple Sensor for the Determination of Salbutamol in Urine. <i>International Journal of Electrochemistry</i> , 2011 , 2011, 1-8	2.4	4
113	Substrate dependent structural and magnetic properties of pulsed laser deposited Fe3O4 thin films. <i>Journal of Nanoscience and Nanotechnology</i> , 2010 , 10, 8018-25	1.3	8
112	A comparison of edge- and basal-plane pyrolytic graphite electrodes towards the sensitive determination of hydrocortisone. <i>Talanta</i> , 2010 , 83, 149-55	6.2	30
111	Electrochemical investigations of diclofenac at edge plane pyrolytic graphite electrode and its determination in human urine. <i>Sensors and Actuators B: Chemical</i> , 2010 , 145, 743-748	8.5	65
110	Effect of Cetyltrimethyl Ammonium Bromide on Electrochemical Determination of Dexamethasone. <i>Electroanalysis</i> , 2010 , 22, 2330-2338	3	14
109	Voltammetric biosensors for the determination of paracetamol at carbon nanotube modified pyrolytic graphite electrode. <i>Sensors and Actuators B: Chemical</i> , 2010 , 149, 252-258	8.5	344
108	Electrochemical investigations of corticosteroid isomerstestosterone and epitestosterone and their simultaneous determination in human urine. <i>Analytica Chimica Acta</i> , 2010 , 657, 147-53	6.6	26
107	Voltammetric determination of amlodipine besylate in human urine and pharmaceuticals. <i>Bioelectrochemistry</i> , 2010 , 79, 234-40	5.6	59
106	Effect of single walled carbon nanotube-cetyltrimethyl ammonium bromide nanocomposite film modified pyrolytic graphite on the determination of betamethasone in human urine. <i>Colloids and Surfaces B: Biointerfaces</i> , 2010 , 77, 200-5	6	11
105	Sensitive voltammetric sensor for the determination of oxidative DNA damage in calf thymus DNA. <i>Biosensors and Bioelectronics</i> , 2010 , 26, 463-9	11.8	13
104	The effect of modifying an edge-plane pyrolytic graphite electrode with single-wall carbon nanotubes on its use for sensing diclofenac. <i>Carbon</i> , 2010 , 48, 4136-4144	10.4	58
103	A sensitive voltammetric sensor for detecting betamethasone in biological fluids. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2010 , 13, 610-8	1.3	4
102	Fabrication of alpha-Fe2O3 nanopowder modified glassy carbon electrode for applications in electrochemical sensing. <i>Journal of Nanoscience and Nanotechnology</i> , 2009 , 9, 4692-9	1.3	24
101	Growth and characterization of iron oxide nanocrystalline thin films via low-cost ultrasonic spray pyrolysis. <i>Materials Chemistry and Physics</i> , 2009 , 116, 638-644	4.4	26
100	Fullerene C60 modified gold electrode and nanogold modified indium tin oxide electrode for prednisolone determination. <i>Bioelectrochemistry</i> , 2009 , 74, 272-7	5.6	27
99	Fullerene-C60-modified edge plane pyrolytic graphite electrode for the determination of dexamethasone in pharmaceutical formulations and human biological fluids. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 1649-54	11.8	218
98	Comparison of spherical nanogold particles and nanogold plates for the oxidation of dopamine and ascorbic acid. <i>Journal of Electroanalytical Chemistry</i> , 2009 , 631, 58-61	4.1	40

(2008-2009)

97	Aluminium (III)-selective PVC membrane sensor based on a Schiff base complex of N,N?-bis (salicylidene)-1, 2-cyclohexanediamine. <i>Electrochimica Acta</i> , 2009 , 54, 3218-3224	6.7	43
96	Chloride selective potentiometric sensor based on a newly synthesized hydrogen bonding anion receptor. <i>Electrochimica Acta</i> , 2009 , 54, 4216-4222	6.7	43
95	Sensitive voltammetric sensor for determination of flumethasone pivalate, abused for doping by athletes. <i>Sensors and Actuators B: Chemical</i> , 2009 , 137, 676-680	8.5	8
94	A sensitive voltammetric sensor for determination of synthetic corticosteroid triamcinolone, abused for doping. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 3562-8	11.8	221
93	Effect of substrate and embedded metallic impurities of fullerene in the determination of nandrolone. <i>Analytica Chimica Acta</i> , 2009 , 643, 95-9	6.6	8
92	Comparative studies of neodymium (III)-selective PVC membrane sensors. <i>Analytica Chimica Acta</i> , 2009 , 647, 66-71	6.6	154
91	Comparative studies of praseodymium(III) selective sensors based on newly synthesized Schiff bases. <i>Analytica Chimica Acta</i> , 2009 , 653, 161-6	6.6	19
90	Comparative studies of ONNO-based ligands as ionophores for palladium ion-selective membrane sensors. <i>Talanta</i> , 2009 , 78, 484-90	6.2	9
89	Fabrication and nanoindentation properties of TiN/NiTi thin films and their applications in electrochemical sensing. <i>Talanta</i> , 2009 , 78, 964-9	6.2	16
88	Simultaneous voltammetric determination of prednisone and prednisolone in human body fluids. <i>Talanta</i> , 2009 , 79, 768-74	6.2	25
87	A single-wall carbon nanotubes modified edge plane pyrolytic graphite sensor for determination of methylprednisolone in biological fluids. <i>Talanta</i> , 2009 , 80, 586-92	6.2	17
86	Effect of graphite and metallic impurities of C60 fullerene on determination of salbutamol in biological fluids. <i>Talanta</i> , 2008 , 75, 63-9	6.2	26
85	Simultaneous determination of adenosine and inosine using single-wall carbon nanotubes modified pyrolytic graphite electrode. <i>Talanta</i> , 2008 , 76, 662-8	6.2	184
84	Anion recognition using newly synthesized hydrogen bonding disubstituted phenylhydrazone-based receptors: poly(vinyl chloride)-based sensor for acetate. <i>Talanta</i> , 2008 , 76, 859	-64 ²	91
83	Intrinsic magnetism in Zn1\(\mathbb{Z}\)CoxO (0.03\(\mathbb{D}\).10) thin films prepared by ultrasonic spray pyrolysis. Journal of Physics Condensed Matter, 2008 , 20, 315005	1.8	15
82	In situ high temperature XRD studies of ZnO nanopowder prepared via cost effective ultrasonic mist chemical vapour deposition. <i>Bulletin of Materials Science</i> , 2008 , 31, 573-577	1.7	97
81	Sensors for 5-hydroxytryptamine and 5-hydroxyindole acetic acid based on nanomaterial modified electrodes. <i>Sensors and Actuators B: Chemical</i> , 2008 , 134, 816-821	8.5	171
80	Simultaneous voltammetric determination of dopamine and adenosine using a single walled carbon nanotube [Modified glassy carbon electrode. <i>Carbon</i> , 2008 , 46, 1556-1562	10.4	48

79	Voltammetric determination of bisoprolol fumarate in pharmaceutical formulations and urine using single-wall carbon nanotubes modified glassy carbon electrode. <i>Electrochimica Acta</i> , 2008 , 53, 2802-280	8 .7	37
78	Electrochemical oxidation of 2?,3?-dideoxyadenosine at pyrolytic graphite electrode. <i>Electrochimica Acta</i> , 2008 , 53, 5354-5360	6.7	209
77	Simultaneous determination of guanosine and guanosine-5Ttriphosphate in biological sample using gold nanoparticles modified indium tin oxide electrode. <i>Analytica Chimica Acta</i> , 2007 , 581, 32-6	6.6	29
76	Fullerene-C60-modified electrode as a sensitive voltammetric sensor for detection of nandrolonean anabolic steroid used in doping. <i>Analytica Chimica Acta</i> , 2007 , 597, 82-9	6.6	322
75	Differential pulse voltammetric determination of methylprednisolone in pharmaceuticals and human biological fluids. <i>Analytica Chimica Acta</i> , 2007 , 605, 34-40	6.6	38
74	Determination of methylprednisolone acetate in biological fluids at gold nanoparticles modified ITO electrode. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 44, 1147-53	3.5	10
73	Fast determination of salbutamol, abused by athletes for doping, in pharmaceuticals and human biological fluids by square wave voltammetry. <i>Journal of Electroanalytical Chemistry</i> , 2007 , 611, 140-148	,4.1	42
72	Nickel(II)-selective sensor based on dibenzo-18-crown-6 in PVC matrix. <i>Talanta</i> , 2007 , 71, 795-800	6.2	30
71	Voltammetric determination of adenosine and guanosine using fullerene-C(60)-modified glassy carbon electrode. <i>Talanta</i> , 2007 , 71, 1110-7	6.2	167
70	Voltammetric determination of anabolic steroid nandrolone at gold nanoparticles modified ITO electrode in biological fluids. <i>Talanta</i> , 2007 , 72, 140-4	6.2	17
69	Gold nanoparticles modified indium tin oxide electrode for the simultaneous determination of dopamine and serotonin: Application in pharmaceutical formulations and biological fluids. <i>Talanta</i> , 2007 , 72, 976-83	6.2	200
68	Oxidation chemistry of 2Tdeoxyadenosine at pyrolytic graphite electrode. <i>Bioelectrochemistry</i> , 2006 , 69, 223-33	5.6	8
67	Electron transfer reaction and mechanism of oxidation of Inosine. <i>Electrochimica Acta</i> , 2006 , 51, 5095-5	160.7	2
66	Electrochemical oxidation of inosine-5?-triphosphate at pyrolytic graphite electrode. <i>Electrochimica Acta</i> , 2006 , 52, 246-255	6.7	1
65	Voltammetric quantification of adenine and guanine at C60 modified glassy carbon electrodes. Journal of Nanoscience and Nanotechnology, 2006 , 6, 3699-704	1.3	10
64	Oxidation chemistry of adenosine-3Ţ 5Ŧcyclic monophosphate at pyrolytic graphite eletrode. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2006 , 25, 1345-62	1.4	2
63	Voltammetric determination of atenolol at C(60)-modified glassy carbon electrodes. <i>Talanta</i> , 2006 , 69, 932-7	6.2	69
62	A new Zn(II)-selective potentiometric sensor based on 4-tert-butylcalix[4]arene in PVC matrix. <i>Talanta</i> , 2006 , 69, 1149-55	6.2	23

(2001-2006)

61	Electrochemical Investigations of Biologically Active 1-(3-Hydroxy-2-pyridyl)-4,4,6-trimethyl-3,4-dihydropyrimidine-2[1H]-thione at Pyrolytic Graphite Electrode. <i>Bulletin of the Chemical Society of Japan</i> , 2006 , 79, 569-576	5.1	2	
60	Differential pulse voltammetric determination of atenolol in pharmaceutical formulations and urine using nanogold modified indium tin oxide electrode. <i>Electrochemistry Communications</i> , 2006 , 8, 65-70	5.1	155	
59	Electrooxidation of biologically important hypoxanthine nucleosides and nucleotides at solid electrodes. <i>Electrochimica Acta</i> , 2006 , 52, 1226-1233	6.7	1	
58	Voltammetric determination of paracetamol at C60-modified glassy carbon electrode. <i>Electrochimica Acta</i> , 2006 , 51, 3008-3012	6.7	170	
57	Controlled potential electrolysis of inosine: Dependence of the selected potential on the nature of the electrooxidised products. <i>Journal of Electroanalytical Chemistry</i> , 2006 , 592, 14-24	4.1	3	
56	Electrochemical oxidation of inosine 5?-monophosphate in neutral aqueous solution. <i>Journal of Electroanalytical Chemistry</i> , 2006 , 591, 159-167	4.1	8	
55	A copper-selective electrode based on bis(acetylacetone)propylenediimine. <i>Talanta</i> , 2005 , 68, 193-7	6.2	42	
54	Insights into the Biological Redox Chemistry of 2?-Deoxyadenosine 5?-Monophosphate by Electrochemical Techniques. <i>Bulletin of the Chemical Society of Japan</i> , 2005 , 78, 1944-1952	5.1	2	
53	Studies of the behavior of 5-hydroxyindole-3-acetamide at a solid electrode. <i>Journal of Electroanalytical Chemistry</i> , 2005 , 578, 185-192	4.1	10	
52	Synthesis and biological evaluation of 2-thiopyrimidine derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2005 , 13, 3185-95	3.4	45	
51	Differential pulse voltammetric determination of paracetamol at nanogold modified indium tin oxide electrode. <i>Electrochemistry Communications</i> , 2005 , 7, 803-807	5.1	218	
50	Oxidation chemistry of indole-2-carboxylic acid. <i>Electrochimica Acta</i> , 2005 , 50, 2135-2143	6.7	17	
49	Investigations of electron-transfer reactions and the redox mechanism of 2?-deoxyguanosine-5?-monophosphate using electrochemical techniques. <i>New Journal of Chemistry</i> , 2005 , 29, 587-595	3.6	15	
48	Investigations into the electrooxidation of guanosine-5Ttriphosphate at the pyrolytic graphite electrode. <i>Analytical and Bioanalytical Chemistry</i> , 2005 , 382, 1683-90	4.4	11	
47	Electrochemical oxidation of 2-thiouracil at pyrolytic graphite electrode. <i>Bioelectrochemistry</i> , 2005 , 67, 7-13	5.6	12	
46	Electrochemical oxidation of adenosine monophosphate at a pyrolytic graphite electrode. <i>Journal of Electroanalytical Chemistry</i> , 2003 , 557, 147-155	4.1	27	
45	Electrochemical investigations of adenosine at solid electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2002 , 521, 72-80	4.1	57	
44	Electrooxidation of Chlorpromazine in Aqueous and Micellar Media and Spectroscopic Studies of the Derived Cationic Free Radical and Dication Species. <i>Monatshefte Fil Chemie</i> , 2001 , 132, 575-585	1.4	11	

43	Oxidation chemistry of indole-3-methanol. Perkin Transactions II RSC, 2001, 618-623		10
42	Electrochemical oxidation of guanosine-5?-monophosphate at the pyrolytic graphite electrode. <i>Perkin Transactions II RSC</i> , 2001 , 832-837		11
41	Electro-oxidation of 6-mercaptopurine riboside with special emphasis on the stability of the dimer in aqueous solutions. <i>New Journal of Chemistry</i> , 2001 , 25, 545-550	3.6	17
40	Further Insights into the Electrooxidation of N-Methyluric Acids and Correlation of Oxidation Potentials with Frontier MO Energies. <i>Bulletin of the Chemical Society of Japan</i> , 2000 , 73, 1515-1524	5.1	6
39	Electrochemical studies of 1,3,7,9-tetramethyluric acid in aqueous and micellar media. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2000 , 162, 239-247	5.1	
38	Linear sweep voltammetry of 9-Ed-ribofuranosyluric acid 5?-monophosphate in aqueous and micellar media. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 1999 , 160, 261-268	5.1	
37	Electrochemical Oxidation of 4-Hydroxyindole and Effects of Its Oxidation Products on Blood Parameters of Albino Mice. <i>Bioorganic Chemistry</i> , 1999 , 27, 239-252	5.1	1
36	Comparison of electrochemical and enzymic oxidation of 1,3-dimethyluric acid. <i>Bioelectrochemistry</i> , 1998 , 44, 201-208		8
35	Oxidation chemistry and biochemistry of indole and effect of its oxidation product in albino mice. <i>Bioelectrochemistry</i> , 1998 , 45, 47-53		25
34	Oxidation Chemistry of 1,3-Dimethylxanthine at Stationary Pyrolytic Graphite Electrode. <i>Bulletin of the Chemical Society of Japan</i> , 1998 , 71, 199-207	5.1	1
33	Electrochemical and peroxidase catalysed oxidation of 9-ED-ribofuranosyluric acid 5?-monophosphate. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1997 , 2423-2430		3
32	Electrochemical and peroxidase-catalysed oxidation of 1-methyluric acid. <i>Bioelectrochemistry</i> , 1997 , 43, 205-213		4
31	Electrochemical and enzymic oxidation of guanosine and 8-hydroxyguanosine and the effects of oxidation products in mice. <i>Bioelectrochemistry</i> , 1997 , 43, 105-114		50
30	Electrochemical and peroxidase catalysed oxidation of 1,7-dimethyluric acid and effect of methyl groups on the oxidation mechanism. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1996 , 1153		5
29	Electro-oxidation of the neurotoxin 5,6-dihydroxytryptamine and effects of its oxidation products in mice. <i>Bioelectrochemistry</i> , 1996 , 39, 249-257		3
28	Electrochemical and enzymic oxidation of 9-methyluric acid at solid electrodes. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1995 , 1055		4
27	Oxidation chemistry and biochemistry of some biologically important purines and indoleamines. <i>Bioelectrochemistry</i> , 1994 , 33, 75-81		6
26	Electrochemical oxidation and kinetics of the decay of UV-absorbing intermediate of uric acid oxidation at pyrolytic graphite electrodes. <i>Canadian Journal of Chemistry</i> , 1994 , 72, 1668-1674	0.9	15

25	Oxidation of 3,9-dimethylxanthine at stationary pyrolytic graphite electrode. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1994 , 1709		2
24	Comparison of electrochemical and enzymic oxidation of 3-methyluric acid. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1993 , 1241		2
23	7-S-glutathionyl-tryptamine-4,5-dione: a possible aberrant metabolite of serotonin. <i>Biochemical Pharmacology</i> , 1993 , 46, 1637-52	6	28
22	Haematological and hepatotoxic effects of silken styles of corn in albino rats. <i>Journal of Applied Toxicology</i> , 1992 , 12, 359-63	4.1	11
21	Oxidation chemistry of adenine and hydroxyadenines at pyrolytic graphite electrodes. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1991 , 1369		45
20	Electrochemical oxidation of sulphapyridine at a pyrolytic graphite electrode. <i>Analytica Chimica Acta</i> , 1990 , 228, 273-278	6.6	4
19	Oxidation of 2-aminoquinoline at a stationary pyrolytic graphite electrode. <i>Analytica Chimica Acta</i> , 1990 , 230, 91-96	6.6	8
18	International Symposium on Electroanalysis and Sensors in Biomedical, Environmental and Industrial Sciences. <i>Analytical Proceedings</i> , 1987 , 24, 324		4
17	Amino-terminal sequence analysis of arachin. <i>The Protein Journal</i> , 1984 , 3, 395-401		20
16	Polarographic reduction of aryl hydrazono alloxans. <i>Electrochimica Acta</i> , 1982 , 27, 25-31	6.7	3
16 15	Polarographic reduction of aryl hydrazono alloxans. <i>Electrochimica Acta</i> , 1982 , 27, 25-31 Spectroelectrochemical evidence for imine-alcohol intermediate formed upon electrochemical oxidation of uric acid. <i>Bioelectrochemistry</i> , 1982 , 9, 273-285	6.7	3
	Spectroelectrochemical evidence for imine-alcohol intermediate formed upon electrochemical	6.7	
15	Spectroelectrochemical evidence for imine-alcohol intermediate formed upon electrochemical oxidation of uric acid. <i>Bioelectrochemistry</i> , 1982 , 9, 273-285 Extraction of Zn(II) and Cd(II) with diphenylcarbazone in presence of nitrogen-containing organic	6.7	14
15 14	Spectroelectrochemical evidence for imine-alcohol intermediate formed upon electrochemical oxidation of uric acid. <i>Bioelectrochemistry</i> , 1982 , 9, 273-285 Extraction of Zn(II) and Cd(II) with diphenylcarbazone in presence of nitrogen-containing organic bases. <i>Journal of Inorganic and Nuclear Chemistry</i> , 1981 , 43, 773-777 Physico-chemical studies on some metal chelates of 5,5 dimethylcyclohexane-2-(2-hydroxyphenyl)hydrazono 1,3 dione (DCPHD). <i>Journal of Inorganic and</i>		14
15 14 13	Spectroelectrochemical evidence for imine-alcohol intermediate formed upon electrochemical oxidation of uric acid. <i>Bioelectrochemistry</i> , 1982 , 9, 273-285 Extraction of Zn(II) and Cd(II) with diphenylcarbazone in presence of nitrogen-containing organic bases. <i>Journal of Inorganic and Nuclear Chemistry</i> , 1981 , 43, 773-777 Physico-chemical studies on some metal chelates of 5,5 dimethylcyclohexane-2-(2-hydroxyphenyl)hydrazono 1,3 dione (DCPHD). <i>Journal of Inorganic and Nuclear Chemistry</i> , 1981 , 43, 2005-2009 Stepwise stability constants and thermodynamic functions of some transition metal complexes of		14 1 8
15 14 13	Spectroelectrochemical evidence for imine-alcohol intermediate formed upon electrochemical oxidation of uric acid. <i>Bioelectrochemistry</i> , 1982 , 9, 273-285 Extraction of Zn(II) and Cd(II) with diphenylcarbazone in presence of nitrogen-containing organic bases. <i>Journal of Inorganic and Nuclear Chemistry</i> , 1981 , 43, 773-777 Physico-chemical studies on some metal chelates of 5,5 dimethylcyclohexane-2-(2-hydroxyphenyl)hydrazono 1,3 dione (DCPHD). <i>Journal of Inorganic and Nuclear Chemistry</i> , 1981 , 43, 2005-2009 Stepwise stability constants and thermodynamic functions of some transition metal complexes of 5,5-dimethylcyclohexane-2-(2-hydroxyphenyl)-hydrazono-1,3-dione. <i>Thermochimica Acta</i> , 1981 , 49, 375	;-3 7 8	14 1 8
15 14 13 12	Spectroelectrochemical evidence for imine-alcohol intermediate formed upon electrochemical oxidation of uric acid. <i>Bioelectrochemistry</i> , 1982 , 9, 273-285 Extraction of Zn(II) and Cd(II) with diphenylcarbazone in presence of nitrogen-containing organic bases. <i>Journal of Inorganic and Nuclear Chemistry</i> , 1981 , 43, 773-777 Physico-chemical studies on some metal chelates of 5,5 dimethylcyclohexane-2-(2-hydroxyphenyl)hydrazono 1,3 dione (DCPHD). <i>Journal of Inorganic and Nuclear Chemistry</i> , 1981 , 43, 2005-2009 Stepwise stability constants and thermodynamic functions of some transition metal complexes of 5,5-dimethylcyclohexane-2-(2-hydroxyphenyl)-hydrazono-1,3-dione. <i>Thermochimica Acta</i> , 1981 , 49, 375 Polarographic behaviour of some potential antidiabetic benzylsulphonylarylazopyrazoles. <i>Electrochimica Acta</i> , 1981 , 26, 1519-1523 Stepwise stability constants and thermodynamic functions of 1-phenyl-3-methyl-4-(2-hydroxyphenyl)-hydrazono-2-pyrazoline-5-one complexes with transition	6.7	14 1 8 1 3

7	Polarographic investigation of some 4-arylhydrazono-2-isoxazoline-5-ones. <i>Electrochimica Acta</i> , 1979 , 24, 477-479	6.7	1
6	Polarographic investigations of some copper chelates of 3-arylazopentane-2,4-diones. <i>Analytica Chimica Acta</i> , 1978 , 98, 111-114	6.6	1
5	Quantitative treatment of substituent effects in the polarographic investigations of some potential antineoplastic 2-amino-4-aryl-5-phenylazothiazoles. <i>Talanta</i> , 1978 , 25, 111-2	6.2	2
4	Polarography of some 3-arylazo-3-bromopentane-2,4-diones. <i>Talanta</i> , 1978 , 25, 421-2	6.2	
3	Studies on the polarographic reduction of the azomethine bond in the products of beta-keto-esters coupled with aryldiazonium chlorides. <i>Talanta</i> , 1977 , 24, 586-8	6.2	2
2	Polarographic reduction of some potential antidiabetic compounds with more than one reduction site. <i>Talanta</i> , 1976 , 23, 705-8	6.2	7
1	Studies on the electrocapillary curves of anionic surfactants in presence of non-ionic surfactants. <i>Talanta</i> , 1976 , 23, 667-9	6.2	1