

# Tetsuya Fujimura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4034068/publications.pdf>

Version: 2024-02-01

113  
papers

2,583  
citations

186209

28  
h-index

233338

45  
g-index

114  
all docs

114  
docs citations

114  
times ranked

4030  
citing authors

#	ARTICLE	IF	CITATIONS
1	Androgen-responsive long noncoding RNA CTBP1-AS promotes prostate cancer. <i>EMBO Journal</i> , 2013, 32, 1665-1680.	3.5	243
2	Amyloid Precursor Protein Is a Primary Androgen Target Gene That Promotes Prostate Cancer Growth. <i>Cancer Research</i> , 2009, 69, 137-142.	0.4	105
3	TET2 repression by androgen hormone regulates global hydroxymethylation status and prostate cancer progression. <i>Nature Communications</i> , 2015, 6, 8219.	5.8	93
4	Dysregulation of spliceosome gene expression in advanced prostate cancer by RNA-binding protein PSF. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 10461-10466.	3.3	93
5	Estrogen Regulates Tumor Growth Through a Nonclassical Pathway that Includes the Transcription Factors ER $\beta$ and KLF5. <i>Science Signaling</i> , 2011, 4, ra22.	1.6	92
6	TRIM25 enhances cell growth and cell survival by modulating p53 signals via interaction with G3BP2 in prostate cancer. <i>Oncogene</i> , 2018, 37, 2165-2180.	2.6	83
7	Increased expression of estrogen-related receptor $\beta$ (ERR $\beta$ ) is a negative prognostic predictor in human prostate cancer. <i>International Journal of Cancer</i> , 2007, 120, 2325-2330.	2.3	77
8	RUNX1, an androgen- and EZH2-regulated gene, has differential roles in AR-dependent and -independent prostate cancer. <i>Oncotarget</i> , 2015, 6, 2263-2276.	0.8	75
9	Association of USP10 with G3BP2 Inhibits p53 Signaling and Contributes to Poor Outcome in Prostate Cancer. <i>Molecular Cancer Research</i> , 2018, 16, 846-856.	1.5	74
10	Sarcopenia Evaluated Using the Skeletal Muscle Index Is a Significant Prognostic Factor for Metastatic Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2016, 14, 237-243.	0.9	69
11	14-3-3 $\sigma$ , a Novel Androgen-Responsive Gene, Is Upregulated in Prostate Cancer and Promotes Prostate Cancer Cell Proliferation and Survival. <i>Clinical Cancer Research</i> , 2012, 18, 5617-5627.	3.2	68
12	A novel prognostic factor TRIM44 promotes cell proliferation and migration, and inhibits apoptosis in testicular germ cell tumor. <i>Cancer Science</i> , 2017, 108, 32-41.	1.7	62
13	Oct1 regulates cell growth of LNCaP cells and is a prognostic factor for prostate cancer. <i>International Journal of Cancer</i> , 2012, 130, 1021-1028.	2.3	57
14	CtBP2 Modulates the Androgen Receptor to Promote Prostate Cancer Progression. <i>Cancer Research</i> , 2014, 74, 6542-6553.	0.4	53
15	Pretreatment neutrophil-to-lymphocyte ratio as an independent predictor of survival in patients with metastatic urothelial carcinoma: A multi-institutional study. <i>International Journal of Urology</i> , 2015, 22, 638-643.	0.5	47
16	Molecular Taxonomy of Interstitial Cystitis/Bladder Pain Syndrome Based on Whole Transcriptome Profiling by Next-Generation RNA Sequencing of Bladder Mucosal Biopsies. <i>Journal of Urology</i> , 2019, 202, 290-300.	0.2	45
17	Botulinum toxin type A injection for refractory interstitial cystitis: A randomized comparative study and predictors of treatment response. <i>International Journal of Urology</i> , 2015, 22, 835-841.	0.5	44
18	Assessment of lower urinary tract symptoms in men by international prostate symptom score and core lower urinary tract symptom score. <i>BJU International</i> , 2012, 109, 1512-1516.	1.3	43

#	ARTICLE	IF	CITATIONS
19	Expression of Androgen and Estrogen Signaling Components and Stem Cell Markers to Predict Cancer Progression and Cancer-Specific Survival in Patients with Metastatic Prostate Cancer. <i>Clinical Cancer Research</i> , 2014, 20, 4625-4635.	3.2	37
20	Association between lower urinary tract symptoms and sexual dysfunction assessed using the core lower urinary tract symptom score and International index of erectile function-5 questionnaires. <i>Aging Male</i> , 2012, 15, 111-114.	0.9	36
21	Differential expression of estrogen-related receptors $\hat{1}^2$ and $\hat{1}^3$ (ERR $\hat{1}^2$ and ERR $\hat{1}^3$ ) and their clinical significance in human prostate cancer. <i>Cancer Science</i> , 2010, 101, 646-651.	1.7	34
22	Hydrodistension with or without fulguration of hunner lesions for interstitial cystitis: Long-term outcomes and prognostic predictors. <i>Neurourology and Urodynamics</i> , 2016, 35, 965-969.	0.8	34
23	Androgen-induced lncRNA <i>POTEFAS1</i> regulates apoptosis-related pathway to facilitate cell survival in prostate cancer cells. <i>Cancer Science</i> , 2017, 108, 373-379.	1.7	34
24	Identification of long non-coding RNAs in advanced prostate cancer associated with androgen receptor splicing factors. <i>Communications Biology</i> , 2020, 3, 393.	2.0	34
25	Increased Expression of Tripartite Motif (TRIM) 47 Is a Negative Prognostic Predictor in Human Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2016, 14, 298-303.	0.9	29
26	Estrogen and Androgen Blockade for Advanced Prostate Cancer in the Era of Precision Medicine. <i>Cancers</i> , 2018, 10, 29.	1.7	29
27	TRIM44 promotes cell proliferation and migration by inhibiting FRK in renal cell carcinoma. <i>Cancer Science</i> , 2020, 111, 881-890.	1.7	29
28	Expression of Cytochrome P450 3A4 and Its Clinical Significance in Human Prostate Cancer. <i>Urology</i> , 2009, 74, 391-397.	0.5	28
29	Clinical significance of steroid and xenobiotic receptor and its targeted gene CYP3A4 in human prostate cancer. <i>Cancer Science</i> , 2012, 103, 176-180.	1.7	28
30	Abhydrolase domain containing 2, an androgen target gene, promotes prostate cancer cell proliferation and migration. <i>European Journal of Cancer</i> , 2016, 57, 39-49.	1.3	26
31	Estrogen Exhibits a Biphasic Effect on Prostate Tumor Growth through the Estrogen Receptor $\hat{1}^2$ -KLF5 Pathway. <i>Molecular and Cellular Biology</i> , 2016, 36, 144-156.	1.1	26
32	Incidence and risk factors of inguinal hernia after robot-assisted radical prostatectomy. <i>World Journal of Surgical Oncology</i> , 2017, 15, 61.	0.8	26
33	Efficacy of post-nephroureterectomy cisplatin-based adjuvant chemotherapy for locally advanced upper tract urothelial carcinoma: a multi-institutional retrospective study. <i>World Journal of Urology</i> , 2017, 35, 1569-1575.	1.2	25
34	Comparison of perioperative outcomes in elderly (age $\geq$ 75 years) vs. younger men undergoing robot-assisted radical prostatectomy. <i>PLoS ONE</i> , 2020, 15, e0234113.	1.1	25
35	Cytochrome P450 2B6 is a growth-inhibitory and prognostic factor for prostate cancer. <i>Prostate</i> , 2007, 67, 1029-1037.	1.2	22
36	Robot-assisted radical prostatectomy significantly reduced biochemical recurrence compared to retro pubic radical prostatectomy. <i>BMC Cancer</i> , 2017, 17, 454.	1.1	22

#	ARTICLE	IF	CITATIONS
37	Preoperative chronic kidney disease is predictive of oncological outcome of radical cystectomy for bladder cancer. <i>World Journal of Urology</i> , 2018, 36, 249-256.	1.2	22
38	Core lower urinary tract symptom score (CLSS) for the assessment of female lower urinary tract symptoms: A comparative study. <i>International Journal of Urology</i> , 2011, 18, 778-784.	0.5	21
39	Toremifene, a selective estrogen receptor modulator, significantly improved biochemical recurrence in bone metastatic prostate cancer: a randomized controlled phase II a trial. <i>BMC Cancer</i> , 2015, 15, 836.	1.1	21
40	COBLL1 modulates cell morphology and facilitates androgen receptor genomic binding in advanced prostate cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 4975-4980.	3.3	21
41	Validation of major prognostic models for metastatic urothelial carcinoma using a multi-institutional cohort of the real world. <i>World Journal of Urology</i> , 2016, 34, 163-171.	1.2	20
42	Androgen-responsive tripartite motif 36 enhances tumor-suppressive effect by regulating apoptosis-related pathway in prostate cancer. <i>Cancer Science</i> , 2018, 109, 3840-3852.	1.7	20
43	Current status and future perspective of robot-assisted radical cystectomy for invasive bladder cancer. <i>International Journal of Urology</i> , 2019, 26, 1033-1042.	0.5	20
44	Subtype-specific collaborative transcription factor networks are promoted by OCT4 in the progression of prostate cancer. <i>Nature Communications</i> , 2021, 12, 3766.	5.8	20
45	Overactive bladder is a negative predictor of achieving continence after robot-assisted radical prostatectomy. <i>International Journal of Urology</i> , 2017, 24, 749-756.	0.5	19
46	Extent of Hunner lesions: The relationships with symptom severity and clinical parameters in Hunner type interstitial cystitis patients. <i>Neurourology and Urodynamics</i> , 2018, 37, 1441-1447.	0.8	19
47	Validation of an educational program balancing surgeon training and surgical quality control during robot-assisted radical prostatectomy. <i>International Journal of Urology</i> , 2016, 23, 160-166.	0.5	18
48	Nomogram for predicting survival of postcystectomy recurrent urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 457.e15-457.e21.	0.8	18
49	Biphasic decline in renal function after radical cystectomy with urinary diversion. <i>International Journal of Clinical Oncology</i> , 2017, 22, 359-365.	1.0	18
50	Cancer-related pain and quality of life in prostate cancer patients: Assessment using the Functional Assessment of Prostate Cancer Therapy. <i>International Journal of Urology</i> , 2009, 16, 522-525.	0.5	16
51	Prognostic significance of the albumin-to-globulin ratio for advanced urothelial carcinoma treated with pembrolizumab: a multicenter retrospective study. <i>Scientific Reports</i> , 2021, 11, 15623.	1.6	16
52	Psychometric Validation of the English Version of the Overactive Bladder Symptom Score. <i>Urology</i> , 2014, 84, 46-50.	0.5	15
53	Nocturia in men is a chaotic condition dominated by nocturnal polyuria. <i>International Journal of Urology</i> , 2015, 22, 496-501.	0.5	15
54	Oncologic Outcome of Metastasectomy for Urothelial Carcinoma: Who Is the Best Candidate?. <i>Annals of Surgical Oncology</i> , 2017, 24, 2794-2800.	0.7	15

#	ARTICLE	IF	CITATIONS
55	Videoâ€urodynamic effects of mirabegron, a $\beta^2$ â€adrenoceptor agonist, in patients with lowâ€compliance bladder. <i>International Journal of Urology</i> , 2015, 22, 956-961.	0.5	14
56	Symptoms at diagnosis as independent prognostic factors in retroperitoneal liposarcoma. <i>Molecular and Clinical Oncology</i> , 2016, 4, 255-260.	0.4	14
57	Prevalence and characteristics of fecal antimicrobialâ€resistant <i>Escherichia coli</i> in a cohort of Japanese men undergoing prostate biopsy. <i>International Journal of Urology</i> , 2017, 24, 295-300.	0.5	14
58	Tensionâ€free vaginal mesh surgery versus laparoscopic sacrocolpopexy for pelvic organ prolapse: Analysis of perioperative outcomes using a Japanese national inpatient database. <i>International Journal of Urology</i> , 2018, 25, 655-659.	0.5	14
59	Impact of immune-related adverse events on the therapeutic efficacy of pembrolizumab in urothelial carcinoma: a multicenter retrospective study using time-dependent analysis. , 2022, 10, e003965.		14
60	Radical Prostatectomy versus External Beam Radiotherapy for cT1-4N0M0 Prostate Cancer: Comparison of Patient Outcomes Including Mortality. <i>PLoS ONE</i> , 2015, 10, e0141123.	1.1	13
61	Impact of Gleason pattern 5 including tertiary pattern 5 on outcomes of salvage treatment for biochemical recurrence in pT2-3N0M0 prostate cancer. <i>International Journal of Clinical Oncology</i> , 2016, 21, 975-980.	1.0	13
62	Longitudinal change of comprehensive lower urinary tract symptoms and various types of urinary incontinence during robotâ€assisted radical prostatectomy. <i>Neurourology and Urodynamics</i> , 2019, 38, 1067-1075.	0.8	13
63	Regional clinical practice variation in urology: Usage example of the Open Data of the National Database of Health Insurance Claims and Specific Health Checkups of Japan. <i>International Journal of Urology</i> , 2019, 26, 303-305.	0.5	13
64	Prognostic value of CD66b positive tumor-infiltrating neutrophils in testicular germ cell tumor. <i>BMC Cancer</i> , 2016, 16, 898.	1.1	12
65	Sleep Apnea and Circadian Extracellular Fluid Change as Independent Factors for Nocturnal Polyuria. <i>Journal of Urology</i> , 2016, 196, 1183-1189.	0.2	11
66	Optimal timing of salvage radiotherapy for biochemical recurrence after radical prostatectomy: is ultra-early salvage radiotherapy beneficial?. <i>Radiation Oncology</i> , 2016, 11, 102.	1.2	11
67	Accessibility to surgical robot technology and prostate-cancer patient behavior for prostatectomy. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 647-651.	0.6	10
68	Clinical outcomes in donors and recipients of kidney transplantations involving medically complex living donors â€“ a retrospective study. <i>Transplant International</i> , 2020, 33, 1417-1423.	0.8	10
69	Prognostic significance of serum neuron-specific enolase in small cell carcinoma of the urinary bladder. <i>World Journal of Urology</i> , 2017, 35, 97-103.	1.2	9
70	Lower ureteral lesion is an independent predictor of intravesical recurrence after radical nephroureterectomy for upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 59.e9-59.e13.	0.8	8
71	Prognostic significance of neutrophil-to-lymphocyte ratio in collecting duct carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 692-694.	0.6	8
72	Predictors of Early Continence after Robotâ€assisted Radical Prostatectomy. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2018, 10, 287-291.	0.6	7

#	ARTICLE	IF	CITATIONS
73	Urinary bladder urothelial carcinoma with concurrent plasmacytoid and micropapillary differentiations: A report of two cases with an emphasis on serum carbohydrate antigen 19â€9. <i>Pathology International</i> , 2015, 65, 495-500.	0.6	6
74	Combination of docetaxel, ifosfamide and cisplatin (DIP) as a potential salvage chemotherapy for metastatic urothelial carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 281-285.	0.6	6
75	Clinical significance and risk factors of International Society of Urological Pathology (ISUP) grade upgrading in prostate cancer patients undergoing robot-assisted radical prostatectomy. <i>BMC Cancer</i> , 2021, 21, 501.	1.1	6
76	Clinical significance of random bladder biopsy in primary T1 bladder cancer. <i>Molecular and Clinical Oncology</i> , 2018, 8, 665-670.	0.4	5
77	Histological and radiological evaluation of thermal denaturation depth using soft coagulation during partial nephrectomy in living pigs. <i>International Journal of Urology</i> , 2021, 28, 1274-1280.	0.5	5
78	Techniques of orthotopic renal transplantation in pigs. One donor to two recipients via inverted grafting. <i>Acta Cirurgica Brasileira</i> , 2021, 36, e360208.	0.3	5
79	Utilization of a three-dimensional printed kidney model for favorable TRIFECTA achievement in early experience of robot-assisted partial nephrectomy. <i>Translational Andrology and Urology</i> , 2020, 9, 2697-2704.	0.6	5
80	Effectiveness of ultrasound-guided pelvic floor muscle training in improving prolonged urinary incontinence after robot-assisted radical prostatectomy. <i>Drug Discoveries and Therapeutics</i> , 2022, 16, 37-42.	0.6	5
81	Estrogen receptorâ€binding fragmentâ€associated gene 9 expression and its clinical significance in human testicular cancer. <i>International Journal of Urology</i> , 2009, 16, 329-332.	0.5	4
82	Quantification of the individual risk of each Gleason pattern, including tertiary Gleason pattern 5, after radical prostatectomy: development of the modified Gleason grade grouping (mGGG) model. <i>BMC Cancer</i> , 2020, 20, 371.	1.1	4
83	Transient acute kidney injury observed immediately after robotâ€assisted radical prostatectomy but not after open radical prostatectomy. <i>Molecular and Clinical Oncology</i> , 2020, 13, 18.	0.4	4
84	Linguistic validation of the <sc>E</sc>nglish version of the <sc>C</sc>ore <sc>L</sc>ower <sc>U</sc>rinary <sc>T</sc>ract <sc>S</sc>ympptom <sc>S</sc>core. <i>International Journal of Urology</i> , 2014, 21, 1291-1292.	0.5	3
85	Benefit of adjuvant immunotherapy in renal cell carcinoma: A myth or a reality?. <i>PLoS ONE</i> , 2017, 12, e0172341.	1.1	3
86	Hospital-Volume Effects on Perioperative Outcomes in Peritoneal Dialysis Catheter Implantation: Analysis of 2,505 Cases. <i>Peritoneal Dialysis International</i> , 2018, 38, 419-423.	1.1	3
87	Sunitinib versus sorafenib for patients with advanced renal cell carcinoma with renal impairment before the immune-oncology therapy era. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 1164-1171.	0.6	3
88	Robot-assisted radical prostatectomy versus volumetric modulated arc therapy: Comparison of front-line therapies for localized prostate cancer. <i>Radiotherapy and Oncology</i> , 2019, 140, 62-67.	0.3	3
89	Predictive factors and management of urinary tract infections after kidney transplantation: a retrospective cohort study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 200-206.	0.7	3
90	Clinical characteristics of patients with inguinal hernia mesh migration into the bladder. <i>IJU Case Reports</i> , 2022, 5, 276-279.	0.1	3

#	ARTICLE	IF	CITATIONS
91	Adenocarcinoma at Anastomotic Site of Ureterosigmoidostomy Potentially of Urothelial Origin Spreading to the Upper Urinary Tract. <i>Case Reports in Urology</i> , 2015, 2015, 1-3.	0.1	2
92	Aggressive Cancer Behavior of Latent Gleason Pattern 5 in Prostatectomy Specimens. <i>Anticancer Research</i> , 2018, 38, 6529-6535.	0.5	2
93	The efficacy of axitinib as a first-line treatment for metastatic renal cell carcinoma. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2020, 16, 241-246.	0.7	2
94	Postoperative Hemorrhagic Shock 7 Days After Robot-Assisted Radical Prostatectomy. <i>Journal of Endourology Case Reports</i> , 2020, 6, 448-450.	0.3	2
95	The cutoff value of transitional zone index predicting the efficacy of dutasteride on subjective symptoms in patients with benign prostate hyperplasia. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2022, 14, 261-266.	0.6	2
96	Acute pericarditis as a result of unusual metastasis of the visceral pleura in a patient with testicular seminoma. <i>International Journal of Urology</i> , 2006, 13, 653-654.	0.5	1
97	Cessation of long-term adjuvant androgen deprivation therapy after radical prostatectomy: is it feasible?. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 1143-1147.	0.6	1
98	Oncological and peri-surgical outcomes of radical prostatectomy for non-metastatic prostate cancer with prostate-specific antigen level of 50 ng/ml or greater. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 485-490.	0.6	1
99	Lacking transient receptor potential melastatin <sup>2</sup> attenuates lipopolysaccharide-induced bladder inflammation and its associated hypersensitivity in mice. <i>International Journal of Urology</i> , 2021, 28, 107-114.	0.5	1
100	Mechanism of hypertensive crisis during energy device ablation of the adrenal gland: An experimental animal study. <i>International Journal of Urology</i> , 2021, 28, 598-604.	0.5	1
101	Cancer-specific survival in patients with urothelial carcinoma of the bladder with recurrence after radical cystectomy: External validation of the prognostic risk stratification model. <i>Journal of Clinical Oncology</i> , 2014, 32, 325-325.	0.8	1
102	Less invasive and equivalent short-term outcomes with simultaneous en bloc robot-assisted radical cystectomy and laparoscopic nephroureterectomy: Comparison with conventional open radical cystectomy and nephroureterectomy. <i>Asian Journal of Endoscopic Surgery</i> , 2022, 15, 255-260.	0.4	1
103	Castration-resistant prostate cancer diagnosed during leuprorelin treatment for spinal and bulbar muscular atrophy. <i>IJU Case Reports</i> , 0, , .	0.1	1
104	Twelve Months Follow-up of Injection of OnabotulinumtoxinA into Vesical Submucosa for Refractory Non-neurogenic Overactive Bladder. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2013, 5, 55-59.	0.6	0
105	Editorial Comment to Evaluation and validation of the Core Lower Urinary Tract Symptom Score as an outcome assessment tool for the treatment of benign prostatic hyperplasia: Effects of the $\beta$ -adrenoreceptor antagonist silodosin. <i>International Journal of Urology</i> , 2014, 21, 113-113.	0.5	0
106	Intrascrotal Dedifferentiated Leiomyosarcoma Originating from Dartos Muscle. <i>Case Reports in Urology</i> , 2014, 2014, 1-3.	0.1	0
107	Adenoma-carcinoma Sequence in the Bladder After Augmentation Cystoplasty. <i>Urology Case Reports</i> , 2014, 2, 73-74.	0.1	0
108	Clinical significance and risk factors of urethrovesical anastomotic urinary leakage following robot-assisted radical prostatectomy: a multi-institutional study. <i>BMC Urology</i> , 2021, 21, 75.	0.6	0

#	ARTICLE	IF	CITATIONS
109	Natural history of asymptomatic renal artery pseudoaneurysm after robot-assisted partial nephrectomy. <i>Translational Andrology and Urology</i> , 2021, 10, 3555-3565.	0.6	0
110	Questionnaire survey assessing seasonal changes in lower urinary tract symptoms in men with benign prostate hyperplasia. <i>Turkish Journal of Urology</i> , 2020, 46, 468-473.	1.3	0
111	Questionnaire survey assessing seasonal changes in lower urinary tract symptoms in men with benign prostate hyperplasia. <i>Turkish Journal of Urology</i> , 2020, 46, 468-473.	1.3	0
112	Novel high-quality and reality biomaterial as a kidney surgery simulation model. <i>PLoS ONE</i> , 2022, 17, e0263179.	1.1	0
113	Indigo Carmine Dye-Assisted Lymphatic-Sparing Microsurgical Subinguinal Varicocelelectomy Among Children and Adolescents. <i>Indian Journal of Surgery</i> , 0, , 1.	0.2	0