

# Tetsuya Fujimura

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4034068/tetsuya-fujimura-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109  
papers

1,837  
citations

24  
h-index

38  
g-index

114  
ext. papers

2,254  
ext. citations

3.9  
avg, IF

4.57  
L-index

#	Paper	IF	Citations
109	Androgen-responsive long noncoding RNA CTBP1-AS promotes prostate cancer. <i>EMBO Journal</i> , <b>2013</b> , 32, 1665-80	13	212
108	Amyloid precursor protein is a primary androgen target gene that promotes prostate cancer growth. <i>Cancer Research</i> , <b>2009</b> , 69, 137-42	10.1	89
107	Estrogen regulates tumor growth through a nonclassical pathway that includes the transcription factors ER $\alpha$ and KLF5. <i>Science Signaling</i> , <b>2011</b> , 4, ra22	8.8	83
106	TET2 repression by androgen hormone regulates global hydroxymethylation status and prostate cancer progression. <i>Nature Communications</i> , <b>2015</b> , 6, 8219	17.4	73
105	Increased expression of estrogen-related receptor alpha (ERRalpha) is a negative prognostic predictor in human prostate cancer. <i>International Journal of Cancer</i> , <b>2007</b> , 120, 2325-30	7.5	65
104	Sarcopenia Evaluated Using the Skeletal Muscle Index Is a Significant Prognostic Factor for Metastatic Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , <b>2016</b> , 14, 237-43	3.3	56
103	Dysregulation of spliceosome gene expression in advanced prostate cancer by RNA-binding protein PSF. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, 10461-10466	11.5	55
102	RUNX1, an androgen- and EZH2-regulated gene, has differential roles in AR-dependent and -independent prostate cancer. <i>Oncotarget</i> , <b>2015</b> , 6, 2263-76	3.3	54
101	14-3-3 $\alpha$ a novel androgen-responsive gene, is upregulated in prostate cancer and promotes prostate cancer cell proliferation and survival. <i>Clinical Cancer Research</i> , <b>2012</b> , 18, 5617-27	12.9	52
100	TRIM25 enhances cell growth and cell survival by modulating p53 signals via interaction with G3BP2 in prostate cancer. <i>Oncogene</i> , <b>2018</b> , 37, 2165-2180	9.2	50
99	A novel prognostic factor TRIM44 promotes cell proliferation and migration, and inhibits apoptosis in testicular germ cell tumor. <i>Cancer Science</i> , <b>2017</b> , 108, 32-41	6.9	49
98	Association of USP10 with G3BP2 Inhibits p53 Signaling and Contributes to Poor Outcome in Prostate Cancer. <i>Molecular Cancer Research</i> , <b>2018</b> , 16, 846-856	6.6	42
97	CtBP2 modulates the androgen receptor to promote prostate cancer progression. <i>Cancer Research</i> , <b>2014</b> , 74, 6542-53	10.1	41
96	Oct1 regulates cell growth of LNCaP cells and is a prognostic factor for prostate cancer. <i>International Journal of Cancer</i> , <b>2012</b> , 130, 1021-8	7.5	40
95	Pretreatment neutrophil-to-lymphocyte ratio as an independent predictor of survival in patients with metastatic urothelial carcinoma: A multi-institutional study. <i>International Journal of Urology</i> , <b>2015</b> , 22, 638-43	2.3	34
94	Expression of androgen and estrogen signaling components and stem cell markers to predict cancer progression and cancer-specific survival in patients with metastatic prostate cancer. <i>Clinical Cancer Research</i> , <b>2014</b> , 20, 4625-35	12.9	33
93	Differential expression of estrogen-related receptors beta and gamma (ERRbeta and ERRgamma) and their clinical significance in human prostate cancer. <i>Cancer Science</i> , <b>2010</b> , 101, 646-51	6.9	32

92	Association between lower urinary tract symptoms and sexual dysfunction assessed using the core lower urinary tract symptom score and International Index of Erectile Function-5 questionnaires. <i>Aging Male</i> , <b>2012</b> , 15, 111-4	2.1	29
91	Botulinum toxin type A injection for refractory interstitial cystitis: A randomized comparative study and predictors of treatment response. <i>International Journal of Urology</i> , <b>2015</b> , 22, 835-41	2.3	28
90	Androgen-induced lncRNA POTEV-AS1 regulates apoptosis-related pathway to facilitate cell survival in prostate cancer cells. <i>Cancer Science</i> , <b>2017</b> , 108, 373-379	6.9	26
89	Molecular Taxonomy of Interstitial Cystitis/Bladder Pain Syndrome Based on Whole Transcriptome Profiling by Next-Generation RNA Sequencing of Bladder Mucosal Biopsies. <i>Journal of Urology</i> , <b>2019</b> , 202, 290-300	2.5	25
88	Clinical significance of steroid and xenobiotic receptor and its targeted gene CYP3A4 in human prostate cancer. <i>Cancer Science</i> , <b>2012</b> , 103, 176-80	6.9	24
87	Assessment of lower urinary tract symptoms in men by international prostate symptom score and core lower urinary tract symptom score. <i>BJU International</i> , <b>2012</b> , 109, 1512-6	5.6	24
86	Expression of cytochrome P450 3A4 and its clinical significance in human prostate cancer. <i>Urology</i> , <b>2009</b> , 74, 391-7	1.6	24
85	Hydrodistension with or without fulguration of hunner lesions for interstitial cystitis: Long-term outcomes and prognostic predictors. <i>Neurourology and Urodynamics</i> , <b>2016</b> , 35, 965-969	2.3	23
84	Estrogen and Androgen Blockade for Advanced Prostate Cancer in the Era of Precision Medicine. <i>Cancers</i> , <b>2018</b> , 10,	6.6	22
83	Estrogen Exhibits a Biphasic Effect on Prostate Tumor Growth through the Estrogen Receptor EKL5 Pathway. <i>Molecular and Cellular Biology</i> , <b>2016</b> , 36, 144-56	4.8	20
82	Increased Expression of Tripartite Motif (TRIM) 47 Is a Negative Prognostic Predictor in Human Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , <b>2016</b> , 14, 298-303	3.3	20
81	Identification of long non-coding RNAs in advanced prostate cancer associated with androgen receptor splicing factors. <i>Communications Biology</i> , <b>2020</b> , 3, 393	6.7	19
80	TRIM44 promotes cell proliferation and migration by inhibiting FRK in renal cell carcinoma. <i>Cancer Science</i> , <b>2020</b> , 111, 881-890	6.9	18
79	Cytochrome P450 2B6 is a growth-inhibitory and prognostic factor for prostate cancer. <i>Prostate</i> , <b>2007</b> , 67, 1029-37	4.2	18
78	COBLL1 modulates cell morphology and facilitates androgen receptor genomic binding in advanced prostate cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, 4975-4980	11.5	16
77	Robot-assisted radical prostatectomy significantly reduced biochemical recurrence compared to retro pubic radical prostatectomy. <i>BMC Cancer</i> , <b>2017</b> , 17, 454	4.8	16
76	Toremifene, a selective estrogen receptor modulator, significantly improved biochemical recurrence in bone metastatic prostate cancer: a randomized controlled phase II a trial. <i>BMC Cancer</i> , <b>2015</b> , 15, 836	4.8	16
75	Incidence and risk factors of inguinal hernia after robot-assisted radical prostatectomy. <i>World Journal of Surgical Oncology</i> , <b>2017</b> , 15, 61	3.4	15

74	Validation of an educational program balancing surgeon training and surgical quality control during robot-assisted radical prostatectomy. <i>International Journal of Urology</i> , <b>2016</b> , 23, 160-6	2.3	15
73	Abhydrolase domain containing 2, an androgen target gene, promotes prostate cancer cell proliferation and migration. <i>European Journal of Cancer</i> , <b>2016</b> , 57, 39-49	7.5	15
72	Preoperative chronic kidney disease is predictive of oncological outcome of radical cystectomy for bladder cancer. <i>World Journal of Urology</i> , <b>2018</b> , 36, 249-256	4	15
71	Efficacy of post-nephroureterectomy cisplatin-based adjuvant chemotherapy for locally advanced upper tract urothelial carcinoma: a multi-institutional retrospective study. <i>World Journal of Urology</i> , <b>2017</b> , 35, 1569-1575	4	14
70	Nomogram for predicting survival of postcystectomy recurrent urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2017</b> , 35, 457.e15-457.e21	2.8	13
69	Comparison of perioperative outcomes in elderly (age $\geq$ 75 years) vs. younger men undergoing robot-assisted radical prostatectomy. <i>PLoS ONE</i> , <b>2020</b> , 15, e0234113	3.7	13
68	Oncologic Outcome of Metastasectomy for Urothelial Carcinoma: Who Is the Best Candidate?. <i>Annals of Surgical Oncology</i> , <b>2017</b> , 24, 2794-2800	3.1	13
67	Psychometric validation of the English version of the overactive bladder symptom score. <i>Urology</i> , <b>2014</b> , 84, 46-50	1.6	13
66	Core lower urinary tract symptom score (CLSS) for the assessment of female lower urinary tract symptoms: a comparative study. <i>International Journal of Urology</i> , <b>2011</b> , 18, 778-84	2.3	13
65	Current status and future perspective of robot-assisted radical cystectomy for invasive bladder cancer. <i>International Journal of Urology</i> , <b>2019</b> , 26, 1033-1042	2.3	12
64	Video-urodynamic effects of mirabegron, a $\beta$ -adrenoceptor agonist, in patients with low-compliance bladder. <i>International Journal of Urology</i> , <b>2015</b> , 22, 956-61	2.3	12
63	Nocturia in men is a chaotic condition dominated by nocturnal polyuria. <i>International Journal of Urology</i> , <b>2015</b> , 22, 496-501	2.3	12
62	Cancer-related pain and quality of life in prostate cancer patients: assessment using the Functional Assessment of Prostate Cancer Therapy. <i>International Journal of Urology</i> , <b>2009</b> , 16, 522-5	2.3	12
61	Impact of Gleason pattern 5 including tertiary pattern 5 on outcomes of salvage treatment for biochemical recurrence in pT2-3N0M0 prostate cancer. <i>International Journal of Clinical Oncology</i> , <b>2016</b> , 21, 975-980	4.2	12
60	Extent of Hunner lesions: The relationships with symptom severity and clinical parameters in Hunner type interstitial cystitis patients. <i>Neurourology and Urodynamics</i> , <b>2018</b> , 37, 1441-1447	2.3	11
59	Biphasic decline in renal function after radical cystectomy with urinary diversion. <i>International Journal of Clinical Oncology</i> , <b>2017</b> , 22, 359-365	4.2	11
58	Radical Prostatectomy versus External Beam Radiotherapy for cT1-4N0M0 Prostate Cancer: Comparison of Patient Outcomes Including Mortality. <i>PLoS ONE</i> , <b>2015</b> , 10, e0141123	3.7	11
57	Androgen-responsive tripartite motif 36 enhances tumor-suppressive effect by regulating apoptosis-related pathway in prostate cancer. <i>Cancer Science</i> , <b>2018</b> , 109, 3840-3852	6.9	11

56	Validation of major prognostic models for metastatic urothelial carcinoma using a multi-institutional cohort of the real world. <i>World Journal of Urology</i> , <b>2016</b> , 34, 163-71	4	10
55	Optimal timing of salvage radiotherapy for biochemical recurrence after radical prostatectomy: is ultra-early salvage radiotherapy beneficial?. <i>Radiation Oncology</i> , <b>2016</b> , 11, 102	4.2	10
54	Tension-free vaginal mesh surgery versus laparoscopic sacrocolpopexy for pelvic organ prolapse: Analysis of perioperative outcomes using a Japanese national inpatient database. <i>International Journal of Urology</i> , <b>2018</b> , 25, 655-659	2.3	10
53	Overactive bladder is a negative predictor of achieving continence after robot-assisted radical prostatectomy. <i>International Journal of Urology</i> , <b>2017</b> , 24, 749-756	2.3	10
52	Prevalence and characteristics of fecal antimicrobial-resistant Escherichia coli in a cohort of Japanese men undergoing prostate biopsy. <i>International Journal of Urology</i> , <b>2017</b> , 24, 295-300	2.3	8
51	Prognostic value of CD66b positive tumor-infiltrating neutrophils in testicular germ cell tumor. <i>BMC Cancer</i> , <b>2016</b> , 16, 898	4.8	8
50	Symptoms at diagnosis as independent prognostic factors in retroperitoneal liposarcoma. <i>Molecular and Clinical Oncology</i> , <b>2016</b> , 4, 255-260	1.6	7
49	Lower ureteral lesion is an independent predictor of intravesical recurrence after radical nephroureterectomy for upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2016</b> , 34, 59.e9-13	2.8	7
48	Accessibility to surgical robot technology and prostate-cancer patient behavior for prostatectomy. <i>Japanese Journal of Clinical Oncology</i> , <b>2017</b> , 47, 647-651	2.8	6
47	Longitudinal change of comprehensive lower urinary tract symptoms and various types of urinary incontinence during robot-assisted radical prostatectomy. <i>Neurourology and Urodynamics</i> , <b>2019</b> , 38, 1067-1075 <sup>6</sup>	2.3	6
46	Prognostic significance of neutrophil-to-lymphocyte ratio in collecting duct carcinoma. <i>Japanese Journal of Clinical Oncology</i> , <b>2018</b> , 48, 692-694	2.8	6
45	Combination of docetaxel, ifosfamide and cisplatin (DIP) as a potential salvage chemotherapy for metastatic urothelial carcinoma. <i>Japanese Journal of Clinical Oncology</i> , <b>2015</b> , 45, 281-5	2.8	6
44	Regional clinical practice variation in urology: Usage example of the Open Data of the National Database of Health Insurance Claims and Specific Health Checkups of Japan. <i>International Journal of Urology</i> , <b>2019</b> , 26, 303-305	2.3	6
43	Urinary bladder urothelial carcinoma with concurrent plasmacytoid and micropapillary differentiations: A report of two cases with an emphasis on serum carbohydrate antigen 19-9. <i>Pathology International</i> , <b>2015</b> , 65, 495-500	1.8	5
42	Sleep Apnea and Circadian Extracellular Fluid Change as Independent Factors for Nocturnal Polyuria. <i>Journal of Urology</i> , <b>2016</b> , 196, 1183-9	2.5	5
41	Prognostic significance of serum neuron-specific enolase in small cell carcinoma of the urinary bladder. <i>World Journal of Urology</i> , <b>2017</b> , 35, 97-103	4	4
40	Quantification of the individual risk of each Gleason pattern, including tertiary Gleason pattern 5, after radical prostatectomy: development of the modified Gleason grade grouping (mGGG) model. <i>BMC Cancer</i> , <b>2020</b> , 20, 371	4.8	4
39	Clinical significance of random bladder biopsy in primary T1 bladder cancer. <i>Molecular and Clinical Oncology</i> , <b>2018</b> , 8, 665-670	1.6	4

38	Clinical outcomes in donors and recipients of kidney transplantations involving medically complex living donors - a retrospective study. <i>Transplant International</i> , <b>2020</b> , 33, 1417-1423	3	4
37	Techniques of orthotopic renal transplantation in pigs. One donor to two recipients via inverted grafting. <i>Acta Cirurgica Brasileira</i> , <b>2021</b> , 36, e360208	1.6	4
36	Predictors of Early Continence after Robot-assisted Radical Prostatectomy. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2018</b> , 10, 287-291	1.9	3
35	Estrogen receptor-binding fragment-associated gene 9 expression and its clinical significance in human testicular cancer. <i>International Journal of Urology</i> , <b>2009</b> , 16, 329-32	2.3	3
34	Subtype-specific collaborative transcription factor networks are promoted by OCT4 in the progression of prostate cancer. <i>Nature Communications</i> , <b>2021</b> , 12, 3766	17.4	3
33	Robot-assisted radical prostatectomy versus volumetric modulated arc therapy: Comparison of front-line therapies for localized prostate cancer. <i>Radiotherapy and Oncology</i> , <b>2019</b> , 140, 62-67	5.3	2
32	Benefit of adjuvant immunotherapy in renal cell carcinoma: A myth or a reality?. <i>PLoS ONE</i> , <b>2017</b> , 12, e0172341	3.7	2
31	Adenocarcinoma at Anastomotic Site of Ureterosigmoidostomy Potentially of Urothelial Origin Spreading to the Upper Urinary Tract. <i>Case Reports in Urology</i> , <b>2015</b> , 2015, 564082	0.5	2
30	Linguistic validation of the English version of the Core Lower Urinary Tract Symptom Score. <i>International Journal of Urology</i> , <b>2014</b> , 21, 1291-2	2.3	2
29	Utilization of a three-dimensional printed kidney model for favorable TRIFECTA achievement in early experience of robot-assisted partial nephrectomy. <i>Translational Andrology and Urology</i> , <b>2020</b> , 9, 2697-2704	2.3	2
28	Predictive factors and management of urinary tract infections after kidney transplantation: a retrospective cohort study. <i>Clinical and Experimental Nephrology</i> , <b>2021</b> , 25, 200-206	2.5	2
27	Aggressive Cancer Behavior of Latent Gleason Pattern 5 in Prostatectomy Specimens. <i>Anticancer Research</i> , <b>2018</b> , 38, 6529-6535	2.3	2
26	Histological and radiological evaluation of thermal denaturation depth using soft coagulation during partial nephrectomy in living pigs. <i>International Journal of Urology</i> , <b>2021</b> , 28, 1274-1280	2.3	2
25	The efficacy of axitinib as a first-line treatment for metastatic renal cell carcinoma. <i>Asia-Pacific Journal of Clinical Oncology</i> , <b>2020</b> , 16, 241-246	1.9	1
24	Oncological and peri-surgical outcomes of radical prostatectomy for non-metastatic prostate cancer with prostate-specific antigen level of 50 ng/ml or greater. <i>Japanese Journal of Clinical Oncology</i> , <b>2018</b> , 48, 485-490	2.8	1
23	Hospital-Volume Effects on Perioperative Outcomes in Peritoneal Dialysis Catheter Implantation: Analysis of 2,505 Cases. <i>Peritoneal Dialysis International</i> , <b>2018</b> , 38, 419-423	2.8	1
22	Acute pericarditis as a result of unusual metastasis of the visceral pleura in a patient with testicular seminoma. <i>International Journal of Urology</i> , <b>2006</b> , 13, 653-4	2.3	1
21	Cancer-specific survival in patients with urothelial carcinoma of the bladder with recurrence after radical cystectomy: External validation of the prognostic risk stratification model.. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 325-325	2.2	1

20	Postoperative Hemorrhagic Shock 7 Days After Robot-Assisted Radical Prostatectomy. <i>Journal of Endourology Case Reports</i> , <b>2020</b> , 6, 448-450	0.3	1
19	Clinical significance and risk factors of International Society of Urological Pathology (ISUP) grade upgrading in prostate cancer patients undergoing robot-assisted radical prostatectomy. <i>BMC Cancer</i> , <b>2021</b> , 21, 501	4.8	1
18	Lacking transient receptor potential melastatin $\square$ attenuates lipopolysaccharide-induced bladder inflammation and its associated hypersensitivity in mice. <i>International Journal of Urology</i> , <b>2021</b> , 28, 107-114	2.3	1
17	Mechanism of hypertensive crisis during energy device ablation of the adrenal gland: An experimental animal study. <i>International Journal of Urology</i> , <b>2021</b> , 28, 598-604	2.3	1
16	Prognostic significance of the albumin-to-globulin ratio for advanced urothelial carcinoma treated with pembrolizumab: a multicenter retrospective study. <i>Scientific Reports</i> , <b>2021</b> , 11, 15623	4.9	1
15	Clinical characteristics of patients with inguinal hernia mesh migration into the bladder. <i>IJU Case Reports</i> ,	0.5	1
14	Sunitinib versus sorafenib for patients with advanced renal cell carcinoma with renal impairment before the immune-oncology therapy era. <i>Japanese Journal of Clinical Oncology</i> , <b>2019</b> , 49, 1164-1171	2.8	0
13	Transient acute kidney injury observed immediately after robot-assisted radical prostatectomy but not after open radical prostatectomy. <i>Molecular and Clinical Oncology</i> , <b>2020</b> , 13, 18	1.6	0
12	Effectiveness of ultrasound-guided pelvic floor muscle training in improving prolonged urinary incontinence after robot-assisted radical prostatectomy.. <i>Drug Discoveries and Therapeutics</i> , <b>2022</b> , 16, 37-42	5	0
11	Cessation of long-term adjuvant androgen deprivation therapy after radical prostatectomy: is it feasible?. <i>Japanese Journal of Clinical Oncology</i> , <b>2016</b> , 46, 1143-1147	2.8	
10	Adenoma-carcinoma Sequence in the Bladder After Augmentation Cystoplasty. <i>Urology Case Reports</i> , <b>2014</b> , 2, 73-4	0.5	
9	Intrascrotal dedifferentiated leiomyosarcoma originating from dartos muscle. <i>Case Reports in Urology</i> , <b>2014</b> , 2014, 841929	0.5	
8	Twelve Months Follow-up of Injection of OnabotulinumtoxinA into Vesical Submucosa for Refractory Non-neurogenic Overactive Bladder. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2013</b> , 5, 55-9	1.9	
7	Questionnaire survey assessing seasonal changes in lower urinary tract symptoms in men with benign prostate hyperplasia. <i>Turkish Journal of Urology</i> , <b>2020</b> , 46, 468-473	1.3	
6	Questionnaire survey assessing seasonal changes in lower urinary tract symptoms in men with benign prostate hyperplasia. <i>Turkish Journal of Urology</i> , <b>2020</b> , 46, 468-473	1.3	
5	Clinical significance and risk factors of urethrovesical anastomotic urinary leakage following robot-assisted radical prostatectomy: a multi-institutional study. <i>BMC Urology</i> , <b>2021</b> , 21, 75	2.2	
4	Natural history of asymptomatic renal artery pseudoaneurysm after robot-assisted partial nephrectomy. <i>Translational Andrology and Urology</i> , <b>2021</b> , 10, 3555-3565	2.3	
3	Novel high-quality and reality biomaterial as a kidney surgery simulation model.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0263179	3.7	

- 2 Indigo Carmine Dye-Assisted Lymphatic-Sparing Microsurgical Subinguinal Varicocelectomy Among Children and Adolescents. *Indian Journal of Surgery*,1 0.3
- 1 Castration-resistant prostate cancer diagnosed during leuporelin treatment for spinal and bulbar muscular atrophy. *IJU Case Reports*, 0.5