

RenÃ© M Ebisch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4034396/publications.pdf>

Version: 2024-02-01

14
papers

402
citations

1040056

9
h-index

1058476

14
g-index

14
all docs

14
docs citations

14
times ranked

717
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Salvage surgery for patients with residual disease after chemoradiation therapy for locally advanced cervical cancer: A systematic review on indication, complications, and survival. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1176-1185. | 2.8 | 11 |
| 2 | Is smoking an independent risk factor for developing cervical intra-epithelial neoplasia and cervical cancer? A systematic review and meta-analysis. <i>Expert Review of Anticancer Therapy</i> , 2021, 21, 781-794. | 2.4 | 18 |
| 3 | Adjuvant Hysterectomy for Cervical Cancer Patients Treated with Chemoradiation Therapy: A Systematic Review on the Pathology-Proven Residual Disease Rate. <i>Cancers</i> , 2021, 13, 6190. | 3.7 | 1 |
| 4 | RNA-based high-risk HPV genotyping and identification of high-risk HPV transcriptional activity in cervical tissues. <i>Modern Pathology</i> , 2020, 33, 748-757. | 5.5 | 11 |
| 5 | The relative risk of noncervical high-risk human papillomavirus-related (pre)malignancies after recurrent cervical intraepithelial neoplasia grade 3: A population-based study. <i>International Journal of Cancer</i> , 2020, 147, 897-900. | 5.1 | 5 |
| 6 | The risk of cervical cancer after cervical intraepithelial neoplasia grade 3: A population-based cohort study with 80,442 women. <i>Gynecologic Oncology</i> , 2020, 157, 195-201. | 1.4 | 11 |
| 7 | Performance of human papillomavirus testing on self-collected versus clinician-collected samples for the detection of cervical intraepithelial neoplasia of grade 2 or worse: a randomised, paired screen-positive, non-inferiority trial. <i>Lancet Oncology</i> , 2019, 20, 229-238. | 10.7 | 129 |
| 8 | Screening for persistent high-risk HPV infections may be a valuable screening method for young women; A retrospective cohort study. <i>PLoS ONE</i> , 2018, 13, e0206219. | 2.5 | 3 |
| 9 | Defining hrHPV genotypes in cervical intraepithelial neoplasia by laser capture microdissection supports reflex triage of self-samples using HPV16/18 and FAM19A4/miR124-2 methylation. <i>Gynecologic Oncology</i> , 2018, 151, 311-318. | 1.4 | 7 |
| 10 | Evaluation of p16/Ki-67 dual-stained cytology as triage test for high-risk human papillomavirus-positive women. <i>Modern Pathology</i> , 2017, 30, 1021-1031. | 5.5 | 49 |
| 11 | Long-Lasting Increased Risk of Human Papillomavirus-Related Carcinomas and Premalignancies After Cervical Intraepithelial Neoplasia Grade 3: A Population-Based Cohort Study. <i>Journal of Clinical Oncology</i> , 2017, 35, 2542-2550. | 1.6 | 64 |
| 12 | Triage of high-risk HPV positive women in cervical cancer screening. <i>Expert Review of Anticancer Therapy</i> , 2016, 16, 1073-1085. | 2.4 | 38 |
| 13 | The clinical value of HPV genotyping in triage of women with high-risk-HPV-positive self-samples. <i>International Journal of Cancer</i> , 2016, 139, 691-699. | 5.1 | 23 |
| 14 | Evidence supporting see-and-treat management of cervical intraepithelial neoplasia: a systematic review and meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 59-66. | 2.3 | 32 |