

# Bernhard Michalowsky

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4035531/publications.pdf>

Version: 2024-02-01

64  
papers

1,466  
citations

304602

22  
h-index

377752

34  
g-index

75  
all docs

75  
docs citations

75  
times ranked

1648  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effectiveness and Safety of Dementia Care Management in Primary Care. <i>JAMA Psychiatry</i> , 2017, 74, 996.	6.0	112
2	Rates of Formal Diagnosis in People Screened Positive for Dementia in Primary Care: Results of the DelpHi-Trial. <i>Journal of Alzheimer's Disease</i> , 2014, 42, 451-458.	1.2	88
3	Effect of the COVID-19 lockdown on disease recognition and utilisation of healthcare services in the older population in Germany: a cross-sectional study. <i>Age and Ageing</i> , 2021, 50, 317-325.	0.7	71
4	Dementia care management in primary care. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2017, 50, 68-77.	0.8	58
5	Dementia care management: going new ways in ambulant dementia care within a GP-based randomized controlled intervention trial. <i>International Psychogeriatrics</i> , 2014, 26, 247-256.	0.6	56
6	Rates of formal diagnosis of dementia in primary care: The effect of screening. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2015, 1, 87-93.	1.2	53
7	Cost-effectiveness of a collaborative dementia care management—Results of a cluster-randomized controlled trial. <i>Alzheimer's and Dementia</i> , 2019, 15, 1296-1308.	0.4	49
8	Potentially Inappropriate Medication in Community-Dwelling Primary Care Patients who were Screened Positive for Dementia. <i>Journal of Alzheimer's Disease</i> , 2016, 55, 691-701.	1.2	40
9	Economic Analysis of Formal Care, Informal Care, and Productivity Losses in Primary Care Patients who Screened Positive for Dementia in Germany. <i>Journal of Alzheimer's Disease</i> , 2016, 50, 47-59.	1.2	38
10	Living Alone with Dementia: Prevalence, Correlates and the Utilization of Health and Nursing Care Services. <i>Journal of Alzheimer's Disease</i> , 2016, 52, 619-629.	1.2	38
11	Systematic, early identification of dementia and dementia care management are highly appreciated by general physicians in primary care — results within a cluster-randomized-controlled trial (DelpHi). <i>Journal of Multidisciplinary Healthcare</i> , 2016, 9, 183.	1.1	35
12	Healthcare utilization and costs in primary care patients with dementia: baseline results of the DelpHi-trial. <i>European Journal of Health Economics</i> , 2018, 19, 87-102.	1.4	34
13	The Impact of Hospitalization on Readmission, Institutionalization, and Mortality of People with Dementia: A Systematic Review and Meta-Analysis. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 735-749.	1.2	34
14	The situation of elderly with cognitive impairment living at home during lockdown in the Corona-pandemic in Germany. <i>BMC Geriatrics</i> , 2020, 20, 540.	1.1	34
15	Community-Dwelling People Screened Positive for Dementia in Primary Care: A Comprehensive, Multivariate Descriptive Analysis Using Data from the DelpHi-Study. <i>Journal of Alzheimer's Disease</i> , 2016, 52, 609-617.	1.2	33
16	Identifying Unmet Needs of Family Dementia Caregivers: Results of the Baseline Assessment of a Cluster-Randomized Controlled Intervention Trial. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 527-539.	1.2	33
17	Association Between Hearing and Vision Impairment and Risk of Dementia: Results of a Case-Control Study Based on Secondary Data. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 363.	1.7	32
18	The benefits of implementing a computerized Intervention-Management-System (IMS) on delivering integrated dementia care in the primary care setting. <i>International Psychogeriatrics</i> , 2014, 26, 1377-1385.	0.6	31

#	ARTICLE	IF	CITATIONS
19	Unmet Needs of Community-Dwelling Primary Care Patients with Dementia in Germany: Prevalence and Correlates. <i>Journal of Alzheimer's Disease</i> , 2016, 51, 847-855.	1.2	30
20	Neuropsychiatric symptoms in people screened positive for dementia in primary care. <i>International Psychogeriatrics</i> , 2015, 27, 39-48.	0.6	26
21	Healthcare resource utilization and cost in dementia: are there differences between patients screened positive for dementia with and those without a formal diagnosis of dementia in primary care in Germany?. <i>International Psychogeriatrics</i> , 2016, 28, 359-369.	0.6	26
22	Why do family dementia caregivers reject caregiver support services? Analyzing types of rejection and associated health-impairments in a cluster-randomized controlled intervention trial. <i>BMC Health Services Research</i> , 2020, 20, 121.	0.9	25
23	Antidementia Drug Treatment in People Screened Positive for Dementia in Primary Care. <i>Journal of Alzheimer's Disease</i> , 2015, 44, 1015-1021.	1.2	24
24	Nonpharmacological therapies and provision of aids in outpatient dementia networks in Germany: utilization rates and associated factors. <i>Journal of Multidisciplinary Healthcare</i> , 2015, 8, 229.	1.1	22
25	Relatives' burden of caring for people screened positive for dementia in primary care. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2017, 50, 4-13.	0.8	22
26	Burden of Behavioral and Psychiatric Symptoms in People Screened Positive for Dementia in Primary Care: Results of the DelpHi-Study. <i>Journal of Alzheimer's Disease</i> , 2015, 46, 451-459.	1.2	21
27	Comorbidity in Dementia Diseases and Associated Health Care Resources Utilization and Cost. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 635-646.	1.2	21
28	Key Intervention Categories to Provide Person-Centered Dementia Care: A Systematic Review of Person-Centered Interventions. <i>Journal of Alzheimer's Disease</i> , 2021, 84, 343-366.	1.2	21
29	Effect of the COVID-19 pandemic on stress, anxiety, and depressive disorders in German primary care: A cross-sectional study. <i>Journal of Psychiatric Research</i> , 2021, 143, 43-49.	1.5	21
30	Priorities and Preferences of People Living with Dementia or Cognitive Impairment – A Systematic Review. <i>Patient Preference and Adherence</i> , 2021, Volume 15, 2793-2807.	0.8	19
31	How do people with dementia utilise primary care physicians and specialists within dementia networks? Results of the Dementia Networks in Germany (DemNet-D) study. <i>Health and Social Care in the Community</i> , 2017, 25, 285-294.	0.7	18
32	Acceptability and Validity of the EQ-5D in Patients Living With Dementia. <i>Value in Health</i> , 2020, 23, 760-767.	0.1	17
33	Medication Cost of Persons with Dementia in Primary Care in Germany. <i>Journal of Alzheimer's Disease</i> , 2014, 42, 949-958.	1.2	16
34	Subjective memory impairment: No suitable criteria for case-finding of dementia in primary care. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2015, 1, 179-186.	1.2	16
35	Antidementia drug treatment in dementia networks in Germany: use rates and factors associated with treatment use. <i>BMC Health Services Research</i> , 2015, 15, 205.	0.9	16
36	Supporting elderly people with cognitive impairment during and after hospital stays with intersectoral care management: study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 543.	0.7	15

#	ARTICLE	IF	CITATIONS
37	Cost of diagnosing dementia in a German memory clinic. <i>Alzheimer's Research and Therapy</i> , 2017, 9, 65.	3.0	14
38	Burden of caregivers of patients with frontotemporal lobar degeneration – a scoping review. <i>International Psychogeriatrics</i> , 2021, 33, 891-911.	0.6	14
39	Depressive symptoms and depression in people screened positive for dementia in primary care – results of the DelpHi-study. <i>International Psychogeriatrics</i> , 2016, 28, 929-937.	0.6	13
40	Antipsychotic Drug Treatment in Ambulatory Dementia Care: Prevalence and Correlates. <i>Journal of Alzheimer's Disease</i> , 2014, 43, 1303-1311.	1.2	12
41	Preferences of Cognitively Impaired Patients and Patients Living with Dementia: A Systematic Review of Quantitative Patient Preference Studies. <i>Journal of Alzheimer's Disease</i> , 2020, 77, 885-901.	1.2	12
42	Is the whole larger than the sum of its parts? Impact of missing data imputation in economic evaluation conducted alongside randomized controlled trials. <i>European Journal of Health Economics</i> , 2020, 21, 717-728.	1.4	12
43	Drug-Related Problems Increase Healthcare Costs for People Living with Dementia. <i>Journal of Alzheimer's Disease</i> , 2020, 73, 791-799.	1.2	9
44	Attitudes towards advanced nursing roles in primary dementia care – Results of an observational study in Germany. <i>Journal of Advanced Nursing</i> , 2021, 77, 1800-1812.	1.5	9
45	Trends in Dementia and Mild Cognitive Impairment Prevalence and Incidence in German General and Specialist Practices Between 2015 and 2019. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 1683-1690.	1.2	9
46	Who Benefits Most from Collaborative Dementia Care from a Patient and Payer Perspective? A Subgroup Cost-Effectiveness Analysis. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 449-462.	1.2	8
47	Diagnosing and treating dementia in German primary and specialized care between 2011 and 2015. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2018, 56, 301-309.	0.3	7
48	Patients with Dementia in Primary Care: Who Is Referred to a Neurologist/Psychiatrist and What Patient-Oriented Factors Are Associated with the Visit?. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 925-932.	1.2	6
49	How Does Utilization of Health Care Services Change in People with Dementia Served by Dementia Care Networks? Results of the Longitudinal, Observational DemNet-D-Study. <i>Journal of Alzheimer's Disease</i> , 2018, 66, 1609-1617.	1.2	5
50	Types of leisure time physical activities (LTPA) of community-dwelling persons who have been screened positive for dementia. <i>BMC Geriatrics</i> , 2021, 21, 270.	1.1	5
51	Mild Cognitive Disorder in Post-COVID-19 Syndrome: A Retrospective Cohort Study of 67,000 Primary Care Post-COVID Patients. <i>Journal of Alzheimer's Disease Reports</i> , 2022, 6, 297-305.	1.2	5
52	Elicitation of quantitative, choice-based preferences for Person-Centered Care among People living with Dementia in comparison to physicians'™ judgements in Germany: study protocol for the mixed-methods PreDemCare-study. <i>BMC Geriatrics</i> , 2022, 22, .	1.1	5
53	Prevalence of Low-Value Care and Its Associations with Patient-Centered Outcomes in Dementia. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 1-13.	1.2	4
54	Advanced nursing practice and interprofessional dementia care (InDePendent): study protocol for a multi-center, cluster-randomized, controlled, interventional trial. <i>Trials</i> , 2022, 23, 290.	0.7	4

#	ARTICLE	IF	CITATIONS
55	Patient Variables Associated with the Assignment of a Formal Dementia Diagnosis to Positively Screened Primary Care Patients. <i>Current Alzheimer Research</i> , 2017, 15, 44-50.	0.7	3
56	Psychometric Properties of EQ-5D-3L and EQ-5D-5L in Cognitively Impaired Patients Living with Dementia. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 77-87.	1.2	3
57	Development of a Quantitative Instrument to Elicit Patient Preferences for Person-Centered Dementia Care Stage 1: A Formative Qualitative Study to Identify Patient Relevant Criteria for Experimental Design of an Analytic Hierarchy Process. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 7629.	1.2	3
58	How to Initiate Dementia Care Networks? Processes, Barriers, and Facilitators During the Development Process of a Practice-Oriented Website Toolkit Out of Research Results. <i>International Quarterly of Community Health Education</i> , 2017, 37, 151-160.	0.4	2
59	Effectiveness of a digitally supported care management programme to reduce unmet needs of family caregivers of people with dementia: study protocol for a cluster randomised controlled trial (GAIN). <i>Trials</i> , 2021, 22, 401.	0.7	2
60	Development of a Quantitative Preference Instrument for Person-Centered Dementia Care—Stage 2: Insights from a Formative Qualitative Study to Design and Pretest a Dementia-Friendly Analytic Hierarchy Process Survey. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 8554.	1.2	2
61	Effect of Dementia Care Management on Healthcare Resource Utilization and Cost: One-Year Follow-Up Results of the Delphi Trial. <i>Alzheimer's and Dementia</i> , 2016, 12, P255.	0.4	1
62	Associations Between Low-Value Medication in Dementia and Healthcare Costs. <i>Clinical Drug Investigation</i> , 2022, 42, 427.	1.1	1
63	Tasks and Activities of an Effective Collaborative Dementia Care Management Program in German Primary Care. <i>Journal of Alzheimer's Disease</i> , 2022, 87, 1615-1625.	1.2	1
64	COST-UTILITY ANALYSIS OF DEMENTIA CARE MANAGEMENT: RESULTS OF THE CLUSTER-RANDOMIZED, CONTROLLED, INTERVENTIONAL TRIAL DELPHI-MV. <i>Alzheimer's and Dementia</i> , 2018, 14, P1502.	0.4	0