

# Takuya Terai

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4035706/takuya-terai-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95  
papers

6,879  
citations

43  
h-index

82  
g-index

99  
ext. papers

7,599  
ext. citations

8.3  
avg, IF

5.69  
L-index

#	Paper	IF	Citations
95	Interleukin-17A Peptide Aptamers with an Unexpected Binding Moiety Selected by cDNA Display under Heterogenous Conditions. <i>ACS Medicinal Chemistry Letters</i> , <b>2021</b> , 12, 1427-1434	4.3	0
94	In Vitro Construction of Large-scale DNA Libraries from Fragments Containing Random Regions using Deoxyinosine-containing Oligonucleotides and Endonuclease V. <i>ACS Combinatorial Science</i> , <b>2020</b> , 22, 165-171	3.9	2
93	Photocrosslinking of cDNA Display Molecules with Their Target Proteins as a New Strategy for Peptide Selection. <i>Molecules</i> , <b>2020</b> , 25,	4.8	2
92	In vitro selection of anti-gliadin single-domain antibodies from a naïve library for cDNA-display mediated immuno-PCR. <i>Analytical Biochemistry</i> , <b>2020</b> , 589, 113490	3.1	6
91	Selection of Peptides that Associate with Dye-Conjugated Solid Surfaces in a pH-Dependent Manner Using cDNA Display. <i>ACS Omega</i> , <b>2019</b> , 4, 7378-7384	3.9	9
90	A novel immuno-PCR method using cDNA display. <i>Analytical Biochemistry</i> , <b>2019</b> , 578, 1-6	3.1	10
89	cDNA Display Mediated Immuno-PCR (cD-IPCR): A Novel PCR-based Antigen Detection Method. <i>Bio-protocol</i> , <b>2019</b> , 9, e3457	0.9	2
88	Development of a Series of Practical Fluorescent Chemical Tools To Measure pH Values in Living Samples. <i>Journal of the American Chemical Society</i> , <b>2018</b> , 140, 5925-5933	16.4	88
87	A protein-coupled fluorescent probe for organelle-specific imaging of Na <sup>+</sup> . <i>Sensors and Actuators B: Chemical</i> , <b>2018</b> , 265, 575-581	8.5	6
86	Synthesis of unsymmetrical Si-rhodamine fluorophores and application to a far-red to near-infrared fluorescence probe for hypoxia. <i>Chemical Communications</i> , <b>2018</b> , 54, 6939-6942	5.8	23
85	Discovery and Mechanistic Characterization of Selective Inhibitors of HS-producing Enzyme: 3-Mercaptopyruvate Sulfurtransferase (3MST) Targeting Active-site Cysteine Persulfide. <i>Scientific Reports</i> , <b>2017</b> , 7, 40227	4.9	51
84	Development of an Azoreductase-based Reporter System with Synthetic Fluorogenic Substrates. <i>ACS Chemical Biology</i> , <b>2017</b> , 12, 558-563	4.9	28
83	In vitro selection of random peptides against artificial lipid bilayers: a potential tool to immobilize molecules on membranes. <i>Chemical Communications</i> , <b>2017</b> , 53, 3458-3461	5.8	11
82	Discovery of Cell-Type-Specific and Disease-Related Enzymatic Activity Changes via Global Evaluation of Peptide Metabolism. <i>Journal of the American Chemical Society</i> , <b>2017</b> , 139, 3465-3472	16.4	14
81	Improving the Solubility of Artificial Ligands of Streptavidin to Enable More Practical Reversible Switching of Protein Localization in Cells. <i>ChemBioChem</i> , <b>2017</b> , 18, 358-362	3.8	0
80	Development of Chemical Tools to Monitor and Control Isoaspartyl Peptide Methyltransferase Activity. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 153-157	16.4	11
79	Development of Chemical Tools to Monitor and Control Isoaspartyl Peptide Methyltransferase Activity. <i>Angewandte Chemie</i> , <b>2017</b> , 129, 159-163	3.6	1

78	Development of a reversible fluorescent probe for reactive sulfur species, sulfane sulfur, and its biological application. <i>Chemical Communications</i> , <b>2017</b> , 53, 1064-1067	5.8	55
77	Development of an Azo-Based Photosensitizer Activated under Mild Hypoxia for Photodynamic Therapy. <i>Journal of the American Chemical Society</i> , <b>2017</b> , 139, 13713-13719	16.4	142
76	Synthesis of practical red fluorescent probe for cytoplasmic calcium ions with greatly improved cell-membrane permeability. <i>Data in Brief</i> , <b>2017</b> , 12, 351-357	1.2	1
75	Enhanced mRNA-protein fusion efficiency of a single-domain antibody by selection of mRNA display with additional random sequences in the terminal translated regions. <i>Biophysics and Physicobiology</i> , <b>2017</b> , 14, 23-28	1.4	4
74	Development of practical red fluorescent probe for cytoplasmic calcium ions with greatly improved cell-membrane permeability. <i>Cell Calcium</i> , <b>2016</b> , 60, 256-65	4	20
73	Identification of Lung Inflammation-Related Elevation of Acylamino Acid Releasing Enzyme (APEH) Activity Using an Enzymomics Approach. <i>Chemical and Pharmaceutical Bulletin</i> , <b>2016</b> , 64, 1533-1538	1.9	5
72	Unexpected Photo-instability of 2,6-Sulfonamide-Substituted BODIPYs and Its Application to Caged GABA. <i>ChemBioChem</i> , <b>2016</b> , 17, 1233-40	3.8	12
71	Protein-Coupled Fluorescent Probe To Visualize Potassium Ion Transition on Cellular Membranes. <i>Analytical Chemistry</i> , <b>2016</b> , 88, 2693-700	7.8	45
70	Discovery of a pyruvylated peptide-metabolizing enzyme using a fluorescent substrate-based protein discovery technique. <i>Chemical Communications</i> , <b>2016</b> , 52, 4377-80	5.8	7
69	Detection of NAD(P)H-dependent enzyme activity by time-domain ratiometry of terbium luminescence. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2016</b> , 26, 2314-7	2.9	5
68	Analysis of chemical equilibrium of silicon-substituted fluorescein and its application to develop a scaffold for red fluorescent probes. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 9061-9	7.8	41
67	Detection of NAD(P)H-dependent enzyme activity with dynamic luminescence quenching of terbium complexes. <i>Chemical Communications</i> , <b>2015</b> , 51, 8319-22	5.8	20
66	Development of a series of near-infrared dark quenchers based on Si-rhodamines and their application to fluorescent probes. <i>Journal of the American Chemical Society</i> , <b>2015</b> , 137, 4759-65	16.4	76
65	New class of bioluminogenic probe based on bioluminescent enzyme-induced electron transfer: BioLeT. <i>Journal of the American Chemical Society</i> , <b>2015</b> , 137, 4010-3	16.4	55
64	Artificial Ligands of Streptavidin (ALiS): Discovery, Characterization, and Application for Reversible Control of Intracellular Protein Transport. <i>Journal of the American Chemical Society</i> , <b>2015</b> , 137, 10464-7	16.4	19
63	Identification of tissue-restricted bioreaction suitable for in vivo targeting by fluorescent substrate library-based enzyme discovery. <i>Journal of the American Chemical Society</i> , <b>2015</b> , 137, 12187-90	16.4	17
62	Gliotoxin suppresses NF- $\kappa$ B activation by selectively inhibiting linear ubiquitin chain assembly complex (LUBAC). <i>ACS Chemical Biology</i> , <b>2015</b> , 10, 675-81	4.9	58
61	Development of a Sensitive Bioluminogenic Probe for Imaging Highly Reactive Oxygen Species in Living Rats. <i>Angewandte Chemie - International Edition</i> , <b>2015</b> , 54, 14768-71	16.4	45

60	Development of a Sensitive Bioluminogenic Probe for Imaging Highly Reactive Oxygen Species in Living Rats. <i>Angewandte Chemie</i> , <b>2015</b> , 127, 14981-14984	3.6	10
59	Fluorometric assay of integrin activity with a small-molecular probe that senses the binding site microenvironment. <i>Chemical Communications</i> , <b>2014</b> , 50, 15894-6	5.8	5
58	A design strategy for small molecule-based targeted MRI contrast agents: their application for detection of atherosclerotic plaques. <i>Organic and Biomolecular Chemistry</i> , <b>2014</b> , 12, 8611-8	3.9	10
57	Boron dipyrromethene as a fluorescent caging group for single-photon uncaging with long-wavelength visible light. <i>ACS Chemical Biology</i> , <b>2014</b> , 9, 2242-6	4.9	70
56	Selective Ablation of $\beta$ Galactosidase-Expressing Cells with a Rationally Designed Activatable Photosensitizer. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 6890-6893	3.6	17
55	Thermal or mechanical stimuli-induced photoluminescence color change of a molecular assembly composed of an amphiphilic anthracene derivative in water. <i>Chemistry - A European Journal</i> , <b>2014</b> , 20, 10397-403	4.8	28
54	Selective ablation of $\beta$ galactosidase-expressing cells with a rationally designed activatable photosensitizer. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 6772-5	16.4	85
53	Rapidly rendering cells phagocytic through a cell surface display technique and concurrent Rac activation. <i>Science Signaling</i> , <b>2014</b> , 7, rs4	8.8	6
52	Practical fluorescence detection of acrolein in human plasma via a two-step tethering approach. <i>Chemical Communications</i> , <b>2014</b> , 50, 14946-8	5.8	21
51	Red Fluorescent Probe for Monitoring the Dynamics of Cytoplasmic Calcium Ions. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 3966-3969	3.6	7
50	TokyoGreen derivatives as specific and practical fluorescent probes for UDP-glucuronosyltransferase (UGT) 1A1. <i>Chemical Communications</i> , <b>2013</b> , 49, 3101-3	5.8	17
49	Rational design of highly sensitive fluorescence probes for protease and glycosidase based on precisely controlled spirocyclization. <i>Journal of the American Chemical Society</i> , <b>2013</b> , 135, 409-14	16.4	182
48	Small-molecule fluorophores and fluorescent probes for bioimaging. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2013</b> , 465, 347-59	4.6	198
47	Red fluorescent probe for monitoring the dynamics of cytoplasmic calcium ions. <i>Angewandte Chemie - International Edition</i> , <b>2013</b> , 52, 3874-7	16.4	63
46	Diced electrophoresis gel assay for screening enzymes with specified activities. <i>Journal of the American Chemical Society</i> , <b>2013</b> , 135, 6002-5	16.4	25
45	Development of azo-based fluorescent probes to detect different levels of hypoxia. <i>Angewandte Chemie - International Edition</i> , <b>2013</b> , 52, 13028-32	16.4	204
44	Development of Azo-Based Fluorescent Probes to Detect Different Levels of Hypoxia. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 13266-13270	3.6	29
43	Development of hypoxia-sensitive Gd <sup>3+</sup> -based MRI contrast agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2012</b> , 22, 2798-802	2.9	45

42	Red fluorescent scaffold for highly sensitive protease activity probes. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2012</b> , 22, 3908-11	2.9	32
41	Reversible off-on fluorescence probe for hypoxia and imaging of hypoxia-normoxia cycles in live cells. <i>Journal of the American Chemical Society</i> , <b>2012</b> , 134, 19588-91	16.4	95
40	Highly activatable and environment-insensitive optical highlighters for selective spatiotemporal imaging of target proteins. <i>Journal of the American Chemical Society</i> , <b>2012</b> , 134, 11153-60	16.4	98
39	Development of NIR fluorescent dyes based on Si-rhodamine for in vivo imaging. <i>Journal of the American Chemical Society</i> , <b>2012</b> , 134, 5029-31	16.4	211
38	A reversible near-infrared fluorescence probe for reactive oxygen species based on Te-rhodamine. <i>Chemical Communications</i> , <b>2012</b> , 48, 3091-3	5.8	127
37	A long-lived luminescent probe to sensitively detect arylamine N-acetyltransferase (NAT) activity of cells. <i>Chemical Communications</i> , <b>2012</b> , 48, 2234-6	5.8	36
36	Design strategy for a near-infrared fluorescence probe for matrix metalloproteinase utilizing highly cell permeable boron dipyrromethene. <i>Journal of the American Chemical Society</i> , <b>2012</b> , 134, 13730-7	16.4	102
35	A practical strategy to create near-infrared luminescent probes: conversion from fluorescein-based sensors. <i>Chemical Communications</i> , <b>2012</b> , 48, 2840-2	5.8	30
34	Near-infrared fluorescence probes for enzymes based on binding affinity modulation of squarylium dye scaffold. <i>Analytical Chemistry</i> , <b>2012</b> , 84, 4404-10	7.8	43
33	Salicylic-acid derivatives as antennae for ratiometric luminescent probes based on lanthanide complexes. <i>Chemistry - A European Journal</i> , <b>2012</b> , 18, 7377-81	4.8	24
32	Development of a fluorescein analogue, TokyoMagenta, as a novel scaffold for fluorescence probes in red region. <i>Chemical Communications</i> , <b>2011</b> , 47, 4162-4	5.8	130
31	Rational design of ratiometric near-infrared fluorescent pH probes with various pKa values, based on aminocyanine. <i>Journal of the American Chemical Society</i> , <b>2011</b> , 133, 3401-9	16.4	227
30	Development of a highly sensitive fluorescence probe for hydrogen peroxide. <i>Journal of the American Chemical Society</i> , <b>2011</b> , 133, 10629-37	16.4	284
29	Development of an Si-rhodamine-based far-red to near-infrared fluorescence probe selective for hypochlorous acid and its applications for biological imaging. <i>Journal of the American Chemical Society</i> , <b>2011</b> , 133, 5680-2	16.4	463
28	Development of a highly selective fluorescence probe for alkaline phosphatase. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2011</b> , 21, 5088-91	2.9	30
27	Development of a potassium ion-selective fluorescent sensor based on 3-styrylated BODIPY. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2011</b> , 21, 6090-3	2.9	28
26	Rational development of caged-biotin protein-labeling agents and some applications in live cells. <i>Chemistry and Biology</i> , <b>2011</b> , 18, 1261-72		27
25	Development of a highly selective fluorescence probe for hydrogen sulfide. <i>Journal of the American Chemical Society</i> , <b>2011</b> , 133, 18003-5	16.4	550

24	Aminoluciferins as functional bioluminogenic substrates of firefly luciferase. <i>Chemistry - an Asian Journal</i> , <b>2011</b> , 6, 1800-10	4.5	49
23	Selective two-step labeling of proteins with an off/on fluorescent probe. <i>Chemistry - A European Journal</i> , <b>2011</b> , 17, 14763-71	4.8	9
22	Rational design of boron dipyrromethene (BODIPY)-based photobleaching-resistant fluorophores applicable to a protein dynamics study. <i>Chemical Communications</i> , <b>2011</b> , 47, 10055-7	5.8	51
21	In situ evaluation of kinetic resolution catalysts for nitroaldol by rationally designed fluorescence probe. <i>Journal of Organic Chemistry</i> , <b>2011</b> , 76, 3616-25	4.2	17
20	Fluorescence probe for lysophospholipase C/NPP6 activity and a potent NPP6 inhibitor. <i>Journal of the American Chemical Society</i> , <b>2011</b> , 133, 12021-30	16.4	33
19	Evolution of group 14 rhodamines as platforms for near-infrared fluorescence probes utilizing photoinduced electron transfer. <i>ACS Chemical Biology</i> , <b>2011</b> , 6, 600-8	4.9	264
18	Development of a far-red to near-infrared fluorescence probe for calcium ion and its application to multicolor neuronal imaging. <i>Journal of the American Chemical Society</i> , <b>2011</b> , 133, 14157-9	16.4	160
17	Design and synthesis of a novel fluorescence probe for Zn <sup>2+</sup> based on the spirolactam ring-opening process of rhodamine derivatives. <i>Bioorganic and Medicinal Chemistry</i> , <b>2011</b> , 19, 1072-8	3.4	59
16	Development and application of a near-infrared fluorescence probe for oxidative stress based on differential reactivity of linked cyanine dyes. <i>Journal of the American Chemical Society</i> , <b>2010</b> , 132, 2795-801	16.4	276
15	Hypoxia-sensitive fluorescent probes for in vivo real-time fluorescence imaging of acute ischemia. <i>Journal of the American Chemical Society</i> , <b>2010</b> , 132, 15846-8	16.4	279
14	Sensitive detection of acrolein in serum using time-resolved luminescence. <i>Organic Letters</i> , <b>2010</b> , 12, 1704-7	6.2	18
13	Development of luciferin analogues bearing an amino group and their application as BRET donors. <i>Chemistry - an Asian Journal</i> , <b>2010</b> , 5, 2053-61	4.5	54
12	Design and synthesis of a highly sensitive off-on fluorescent chemosensor for zinc ions utilizing internal charge transfer. <i>Chemistry - A European Journal</i> , <b>2010</b> , 16, 568-72	4.8	142
11	A time-resolved fluorescence probe for dipeptidyl peptidase 4 and its application in inhibitor screening. <i>Chemistry - A European Journal</i> , <b>2010</b> , 16, 13479-86	4.8	28
10	Molecular design strategies for near-infrared ratiometric fluorescent probes based on the unique spectral properties of aminocyanines. <i>Chemistry - A European Journal</i> , <b>2009</b> , 15, 9191-200	4.8	108
9	Design and development of enzymatically activatable photosensitizer based on unique characteristics of thiazole orange. <i>Journal of the American Chemical Society</i> , <b>2009</b> , 131, 6058-9	16.4	63
8	A simple and effective strategy to increase the sensitivity of fluorescence probes in living cells. <i>Journal of the American Chemical Society</i> , <b>2009</b> , 131, 10189-200	16.4	91
7	Development of 2,6-carboxy-substituted boron dipyrromethene (BODIPY) as a novel scaffold of ratiometric fluorescent probes for live cell imaging. <i>Chemical Communications</i> , <b>2009</b> , 7015-7	5.8	60

6	Design and synthesis of highly sensitive fluorogenic substrates for glutathione S-transferase and application for activity imaging in living cells. <i>Journal of the American Chemical Society</i> , <b>2008</b> , 130, 14533-43	16.4	131
5	A Gd <sup>3+</sup> -based magnetic resonance imaging contrast agent sensitive to beta-galactosidase activity utilizing a receptor-induced magnetization enhancement (RIME) phenomenon. <i>Chemistry - A European Journal</i> , <b>2008</b> , 14, 987-95	4.8	65
4	Development of a novel fluorescent probe for fluorescence correlation spectroscopic detection of kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2008</b> , 18, 3752-5	2.9	12
3	Fluorescent probes for bioimaging applications. <i>Current Opinion in Chemical Biology</i> , <b>2008</b> , 12, 515-21	9.7	313
2	Site-specific oxidative stress induction. <i>Chemistry and Biology</i> , <b>2007</b> , 14, 877-8		2
1	Modulation of luminescence intensity of lanthanide complexes by photoinduced electron transfer and its application to a long-lived protease probe. <i>Journal of the American Chemical Society</i> , <b>2006</b> , 128, 6938-46	16.4	138