

Bruce K. Gale

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/403602/bruce-k-gale-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

175
papers

4,465
citations

36
h-index

60
g-index

190
ext. papers

5,168
ext. citations

4.6
avg, IF

5.74
L-index

#	Paper	IF	Citations
175	Viscoelastic Particle Focusing and Separation in a Spiral Channel.. <i>Micromachines</i> , 2022 , 13,	3.3	2
174	Separation of U87 glioblastoma cell-derived small and medium extracellular vesicles using elasto-inertial flow focusing (a spiral channel).. <i>Scientific Reports</i> , 2022 , 12, 6146	4.9	1
173	Experiment, theory, and simulation of a flow-electrical-split flow thin particle separation device. <i>Journal of Chromatography A</i> , 2021 , 1659, 462634	4.5	
172	Modeling diffusion-based drug release inside a nerve conduit in vitro and in vivo validation study. <i>Drug Delivery and Translational Research</i> , 2021 , 11, 154-168	6.2	2
171	SARS-CoV-2 pandemic: a review of molecular diagnostic tools including sample collection and commercial response with associated advantages and limitations. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 49-71	4.4	60
170	High efficiency rare sperm separation from biopsy samples in an inertial focusing device. <i>Analyst</i> , 2021 , 146, 3368-3377	5	5
169	Development and Testing of a Continuous Flow-Electrical-Split-Flow Lateral Transport Thin Separation System (FI-EL-SPLITT). <i>Analytical Chemistry</i> , 2021 , 93, 2888-2897	7.8	1
168	Compression of the vascular wall to create a friction fit in a vascular anastomotic coupler. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021 , 123, 104681	4.1	
167	An automated instrument for intrauterine insemination sperm preparation. <i>Scientific Reports</i> , 2020 , 10, 21385	4.9	2
166	Characterization of Human Glioblastoma versus Normal Plasma-Derived Extracellular Vesicles Preisolated by Differential Centrifugation Using Cyclical Electrical Field-Flow Fractionation. <i>Analytical Chemistry</i> , 2020 , 92, 9866-9876	7.8	8
165	Enhanced chromosome extraction from cells using a pinched flow microfluidic device. <i>Biomedical Microdevices</i> , 2020 , 22, 25	3.7	3
164	AUTHOR REPLY. <i>Urology</i> , 2020 , 140, 75-76	1.6	
163	Microfluidic System for Rapid Isolation of Sperm From Microdissection TESE Specimens. <i>Urology</i> , 2020 , 140, 70-76	1.6	5
162	Characterization and differential retention of Q beta bacteriophage virus-like particles using cyclical electrical field-flow fractionation and asymmetrical flow field-flow fractionation. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 1563-1572	4.4	7
161	Size and shape based chromosome separation in the inertial focusing device. <i>Biomicrofluidics</i> , 2020 , 14, 064109	3.2	1
160	Characteristics of electrical field flow fractionation with chronoamperometry and electrochemical impedance. <i>Micro and Nano Letters</i> , 2020 , 15, 13-17	0.9	1
159	Entrapping bupivacaine-loaded emulsions in a crosslinked-hydrogel increases anesthetic effect and duration in a rat sciatic nerve block model. <i>International Journal of Pharmaceutics</i> , 2020 , 588, 119703	6.5	6

158	Optimization of a microfluidic spiral channel used to separate sperm from blood cells. <i>Biomicrofluidics</i> , 2020 , 14, 064103	3.2	4
157	Optimization of Dean flow microfluidic chip for sperm preparation for intrauterine insemination. <i>Microfluidics and Nanofluidics</i> , 2020 , 24, 1	2.8	5
156	Towards a better testicular sperm extraction: novel sperm sorting technologies for non-motile sperm extracted by microdissection TESE. <i>Translational Andrology and Urology</i> , 2020 , 9, S206-S214	2.3	9
155	A Tunable Microfluidic Device Enables Cargo Encapsulation by Cell- or Organelle-Sized Lipid Vesicles Comprising Asymmetric Lipid Bilayers. <i>Advanced Biology</i> , 2019 , 3, 1900010	3.5	9
154	Hydrodynamic cavitation for the rapid separation and electrochemical detection of <i>Cryptosporidium parvum</i> and <i>Escherichia coli</i> O157:H7 in ground beef. <i>Biosensors and Bioelectronics</i> , 2019 , 135, 137-144	11.8	6
153	Designing a Novel Drug Delivering Nerve Guide: A Preliminary Study. <i>Journal of Medical and Biological Engineering</i> , 2019 , 39, 294-304	2.2	3
152	Local FK506 delivery at the direct nerve repair site improves nerve regeneration. <i>Muscle and Nerve</i> , 2019 , 60, 613-620	3.4	6
151	Flexible, transparent, sub-100 μm microfluidic channels with fused deposition modeling 3D-printed thermoplastic polyurethane. <i>Journal of Micromechanics and Microengineering</i> , 2019 , 29, 095010	2	40
150	Viscoelastic second normal stress difference dominated multiple-stream particle focusing in microfluidic channels. <i>Applied Physics Letters</i> , 2019 , 115, 263702	3.4	7
149	Drug-delivering nerve conduit improves regeneration in a critical-sized gap. <i>Biotechnology and Bioengineering</i> , 2019 , 116, 143-154	4.9	13
148	Skeletal muscle interstitial fluid metabolomics at rest and associated with an exercise bout: application in rats and humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019 , 316, E43-E53	6	9
147	Sperm-like-particle (SLP) behavior in curved microfluidic channels. <i>Microfluidics and Nanofluidics</i> , 2019 , 23, 1	2.8	8
146	A Biodegradable Vascular Coupling Device for End-to-End Anastomosis. <i>Journal of Medical and Biological Engineering</i> , 2018 , 38, 715-723	2.2	1
145	FDM 3D Printing of High-Pressure, Heat-Resistant, Transparent Microfluidic Devices. <i>Analytical Chemistry</i> , 2018 , 90, 10450-10456	7.8	59
144	Electrochemical Detection of O157:H7 in Water after Electrocatalytic and Ultraviolet Treatments Using a Polyguanine-Labeled Secondary Bead Sensor. <i>Sensors</i> , 2018 , 18,	3.8	8
143	An automated system for rapid cellular extraction from live zebrafish embryos and larvae: Development and application to genotyping. <i>PLoS ONE</i> , 2018 , 13, e0193180	3.7	12
142	Optimization of micropatterned poly(lactic-co-glycolic acid) films for enhancing dorsal root ganglion cell orientation and extension. <i>Neural Regeneration Research</i> , 2018 , 13, 105-111	4.5	10
141	Controlled release of FK506 from micropatterned PLGA films: potential for application in peripheral nerve repair. <i>Neural Regeneration Research</i> , 2018 , 13, 1247-1252	4.5	11

140	Microfluidic-based sperm sorting & analysis for treatment of male infertility. <i>Translational Andrology and Urology</i> , 2018 , 7, S336-S347	2.3	36
139	Exosome Isolation: Cyclical Electrical Field Flow Fractionation in Low-Ionic-Strength Fluids. <i>Analytical Chemistry</i> , 2018 , 90, 12783-12790	7.8	27
138	A Review of Current Methods in Microfluidic Device Fabrication and Future Commercialization Prospects. <i>Inventions</i> , 2018 , 3, 60	2.9	193
137	Design and operation of a microfluidic chip for trapping, and off-chip collection of a few human sperm. <i>Journal of Micromechanics and Microengineering</i> , 2018 , 28, 097002	2	1
136	Instrumentation for xPCR Incorporating qPCR and HRMA. <i>Analytical Chemistry</i> , 2018 , 90, 7190-7196	7.8	13
135	Vascular Coupling System for End-to-End Anastomosis: An In Vivo Pilot Case Report. <i>Cardiovascular Engineering and Technology</i> , 2017 , 8, 91-95	2.2	5
134	Use of a highly parallel microfluidic flow cell array to determine therapeutic drug dose response curves. <i>Biomedical Microdevices</i> , 2017 , 19, 25	3.7	2
133	Separation of sperm cells from samples containing high concentrations of white blood cells using a spiral channel. <i>Biomicrofluidics</i> , 2017 , 11, 054106	3.2	38
132	Novel drug delivering conduit for peripheral nerve regeneration. <i>Journal of Neural Engineering</i> , 2017 , 14, 066011	5	14
131	Effect Of combining FK506 and neurotrophins on neurite branching and elongation. <i>Muscle and Nerve</i> , 2017 , 55, 570-581	3.4	19
130	Transdermal Delivery of siRNA through Microneedle Array. <i>Scientific Reports</i> , 2016 , 6, 21422	4.9	44
129	Biased cyclical electrical field-flow fractionation for separation of submicron particles. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 855-63	4.4	7
128	Photocatalytic microfluidic reactors utilizing titania nanotubes on titanium mesh for degradation of organic and biological contaminants. <i>Journal of Environmental Chemical Engineering</i> , 2016 , 4, 657-663	6.8	14
127	Effect of Ionic and Nonionic Carriers in Electrical Field-Flow Fractionation. <i>Analytical Chemistry</i> , 2016 , 88, 1794-803	7.8	8
126	A disposable, continuous-flow polymerase chain reaction device: design, fabrication and evaluation. <i>Biomedical Microdevices</i> , 2016 , 18, 62	3.7	14
125	Controlled Delivery of FK506 to Improve Nerve Regeneration. <i>Shock</i> , 2016 , 46, 154-9	3.4	22
124	Optimization and Evaluation of a Vascular Coupling Device for End-to-End Anastomosis: A Finite-Element Analysis. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2016 , 10,	1.3	2
123	Nerve growth factor released from a novel PLGA nerve conduit can improve axon growth. <i>Journal of Micromechanics and Microengineering</i> , 2016 , 26, 045016	2	8

122	Microfluidics: The future of microdissection TESE?. <i>Systems Biology in Reproductive Medicine</i> , 2016 , 62, 161-70	2.9	26
121	Modeling Carbon Nanotube Connectivity and Surface Activity in a Contact Lens Biofuel Cell. <i>Electrochimica Acta</i> , 2016 , 203, 30-40	6.7	30
120	A Novel Vascular Coupling System for End-to-End Anastomosis. <i>Cardiovascular Engineering and Technology</i> , 2015 , 6, 294-302	2.2	6
119	Highly sensitive bacteria quantification using immunomagnetic separation and electrochemical detection of guanine-labeled secondary beads. <i>Sensors</i> , 2015 , 15, 12034-52	3.8	35
118	Microfluidic-aided genotyping of zebrafish in the first 48 h with 100% viability. <i>Biomedical Microdevices</i> , 2015 , 17, 43	3.7	4
117	Anodized titania nanotube array microfluidic device for photocatalytic application: Experiment and simulation. <i>Applied Catalysis B: Environmental</i> , 2015 , 174-175, 167-175	21.8	12
116	Non-motile sperm cell separation using a spiral channel. <i>Analytical Methods</i> , 2015 , 7, 8041-8047	3.2	39
115	Contact lens biofuel cell tested in a synthetic tear solution. <i>Biosensors and Bioelectronics</i> , 2015 , 68, 142-148	14.8	108
114	Particle Based Modeling of Electrical Field Flow Fractionation Systems. <i>Chromatography (Basel)</i> , 2015 , 2, 594-610		5
113	Maximizing Fibroblast Adhesion on Protein-Coated Surfaces Using Microfluidic Cell Printing. <i>RSC Advances</i> , 2015 , 5, 104101-104109	3.7	4
112	A New Vascular Coupler Design for End-to-End Anastomosis: Fabrication and Proof-of-Concept Evaluation. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2015 , 9,	1.3	3
111	Improved polyvinylpyrrolidone microneedle arrays with non-stoichiometric cyclodextrin. <i>Journal of Materials Chemistry B</i> , 2014 , 2, 1699-1705	7.3	36
110	Design, fabrication and testing of a novel vascular coupling device. <i>Biomedical Microdevices</i> , 2014 , 16, 173-80	3.7	9
109	Quasi-digital PCR: Enrichment and quantification of rare DNA variants. <i>Biomedical Microdevices</i> , 2014 , 16, 639-44	3.7	5
108	A critical comparison of protein microarray fabrication technologies. <i>Analyst, The</i> , 2014 , 139, 1303-26	5	129
107	Nanocomposite-strengthened dissolving microneedles for improved transdermal delivery to human skin. <i>Advanced Healthcare Materials</i> , 2014 , 3, 555-64	10.1	46
106	Circuit modification in electrical field flow fractionation systems generating higher resolution separation of nanoparticles. <i>Journal of Chromatography A</i> , 2014 , 1365, 164-72	4.5	8
105	A review of exosome separation techniques and characterization of B16-F10 mouse melanoma exosomes with AF4-UV-MALS-DLS-TEM. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 7855-66	4.4	116

104	The submerged printing of cells onto a modified surface using a continuous flow microspotter. <i>Journal of Visualized Experiments</i> , 2014 ,	1.6	1
103	Simple and cost-effective fabrication of microvalve arrays in PDMS using laser cut molds with application to <i>C. elegans</i> manipulation in microfluidics. <i>Journal of Micromechanics and Microengineering</i> , 2014 , 24, 105007	2	7
102	Vaccine Delivery: Nanocomposite-Strengthened Dissolving Microneedles for Improved Transdermal Delivery to Human Skin (Adv. Healthcare Mater. 4/2014). <i>Advanced Healthcare Materials</i> , 2014 , 3, 462-462	10.1	2
101	Design, fabrication, and testing of a novel end-to-end vascular coupling system. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2014 , 2014, 6593-6	0.9	
100	Microfluidic devices for rapid and sensitive identification of organisms. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2014 , 2014, 774-7	0.9	
99	Biased cyclical electrical field flow fractionation for separation of sub 50 nm particles. <i>Analytical Chemistry</i> , 2013 , 85, 11225-32	7.8	18
98	Separation of Magnetic Nanoparticles by Cyclical Electrical Field Flow Fractionation. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 331-335	2	7
97	Particulate and Dissolved Trace Element Concentrations in Three Southern Ecuador Rivers Impacted by Artisanal Gold Mining. <i>Water, Air, and Soil Pollution</i> , 2013 , 224, 1	2.6	28
96	Microfluidic integrated multi-walled carbon nanotube (MWCNT) sensor for electrochemical nucleic acid concentration measurement. <i>Sensors and Actuators B: Chemical</i> , 2013 , 185, 370-376	8.5	33
95	Applications of microfluidics for molecular diagnostics. <i>Methods in Molecular Biology</i> , 2013 , 949, 305-34	1.4	23
94	Platinum functionalized titania nanotube array sensor for detection of Trichloroethylene in water 2013 ,		2
93	Enzymatic Biofuel Cell with a Flow-through Toray Paper Bioanode for Improved Fuel Utilization. <i>Journal of the Electrochemical Society</i> , 2013 , 160, H612-H619	3.9	27
92	Design and in vitro biocompatibility of a novel ocular drug delivery device. <i>Journal of Functional Biomaterials</i> , 2013 , 4, 14-26	4.8	10
91	Optimization and characterization of a microscale thermal field-flow fractionation system. <i>Sensors and Actuators B: Chemical</i> , 2012 , 162, 223-228	8.5	2
90	An electrostatic microvalve for pneumatic control of microfluidic systems. <i>Journal of Micromechanics and Microengineering</i> , 2012 , 22, 025019	2	19
89	Electrical field-flow fractionation for metal nanoparticle characterization. <i>Analytical Chemistry</i> , 2012 , 84, 4993-8	7.8	20
88	New approaches to bridge nerve gaps: development of a novel drug-delivering nerve conduit. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2012 , 2012, 747-50	0.9	2
87	Characterization of polymerized liposomes using a combination of dc and cyclical electrical field-flow fractionation. <i>Analytical Chemistry</i> , 2012 , 84, 8323-9	7.8	13

86	Automated microfluidic DNA/RNA extraction with both disposable and reusable components. <i>Journal of Micromechanics and Microengineering</i> , 2012 , 22, 015007	2	13
85	Diffusion Split-Flow Thin Cell (SPLITT) system for protein separations. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012 , 902, 78-83	3.2	9
84	A novel method for effective field measurements in electrical field-flow fractionation. <i>Electrophoresis</i> , 2012 , 33, 1040-7	3.6	6
83	Characterization of a microscale thermal-electrical field-flow fractionation system. <i>Journal of Chromatography A</i> , 2012 , 1225, 174-81	4.5	6
82	Cyclical magnetic field flow fractionation. <i>Journal of Applied Physics</i> , 2012 , 111, 07D128	2.5	4
81	Depth measurement in fully enclosed microchannels using laser interferometry. <i>Measurement Science and Technology</i> , 2012 , 23, 087004	2	2
80	Electrochemical quantification of DNA using aluminum oxide membranes. <i>Procedia Engineering</i> , 2011 , 25, 713-716		1
79	Endocapsular carousel technique phacoemulsification. <i>Journal of Cataract and Refractive Surgery</i> , 2011 , 37, 433-7	2.3	4
78	Nanoparticle characterization by cyclical electrical field-flow fractionation. <i>Analytical Chemistry</i> , 2011 , 83, 6565-72	7.8	26
77	Microfluidic laminate-based phantom for diffusion tensor-magnetic resonance imaging (DT-MRI). <i>Journal of Micromechanics and Microengineering</i> , 2011 , 21, 950271-950271	2	3
76	Anin situheater for a phase-change-material-based actuation system. <i>Journal of Micromechanics and Microengineering</i> , 2010 , 20, 085039	2	9
75	Slip due to surface roughness for a Newtonian liquid in a viscous microscale disk pump. <i>Physics of Fluids</i> , 2010 , 22, 052002	4.4	13
74	Sample to answer: a fully integrated nucleic acid identification system for bacteria monitoring 2010		2
73	Spinning disk platform for microfluidic digital polymerase chain reaction. <i>Analytical Chemistry</i> , 2010 , 82, 1546-50	7.8	96
72	A PCR reactor with an integrated alumina membrane for nucleic acid isolation. <i>Analyst, The</i> , 2010 , 135, 2408-14	5	44
71	Expanding the introduction of microfluidics through a problem-based laboratory course to multiple engineering disciplines at five universities 2010 ,		2
70	The capsule drug device: novel approach for drug delivery to the eye. <i>Vision Research</i> , 2010 , 50, 680-5	2.1	40
69	Optimization of cyclical electrical field flow fractionation. <i>Electrophoresis</i> , 2010 , 31, 3372-9	3.6	8

68	Evaluation needle length and density of microneedle arrays in the pretreatment of skin for transdermal drug delivery. <i>International Journal of Pharmaceutics</i> , 2010 , 391, 7-12	6.5	106
67	Improved biomolecule microarrays by printing on nanoporous aluminum oxide using a continuous-flow microspotter. <i>Small</i> , 2010 , 6, 1415-21	11	7
66	Bubble inclusion and removal using PDMS membrane-based gas permeation for applications in pumping, valving and mixing in microfluidic devices. <i>Journal of Micromechanics and Microengineering</i> , 2009 , 19, 095011	2	29
65	Applications, techniques, and microfluidic interfacing for nanoscale biosensing. <i>Microfluidics and Nanofluidics</i> , 2009 , 7, 149-167	2.8	53
64	Parallel determination of phenotypic cytotoxicity with a micropattern of mutant cell lines. <i>Biomedical Microdevices</i> , 2009 , 11, 443-52	3.7	
63	Flexible fabrication, packaging, and detection approach for microscale chromatography systems. <i>Sensors and Actuators B: Chemical</i> , 2009 , 141, 316-321	8.5	6
62	"Spot and hop": internal referencing for surface plasmon resonance imaging using a three-dimensional microfluidic flow cell array. <i>Analytical Biochemistry</i> , 2009 , 385, 309-13	3.1	24
61	Detergent screening of a G-protein-coupled receptor using serial and array biosensor technologies. <i>Analytical Biochemistry</i> , 2009 , 386, 98-104	3.1	34
60	Spatial DNA melting analysis for genotyping and variant scanning. <i>Analytical Chemistry</i> , 2009 , 81, 2053-87.8		34
59	Stable, ligand-doped, poly(bis-SorbPC) lipid bilayer arrays for protein binding and detection. <i>ACS Applied Materials & Interfaces</i> , 2009 , 1, 1310-5	9.5	17
58	In situ microarray fabrication and analysis using a microfluidic flow cell array integrated with surface plasmon resonance microscopy. <i>Analytical Chemistry</i> , 2009 , 81, 4296-301	7.8	28
57	Rapid prototyping of microfluidic systems using a PDMS/polymer tape composite. <i>Lab on A Chip</i> , 2009 , 9, 1290-3	7.2	70
56	Microfluidic sample preparation: cell lysis and nucleic acid purification. <i>Integrative Biology (United Kingdom)</i> , 2009 , 1, 574-86	3.7	211
55	Determining the optimal PDMS/PDMS bonding technique for microfluidic devices. <i>Journal of Micromechanics and Microengineering</i> , 2008 , 18, 067001	2	373
54	Low-Cost MEMS Technologies 2008 , 341-378		5
53	Quantitative and qualitative analysis of a microfluidic DNA extraction system using a nanoporous AlO(x) membrane. <i>Lab on A Chip</i> , 2008 , 8, 1516-23	7.2	53
52	Flow-induced thermal effects on spatial DNA melting. <i>Lab on A Chip</i> , 2008 , 8, 1922-9	7.2	25
51	Product differentiation during continuous-flow thermal gradient PCR. <i>Lab on A Chip</i> , 2008 , 8, 919-24	7.2	38

50	Micropatterned fluid lipid bilayer arrays created using a continuous flow microspotter. <i>Analytical Chemistry</i> , 2008 , 80, 7980-7	7.8	36
49	Optimal conditions for protein array deposition using continuous flow. <i>Analytical Chemistry</i> , 2008 , 80, 8561-7	7.8	18
48	Large-area, high-aspect-ratio SU-8 molds for the fabrication of PDMS microfluidic devices. <i>Journal of Micromechanics and Microengineering</i> , 2008 , 18, 045021	2	44
47	Continuous-flow thermal gradient PCR. <i>Biomedical Microdevices</i> , 2008 , 10, 187-95	3.7	78
46	Continuous-flow microfluidic printing of proteins for array-based applications including surface plasmon resonance imaging. <i>Analytical Biochemistry</i> , 2008 , 373, 141-6	3.1	63
45	Improved continuous-flow print head for micro-array deposition. <i>Analytical Biochemistry</i> , 2008 , 382, 55-93.1	3.1	17
44	Direct adsorption and detection of proteins, including ferritin, onto microlens array patterned bioarrays. <i>Journal of the American Chemical Society</i> , 2007 , 129, 9252-3	16.4	45
43	Spin-assembled nanofilms for gaseous oxygen sensing. <i>Sensors and Actuators B: Chemical</i> , 2007 , 120, 426-433	8.5	5
42	Solution-phase DNA mutation scanning and SNP genotyping by nanoliter melting analysis. <i>Biomedical Microdevices</i> , 2007 , 9, 159-66	3.7	22
41	Comparison of glass etching to xurography prototyping of microfluidic channels for DNA melting analysis. <i>Journal of Micromechanics and Microengineering</i> , 2007 , 17, 2407-2413	2	28
40	Thermal gradient PCR in a continuous-flow microchip 2007 ,		7
39	Nanoparticle analysis using microscale field flow fractionation 2007 ,		2
38	Microscale Field-Flow Fractionation: Theory and Practice 2007 , 471-521		6
37	Improved theory of cyclical electrical field flow fractionation. <i>Electrophoresis</i> , 2006 , 27, 2833-43	3.6	11
36	Patterning of a nanoporous membrane for multi-sample DNA extraction. <i>Journal of Micromechanics and Microengineering</i> , 2006 , 16, 33-39	2	16
35	Design, fabrication, and packaging of a practical multianalyte-capable optical biosensor. <i>Journal of Micro/ Nanolithography, MEMS, and MOEMS</i> , 2006 , 5, 021105	0.7	4
34	A Novel PDMS Microfluidic Spotter for Fabrication of Protein Chips and Microarrays. <i>Journal of Microelectromechanical Systems</i> , 2006 , 15, 1145-1151	2.5	35
33	A PDMS-based gas permeation pump for on-chip fluid handling in microfluidic devices. <i>Journal of Micromechanics and Microengineering</i> , 2006 , 16, 2396-2402	2	112

32	Characterization of a microscale cyclical electrical field flow fractionation system. <i>Lab on A Chip</i> , 2006 , 6, 645-54	7.2	16
31	A microfabricated electrical SPLIT system. <i>Lab on A Chip</i> , 2006 , 6, 105-14	7.2	34
30	Reduction of end effect-induced zone broadening in field-flow fractionation channels. <i>Analytical Chemistry</i> , 2006 , 78, 7978-85	7.8	12
29	Effect of carrier ionic strength in microscale cyclical electrical field-flow fractionation. <i>Analytical Chemistry</i> , 2006 , 78, 2557-64	7.8	15
28	Microfluidic DNA extraction using a patterned aluminum oxide membrane 2006 , 6112, 167		1
27	Miniature Single-Disk Viscous Pump (Single-DVP), Performance Characterization. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2006 , 128, 602-610	2.1	24
26	Geometric scaling effects on instrumental plate height in field flow fractionation. <i>Journal of Chromatography A</i> , 2006 , 1104, 282-90	4.5	18
25	Characterization of interconnects used in PDMS microfluidic systems. <i>Journal of Micromechanics and Microengineering</i> , 2005 , 15, 928-934	2	196
24	A monolithic PDMS waveguide system fabricated using soft-lithography techniques. <i>Journal of Lightwave Technology</i> , 2005 , 23, 2088-2093	4	152
23	Performance and Development of a Miniature Rotary Shaft Pump. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2005 , 127, 752-760	2.1	8
22	A novel PDMS microfluidic spotter for fabrication of protein chips and microarrays 2005 ,		7
21	Single-disk and double-disk viscous micropumps. <i>Sensors and Actuators A: Physical</i> , 2005 , 122, 149-158	3.9	23
20	Cyclical electrical field flow fractionation. <i>Electrophoresis</i> , 2005 , 26, 1623-32	3.6	30
19	Micro-structure mechanical failure characterization using rotating Couette flow in a small gap. <i>Journal of Micromechanics and Microengineering</i> , 2005 , 15, 792-801	2	5
18	Integrated optical glucose sensor fabricated using PDMS waveguides on a PDMS substrate 2004 , 5345, 98		7
17	Flexible coupling of a waveguide detector with a microscale field flow fractionation device 2004 , 5345, 250		1
16	Performance and Development of a Miniature Rotary Shaft Pump (RSP) 2004 , 705		
15	Integrated optical biochemical sensor fabricated using rapid-prototyping techniques 2003 ,		5

14	Platelet Function Analyzer: Shear Activation of Platelets in Microchannels. <i>Biomedical Microdevices</i> , 2003 , 5, 207-215	3.7	15
13	An integrated optical oxygen sensor fabricated using rapid-prototyping techniques. <i>Lab on A Chip</i> , 2003 , 3, 297-301	7.2	58
12	Electrostatic self-assembly of a ruthenium-based oxygen sensitive dye using polyion-dye interpolyelectrolyte formation. <i>Sensors and Actuators B: Chemical</i> , 2002 , 87, 336-345	8.5	33
11	BiOMEMS Education at Louisiana Tech University. <i>Biomedical Microdevices</i> , 2002 , 4, 223-230	3.7	2
10	Geometric scaling effects in electrical field flow fractionation. 2. Experimental results. <i>Analytical Chemistry</i> , 2002 , 74, 1024-30	7.8	36
9	A microfabricated thermal field-flow fractionation system. <i>Analytical Chemistry</i> , 2002 , 74, 1211-6	7.8	62
8	Viral Separations Using a Microfabricated Electrical Splitt System 2002 , 584-586		1
7	Microscale Purification Systems for Biological Sample Preparation. <i>Biomedical Microdevices</i> , 2001 , 3, 211-218	3.7	9
6	Geometric scaling effects in electrical field flow fractionation. 1. Theoretical analysis. <i>Analytical Chemistry</i> , 2001 , 73, 2345-52	7.8	37
5	Effects of rectangular microchannel aspect ratio on laminar friction constant 1999 ,		31
4	A micromachined electrical field-flow fractionation (μ -EFFF) system. <i>IEEE Transactions on Biomedical Engineering</i> , 1998 , 45, 1459-69	5	47
3	Electrical conductivity particle detector for use in biological and chemical micro-analysis systems 1998 , 3515, 230		1
2	Design and fabrication of a multianalyte-capable optical biosensor using a multiphysics approach		1
1	Evaluating the influence of particle morphology and density on the viscosity and injectability of a novel long-acting local anesthetic suspension. <i>Journal of Biomaterials Applications</i> , 088532822211064	2.9	