

Reinaldo JosÃ© da Silva

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4036377/publications.pdf>

Version: 2024-02-01

210
papers

2,345
citations

331670

21
h-index

414414

32
g-index

213
all docs

213
docs citations

213
times ranked

1938
citing authors

#	ARTICLE	IF	CITATIONS
1	Checklist of Helminth parasites of Amphibians from South America. <i>Zootaxa</i> , 2014, 3843, 1-93.	0.5	89
2	Checklist of helminths from lizards and amphisbaenians (Reptilia, Squamata) of South America. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2010, 16, 543-572.	1.4	75
3	Parasitic infection of the appendix as a cause of acute appendicitis. <i>Parasitology Research</i> , 2007, 102, 99-102.	1.6	57
4	How Many Parasites Species a Frog Might Have? Determinants of Parasite Diversity in South American Anurans. <i>PLoS ONE</i> , 2015, 10, e0140577.	2.5	53
5	Molecular detection of <i>Paracoccidioides brasiliensis</i> in road-killed wild animals. <i>Medical Mycology</i> , 2008, 46, 35-40.	0.7	51
6	Description of three new species of Hepatozoon (Apicomplexa, Hepatozoidae) from Rattlesnakes (<i>Crotalus durissus terrificus</i>) based on molecular, morphometric and morphologic characters. <i>Experimental Parasitology</i> , 2013, 135, 200-207.	1.2	47
7	Antitumoural Effect of an L-Amino Acid Oxidase Isolated from <i>Bothrops jararaca</i> Snake Venom. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2008, 102, 533-542.	2.5	46
8	Status and recommendations for sustainable freshwater aquaculture in Brazil. <i>Reviews in Aquaculture</i> , 2020, 12, 1495-1517.	9.0	36
9	Morphology and molecular characterization of <i>Demidospermus spirophallus</i> n. sp., <i>D. prolixus</i> n. sp. (Monogenea: Dactylogyridae) and a redescription of <i>D. anus</i> in siluriform catfish from Brazil. <i>Journal of Helminthology</i> , 2018, 92, 228-243.	1.0	33
10	Appendiceal taeniasis presenting like acute appendicitis. <i>Parasitology Research</i> , 2005, 97, 171-172.	1.6	32
11	Nematodes of Lizards (Reptilia: Squamata) from Caatinga Biome, Northeastern Brazil. <i>Comparative Parasitology</i> , 2012, 79, 56-63.	0.4	30
12	A new genus and two new species of dactylogyrid monogeneans from gills of Neotropical catfishes (Siluriformes: Doradidae and Loricariidae). <i>Parasitology International</i> , 2018, 67, 4-12.	1.3	30
13	Cytokine profile of Ehrlich ascites tumor treated with <i>Bothrops jararaca</i> venom. <i>Mediators of Inflammation</i> , 2002, 11, 197-201.	3.0	28
14	Ectoparasites of Nile tilapia (<i>Oreochromis niloticus</i>) in cage farming in a hydroelectric reservoir in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014, 23, 171-178.	0.7	28
15	Helminth parasites of <i>Leptodactylus podicipinus</i> (Anura: Leptodactylidae) from south-eastern Pantanal, State of Mato Grosso do Sul, Brazil. <i>Journal of Helminthology</i> , 2009, 83, 345-349.	1.0	27
16	<i>Learedius learedi</i> Price 1934 (Digenea, Spirorchiidae) in <i>Chelonia mydas</i> Linnaeus 1758 (Testudines). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf</i> 550-555.	0.4	27
17	Calling Behavior and Parasite Intensity in Treefrogs, <i>Hypsiboas prasinus</i> . <i>Journal of Herpetology</i> , 2013, 47, 450-455.	0.5	26
18	Antitumor effect of <i>Bothrops jararaca</i> venom. <i>Mediators of Inflammation</i> , 2002, 11, 99-104.	3.0	25

#	ARTICLE	IF	CITATIONS
19	Six new species of <i>Heteropriapul</i> (Monogenea: Dactylogyridae) from South American fishes with an amended diagnosis to the genus. <i>Zootaxa</i> , 2017, 4290, .	0.5	25
20	Diversity in the genus <i>Rhabdias</i> (Nematoda, Rhabdiasidae): Evidence for cryptic speciation. <i>Zoologica Scripta</i> , 2018, 47, 595-607.	1.7	25
21	Health and Environment in Aquaculture. , 2012, , .		25
22	Distributions and phylogeographic data of rheophilic freshwater fishes provide evidences on the geographic extension of a central-brazilian amazonian palaeoplateau in the area of the present day Pantanal Wetland. <i>Neotropical Ichthyology</i> , 2013, 11, 319-326.	1.0	24
23	Interference of cage fish farm on diet, condition factor and numeric abundance on wild fish in a Neotropical reservoir. <i>Aquaculture</i> , 2013, 414-415, 56-62.	3.5	23
24	New host records and a checklist of fishes infected with <i>Austrodiplostomum compactum</i> (Digenea:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3</i>	0.7	23
25	Microbial Production of the Off-Flavor Geosmin in Tilapia Production in Brazilian Water Reservoirs: Importance of Bacteria in the Intestine and Other Fish-Associated Environments. <i>Frontiers in Microbiology</i> , 2019, 10, 2447.	3.5	23
26	A new genus and four new species of dactylogyrids (Monogenea), gill parasites of pimelodid catfishes (Siluriformes: Pimelodidae) in South America and the reassignment of <i>Urocleidoides megorchis</i> Mizelle et Kritsky, 1969. <i>Folia Parasitologica</i> , 2019, 66, .	1.3	22
27	Description of the gamonts of a small species of Hepatozoon sp. (Apicomplexa, Hepatozoidae) found in <i>Crotalus durissus terrificus</i> (Serpentes, Viperidae). <i>Parasitology Research</i> , 2004, 92, 110-112.	1.6	21
28	<i>Megaselia scalaris</i> (Diptera: Phoridae) Causing Myiasis in <i>Crotalus durissus terrificus</i> (Serpentes:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3</i>	1.8	20
29	Helminths from Lizards (Reptilia: Squamata) at the Cerrado of GoiÃ¡s State, Brazil. <i>Comparative Parasitology</i> , 2011, 78, 120-128.	0.4	20
30	Morphological and Molecular Characterization of <i>Clinostomum detruncatum</i> (Trematoda:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3</i> 2016, 102, 151-156.	0.7	20
31	Long term evaluation of morphometric and ultrastructural changes of testes of alloxan-induced diabetic rats. <i>Acta Cirurgica Brasileira</i> , 2013, 28, 256-265.	0.7	19
32	Helminth Parasites of Juvenile Green Turtles <i>Chelonia mydas</i> (Testudines: Cheloniidae) in Brazil. <i>Journal of Parasitology</i> , 2015, 101, 713-716.	0.7	19
33	Diversity of helminth parasites of eight siluriform fishes from the AguapeÃ¡-River, upper ParanÃ¡ basin, SÃ£o Paulo state, Brazil. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2020, 11, 120-128.	1.5	19
34	Spororchiids (Digenea: Spirorchiidae) infecting a Hawksbill sea turtle <i>Eretmochelys imbricata</i> (Linnaeus 1758) from Brazil. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2008, 60, 663-666.	0.4	18
35	Helminths of Lizards (Reptilia: Squamata) from Mato Grosso State, Brazil. <i>Comparative Parasitology</i> , 2011, 78, 129-139.	0.4	18
36	Helminth Parasites of the Juvenile Hawksbill Turtle <i>Eretmochelys imbricata</i> (Testudines:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 T</i>	0.7	18

#	ARTICLE	IF	CITATIONS
37	Occurrence of <i>Cryptosporidium</i> (Apicomplexa, Cryptosporidiidae) in <i>Crotalus durissus terrificus</i> (Serpentes, Viperidae) in Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2002, 97, 779-781.	1.6	17
38	Helminths from Seven Species of Lizards (Reptilia: Squamata) at the Cerrado of Mato Grosso do Sul State, Brazil. <i>Comparative Parasitology</i> , 2010, 77, 67.	0.4	17
39	Morphological, morphometric, and molecular characterization of <i>Hepatozoon</i> spp. (Apicomplexa,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i> Research, 2012, 110, 1393-1401.	1.6	17
40	Gastrointestinal nematodes of the lizard <i>Tropidurus hispidus</i> (Squamata: Tropiduridae) from a semi-arid region of north-eastern Brazil. <i>Journal of Helminthology</i> , 2013, 87, 443-449.	1.0	17
41	Parasitic infections of <i>Piaractus mesopotamicus</i> and hybrid (<i>P. mesopotamicus</i> x <i>Piaractus</i>) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf</i>	0.7	17
42	Helminth Parasites of <i>Hypsiboas prasinus</i> (Anura: Hylidae) from Two Atlantic Forest Fragments, SÃ£o Paulo State, Brazil. <i>Journal of Parasitology</i> , 2012, 98, 560-564.	0.7	16
43	Cage fish farm act as a source of changes in the fish community of a Neotropical reservoir. <i>Aquaculture</i> , 2018, 495, 780-785.	3.5	16
44	Morphologic and morphometric analysis of <i>Hepatozoon</i> spp. (Apicomplexa, Hepatozoidae) of snakes. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2002, 97, 1169-1176.	1.6	15
45	Helminth component community of the paradoxal frog <i>Pseudis platensis</i> Gallardo, 1961 (Anura:) <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i>	1.6	15
46	New records of Helminths in Reptiles from five states of Brazil. <i>Brazilian Journal of Biology</i> , 2018, 78, 750-754.	0.9	15
47	Seasonal variation of <i>Hepatozoon</i> spp. (Apicomplexa, Hepatozoidae) parasitemia from <i>Boa constrictor amarali</i> (Serpentes, Boidae) and <i>Hydrodynastes gigas</i> (Serpentes, Colubridae). <i>Parasitology Research</i> , 2005, 97, 94-97.	1.6	14
48	Occurrence of <i>Contraecaecum pelagicum</i> Johnston & Mawson 1942 (Nematoda, Anisakidae) in <i>Sula leucogaster</i> Boddaert 1783 (Pelecaniformes, Sulidae). <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2005, 57, 565-567.	0.4	14
49	Metacercariae of <i>Diplostomum compactum</i> Lutz, 1928 (Trematoda, Diplostomidae) in the eyes of <i>acara Geophagus brasiliensis</i> Quoy & Gaimard, 1824 (Teleostei, Cichlidae) from Barra Bonita Reservoir - SÃ£o Paulo, Brazil. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2006, 58, 1229-1231.	0.4	14
50	Intestinal protozoan parasites with zoonotic potential in birds. <i>Parasitology Research</i> , 2008, 103, 1237-1240.	1.6	14
51	Helminths from an Introduced Species (<i>Tupinambis merianae</i>), and Two Endemic Species (<i>Trachylepis</i>) <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i> Parasitology, 2009, 95, 1026-1028.	0.7	14
52	The helminth community of <i>Geophagus proximus</i> (Perciformes: Cichlidae) from a tributary of the ParanÃ¡ River, Ilha Solteira Reservoir, SÃ£o Paulo State, Brazil. <i>Journal of Helminthology</i> , 2013, 87, 203-211.	1.0	14
53	Helminths of lizards from the municipality of AripuanÃ§ in the southern Amazon region of Brazil. <i>Journal of Helminthology</i> , 2013, 87, 12-16.	1.0	14
54	Endohelminths in <i>Cichla piquiti</i> (Perciformes, Cichlidae) from the ParanÃ¡ River, SÃ£o Paulo State, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 475-484.	0.7	14

#	ARTICLE	IF	CITATIONS
55	The Relationships between Parasite Intensity, Locomotor Performance, and Body Condition in Adult Toads (<i>Rhinella icterica</i>) from the Wild. <i>Journal of Herpetology</i> , 2014, 48, 277-283.	0.5	14
56	The influence of seasonality, fish size and reproductive status on EROD activity in <i>Plagioscion squamosissimus</i> : Implications for biomonitoring of tropical/subtropical reservoirs. <i>Ecological Indicators</i> , 2015, 58, 267-276.	6.3	14
57	Seven new species of Urocleidoides (Monogenea: Dactylogyridae) from Brazilian fishes supported by morphological and molecular data. <i>Parasitology Research</i> , 2020, 119, 3255-3283.	1.6	14
58	Infection levels of <i>Austrodiplostomum compactum</i> (Digenea, Diplostomidae) metacercariae in <i>Plagioscion squamosissimus</i> (Teleostei, Sciaenidae) from the Nova Avanhandava reservoir, São Paulo State, Brazil. <i>Journal of Helminthology</i> , 2010, 84, 284-291.	1.0	13
59	The occurrence of <i>Austrodiplostomum compactum</i> (Lutz, 1928) (Digenea: Diplostomidae) metacercariae in the eyes of loricariid fish (Siluriformes: Osteichthyes: Loricariidae) from Brazil. <i>Journal of Helminthology</i> , 2011, 85, 73-79.	1.0	13
60	Helminth communities of <i>Leptodactylus latrans</i> (Anura: Leptodactylidae) from the Atlantic rainforest, south-eastern Brazil. <i>Journal of Helminthology</i> , 2015, 89, 250-254.	1.0	13
61	Helminth community structure of 13 species of anurans from Atlantic rainforest remnants, Brazil. <i>Journal of Helminthology</i> , 2018, 92, 438-444.	1.0	13
62	<i>Trinigyrus</i> spp. (Monogenea: Dactylogyridae) from Brazilian catfishes: new species, molecular data and new morphological contributions to the genus. <i>Journal of Helminthology</i> , 2020, 94, e126.	1.0	13
63	First report of <i>Monticellius indicum</i> Mehra, 1939 (Digenea: Spirorchidae) infecting <i>Chelonia mydas</i> Linnaeus, 1758 (Testudines: Chelonidae) from Brazil. <i>Brazilian Journal of Biology</i> , 2008, 68, 455-456.	0.9	13
64	New records of endoparasites infecting <i>Hypsiboas albopunctatus</i> (Anura: Hylidae) in a savanna area in Brasília, Brazil. <i>Parasitology Research</i> , 2008, 102, 621-623.	1.6	12
65	Hemoparasites of the genus <i>Trypanosoma</i> (Kinetoplastida: Trypanosomatidae) and hemogregarines in Anurans of the São Paulo and Mato Grosso do Sul States - Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2009, 81, 199-206.	0.8	12
66	Helminths of the teiid lizard <i>Kentropyx calcarata</i> (Squamata) from an Amazonian site in western Brazil. <i>Journal of Helminthology</i> , 2009, 83, 267-269.	1.0	12
67	A New Species of <i>Cosmocercoides</i> (Nematoda: Cosmocercidae) From a Gymnophthalmid Lizard of Western Brazil. <i>Journal of Parasitology</i> , 2010, 96, 558-560.	0.7	12
68	The Effect of Local Environmental Variables on the Helminth Parasite Communities of the Pointedbelly Frog <i>Leptodactylus podicipinus</i> from Ponds in the Pantanal Wetlands. <i>Journal of Parasitology</i> , 2012, 98, 229-235.	0.7	12
69	Morphological aspects of <i>Henneguya aequidens</i> n. sp. (Myxozoa: Myxobolidae) in <i>Aequidens plagiozonatus</i> Kullander, 1984 (Teleostei: Cichlidae) in the Amazon region, Brazil. <i>Parasitology Research</i> , 2015, 114, 1159-1162.	1.6	12
70	Checklist of sea turtles endohelminth in Neotropical region. <i>Helminthologia</i> , 2016, 53, 211-223.	0.9	12
71	Prevalence and distribution of <i>Angiostrongylus cantonensis</i> (Nematoda, Angiostrongylidae) in <i>Achatina fulica</i> (Mollusca, Gastropoda) in Baixada Santista, São Paulo, Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2017, 50, 92-98.	0.9	12
72	A new species of <i>Cacatuocotyle</i> (Monogenea, Dactylogyridae) parasitizing <i>Astyanax</i> spp. (Characiformes, Characidae) from Brazil, including molecular data and a key to species identification. <i>Acta Parasitologica</i> , 2018, 63, 261-269.	1.1	12

#	ARTICLE	IF	CITATIONS
73	Pulmonary, microbiological and hematological changes in <i>Crotalus durissus terrificus</i> (Serpentes,) Tj ETQq1 1 0.784314 rgBT /Overlock 0.4 11 Brasileiro De Medicina Veterinaria E Zootecnia, 2008, 60, 667-674.	0.4	11
74	Nematode infection in the lizard <i>Bogertia lutzae</i> (Loveridge, 1941) from the Atlantic forest in north-eastern Brazil. Journal of Helminthology, 2010, 84, 199-201.	1.0	11
75	Occurrence of infection by <i>Platynosomum illiciens</i> (Braun, 1901) in captive neotropical primates. Primates, 2012, 53, 79-82.	1.1	11
76	<i>Henneguya nagelii</i> n. sp. (Myxozoa: Myxobolidae) in <i>Cyphocharax nagelii</i> (Steindachner, 1881) (Teleostei): Tj ETQq0 0 0 rgBT /Overlock 1.6 11 2013, 112, 3601-3605.	1.6	11
77	Phylogeny, ultrastructure and histopathology of <i>Myxobolus lomi</i> sp. nov., a parasite of <i>Prochilodus lineatus</i> (Valenciennes, 1836) (Characiformes: Prochilodontidae) from the Peixes River, São Paulo State, Brazil. Parasitology International, 2014, 63, 303-307.	1.3	11
78	A new species of <i>Aphanoblastella</i> Kritsky, Mendoza-Franco and Scholz, 2000 (Monogenea,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 To 1.1 11 Parasitologica, 2018, 63, 772-780.	1.1	11
79	A new species of <i>Wallinia</i> Pearse, 1920 (Digenea: Allocreadiidae) collected from <i>Astyanax fasciatus</i> (Cuvier, 1819) and <i>A. lacustris</i> Lucena and Soares, 2016 (Characiformes: Characidae) in Brazil based on morphology and DNA sequences. Parasitology Research, 2018, 117, 2847-2854.	1.6	11
80	Morphological and molecular data of new species of <i>Characithecium</i> and <i>Diaphorocleidus</i> (Monogenea: Dactylogyridae) from Neotropical characid fishes. Parasitology International, 2021, 84, 102406.	1.3	11
81	Pisces, Siluriformes, Ictaluridae, <i>Ictalurus punctatus</i> (Rafinesque, 1818): first record in middle Paranapanema river reservoir, aquaculture and exotic species dispersion. Check List, 2010, 6, 589.	0.4	11
82	Prevalence of Hepatozoon spp. (Apicomplexa, Hepatozoidae) among recently captured Brazilian snakes. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2003, 55, 309-314.	0.4	11
83	First report of <i>Diphyllbothrium mansonii</i> (Cestoda, Diphyllbothridae) infecting <i>Cercocyon thous</i> (Mammalia, Canidae) in Brazil. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2004, 56, 796-798.	0.4	10
84	The number of podocyte and slit diaphragm is decreased in experimental diabetic nephropathy. Acta Cirurgica Brasileira, 2006, 21, 87-91.	0.7	10
85	In vitro effects of <i>Crotalus durissus terrificus</i> and <i>Bothrops jararaca</i> venoms on <i>Giardia duodenalis</i> trophozoites. Parasitology Research, 2006, 98, 339-344.	1.6	10
86	Expanded description of <i>Lamproglena monodi</i> (Copepoda: Lernaecidae), parasitizing native and introduced fishes in Brazil. Brazilian Journal of Veterinary Parasitology, 2012, 21, 263-269.	0.7	10
87	Characterization of Hepatozoon spp. in <i>Leptodactylus chaquensis</i> and <i>Leptodactylus podicipinus</i> from two regions of the Pantanal, state of Mato Grosso do Sul, Brazil. Parasitology Research, 2015, 114, 1541-1549.	1.6	10
88	Partial albinism in <i>Rhinelepis aspera</i> from the Upper Paraná Basin, Brazil, with a review of albinism in South American freshwater fishes. Revista Mexicana De Biodiversidad, 2016, 87, 531-534.	0.4	10
89	Morphometric and phylogenetic analyses of <i>Serpentirhabdias viperidicus</i> n. sp. (Nematoda:) Tj ETQq1 1 0.784314 rgBT /Overlock 1.0 10	1.0	10
90	Helminth fauna of <i>Leptodactylus siphax</i> (Anura: Leptodactylidae) from Caatinga biome, northeastern Brazil. Brazilian Journal of Veterinary Parasitology, 2017, 26, 74-80.	0.7	10

#	ARTICLE	IF	CITATIONS
91	Parasite infracommunities of <i>Leporinus friderici</i> : A comparison of three tributaries of the Jurumirim Reservoir in southeastern Brazil. <i>Anais Da Academia Brasileira De Ciencias</i> , 2017, 89, 953-963.	0.8	10
92	Morphological and molecular characterization of <i>Strongyloides ophidia</i> (Nematoda, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702 Td (Str	1.0	9
93	Persistent organic pollutants in juvenile Magellan penguins (<i>Spheniscus magellanicus</i>) found on the northern shore of the state of São Paulo and southern shore of the state of Rio de Janeiro, Brazil. <i>Marine Pollution Bulletin</i> , 2012, 64, 2502-2506.	5.0	9
94	Helminths of <i>Steindachnerina insculptain</i> two distinct stretches of the Taquari River, state of São Paulo, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 539-547.	0.7	9
95	Helminth Parasites of Three Anuran Species during Reproduction and Drought in the Brazilian Semiarid Caatinga Region. <i>Journal of Parasitology</i> , 2020, 106, 334.	0.7	9
96	Morphometry of the midgut epithelium of <i>Diatraea saccharalis</i> Fabricius, 1794 (Lepidoptera) parasitized by <i>Cotesia flavipes</i> Cameron, 1891 (Hymenoptera). <i>Journal of Invertebrate Pathology</i> , 2006, 93, 60-62.	3.2	8
97	Reduction of podocytes number in late diabetic alloxan nephropathy: prevention by glycemic control. <i>Acta Cirurgica Brasileira</i> , 2007, 22, 337-341.	0.7	8
98	<i>Rhabdias filicaudalis</i> n. sp. (Nematoda: Rhabdiasidae) from the snake <i>Spilotes pullatus</i> (Serpentes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387	1.0	8
99	First Record of an Epibiont Protozoan <i>Epistylis</i> Sp. (Ciliophora, Peritrichia) Attached to <i>Amplexibranchius Bryconis</i> Thatcher & Paredes, 1985 (Copepoda, Ergasilidae) From Peixe's River, State of São Paulo, Brazil. <i>Crustaceana</i> , 2011, 84, 1139-1144.	0.3	8
100	Ecological aspects of helminth fauna of Magellanic penguins, <i>Spheniscus magellanicus</i> (aves: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387	0.9	8
101	First record of an epibiont protozoan <i>Epistylis</i> sp. (Ciliophora, Peritrichia) attached to <i>Ergasilus chelanguatus</i> (Ergasilidae) in Brazil. <i>Brazilian Journal of Biology</i> , 2014, 74, 460-463.	0.9	8
102	The influence of cage farming on infection of the corvine fish <i>Plagioscion squamosissimus</i> (Perciformes: Sciaenidae) with metacercariae of <i>Austrodiplostomum compactum</i> (Digenea: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 T	1.0	8
103	Helminth fauna of <i>Astyanax fasciatus</i> Cuvier, 1819, in two distinct sites of the Taquari River, São Paulo State, Brazil. <i>Brazilian Journal of Biology</i> , 2015, 75, 242-250.	0.9	8
104	<i>Philocorydoras longus</i> sp. n. (Monogenea, Dactylogyridae) from the gills of <i>Hoplosternum littorale</i> (Siluriformes, Callichthyidae) in Southeastern Brazil and the reassignment of two species from the genus <i>Urocleidoides</i> to <i>Philocorydoras</i> . <i>Helminthologia</i> , 2015, 52, 331-335.	0.9	8
105	Metazoan parasite of lambari <i>Astyanax altiparanae</i> , collected from the Peixe river, São Paulo, southeast of Brazil. <i>Ciencia Rural</i> , 2016, 46, 876-880.	0.5	8
106	Helminths of <i>Dermatonotus muelleri</i> (Anura: Microhylidae) from Northeastern Brazil. <i>Journal of Parasitology</i> , 2018, 104, 550-556.	0.7	8
107	Molecular and morphological characterization of the metacercariae of two species of diplostomid trematodes (Platyhelminthes, Digenea) in freshwater fishes of the Batalha River, Brazil. <i>Parasitology Research</i> , 2019, 118, 2169-2182.	1.6	8
108	<i>Tropidurus hispidus</i> Spix 1825 (Sauria, Tropiduridae): a new host for <i>Oswaldofilaria petersi</i> Bain & Sulahian 1974 (Nematoda, Onchocercidae). <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2003, 55, 377-379.	0.4	8

#	ARTICLE	IF	CITATIONS
109	Characterization of phytoplankton by pigment analysis and the detection of toxic cyanobacteria in reservoirs with aquaculture production. <i>Aquaculture Environment Interactions</i> , 2018, 10, 35-48.	1.8	8
110	<i>Urocleidoides</i> spp. (Monogenea: Dactylogyridae) from the gills of <i>Parodon nasus</i> (Characiformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 Td) 535-550.	0.5	8
111	Crystallization and preliminary X-ray diffraction analysis of a myotoxic phospholipase A2 homologue from <i>Bothrops neuwiedi pauloensis</i> venom. <i>BBA - Proteins and Proteomics</i> , 1999, 1432, 393-395.	2.1	7
112	NEW SPECIES OF HAPLOMETROIDES (DIGENEA: PLAGIORCHIIDAE) FROM PHALOTRIS NASUTUS (GOMES, 1915) (SERPENTES, COLUBRIDAE). <i>Journal of Parasitology</i> , 2007, 93, 917-921.	0.7	7
113	Occurrence of <i>Amphiorchis solus</i> (Simha & Chattopadhyaya, 1970) (Digenea: Spirorchiidae) Infecting the Green Turtle <i>Chelonia mydas</i> Linnaeus, 1758 (Testudines: Cheloniidae) in Brazil. <i>Comparative Parasitology</i> , 2011, 78, 200-203.	0.4	7
114	New host records of Brazilian pentastomid species. <i>Brazilian Journal of Biology</i> , 2012, 72, 393-396.	0.9	7
115	Helminth parasite communities of allopatric populations of the frog <i>Leptodactylus podicipinus</i> from Pantanal, Brazil. <i>Journal of Helminthology</i> , 2014, 88, 13-19.	1.0	7
116	First record of <i>Paratanaisia bragai</i> (Digenea: Eucotylidae) in blue and gold macaw (<i>Ara ararauna</i>). <i>Brazilian Journal of Veterinary Parasitology</i> , 2016, 25, 112-115.	0.7	7
117	A New Species of <i>Cosmetocleithrum</i> (Monogenea, Dactylogyridae), a Gill Parasite of <i>Trachelyopterus galeatus</i> (Siluriformes, Auchenipteridae) from Brazil, with Notes on the Morphology of <i>Cosmetocleithrum striatuli</i> . <i>Comparative Parasitology</i> , 2017, 84, 119-123.	0.4	7
118	Monitoring of <i>Francisella noatunensis</i> subsp. <i>orientalis</i> in farmed Nile tilapia (<i>Oreochromis</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 Td	2.2	7
119	A New Genus of Ergasilidae (Copepoda: Cyclopoida) from the Gills of <i>Astyanax fasciatus</i> (Cuvier, 1819) (Actinopterygii: Characidae). <i>Acta Parasitologica</i> , 2019, 64, 850-865.	1.1	7
120	A new species of <i>Rhabdias</i> (Nematoda: Rhabdiasidae), a lung parasite of <i>Pseudopaludicola pocoto</i> (Anura: Leptodactylidae) from north-eastern Brazil: description and phylogenetic analyses. <i>Journal of Helminthology</i> , 2020, 94, e209.	1.0	7
121	Occurrence of <i>Amphiorchis indicus</i> Mehrotra, 1973 (Digenea, Spirorchiidae) infecting Green turtle <i>Chelonia mydas</i> Linnaeus, 1758 (Testudines, Cheloniidae) in Brazil. <i>Brazilian Journal of Biology</i> , 2013, 73, 225-227.	0.9	7
122	Subpopulations of mononuclear leukocytes associated with inhibition of Ehrlich ascites tumor growth by treatment with <i>Bothrops jararacavenom</i> . <i>Mediators of Inflammation</i> , 2004, 13, 29-32.	3.0	6
123	Helminth Fauna of Two Species of <i>Physalaemus</i> (Anura: Leiuperidae) from an Undisturbed Fragment of the Atlantic Rainforest, Southeastern Brazil. <i>Journal of Parasitology</i> , 2013, 99, 919-922.	0.7	6
124	Endoparasites infecting the semiaquatic coral snake <i>Micrurus surinamensis</i> (Squamata: Elapidae) in the southern amazonian region, Mato Grosso state, Brazil. <i>Brazilian Journal of Biology</i> , 2013, 73, 645-647.	0.9	6
125	<i>Sphincterodiplostomum musculosum</i> (Digenea, Diplostomidae) infecting <i>Steindachnerina insculpta</i> (Characiformes, Curimatidae) in the Chavantes Reservoir, Southeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 98-103.	0.7	6
126	Helminth parasite communities of two <i>Physalaemus cuvieri</i> Fitzinger, 1826 (Anura: Leiuperidae) populations under different conditions of habitat integrity in the Atlantic Rain Forest of Brazil. <i>Brazilian Journal of Biology</i> , 2015, 75, 963-968.	0.9	6

#	ARTICLE	IF	CITATIONS
127	Living apart and having similar trouble: are frog helminth parasites determined by the host or by the habitat?. Canadian Journal of Zoology, 2016, 94, 761-765.	1.0	6
128	New data on <i>Myxobolus imparfinis</i> (Cnidaria, Myxosporea): host, distribution, and ultrastructural morphology. Parasitology Research, 2019, 118, 1967-1973.	1.6	6
129	A new myxozoan species <i>Henneguya unitaeniata</i> sp. nov. (Cnidaria: Myxosporea) on gills of <i>Hoplerythrinus unitaeniatus</i> from Mato Grosso State, Brazil. Parasitology Research, 2019, 118, 3327-3336.	1.6	6
130	Three New Species of <i>Cosmetocleithrum</i> (Monogenea: Dactylogyridae) Gill Parasites of <i>Trachelyopterus galeatus</i> (Siluriformes: Auchenipteridae) in Southeastern Brazil. Acta Parasitologica, 2021, 66, 436-445.	1.1	6
131	A new species, <i>Dactylosoma piperis</i> n. sp. (Apicomplexa, Dactylosomatidae), from the pepper frog <i>Leptodactylus labyrinthicus</i> (Anura, Leptodactylidae) from Mato Grosso State, Brazil.. Parasite, 2020, 27, 73.	2.0	6
132	Digenetic trematodes infection in a <i>Bothrops moojeni</i> (Viperidae) population from a fauna rescue in Porto Primavera, São Paulo State. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2003, 55, 243-245.	0.4	6
133	Occurrence of <i>Cyanobacteria</i> and microcystins in hydroelectric reservoirs used for fish farming. Journal of Water and Health, 2020, 18, 983-994.	2.6	6
134	Description of gamontogonic and sporogonic stages of <i>Hepatozoon</i> spp. (Apicomplexa, Hepatozoidae) from <i>Caudisoma durissa terrifica</i> (Serpentes, Viperidae). Parasitology Research, 2011, 108, 845-851.	1.6	5
135	Community ecology of metazoan parasites of the sairã <i>Cyphocharax nagelii</i> from the Peixe River. Brazilian Journal of Veterinary Parasitology, 2013, 22, 611-615.	0.7	5
136	Parasitism by <i>Sphincterodiplostomum musculosum</i> (Digenea, Diplostomidae) metacercariae in the eyes of <i>Steindachnerina insculpta</i> (Characiformes, Curimatidae). Brazilian Journal of Veterinary Parasitology, 2014, 23, 144-149.	0.7	5
137	Parasites of <i>Acestrorhynchus lacustris</i> (Lacaze, 1875) (Characiformes: Acestrorhynchidae) collected from the Peixe River, southeast Brazil. Acta Scientiarum - Biological Sciences, 2015, 37, 231.	0.3	5
138	<i>Austrodiplostomum compactum</i> metacercariae (Digenea: Diplostomidae) in <i>Schizodon intermedius</i> (Characiformes: Anostomidae) from Jurumirim reservoir, Brazil. Brazilian Journal of Veterinary Parasitology, 2016, 25, 240-243.	0.7	5
139	Ecological implications of floods on the parasite communities of two freshwater catfishes in a Neotropical floodplain. Acta Parasitologica, 2017, 62, 312-318.	1.1	5
140	<i>Aplectana nordestina</i> n. sp. (Nematoda: Cosmocercidae) parasitizing <i>Leposternon polystegum</i> (Squamata: Amphisbaenidae) from Northeastern, Brazil. Zootaxa, 2017, 4247, 83.	0.5	5
141	A new species of <i>Tereancistrum</i> (Monogenea, Dactylogyridae) from the gills of three <i>Leporinus</i> species (Characiformes, Anostomidae) and a revised description of <i>Tereancistrum parvus</i> . Anais Da Academia Brasileira De Ciencias, 2017, 89, 1121-1131.	0.8	5
142	A New Species of <i>Rhinergasilus</i> Boeger et Thatcher, 1988 (Copepoda: Ergasilidae) from Gills of <i>Astyanax fasciatus</i> (Cuvier, 1819) (Actinopterygii: Characidae). Acta Parasitologica, 2020, 65, 327-334.	1.1	5
143	A new species of <i>Wallinia</i> Pearse, 1920 (Digenea: Allocreadiidae), in <i>Astyanax bimaculatus</i> (Linnaeus, Tj ETQq1 1 0.784314 rgBT /Overle Research, 2021, 120, 37-44.	1.6	5
144	Three new species of <i>Creptotrema</i> (Trematoda, Allocreadiidae) with an amended diagnosis of the genus and reassignment of <i>Auriculostoma</i> (Allocreadiidae), based on morphological and molecular evidence. Parasite, 2021, 28, 69.	2.0	5

#	ARTICLE	IF	CITATIONS
145	PARASITOFUNA DEL ANFIBIO NEOTROPICAL RHINELLA LIMENSIS WERNER, 1901 (ANURA: BUFONIDAE) EN LA COSTA CENTRAL PERUANA. <i>Neotropical Helminthology</i> , 2015, 9, 87-102.	0.1	5
146	Occurrence of <i>Haplometroides odhneri</i> (Trematoda, Digenea, Plagiorchiidae) infecting <i>Leptotyphlops koppesi</i> (Serpentes, Leptotyphlopidae). <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2005, 57, 267-269.	0.4	4
147	A morphometric study of the midgut in resistant and non-resistant <i>Anticarsia gemmatalis</i> (HÃ4bner) (Lepidoptera: Noctuidae) larvae to its nucleopolyhedrovirus (AgMNPV). <i>Journal of Invertebrate Pathology</i> , 2009, 101, 17-22.	3.2	4
148	<i>Unilatus unilatus</i> Mizelle & Kritsky, 1967 (Monogenea, Ancyrocephalinae) in <i>Hypostomus</i> spp. (Siluriformes, Loricariidae) from the Chavantes reservoir, SÃo Paulo State, Brazil. <i>Helminthologia</i> , 2012, 49, 87-91.	0.9	4
149	Monogeneans (Dactylogyridae) parasitizing gills of <i>Salminus hilarii</i> from a Neotropical reservoir, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 579-587.	0.7	4
150	First record of <i>Hysterothylacium</i> sp. Moravec, Kohn et Fernandes, 1993 larvae (Nematoda: Anisakidae) infecting the ornamental fish <i>Hyphessobrycon eques</i> Steindachner, 1882 (Characiformes, Characidae). <i>Brazilian Journal of Biology</i> , 2015, 75, 638-642.	0.9	4
151	Parasitic communities of <i>Hoplosternum littorale</i> (Hancock, 1828) as indicators of environmental impact. <i>Anais Da Academia Brasileira De Ciencias</i> , 2017, 89, 2317-2325.	0.8	4
152	Gastrointestinal helminths of two populations of wild pigeons (<i>Columba livia</i>) in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2017, 26, 446-450.	0.7	4
153	<i>Lernaea cyprinacea</i> (Copepoda: Lernaeidae) in <i>Piabarchus stramineus</i> (Characiformes: Characidae) from the Taquari River, SÃo Paulo State, Brazil. <i>Biologia (Poland)</i> , 2019, 74, 1171-1179.	1.5	4
154	Skin nodules associated with parasitism with <i>Henneguya</i> sp. (Cnidaria: Myxosporea) in the neotropical fish <i>Cyphocharax modestus</i> . <i>Microbial Pathogenesis</i> , 2019, 128, 294-300.	2.9	4
155	A new species of <i>Creptotrematina</i> (Trematoda: Allocreadiidae) from characid fishes of Brazil: morphological and molecular data. <i>Journal of Helminthology</i> , 2020, 94, e163.	1.0	4
156	Torrent frogs have fewer macroparasites but higher rates of chytrid infection in landscapes with smaller forest cover. <i>Ecosphere</i> , 2020, 11, e03169.	2.2	4
157	Two <i>Gamispatulus</i> Thatcher & Boger, 1984 (Cyclopoida: Ergasilidae) from <i>Schizodon intermedius</i> Caravello & Britski (Actinopterygii: Anostomidae), with description of a new species. <i>Zootaxa</i> , 2020, 4803, zootaxa.4803.3.3.	0.5	4
158	Description of a New Species <i>Hepatozoon quagliattus</i> sp. nov. (Apicomplexa: Adeleorina: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227 Td State, Brazil. <i>Acta Parasitologica</i> , 2021, 66, 871-880.	1.1	4
159	New insights on the diversity of Brazilian anuran blood parasites: With the description of three new species of <i>Hepatozoon</i> (Apicomplexa: Hepatozoidae) from <i>Leptodactylidae</i> anurans. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2021, 14, 190-201.	1.5	4
160	Description of Two Novel <i>Henneguya</i> (Cnidaria: Myxosporea) Infecting <i>Curimatid</i> Fish, Using Morphological, Histological, and Molecular Analyses. <i>Acta Parasitologica</i> , 2022, 67, 233-243.	1.1	4
161	First record of <i>Sebekia oxycephala</i> (Pentastomida: Sebekidae) infecting <i>Helicops infrataeniatus</i> (Reptilia: Colubridae), SÃo Paulo State, Brazil. <i>Brazilian Journal of Biology</i> , 2015, 75, 497-498.	0.9	4
162	Helminths infecting <i>Dryadosaura nordestina</i> (Squamata: Gymnophthalmidae) from Atlantic Forest, northeastern Brazil. <i>Helminthologia</i> , 2018, 55, 286-291.	0.9	4

#	ARTICLE	IF	CITATIONS
163	First report of <i>Strongyloides</i> sp. (Nematoda, Strongyloididae) in <i>Leopardus tigrinus</i> (Carnivora: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 137 Td (Parasitology, 2009, 18, 77-79.	0.7	4
164	Morphological and molecular characterization of the cryptic species <i>Myxobolus cataractae</i> n. sp. (Cnidaria: Myxozoa: Myxobolidae) parasitizing <i>Imparfinis mirini</i> (Siluriformes: Heptapteridae). Parasitology International, 2022, 88, 102560.	1.3	4
165	Occurrence of <i>Tetrameres confusa</i> (Nematoda, Tetrameridae) in <i>Ara ararauna</i> (Psittacidae). Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2005, 57, 562-564.	0.4	3
166	A New Species of <i>Africana</i> (Nematoda: Heterakidae) from Lizards of Southern Amazon, Brazil. Journal of Parasitology, 2009, 95, 1156-1158.	0.7	3
167	Occurrence of <i>Braga cigarra</i> (Cymothoidae) parasitizing <i>Galeocharax knerii</i> (Characidae) from affluents of Jurumirim reservoir, Brazil. Brazilian Journal of Veterinary Parasitology, 2013, 22, 292-296.	0.7	3
168	New record of <i>Pelecitus</i> sp. (Nematoda, Onchocercidae) as a parasite of <i>Athene cucicularia</i> (Strigiformes, Strigidae) in southeastern Brazil. Brazilian Journal of Veterinary Parasitology, 2014, 23, 274-275.	0.7	3
169	<i>Spinitectus aguapeiensis</i> n. sp. (Nematoda: Cystidicolidae) from <i>Pimelodella avanhandavae</i> Eigenmann (Siluriformes: Heptapteridae) in the River Aguape, Upper Paran River Basin, Brazil. Systematic Parasitology, 2017, 94, 649-656.	1.1	3
170	A new <i>Synthesium</i> species (Digenea: Brachycladiidae) from the bottlenose dolphin <i>Tursiops truncatus</i> (Cetacea: Delphinidae) in Southwestern Atlantic waters. Parasitology Research, 2017, 116, 1443-1452.	1.6	3
171	<i>Chapiniella variabilis</i> (Nematoda) parasitizing <i>Chelonoidis carbonarius</i> and <i>C. denticulatus</i> (Testudinidae) in the state of Piauí: Brazilian Journal of Veterinary Parasitology, 2017, 26, 359-365.	0.7	3
172	Molecular phylogenetic position of <i>Haplometroides intercaecalis</i> (Digenea, Plagiorchiidae). Acta Parasitologica, 2018, 63, 522-526.	1.1	3
173	Anatomopathological lesions of infection caused by <i>Platynosomum illiciens</i> (Braun, 1901) in Neotropical primates kept in captivity. Journal of Medical Primatology, 2021, 50, 82-85.	0.6	3
174	First molecular assessment of two digenean parasites of the lancehead snake <i>Bothrops moojeni</i> Hoge, 1966 (Serpentes, Viperidae) in Brazil. Parasitology Research, 2021, 120, 971-977.	1.6	3
175	Diversity, similarity, and host-parasite relationships in parasitic infracommunities of <i>Hypostomus</i> spp. from the Tiet-Batalha river basin, southeastern Brazil. Studies on Neotropical Fauna and Environment, 2022, 57, 301-313.	1.0	3
176	Brown-throated three-toed sloth (<i>Bradypus variegatus</i> Shinz, 1825) as a new host for <i>Leiuris leptocephalus</i> (Rud., 1819) Leuckard, 1850. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2008, 60, 1021-1022.	0.4	3
177	Metacercariae of <i>Austrodiplostomum compactum</i> (Trematoda, Diplostomidae) in non-native fish species in Brazil: a possible explanation for the high rate of parasitic infection. Anais Da Academia Brasileira De Ciencias, 2020, 92, e20180984.	0.8	3
178	Diversity of haemogregarine parasites infecting Brazilian snakes from the Midwest and Southeast regions with a description of two new species of <i>Hepatozoon</i> (Apicomplexa: Adeleorina: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 137 Td (Parasitology Research, 2021, 120, 971-977.	1.6	3
179	First record of <i>Palombitrema triangulum</i> (Suriano, 1981) Suriano, 1997 (Monogenea: Dactylogyridae) from freshwater fishes in Brazil. Brazilian Journal of Biology, 2015, 75, 229-233.	0.9	2
180	Molecular detection of Anaplasmataceae agents in <i>Dasyprocta azarae</i> in northeastern Brazil. Brazilian Journal of Veterinary Parasitology, 2018, 27, 98-104.	0.7	2

#	ARTICLE	IF	CITATIONS
181	Urotrema macrotestis and Urotrema scabridum (Digenea: Urotrematidae) parasitizing bats (Mammalia: Tj ETQq1 1 0,784314 2 rgBT /Overlock 10 Tf 50 627	0.8	2
182	Rhinergasilus unguilongus n. sp. (Copepoda: Ergasilidae): A Gill Parasite of the Freshwater Fish Prochilodus lineatus (Valenciennes, 1837) (Actinopterygii: Prochilodontidae) from the Neotropical Region, Brazil. Acta Parasitologica, 2021, 66, 155-162.	1.1	2
183	Visceral mycobacteriosis in amphibians from Brazilian Caatinga Region. Diseases of Aquatic Organisms, 2021, 145, 139-144.	1.0	2
184	Description of a new species of myxobolid parasite, Henneguya pindaibensis n. sp. (Cnidaria: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Parasitology International, 2021, 83, 102319.	1.3	2
185	Diversity of helminth parasites in amphibians from northeastern Brazil. , 2022, 77, 2571-2579.		2
186	A new species of Tiddergasilus Marques & Boeger, 2018 (Copepoda: Ergasilidae) from the gills of Astyanax lacustris (LÄ¼tken) (Osteichthyes: Characidae) in Brazil. Systematic Parasitology, 2022, 99, 671-681.	1.1	2
187	Note on the feeding habits of Opisthogonimus lecithonotus (Trematoda, Digenea, Plagiorchiidae). Parasitology Research, 2004, 94, 471-472.	1.6	1
188	Corallus caninus (Serpentes, Boidae): a new host for Ophiotaenia sp. (Cestoda, Proteocephalidae). Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2006, 58, 961-963.	0.4	1
189	Proleptus acutus Dujardin, 1845 (Nematoda, Physalopteridae) parasite of rays Zapteryx brevirostris MÄ¼ller & Henle, 1841 (Rhinobatiformes, Rhinobatidae) in Brazil. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2008, 60, 1573-1575.	0.4	1
190	Ecological Features of Large Neotropical Reservoirs and Its Relation to Health of Cage Reared Fish. , 2012, , .		1
191	High Infection Level of a Snake, Xenodon merremii (Wagler in Spix, 1824) (Serpentes: Dipsadidae), with Serpenterhabdias cf. vellardi (Pereira, 1928) (Nematoda: Rhabdiasidae) in Brazil. Comparative Parasitology, 2018, 85, 197-201.	0.4	1
192	Ogmogaster antarctica (Digenea: Notocotylidae) infecting a dwarf minke whale Balaenoptera acutorostrata (Cetartiodactyla: Balaenopteridae) from the southwestern Atlantic Ocean. Biologia (Poland), 2020, 75, 1983-1990.	1.5	1
193	Ascocotyle longa (Digenea: Heterophyidae) infecting dolphins from the Atlantic Ocean. Parasitology Research, 2021, 120, 347-353.	1.6	1
194	Characithecium spp. (Monogenea: Dactylogyridae) from Astyanax bimaculatus (Characiformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2 1307-1315.	1.1	1
195	Myxobolus spp. (Cnidaria: Myxobolidae) in the circulating blood of fishes from GoiÄ±s and Mato Grosso States, Brazil: case report. Brazilian Journal of Biology, 2021, 82, e242823.	0.9	1
196	INFLUÄNCIAS DE PISCICULTURA EM TANQUES-REDE SOBRE ASPECTOS POPULACIONAIS E ALIMENTARES DE PEIXES SILVESTRES NO RESERVATÄRIO DE CHAVANTES (RIO PARANAPANEMA), SÄO PAULO, BRASIL. , 0, , 129-139.		1
197	Composition and diversity of the fish assemblages under influence of a gradient river/dam of Taquari River, SÄo Paulo, Brazil. WIT Transactions on the Built Environment, 2015, , 357-368.	0.0	1
198	Distribution of black leaf streak disease (Mycosphaerella fijiensis Morelet) in Mato Grosso, Brazil. Bioscience Journal, 0, , 384-388.	0.4	1

#	ARTICLE	IF	CITATIONS
199	A new species of <i>Pseudovaigamus</i> Amado, Ho & Rocha, 1984 (Cyclopoida:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 70 4881, 349-360.	0.5	1
200	Morphological, ultrastructural, and molecular analysis of a new species of <i>Myxobolus</i> (Cnidaria,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70 Parasitology International, 2022, 88, 102556.	1.3	1
201	Taxonomy and Systematics of Two New Species of <i>Myxobolus</i> (Cnidaria: Myxobolidae) Parasitizing the Gills of <i>Mugil curema</i> (Mugilidae) from the Brazilian Coast. <i>Acta Parasitologica</i> , 2022, 67, 1206-1216.	1.1	1
202	Can differences between continental and insular habitats influence the parasites communities associated with the endemic frog <i>Haddadus binotatus</i> ?. <i>Journal of Helminthology</i> , 2020, 94, e178.	1.0	0
203	Parasites of <i>Cambeva davis</i> (Siluriformes: Trichomycteridae) from the Cascavel stream, Neotropical area. <i>Biologia (Poland)</i> , 2021, 76, 599-612.	1.5	0
204	<i>Pholeter gastrophilus</i> (Trematoda: Heterophyidae), a parasite of dolphins from Brazilian waters. <i>Biologia (Poland)</i> , 0, , 1.	1.5	0
205	Description of <i>Cystodiscus elachistocleis</i> sp. nov. (Cnidaria: Myxosporea) parasitizing the gallbladder of <i>Elachistocleis cesarii</i> from Brazil, based on morphological and molecular analyses. <i>European Journal of Taxonomy</i> , 0, 775, 107-118.	0.6	0
206	Cytokine profile on the ehrlich ascites tumor treated with <i>Bothrops jararaca</i> venom. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2001, 7, 150-150.	1.0	0
207	The occurrence of <i>Crepidobothrium</i> sp. (Cestoda, Proteocephalidae) in <i>Bothrops moojeni</i> (Hoge) (Serpentes, Viperidae). <i>Revista Brasileira De Zoologia</i> , 2001, 18, 375-379.	0.5	0
208	<i>Rhabdochona fuscovaria</i> sp. n. (Nematoda: Rhabdochonidae) from the stomach of frog <i>Scinax fuscovarius</i> (Anura: Hylidae) in Brazil. <i>Zootaxa</i> , 2021, 5067, 569-584.	0.5	0
209	Intestinal Parasites in Free-Living <i>Puma concolor</i> . <i>Acta Scientiae Veterinariae</i> , 0, 48, .	0.2	0
210	Redescription of <i>Wallinia brasiliensis</i> (Digenea: Allocreadiidae) from <i>Astyanax lacustris</i> (Osteichthyes: Characidae) in Brazil. <i>Biologia (Poland)</i> , 2022, 77, 1007-1016.	1.5	0