

Reinaldo JosÃ© da Silva

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4036377/publications.pdf>

Version: 2024-02-01

210
papers

2,345
citations

331670
21
h-index

414414
32
g-index

213
all docs

213
docs citations

213
times ranked

1938
citing authors

#	ARTICLE	IF	CITATIONS
1	Diversity, similarity, and host-parasite relationships in parasitic infracommunities of <i>Hypostomus</i> spp. from the Tietê-Batalha river basin, southeastern Brazil. <i>Studies on Neotropical Fauna and Environment</i> , 2022, 57, 301-313.	1.0	3
2	Description of Two Novel Henneguya (Cnidaria: Myxosporea) Infecting Curimatid Fish, Using Morphological, Histological, and Molecular Analyses. <i>Acta Parasitologica</i> , 2022, 67, 233-243.	1.1	4
3	Morphological and molecular characterization of the cryptic species <i>Myxobolus cataractae</i> n. sp. (Cnidaria: Myxozoa: Myxobolidae) parasitizing <i>Imparfinis mirini</i> (Siluriformes: Heptapteridae). <i>Parasitology International</i> , 2022, 88, 102560.	1.3	4
4	Morphological, ultrastructural, and molecular analysis of a new species of <i>Myxobolus</i> (Cnidaria, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Parasitology International, 2022, 88, 102556.	1.3	1
5	Redescription of <i>Wallinia brasiliensis</i> (Digenea: Allocreadiidae) from <i>Astyanax lacustris</i> (Osteichthyes: Characidae) in Brazil. <i>Biologia (Poland)</i> , 2022, 77, 1007-1016.	1.5	0
6	Diversity of haemogregarine parasites infecting Brazilian snakes from the Midwest and Southeast regions with a description of two new species of <i>Hepatozoon</i> (Apicomplexa: Adeleorina:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 537 Td (H Parasitology International, 2022, 88, 102556.	1.3	1
7	Taxonomy and Systematics of Two New Species of <i>Myxobolus</i> (Cnidaria: Myxobolidae) Parasitizing the Gills of <i>Mugil curema</i> (Mugilidae) from the Brazilian Coast. <i>Acta Parasitologica</i> , 2022, 67, 1206-1216.	1.1	1
8	Diversity of helminth parasites in amphibians from northeastern Brazil., 2022, 77, 2571-2579.		2
9	A new species of <i>Tiddergasilus</i> Marques & Boeger, 2018 (Copepoda: Ergasilidae) from the gills of <i>Astyanax lacustris</i> (LÃ¼cken) (Osteichthyes: Characidae) in Brazil. <i>Systematic Parasitology</i> , 2022, 99, 671-681.	1.1	2
10	Parasites of <i>Cambeva davisii</i> (Siluriformes: Trichomycteridae) from the Cascavel stream, Neotropical area. <i>Biologia (Poland)</i> , 2021, 76, 599-612.	1.5	0
11	Rhnergasilus unguilongus n. sp. (Copepoda: Ergasilidae): A Gill Parasite of the Freshwater Fish <i>Prochilodus lineatus</i> (Valenciennes, 1837) (Actinopterygii: Prochilodontidae) from the Neotropical Region, Brazil. <i>Acta Parasitologica</i> , 2021, 66, 155-162.	1.1	2
12	<i>Ascocotyle longa</i> (Digenea: Heterophyidae) infecting dolphins from the Atlantic Ocean. <i>Parasitology Research</i> , 2021, 120, 347-353.	1.6	1
13	Anatomopathological lesions of infection caused by <i>Platynosomum illiciens</i> (Braun, 1901) in Neotropical primates kept in captivity. <i>Journal of Medical Primatology</i> , 2021, 50, 82-85.	0.6	3
14	A new species of <i>Wallinia</i> Pearse, 1920 (Digenea: Allocreadiidae), in <i>Astyanax bimaculatus</i> (Linnaeus,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Research, 2021, 120, 37-44.	1.6	5
15	Three New Species of <i>Cosmetocleithrum</i> (Monogenea: Dactylogyridae) Gill Parasites of <i>Trachelyopterus galeatus</i> (Siluriformes: Auchenipteridae) in Southeastern Brazil. <i>Acta Parasitologica</i> , 2021, 66, 436-445.	1.1	6
16	Visceral mycobacteriosis in amphibians from Brazilian Caatinga Region. <i>Diseases of Aquatic Organisms</i> , 2021, 145, 139-144.	1.0	2
17	First molecular assessment of two digenetic parasites of the lancehead snake <i>Bothrops moojeni</i> Hoge, 1966 (Serpentes, Viperidae) in Brazil. <i>Parasitology Research</i> , 2021, 120, 971-977.	1.6	3
18	Description of a New Species <i>Hepatozoon quagliattus</i> sp. nov. (Apicomplexa: Adeleorina:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td (H State, Brazil. <i>Acta Parasitologica</i> , 2021, 66, 871-880.	1.1	4

#	ARTICLE	IF	CITATIONS
19	New insights on the diversity of Brazilian anuran blood parasites: With the description of three new species of <i>Hepatozoon</i> (Apicomplexa: Hepatozooidae) from Leptodactylidae anurans. International Journal for Parasitology: Parasites and Wildlife, 2021, 14, 190-201.	1.5	4
20	Characithecium spp. (Monogenea: Dactylogyridae) from <i>Astyanax bimaculatus</i> (Characiformes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70 1307-1315.	1.1	1
21	Description of a new species of myxobolid parasite, <i>Henneguya pindaibensis</i> n. sp. (Cnidaria:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 70 Parasitology International, 2021, 83, 102319.	1.3	2
22	Morphological and molecular data of new species of Characithecium and Diaphorocleidus (Monogenea: Dactylogyridae) from Neotropical characid fishes. Parasitology International, 2021, 84, 102406.	1.3	11
23	Myxobolus spp. (Cnidaria: Myxobolidae) in the circulating blood of fishes from GoiÃ¡s and Mato Grosso States, Brazil: case report. Brazilian Journal of Biology, 2021, 82, e242823.	0.9	1
24	Three new species of <i>Creptotrema</i> (Trematoda, Allocreadiidae) with an amended diagnosis of the genus and reassignment of <i>Auriculostoma</i> (Allocreadiidae), based on morphological and molecular evidence. Parasite, 2021, 28, 69.	2.0	5
25	Rhabdochona fuscovaria sp. n. (Nematoda: Rhabdochonidae) from the stomach of frog <i>Scinax fuscovarius</i> (Anura: Hylidae) in Brazil. Zootaxa, 2021, 5067, 569-584.	0.5	0
26	Urocleidoides spp. (Monogenea: Dactylogyridae) from the gills of <i>Parodon nasus</i> (Characiformes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70 535-550.	0.5	8
27	Status and recommendations for sustainable freshwater aquaculture in Brazil. Reviews in Aquaculture, 2020, 12, 1495-1517.	9.0	36
28	Can differences between continental and insular habitats influence the parasites communities associated with the endemic frog <i>Haddadus binotatus</i> ? Journal of Helminthology, 2020, 94, e178.	1.0	0
29	Seven new species of Urocleidoides (Monogenea: Dactylogyridae) from Brazilian fishes supported by morphological and molecular data. Parasitology Research, 2020, 119, 3255-3283.	1.6	14
30	A new species of Rhabdias (Nematoda: Rhabdiasidae), a lung parasite of <i>Pseudopaludicola pocoto</i> (Anura: Leptodactylidae) from north-eastern Brazil: description and phylogenetic analyses. Journal of Helminthology, 2020, 94, e209.	1.0	7
31	A new species of <i>Creptotrematina</i> (Trematoda: Allocreadiidae) from characid fishes of Brazil: morphological and molecular data. Journal of Helminthology, 2020, 94, e163.	1.0	4
32	Torrent frogs have fewer macroparasites but higher rates of chytrid infection in landscapes with smaller forest cover. Ecosphere, 2020, 11, e03169.	2.2	4
33	Two <i>Gamispatulus</i> Thatcher & Boger, 1984 (Cyclopoida: Ergasilidae) from <i>Schizodon intermedius</i> Garavello & Britski (Actinopterygii: Anostomidae), with description of a new species. Zootaxa, 2020, 4803, zootaxa.4803.3.3.	0.5	4
34	Ogmogaster antarctica (Digenea: Notocotylidae) infecting a dwarf minke whale <i>Balaenoptera acutorostrata</i> (Cetartiodactyla: Balaenopteridae) from the southwestern Atlantic Ocean. Biologia (Poland), 2020, 75, 1983-1990.	1.5	1
35	<i>Trinigyrus</i> spp. (Monogenea: Dactylogyridae) from Brazilian catfishes: new species, molecular data and new morphological contributions to the genus. Journal of Helminthology, 2020, 94, e126.	1.0	13
36	Diversity of helminth parasites of eight siluriform fishes from the AguapeÃ®-River, upper ParanÃ¡ basin, SÃ£o Paulo state, Brazil. International Journal for Parasitology: Parasites and Wildlife, 2020, 11, 120-128.	1.5	19

#	ARTICLE	IF	CITATIONS
37	A New Species of Rhinergasilus Boeger et Thatcher, 1988 (Copepoda: Ergasilidae) from Gills of <i>Astyanax fasciatus</i> (Cuvier, 1819) (Actinopterygii: Characidae). <i>Acta Parasitologica</i> , 2020, 65, 327-334.	1.1	5
38	A new species, <i>Dactylosoma piperis</i> n. sp. (Apicomplexa, Dactylosomatidae), from the pepper frog <i>Leptodactylus labyrinthicus</i> (Anura, Leptodactylidae) from Mato Grosso State, Brazil.. <i>Parasite</i> , 2020, 27, 73.	2.0	6
39	Helminth Parasites of Three Anuran Species during Reproduction and Drought in the Brazilian Semiarid Caatinga Region. <i>Journal of Parasitology</i> , 2020, 106, 334.	0.7	9
40	Metacercariae of <i>Austrodiplostomum compactum</i> (Trematoda, Diplostomidae) in non-native fish species in Brazil: a possible explanation for the high rate of parasitic infection. <i>Anais Da Academia Brasileira De Ciencias</i> , 2020, 92, e20180984.	0.8	3
41	Occurrence of <i>Cyanobacteria</i> and microcystins in hydroelectric reservoirs used for fish farming. <i>Journal of Water and Health</i> , 2020, 18, 983-994.	2.6	6
42	A new species of <i>Pseudovaigamus</i> Amado, Ho & Rocha, 1984 (Cyclopoida: Cyclopidae) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 4881, 349-360.	0.5	1
43	A New Genus of Ergasilidae (Copepoda: Cyclopoida) from the Gills of <i>Astyanax fasciatus</i> (Cuvier, 1819) (Actinopterygii: Characidae). <i>Acta Parasitologica</i> , 2019, 64, 850-865.	1.1	7
44	Microbial Production of the Off-Flavor Geosmin in Tilapia Production in Brazilian Water Reservoirs: Importance of Bacteria in the Intestine and Other Fish-Associated Environments. <i>Frontiers in Microbiology</i> , 2019, 10, 2447.	3.5	23
45	Molecular and morphological characterization of the metacercariae of two species of diplostomid trematodes (Platyhelminthes, Digenea) in freshwater fishes of the Batalha River, Brazil. <i>Parasitology Research</i> , 2019, 118, 2169-2182.	1.6	8
46	New data on <i>Myxobolus imparfinis</i> (Cnidaria, Myxosporea): host, distribution, and ultrastructural morphology. <i>Parasitology Research</i> , 2019, 118, 1967-1973.	1.6	6
47	<i>Lernaea cyprinacea</i> (Copepoda: Lernaeidae) in <i>Piabarchus stramineus</i> (Characiformes: Characidae) from the Taquari River, SÃ£o Paulo State, Brazil. <i>Biologia (Poland)</i> , 2019, 74, 1171-1179.	1.5	4
48	<i>Uotrema macrotestis</i> and <i>Uotrema scabridum</i> (Digenea: Urotrematidae) parasitizing bats (Mammalia: Vesperidae) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 0.8	2.0	2
49	A new myxozoan species <i>Henneguya unitaeniata</i> sp. nov. (Cnidaria: Myxosporea) on gills of <i>Hoplopyrinus unitaeniatus</i> from Mato Grosso State, Brazil. <i>Parasitology Research</i> , 2019, 118, 3327-3336.	1.6	6
50	Skin nodules associated with parasitism with <i>Henneguya</i> sp. (Cnidaria: Myxosporea) in the neotropical fish <i>Cyphocharax modestus</i> . <i>Microbial Pathogenesis</i> , 2019, 128, 294-300.	2.9	4
51	A new genus and four new species of dactylogyrids (Monogenea), gill parasites of pimelodid catfishes (Siluriformes: Pimelodidae) in South America and the reassignment of <i>Urocleidoides megorchis</i> Mizelle et Kritsky, 1969. <i>Folia Parasitologica</i> , 2019, 66, .	1.3	22
52	A new species of <i>Cacatuocotyle</i> (Monogenea, Dactylogyridae) parasitizing <i>Astyanax</i> spp. (Characiformes, Characidae) from Brazil, including molecular data and a key to species identification. <i>Acta Parasitologica</i> , 2018, 63, 261-269.	1.1	12
53	Morphology and molecular characterization of <i>Demidospermus spirophallus</i> n. sp., <i>D. prolixus</i> n. sp. (Monogenea: Dactylogyridae) and a redescription of <i>D. anus</i> in siluriform catfish from Brazil. <i>Journal of Helminthology</i> , 2018, 92, 228-243.	1.0	33
54	Helminth community structure of 13 species of anurans from Atlantic rainforest remnants, Brazil. <i>Journal of Helminthology</i> , 2018, 92, 438-444.	1.0	13

#	ARTICLE	IF	CITATIONS
55	A new genus and two new species of dactylogyrid monogeneans from gills of Neotropical catfishes (Siluriformes: Doradidae and Loricariidae). Parasitology International, 2018, 67, 4-12.	1.3	30
56	Monitoring of <i>Francisella noatunensis</i> subsp. <i>orientalis</i> in farmed Nile tilapia (<i>Oreochromis</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702 Td _{2,2}		
57	High Infection Level of a Snake, <i>Xenodon merremii</i> (Wagler in Spix, 1824) (Serpentes: Dipsadidae), with <i>Serpentirhabdias</i> cf. <i>vellardi</i> (Pereira, 1928) (Nematoda: Rhabdiasidae) in Brazil. Comparative Parasitology, 2018, 85, 197-201.	0.4	1
58	A new species of <i>Aphanoblastella</i> Kritsky, Mendoza-Franco and Scholz, 2000 (Monogenea,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Td _{1,1} Parasitologica, 2018, 63, 772-780.		11
59	Cage fish farm act as a source of changes in the fish community of a Neotropical reservoir. Aquaculture, 2018, 495, 780-785.	3.5	16
60	Diversity in the genus <i>Rhabdias</i> (Nematoda, Rhabdiasidae): Evidence for cryptic speciation. Zoologica Scripta, 2018, 47, 595-607.	1.7	25
61	Molecular phylogenetic position of <i>Haplometroides intercaecalis</i> (Digenea, Plagiorchiidae). Acta Parasitologica, 2018, 63, 522-526.	1.1	3
62	A new species of <i>Wallinia</i> Pearse, 1920 (Digenea: Allocreadiidae) collected from <i>Astyanax fasciatus</i> (Cuvier, 1819) and <i>A. lacustris</i> Lucena and Soares, 2016 (Characiformes: Characidae) in Brazil based on morphology and DNA sequences. Parasitology Research, 2018, 117, 2847-2854.	1.6	11
63	Molecular detection of Anaplasmataceae agents in <i>Dasyprocta azarae</i> in northeastern Brazil. Brazilian Journal of Veterinary Parasitology, 2018, 27, 98-104.	0.7	2
64	New records of Helminths in Reptiles from five states of Brazil. Brazilian Journal of Biology, 2018, 78, 750-754.	0.9	15
65	Helminths of <i>Dermatonotus muelleri</i> (Anura: Microhylidae) from Northeastern Brazil. Journal of Parasitology, 2018, 104, 550-556.	0.7	8
66	Helminths infecting <i>Dryadosaura nordestina</i> (Squamata: Gymnophthalmidae) from Atlantic Forest, northeastern Brazil. Helminthologia, 2018, 55, 286-291.	0.9	4
67	Characterization of phytoplankton by pigment analysis and the detection of toxic cyanobacteria in reservoirs with aquaculture production. Aquaculture Environment Interactions, 2018, 10, 35-48.	1.8	8
68	Morphometric and phylogenetic analyses of <i>Serpentirhabdias viperidicus</i> n. sp. (Nematoda:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1.0 10		
69	Ecological implications of floods on the parasite communities of two freshwater catfishes in a Neotropical floodplain. Acta Parasitologica, 2017, 62, 312-318.	1.1	5
70	<i>Spininctetus aguapeiensis</i> n. sp. (Nematoda: Cystidicolidae) from <i>Pimelodella avanhandavae</i> Eigenmann (Siluriformes: Heptapteridae) in the River Aguapeí, Upper Paraná River Basin, Brazil. Systematic Parasitology, 2017, 94, 649-656.	1.1	3
71	<i>Aplectana nordestina</i> n. sp. (Nematoda: Cosmocercidae) parasitizing <i>Leposternon polystegum</i> (Squamata: Amphisbaenidae) from Northeastern, Brazil. Zootaxa, 2017, 4247, 83.	0.5	5
72	A new <i>Synthesium</i> species (Digenea: Brachycladiidae) from the bottlenose dolphin <i>Tursiops truncatus</i> (Cetacea: Delphinidae) in Southwestern Atlantic waters. Parasitology Research, 2017, 116, 1443-1452.	1.6	3

#	ARTICLE	IF	CITATIONS
73	A New Species of <i>Cosmetocleithrum</i> (Monogenea, Dactylogyridae), a Gill Parasite of <i>Trachelyopterus galeatus</i> (Siluriformes, Auchenipteridae) from Brazil, with Notes on the Morphology of <i>Cosmetocleithrum striatuli</i> . Comparative Parasitology, 2017, 84, 119-123.	0.4	7
74	Parasitic communities of <i>Hoplosternum littorale</i> (Hancock, 1828) as indicators of environmental impact. Anais Da Academia Brasileira De Ciencias, 2017, 89, 2317-2325.	0.8	4
75	Gastrointestinal helminths of two populations of wild pigeons (<i>Columba livia</i>) in Brazil. Brazilian Journal of Veterinary Parasitology, 2017, 26, 446-450.	0.7	4
76	Six new species of <i>Heteropriapulus</i> (Monogenea: Dactylogyridae) from South American fishes with an amended diagnosis to the genus. Zootaxa, 2017, 4290, .	0.5	25
77	<i>Chapiniella variabilis</i> (Nematoda) parasitizing <i>Chelonoidis carbonarius</i> and <i>C. denticulatus</i> (Testudinidae) in the state of PiauÃ. Brazilian Journal of Veterinary Parasitology, 2017, 26, 359-365.	0.7	3
78	Prevalence and distribution of <i>Angiostrongylus cantonensis</i> (Nematoda, Angiostrongylidae) in <i>Achatina fulica</i> (Mollusca, Gastropoda) in Baixada Santista, SÃ£o Paulo, Brazil. Revista Da Sociedade Brasileira De Medicina Tropical, 2017, 50, 92-98.	0.9	12
79	Helminth fauna of <i>Leptodactylus syphax</i> (Anura: Leptodactylidae) from Caatinga biome, northeastern Brazil. Brazilian Journal of Veterinary Parasitology, 2017, 26, 74-80.	0.7	10
80	A new species of <i>Tereancistrum</i> (Monogenea, Dactylogyridae) from the gills of three <i>Leporinus</i> species (Characiformes, Anostomidae) and a revised description of <i>Tereancistrum parvus</i> . Anais Da Academia Brasileira De Ciencias, 2017, 89, 1121-1131.	0.8	5
81	Parasite infracommunities of <i>Leporinus friderici</i> : A comparison of three tributaries of the Jurumirim Reservoir in southeastern Brazil. Anais Da Academia Brasileira De Ciencias, 2017, 89, 953-963.	0.8	10
82	<i>Austrodiplostomum compactum</i> metacercariae (Digenea: Diplostomidae) in <i>Schizodon intermedius</i> (Characiformes: Anostomidae) from Jurumirim reservoir, Brazil. Brazilian Journal of Veterinary Parasitology, 2016, 25, 240-243.	0.7	5
83	First record of <i>Paratanaisia bragai</i> (Digenea: Eucotylidae) in blue and gold macaw (<i>Ara ararauna</i>). Brazilian Journal of Veterinary Parasitology, 2016, 25, 112-115.	0.7	7
84	Metazoan parasite of lambari <i>Astyanax altiparanae</i> , collected from the Peixe river, SÃ£o Paulo, southeast of Brazil. Ciencia Rural, 2016, 46, 876-880.	0.5	8
85	Morphological and Molecular Characterization of <i>Clinostomum detruncatum</i> (Trematoda:) Tj ETQq1 1 0.784314 rgBT /Overlock 102, 2016, 102, 151-156.	0.7	20
86	Living apart and having similar trouble: are frog helminth parasites determined by the host or by the habitat?. Canadian Journal of Zoology, 2016, 94, 761-765.	1.0	6
87	Checklist of sea turtles endohelminth in Neotropical region. Helminthologia, 2016, 53, 211-223.	0.9	12
88	Partial albinism in <i>Rhinelepis aspera</i> from the Upper ParanÃ¡ Basin, Brazil, with a review of albinism in South American freshwater fishes. Revista Mexicana De Biodiversidad, 2016, 87, 531-534.	0.4	10
89	Parasites of <i>Acestrorhynchus lacustris</i> (LÃ¼tken, 1875) (Characiformes: Acestrorhynchidae) collected from the Peixe River, southeast Brazil. Acta Scientiarum - Biological Sciences, 2015, 37, 231.	0.3	5
90	Helminth parasite communities of two <i>Physalaemus cuvieri</i> Fitzinger, 1826 (Anura: Leiuperidae) populations under different conditions of habitat integrity in the Atlantic Rain Forest of Brazil. Brazilian Journal of Biology, 2015, 75, 963-968.	0.9	6

#	ARTICLE	IF	CITATIONS
91	First record of <i>Palombitrema triangulum</i> (Suriano, 1981) Suriano, 1997 (Monogenea: Dactylogyridae) from freshwater fishes in Brazil. <i>Brazilian Journal of Biology</i> , 2015, 75, 229-233.	0.9	2
92	Helminth fauna of <i>Astyanax fasciatus</i> Cuvier, 1819, in two distinct sites of the Taquari River, São Paulo State, Brazil. <i>Brazilian Journal of Biology</i> , 2015, 75, 242-250.	0.9	8
93	First record of <i>Hysterothylacium</i> sp. Moravec, Kohn et Fernandes, 1993 larvae (Nematoda: Anisakidae) infecting the ornamental fish <i>Hypseobrycon eques</i> Steindachner, 1882 (Characiformes, Characidae). <i>Brazilian Journal of Biology</i> , 2015, 75, 638-642.	0.9	4
94	How Many Parasites Species a Frog Might Have? Determinants of Parasite Diversity in South American Anurans. <i>PLoS ONE</i> , 2015, 10, e0140577.	2.5	53
95	Helminth Parasites of the Juvenile Hawksbill Turtle< i>Eretmochelys imbricata</i> (Testudines:) Tj ETQq1 1 0.784314 rgBT /Overlock 10T	0.7	18
96	Philocorydoras longus sp. n. (Monogenea, Dactylogyridae) from the gills of Hoplosternum littorale (Siluriformes, Callichthyidae) in Southeastern Brazil and the reassignment of two species from the genus Urocleidoides to Philocorydoras. <i>Helminthologia</i> , 2015, 52, 331-335.	0.9	8
97	Morphological aspects of <i>Henneguya aequidens</i> n. sp. (Myxozoa: Myxobolidae) in Aequidens plagiozonatus Kullander, 1984 (Teleostei: Cichlidae) in the Amazon region, Brazil. <i>Parasitology Research</i> , 2015, 114, 1159-1162.	1.6	12
98	Characterization of <i>Hepatozoon</i> spp. in <i>Leptodactylus chaquensis</i> and <i>Leptodactylus podicipinus</i> from two regions of the Pantanal, state of Mato Grosso do Sul, Brazil. <i>Parasitology Research</i> , 2015, 114, 1541-1549.	1.6	10
99	The influence of seasonality, fish size and reproductive status on EROD activity in <i>Plagioscion squamosissimus</i> : Implications for biomonitoring of tropical/subtropical reservoirs. <i>Ecological Indicators</i> , 2015, 58, 267-276.	6.3	14
100	Helminth Parasites of Juvenile Green Turtles <i>Chelonia mydas</i> (Testudines: Cheloniidae) in Brazil. <i>Journal of Parasitology</i> , 2015, 101, 713-716.	0.7	19
101	Helminth communities of <i>Leptodactylus latrans</i> (Anura: Leptodactylidae) from the Atlantic rainforest, south-eastern Brazil. <i>Journal of Helminthology</i> , 2015, 89, 250-254.	1.0	13
102	First record of <i>Sebekia oxycephala</i> (Pentastomida: Sebekidae) infecting <i>Helicops infrataeniatus</i> (Reptilia: Colubridae), São Paulo State, Brazil. <i>Brazilian Journal of Biology</i> , 2015, 75, 497-498.	0.9	4
103	Composition and diversity of the fish assemblages under influence of a gradient river/dam of Taquari River, São Paulo, Brazil. <i>WIT Transactions on the Built Environment</i> , 2015, , 357-368.	0.0	1
104	PARASITOFAUNA DEL ANFIBIO NEOTROPICAL RHINELLA LIMENSIS WERNER, 1901 (ANURA: BUFONIDAE) EN LA COSTA CENTRAL PERUANA. <i>Neotropical Helminthology</i> , 2015, 9, 87-102.	0.1	5
105	Checklist of Helminth parasites of Amphibians from South America. <i>Zootaxa</i> , 2014, 3843, 1-93.	0.5	89
106	New record of <i>Pelecitus</i> sp. (Nematoda, Onchocercidae) as a parasite of <i>Athene cunicularia</i> (Strigiformes, Strigidae) in southeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014, 23, 274-275.	0.7	3
107	First record of an epibiont protozoan <i>Epistylis</i> sp. (Ciliophora, Peritrichia) attached to <i>Ergasilus chelangulatus</i> (Ergasilidae) in Brazil. <i>Brazilian Journal of Biology</i> , 2014, 74, 460-463.	0.9	8
108	Ectoparasites of Nile tilapia (<i>Oreochromis niloticus</i>) in cage farming in a hydroelectric reservoir in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014, 23, 171-178.	0.7	28

#	ARTICLE	IF	CITATIONS
109	Parasitism by <i>Sphincterodiplostomum musulosum</i> (Digenea, Diplostomidae) metacercariae in the eyes of <i>Steindachnerina insculpta</i> (Characiformes, Curimatidae). <i>Brazilian Journal of Veterinary Parasitology</i> , 2014, 23, 144-149.	0.7	5
110	Helminth parasite communities of allopatric populations of the frog <i>Leptodactylus podicipinus</i> from Pantanal, Brazil. <i>Journal of Helminthology</i> , 2014, 88, 13-19.	1.0	7
111	The influence of cage farming on infection of the corvine fish <i>Plagioscion squamosissimus</i> (Perciformes: Sciaenidae) with metacercariae of <i>Austrodiplostomum compactum</i> (Digenea:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 88, 342-348.	1.0	10
112	Phylogeny, ultrastructure and histopathology of <i>Myxobolus lomi</i> sp. nov., a parasite of <i>Prochilodus lineatus</i> (Valenciennes, 1836) (Characiformes: Prochilodontidae) from the Peixes River, São Paulo State, Brazil. <i>Parasitology International</i> , 2014, 63, 303-307.	1.3	11
113	The Relationships between Parasite Intensity, Locomotor Performance, and Body Condition in Adult Toads (<i>Rhinella icterica</i>) from the Wild. <i>Journal of Herpetology</i> , 2014, 48, 277-283.	0.5	14
114	Gastrointestinal nematodes of the lizard <i>Tropidurus hispidus</i> (Squamata: Tropiduridae) from a semi-arid region of north-eastern Brazil. <i>Journal of Helminthology</i> , 2013, 87, 443-449.	1.0	17
115	Henneguya nagelii n. sp. (Myxozoa: Myxobolidae) in <i>Cyphocharax nagelii</i> (Steindachner, 1881) (Teleostei:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 2013, 112, 3601-3605.	1.6	11
116	Description of three new species of <i>Hepatozoon</i> (Apicomplexa, Hepatozoidae) from Rattlesnakes (<i>Crotalus durissus terrificus</i>) based on molecular, morphometric and morphologic characters. <i>Experimental Parasitology</i> , 2013, 135, 200-207.	1.2	47
117	Helminth Fauna of Two Species of <i>Physalaemus</i> (Anura: Leiuperidae) from an Undisturbed Fragment of the Atlantic Rainforest, Southeastern Brazil. <i>Journal of Parasitology</i> , 2013, 99, 919-922.	0.7	6
118	Calling Behavior and Parasite Intensity in Treefrogs, <i>Hypsiboas prasinus</i>. <i>Journal of Herpetology</i> , 2013, 47, 450-455.	0.5	26
119	Interference of cage fish farm on diet, condition factor and numeric abundance on wild fish in a Neotropical reservoir. <i>Aquaculture</i> , 2013, 414-415, 56-62.	3.5	23
120	The helminth community of <i>Geophagus proximus</i> (Perciformes: Cichlidae) from a tributary of the Paraná River, Ilha Solteira Reservoir, São Paulo State, Brazil. <i>Journal of Helminthology</i> , 2013, 87, 203-211.	1.0	14
121	Helminths of lizards from the municipality of Aripuanã in the southern Amazon region of Brazil. <i>Journal of Helminthology</i> , 2013, 87, 12-16.	1.0	14
122	Parasitic infections of <i>Piaractus mesopotamicus</i> and hybrid (P. mesopotamicus x Piaractus) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td 0.7	0.7	17
123	Endoparasites infecting the semiaquatic coral snake <i>Micrurus surinamensis</i> (Squamata: Elapidae) in the southern amazonian region, Mato Grosso state, Brazil. <i>Brazilian Journal of Biology</i> , 2013, 73, 645-647.	0.9	6
124	Ecological aspects of helminth fauna of Magellanic penguins, <i>Spheniscus magellanicus</i> (aves:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 2013, 73, 61-66.	0.9	8
125	Long term evaluation of morphometric and ultrastructural changes of testes of alloxan-induced diabetic rats. <i>Acta Cirurgica Brasileira</i> , 2013, 28, 256-265.	0.7	19
126	<i>Sphincterodiplostomum musulosum</i> (Digenea, Diplostomidae) infecting <i>Steindachnerina insculpta</i> (Characiformes, Curimatidae) in the Chavantes Reservoir, Southeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 98-103.	0.7	6

#	ARTICLE	IF	CITATIONS
127	New host records and a checklist of fishes infected with <i>Austrodiplostomum compactum</i> (Digenea: Tj ETQq1 1 0.784314 rgBT /Overlock 0.7	0.7	23
128	Helminths of <i>Steindachnerina insculptain</i> two distinct stretches of the Taquari River, state of SÃ£o Paulo, Brazil. Brazilian Journal of Veterinary Parasitology, 2013, 22, 539-547.	0.7	9
129	Endohelminths in <i>Cichla piquiti</i> (Perciformes, Cichlidae) from the ParanÃ¡ River, SÃ£o Paulo State, Brazil. Brazilian Journal of Veterinary Parasitology, 2013, 22, 475-484.	0.7	14
130	Occurrence of Braga cigarra(Cymothoidae) parasitizing <i>Galeocharax knerii</i> (Characidae) from affluents of Jurumirim reservoir, Brazil. Brazilian Journal of Veterinary Parasitology, 2013, 22, 292-296.	0.7	3
131	Monogeneans (Dactylogyridae) parasitizing gills of <i>Salminus hilarii</i> from a Neotropical reservoir, Brazil. Brazilian Journal of Veterinary Parasitology, 2013, 22, 579-587.	0.7	4
132	Community ecology of metazoan parasites of the sairÃº <i>Cyphocharax nagelii</i> from the Peixe River. Brazilian Journal of Veterinary Parasitology, 2013, 22, 611-615.	0.7	5
133	Distributions and phylogeographic data of rheophilic freshwater fishes provide evidences on the geographic extension of a central-brazilian amazonian palaeoplateau in the area of the present day Pantanal Wetland. Neotropical Ichthyology, 2013, 11, 319-326.	1.0	24
134	Occurrence of <i>Amphiorchis indicus</i> Mehrotra, 1973 (Digenea, Spirorchiidae) infecting Green turtle <i>Chelonia mydas</i> Linnaeus, 1758 (Testudines, Cheloniidae) in Brazil. Brazilian Journal of Biology, 2013, 73, 225-227.	0.9	7
135	Persistent organic pollutants in juvenile Magellan penguins (<i>Spheniscus magellanicus</i>) found on the northern shore of the state of SÃ£o Paulo and southern shore of the state of Rio de Janeiro, Brazil. Marine Pollution Bulletin, 2012, 64, 2502-2506.	5.0	9
136	Helminth Parasites of <i>Hypsiboas prasinus</i> (Anura: Hylidae) from Two Atlantic Forest Fragments, SÃ£o Paulo State, Brazil. Journal of Parasitology, 2012, 98, 560-564.	0.7	16
137	The Effect of Local Environmental Variables on the Helminth Parasite Communities of the Pointedbelly Frog <i>Leptodactylus podicipinus</i> from Ponds in the Pantanal Wetlands. Journal of Parasitology, 2012, 98, 229-235.	0.7	12
138	Nematodes of Lizards (Reptilia: Squamata) from Caatinga Biome, Northeastern Brazil. Comparative Parasitology, 2012, 79, 56-63.	0.4	30
139	Ecological Features of Large Neotropical Reservoirs and Its Relation to Health of Cage Reared Fish., 2012, ,.	1	
140	Expanded description of <i>Lamproglena monodi</i> (Copepoda: Lernaeidae), parasitizing native and introduced fishes in Brazil. Brazilian Journal of Veterinary Parasitology, 2012, 21, 263-269.	0.7	10
141	New host records of Brazilian pentastomid species. Brazilian Journal of Biology, 2012, 72, 393-396.	0.9	7
142	Morphological, morphometric, and molecular characterization of <i>Hepatozoon</i> spp. (Apicomplexa,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Research, 2012, 110, 1393-1401.	1.6	17
143	<i>Unilatus unilatus</i> Mizelle & Kritsky, 1967 (Monogenea, Ancyrocephalinae) in <i>Hypostomus</i> spp. (Siluriformes, Loricariidae) from the Chavantes reservoir, SÃ£o Paulo State, Brazil. Helminthologia, 2012, 49, 87-91.	0.9	4
144	Occurrence of infection by <i>Platynosomum illiciens</i> (Braun, 1901) in captive neotropical primates. Primates, 2012, 53, 79-82.	1.1	11

#	ARTICLE	IF	CITATIONS
145	Health and Environment in Aquaculture., 2012, , .		25
146	Occurrence of <i>Amphiorchis solus</i> (Simha & Chattopadhyaya, 1970) (Digenea: Spirorchidae) Infecting the Green Turtle <i>Chelonia mydas</i> Linnaeus, 1758 (Testudines: Cheloniidae) in Brazil. Comparative Parasitology, 2011, 78, 200-203.	0.4	7
147	Helminths from Lizards (Reptilia: Squamata) at the Cerrado of Goiás State, Brazil. Comparative Parasitology, 2011, 78, 120-128.	0.4	20
148	Helminths of Lizards (Reptilia: Squamata) from Mato Grosso State, Brazil. Comparative Parasitology, 2011, 78, 129-139.	0.4	18
149	Description of gamontogonic and sporogonic stages of <i>Hepatozoon</i> spp. (Apicomplexa, Hepatozoidae) from <i>Caudisoma durissa terrifica</i> (Serpentes, Viperidae). Parasitology Research, 2011, 108, 845-851.	1.6	5
150	The occurrence of <i>Austrodiplostomum compactum</i> (Lutz, 1928) (Digenea: Diplostomidae) metacercariae in the eyes of loricariid fish (Siluriformes: Osteichthyes: Loricariidae) from Brazil. Journal of Helminthology, 2011, 85, 73-79.	1.0	13
151	First Record of an Epibiont Protozoan <i>Epistylis</i> Sp. (Ciliophora, Peritrichia) Attached to <i>Amplexibranchius Bryconis</i> Thatcher & Paredes, 1985 (Copepoda, Ergasilidae) From Peixe's River, State of São Paulo, Brazil. Crustaceana, 2011, 84, 1139-1144.	0.3	8
152	Helminth component community of the paradoxal frog <i>Pseudis platensis</i> Gallardo, 1961 (Anura:) Tj ETQq0 0 0 rgBT _{1.6} /Overlock ₁₀ Tf 50 4		
153	Checklist of helminths from lizards and amphisbaenians (Reptilia, Squamata) of South America. Journal of Venomous Animals and Toxins Including Tropical Diseases, 2010, 16, 543-572.	1.4	75
154	Nematode infection in the lizard <i>Bogertia lutzae</i> (Loveridge, 1941) from the Atlantic forest in north-eastern Brazil. Journal of Helminthology, 2010, 84, 199-201.	1.0	11
155	Rhabdias filicaudalis n. sp. (Nematoda: Rhabdiasidae) from the snake <i>Spilotes pullatus</i> (Serpentes:) Tj ETQq1 1 0.784314 rgBT _{1.0} /Overlock ₈		
156	Infection levels of <i>Austrodiplostomum compactum</i> (Digenea, Diplostomidae) metacercariae in <i>Plagioscion squamosissimus</i> (Teleostei, Sciaenidae) from the Nova Avanhandava reservoir, São Paulo State, Brazil. Journal of Helminthology, 2010, 84, 284-291.	1.0	13
157	Morphological and molecular characterization of <i>Strongyloides ophidiae</i> (Nematoda,) Tj ETQq1 1 0.784314 rgBT _{1.0} /Overlock ₁₀ Tf 50 262		
158	Helminths from Seven Species of Lizards (Reptilia: Squamata) at the Cerrado of Mato Grosso do Sul State, Brazil. Comparative Parasitology, 2010, 77, 67.	0.4	17
159	A New Species of <i>Cosmocercoides</i> (Nematoda: Cosmocercidae) From a Gymnophthalmid Lizard of Western Brazil. Journal of Parasitology, 2010, 96, 558-560.	0.7	12
160	Pisces, Siluriformes, Ictaluridae, <i>Ictalurus punctatus</i> (Rafinesque, 1818): first record in middle Paranapanema river reservoir, aquaculture and exotic species dispersion. Check List, 2010, 6, 589.	0.4	11
161	Hemoparasites of the genus <i>Trypanosoma</i> (Kinetoplastida: Trypanosomatidae) and hemogregarines in Anurans of the São Paulo and Mato Grosso do Sul States - Brazil. Anais Da Academia Brasileira De Ciencias, 2009, 81, 199-206.	0.8	12
162	Helminth parasites of <i>Leptodactylus podicipinus</i> (Anura: Leptodactylidae) from south-eastern Pantanal, State of Mato Grosso do Sul, Brazil. Journal of Helminthology, 2009, 83, 345-349.	1.0	27

#	ARTICLE	IF	CITATIONS
163	Helminths of the teiid lizard <i>Kentropyx calcarata</i> (Squamata) from an Amazonian site in western Brazil. <i>Journal of Helminthology</i> , 2009, 83, 267-269.	1.0	12
164	A morphometric study of the midgut in resistant and non-resistant <i>Anticarsia gemmatalis</i> ($H\ddot{A}1/4bner$) (Lepidoptera: Noctuidae) larvae to its nucleopolyhedrovirus (AgMNPV). <i>Journal of Invertebrate Pathology</i> , 2009, 101, 17-22.	3.2	4
165	Helminths from an Introduced Species (<i>Tupinambis merianae</i>), and Two Endemic Species (<i>Trachylepis</i>) Tj ETQq1 1 0.784314 rgBT /Overlock Parasitology, 2009, 95, 1026-1028.	0.7	14
166	A New Species of Africana (Nematoda: Heterakidae) from Lizards of Southern Amazon, Brazil. <i>Journal of Parasitology</i> , 2009, 95, 1156-1158.	0.7	3
167	First report of <i>Strongyloides</i> sp. (Nematoda, Strongyloididae) in <i>Leopardus tigrinus</i> (Carnivora:) Tj ETQq1 1 0.784314 rgBT /Overlock Parasitology, 2009, 18, 77-79.	0.7	4
168	New records of endoparasites infecting <i>Hypsiboas albopunctatus</i> (Anura: Hylidae) in a savanna area in Brasília, Brazil. <i>Parasitology Research</i> , 2008, 102, 621-623.	1.6	12
169	Intestinal protozoan parasites with zoonotic potential in birds. <i>Parasitology Research</i> , 2008, 103, 1237-1240.	1.6	14
170	Antitumoural Effect of an l-Amino Acid Oxidase Isolated from <i>Bothrops jararaca</i> Snake Venom. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2008, 102, 533-542.	2.5	46
171	Molecular detection of <i>Paracoccidioides brasiliensis</i> in road-killed wild animals. <i>Medical Mycology</i> , 2008, 46, 35-40.	0.7	51
172	<i>Proleptus acutus</i> Dujardin, 1845 (Nematoda, Physalopteridae) parasite of rays <i>Zapteryx brevirostris</i> MÃ¼ller & Henle, 1841 (Rhinobatiformes, Rhinobatidae) in Brazil. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2008, 60, 1573-1575.	0.4	1
173	Spirorchiiids (Digenea: Spirorchidae) infecting a Hawksbill sea turtle <i>Eretmochelys imbricata</i> (Linnaeus 1758) from Brazil. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2008, 60, 663-666.	0.4	18
174	Pulmonary, microbiological and hematological changes in <i>Crotalus durissus terrificus</i> (Serpentes,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Brasileiro De Medicina Veterinaria E Zootecnia, 2008, 60, 667-674.	0.4	11
175	First report of <i>Monticellius indicum</i> Mehra, 1939 (Digenea: Spirorchidae) infecting <i>Chelonia mydas</i> Linnaeus, 1758 (Testudines: Chelonidae) from Brazil. <i>Brazilian Journal of Biology</i> , 2008, 68, 455-456.	0.9	13
176	Brown-throated three-toed sloth (<i>Bradypus variegatus</i> Shinz, 1825) as a new host for <i>Leiuris leptocephalus</i> (Rud., 1819) Leuckard, 1850. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2008, 60, 1021-1022.	0.4	3
177	NEW SPECIES OF HAPLOMETROIDES (DIGENEA: PLAGIORCHIIDAE) FROM PHALOTRIS NASUTUS (GOMES, 1915) (SERPENTES, COLUBRIDAE). <i>Journal of Parasitology</i> , 2007, 93, 917-921.	0.7	7
178	Reduction of podocytes number in late diabetic alloxan nephropathy: prevention by glycemic control. <i>Acta Cirurgica Brasileira</i> , 2007, 22, 337-341.	0.7	8
179	Parasitic infection of the appendix as a cause of acute appendicitis. <i>Parasitology Research</i> , 2007, 102, 99-102.	1.6	57
180	Morphometry of the midgut epithelium of <i>Diatraea saccharalis</i> Fabricius, 1794 (Lepidoptera) parasitized by <i>Cotesia flavipes</i> Cameron, 1891 (Hymenoptera). <i>Journal of Invertebrate Pathology</i> , 2006, 93, 60-62.	3.2	8

#	ARTICLE	IF	CITATIONS
181	Metacercariae of <i>Diplostomum compactum</i> Lutz, 1928 (Trematoda, Diplostomidae) in the eyes of acara <i>Geophagus brasiliensis</i> Quoy & Gaimard, 1824 (Teleostei, Cichlidae) from Barra Bonita Reservoir - SÃ£o Paulo, Brazil. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2006, 58, 1229-1231.	0.4	14
182	The number of podocyte and slit diaphragm is decreased in experimental diabetic nephropathy. Acta Cirurgica Brasileira, 2006, 21, 87-91.	0.7	10
183	<i>Corallus caninus</i> (Serpentes, Boidae): a new host for <i>Ophiotaenia</i> sp. (Cestoda, Proteocephalidae). Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2006, 58, 961-963.	0.4	1
184	In vitro effects of <i>Crotalus durissus terrificus</i> and <i>Bothrops jararaca</i> venoms on <i>Giardia duodenalis</i> trophozoites. Parasitology Research, 2006, 98, 339-344.	1.6	10
185	Learedius learedi Price 1934 (Digenea, Spirorchiidae) in <i>Chelonia mydas</i> Linnaeus 1758 (Testudines,) Tj ETQq1 1 0.784314 rgBT /Overlooked 550-555.	0.4	27
186	Seasonal variation of <i>Hepatozoon</i> spp. (Apicomplexa, Hepatozoidae) parasitemia from <i>Boa constrictor amarali</i> (Serpentes, Boidae) and <i>Hydrodynastes gigas</i> (Serpentes, Colubridae). Parasitology Research, 2005, 97, 94-97.	1.6	14
187	Appendiceal taeniasis presenting like acute appendicitis. Parasitology Research, 2005, 97, 171-172.	1.6	32
188	Occurrence of <i>Haplometroides odhneri</i> (Trematoda, Digenea, Plagiorchiidae) infecting <i>Leptotyphlops koppesi</i> (Serpentes, Leptotyphlopidae). Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2005, 57, 267-269.	0.4	4
189	Occurrence of <i>Tetrameris confusa</i> (Nematoda, Tetrameridae) in <i>Ara ararauna</i> (Psittacidae). Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2005, 57, 562-564.	0.4	3
190	Occurrence of <i>Contraeacum pelagicum</i> Johnston & Mawson 1942 (Nematoda, Anisakidae) in <i>Sula leucogaster</i> Boddaert 1783 (Pelecaniformes, Sulidae). Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2005, 57, 565-567.	0.4	14
191	First report of <i>Diphyllobothrium mansoni</i> (Cestoda, Diphyllobothriidae) infecting <i>Cerdocyon thous</i> (Mammalia, Canidae) in Brazil. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2004, 56, 796-798.	0.4	10
192	Subpopulations of mononuclear leukocytes associated with inhibition of Ehrlich ascites tumor growth by treatment with <i>Bothrops jararacavvenom</i> . Mediators of Inflammation, 2004, 13, 29-32.	3.0	6
193	Description of the gamonts of a small species of <i>Hepatozoon</i> sp. (Apicomplexa, Hepatozoidae) found in <i>Crotalus durissus terrificus</i> (Serpentes, Viperidae). Parasitology Research, 2004, 92, 110-112.	1.6	21
194	Note on the feeding habits of <i>Opisthogonimus lecithonotus</i> (Trematoda, Digenea, Plagiorchiidae). Parasitology Research, 2004, 94, 471-472.	1.6	1
195	Digenetic trematodes infection in a <i>Bothrops moojeni</i> (Viperidae) population from a fauna rescue in Porto Primavera, SÃ£o Paulo State. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2003, 55, 243-245.	0.4	6
196	Prevalence of <i>Hepatozoon</i> spp. (Apicomplexa, Hepatozoidae) among recently captured Brazilian snakes. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2003, 55, 309-314.	0.4	11
197	<i>Tropidurus hispidus</i> Spix 1825 (Sauria, Tropiduridae): a new host for <i>Oswaldoifilaria petersi</i> Bain & Sulahian 1974 (Nematoda, Onchocercidae). Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2003, 55, 377-379.	0.4	8
198	Antitumor effect of <i>Bothrops jararacavvenom</i> . Mediators of Inflammation, 2002, 11, 99-104.	3.0	25

#	ARTICLE	IF	CITATIONS
199	Cytokine profile of Ehrlich ascites tumor treated with Bothrops jararacava venom. <i>Mediators of Inflammation</i> , 2002, 11, 197-201.	3.0	28
200	Morphologic and morphometric analysis of Hepatozoon spp. (Apicomplexa, Hepatozoidae) of snakes. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2002, 97, 1169-1176.	1.6	15
201	Occurrence of Cryptosporidium (Apicomplexa, Cryptosporidiidae) in Crotalus durissus terrificus (Serpentes, Viperidae) in Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2002, 97, 779-781.	1.6	17
202	Cytokine profile on the ehrlich ascites tumor treated with Bothrops jararaca venom. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2001, 7, 150-150.	1.0	0
203	The occurrence of Crepidobothrium sp. (Cestoda, Proteocephalidae) in Bothrops moojeni (Hoge) (Serpentes, Viperidae). <i>Revista Brasileira De Zoologia</i> , 2001, 18, 375-379.	0.5	0
204	Megaselia scalaris (Diptera: Phoridae) Causing Myiasis in Crotalus durissus terrificus (Serpentes:) Tj ETQq0 0 0 rgBT _{1.8} /Overlock ₂₀ 10 Tf 50 5		
205	Crystallization and preliminary X-ray diffraction analysis of a myotoxic phospholipase A2 homologue from Bothrops neuwiedi pauloensis venom. <i>BBA - Proteins and Proteomics</i> , 1999, 1432, 393-395.	2.1	7
206	Pholetter gastrophilus (Trematoda: Heterophyidae), a parasite of dolphins from Brazilian waters. <i>Biologia (Poland)</i> , 0, , 1.	1.5	0
207	INFLUÃŠNCIAS DE PISCICULTURA EM TANQUES-REDE SOBRE ASPECTOS POPULACIONAIS E ALIMENTARES DE PEIXES SILVESTRES NO RESERVATÃ“RIO DE CHAVANTES (RIO PARANAPANEMA), SÃO PAULO, BRASIL. , 0, , 129-139.		1
208	Description of Cystodiscus elachistocleis sp.Ânov. (Cnidaria: Myxosporea) parasitizing the gallbladder of Elachistocleis cesarri from Brazil, based on morphological and molecular analyses. <i>European Journal of Taxonomy</i> , 0, 775, 107-118.	0.6	0
209	Distribution of black leaf streak disease (<i>Mycosphaerella fijiensis</i> Morelet) in Mato Grosso, Brazil. <i>Bioscience Journal</i> , 0, , 384-388.	0.4	1
210	Intestinal Parasites in Free-Living Puma concolor. <i>Acta Scientiae Veterinariae</i> , 0, 48, .	0.2	0