Andras Kis

List of Publications by Citations

Source: https://exaly.com/author-pdf/4036417/andras-kis-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61 128 47,768 120 h-index g-index citations papers 128 14.8 54,450 7.99 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
120	Electronics and optoelectronics of two-dimensional transition metal dichalcogenides. <i>Nature Nanotechnology</i> , 2012 , 7, 699-712	28.7	10871
119	Single-layer MoS2 transistors. <i>Nature Nanotechnology</i> , 2011 , 6, 147-50	28.7	10521
118	Ultrasensitive photodetectors based on monolayer MoS2. <i>Nature Nanotechnology</i> , 2013 , 8, 497-501	28.7	3412
117	2D transition metal dichalcogenides. <i>Nature Reviews Materials</i> , 2017 , 2,	73.3	2213
116	Science and technology roadmap for graphene, related two-dimensional crystals, and hybrid systems. <i>Nanoscale</i> , 2015 , 7, 4598-810	7.7	2015
115	Stretching and breaking of ultrathin MoS2. ACS Nano, 2011 , 5, 9703-9	16.7	1672
114	Mobility engineering and a metal-insulator transition in monolayer MoS□ <i>Nature Materials</i> , 2013 , 12, 815-20	27	1265
113	Integrated circuits and logic operations based on single-layer MoS2. ACS Nano, 2011, 5, 9934-8	16.7	1027
112	Electrical contacts to two-dimensional semiconductors. <i>Nature Materials</i> , 2015 , 14, 1195-205	27	980
111	Nonvolatile memory cells based on MoS2/graphene heterostructures. ACS Nano, 2013, 7, 3246-52	16.7	762
110	Large-Area Epitaxial Monolayer MoS2. <i>ACS Nano</i> , 2015 , 9, 4611-20	16.7	583
109	Exciton dynamics in suspended monolayer and few-layer MoSI2D crystals. ACS Nano, 2013, 7, 1072-80	16.7	581
108	Single-layer MoS2 nanopores as nanopower generators. <i>Nature</i> , 2016 , 536, 197-200	50.4	560
107	Thermal conductivity of monolayer molybdenum disulfide obtained from temperature-dependent Raman spectroscopy. <i>ACS Nano</i> , 2014 , 8, 986-93	16.7	526
106	Optically active quantum dots in monolayer WSe2. <i>Nature Nanotechnology</i> , 2015 , 10, 491-6	28.7	500
105	Electrical transport properties of single-layer WS2. ACS Nano, 2014, 8, 8174-81	16.7	488
104	Reinforcement of single-walled carbon nanotube bundles by intertube bridging. <i>Nature Materials</i> , 2004 , 3, 153-7	27	487

(2012-2015)

103	Valley Zeeman effect in elementary optical excitations of monolayer WSe2. <i>Nature Physics</i> , 2015 , 11, 141-147	16.2	477
102	Light generation and harvesting in a van der Waals heterostructure. ACS Nano, 2014, 8, 3042-8	16.7	337
101	Visibility of dichalcogenide nanolayers. <i>Nanotechnology</i> , 2011 , 22, 125706	3.4	335
100	Atomically thin molybdenum disulfide nanopores with high sensitivity for DNA translocation. <i>ACS Nano</i> , 2014 , 8, 2504-11	16.7	333
99	Single-layer MoS2 electronics. Accounts of Chemical Research, 2015, 48, 100-10	24.3	329
98	A cell nanoinjector based on carbon nanotubes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 8218-22	11.5	325
97	Identification of single nucleotides in MoS2 nanopores. <i>Nature Nanotechnology</i> , 2015 , 10, 1070-6	28.7	319
96	Breakdown of high-performance monolayer MoS2 transistors. <i>ACS Nano</i> , 2012 , 6, 10070-5	16.7	314
95	Ripples and layers in ultrathin MoS2 membranes. <i>Nano Letters</i> , 2011 , 11, 5148-53	11.5	286
94	Detecting the translocation of DNA through a nanopore using graphene nanoribbons. <i>Nature Nanotechnology</i> , 2013 , 8, 939-45	28.7	285
93	Nanomechanics of microtubules. <i>Physical Review Letters</i> , 2002 , 89, 248101	7.4	276
92	Electron and hole mobilities in single-layer WSe2. ACS Nano, 2014 , 8, 7180-5	16.7	230
91	Piezoresistivity and Strain-induced Band Gap Tuning in Atomically Thin MoS2. <i>Nano Letters</i> , 2015 , 15, 5330-5	11.5	220
90	Room-temperature electrical control of exciton flux in a van der Waals heterostructure. <i>Nature</i> , 2018 , 560, 340-344	50.4	217
89	Interlayer forces and ultralow sliding friction in multiwalled carbon nanotubes. <i>Physical Review Letters</i> , 2006 , 97, 025501	7.4	212
88	High Responsivity, Large-Area Graphene/MoS2 Flexible Photodetectors. <i>ACS Nano</i> , 2016 , 10, 8252-62	16.7	206
87	Thickness-modulated metal-to-semiconductor transformation in a transition metal dichalcogenide. <i>Nature Communications</i> , 2018 , 9, 919	17.4	187
86	Small-signal amplifier based on single-layer MoS2. <i>Applied Physics Letters</i> , 2012 , 101, 043103	3.4	180

85	Production and processing of graphene and related materials. 2D Materials, 2020, 7, 022001	5.9	179
84	Atomic scale microstructure and properties of Se-deficient two-dimensional MoSe2. <i>ACS Nano</i> , 2015 , 9, 3274-83	16.7	176
83	Electrochemical Reaction in Single Layer MoS2: Nanopores Opened Atom by Atom. <i>Nano Letters</i> , 2015 , 15, 3431-8	11.5	162
82	Beta amyloid and hyperphosphorylated tau deposits in the pancreas in type 2 diabetes. <i>Neurobiology of Aging</i> , 2010 , 31, 1503-15	5.6	138
81	MoS2 transistors operating at gigahertz frequencies. <i>Nano Letters</i> , 2014 , 14, 5905-11	11.5	137
80	Shrinking a carbon nanotube. <i>Nano Letters</i> , 2006 , 6, 2718-22	11.5	137
79	Beta-amyloid deposition and Alzheimerঙ type changes induced by Borrelia spirochetes. <i>Neurobiology of Aging</i> , 2006 , 27, 228-36	5.6	134
78	Polarization switching and electrical control of interlayer excitons in two-dimensional van der Waals heterostructures. <i>Nature Photonics</i> , 2019 , 13, 131-136	33.9	134
77	Suppressing Nucleation in Metal-Organic Chemical Vapor Deposition of MoS Monolayers by Alkali Metal Halides. <i>Nano Letters</i> , 2017 , 17, 5056-5063	11.5	131
76	MoS 2 and semiconductors in the flatland. <i>Materials Today</i> , 2015 , 18, 20-30	21.8	126
75	Observation of ionic Coulomb blockade in hanopores. <i>Nature Materials</i> , 2016 , 15, 850-5	27	120
74	Shear and Young Moduli of MoS2 Nanotube Ropes. Advanced Materials, 2003, 15, 733-736	24	108
73	Defect induced, layer-modulated magnetism in ultrathin metallic PtSe. <i>Nature Nanotechnology</i> , 2019 , 14, 674-678	28.7	106
72	Logic-in-memory based on an atomically thin semiconductor. <i>Nature</i> , 2020 , 587, 72-77	50.4	94
71	Reply to Weasurement of mobility in dual-gated MoSIIransistorsU <i>Nature Nanotechnology</i> , 2013 , 8, 147	7 -8 8.7	93
70	Disorder engineering and conductivity dome in ReS2 with electrolyte gating. <i>Nature Communications</i> , 2016 , 7, 12391	17.4	89
69	Nanomechanics of carbon nanotubes. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2008 , 366, 1591-611	3	87
68	Micro-reflectance and transmittance spectroscopy: a versatile and powerful tool to characterize 2D materials. <i>Journal Physics D: Applied Physics</i> , 2017 , 50, 074002	3	80

(2019-2016)

67	Valley Polarization by Spin Injection in a Light-Emitting van der Waals Heterojunction. <i>Nano Letters</i> , 2016 , 16, 5792-7	11.5	79
66	ssDNA binding reveals the atomic structure of graphene. <i>Langmuir</i> , 2010 , 26, 18078-82	4	75
65	Probing the Interlayer Exciton Physics in a MoS/MoSe/MoS van der Waals Heterostructure. <i>Nano Letters</i> , 2017 , 17, 6360-6365	11.5	74
64	Patterning metal contacts on monolayer MoS2 with vanishing Schottky barriers using thermal nanolithography. <i>Nature Electronics</i> , 2019 , 2, 17-25	28.4	73
63	Mechanical properties of microtubules explored using the finite elements method. <i>ChemPhysChem</i> , 2004 , 5, 252-7	3.2	69
62	Light-Enhanced Blue Energy Generation Using MoS2 Nanopores. <i>Joule</i> , 2019 , 3, 1549-1564	27.8	68
61	Valley-polarized exciton currents in a van der Waals heterostructure. <i>Nature Nanotechnology</i> , 2019 , 14, 1104-1109	28.7	63
60	Catalytically grown carbon nanotubes of small diameter have a high Youngly modulus. <i>Nano Letters</i> , 2005 , 5, 2074-7	11.5	61
59	Large-area MoS 2 grown using H 2 S as the sulphur source. 2D Materials, 2015, 2, 044005	5.9	60
58	Geometrical Effect in 2D Nanopores. <i>Nano Letters</i> , 2017 , 17, 4223-4230	11.5	58
57	Magnetoexcitons in large area CVD-grown monolayer MoS2 and MoSe2 on sapphire. <i>Physical Review B</i> , 2016 , 93,	3.3	57
56	Oscillation modes of microtubules. <i>Biology of the Cell</i> , 2004 , 96, 697-700	3.5	56
55	Optospintronics in Graphene via Proximity Coupling. ACS Nano, 2017, 11, 11678-11686	16.7	55
54	Electronic properties of transition-metal dichalcogenides. MRS Bulletin, 2015, 40, 577-584	3.2	55
53	Thickness-dependent mobility in two-dimensional MoSItransistors. <i>Nanoscale</i> , 2015 , 7, 6255-60	7.7	54
52	Dark excitons and the elusive valley polarization in transition metal dichalcogenides. <i>2D Materials</i> , 2017 , 4, 025016	5.9	53
51	MoS2 photodetectors integrated with photonic circuits. Npj 2D Materials and Applications, 2019, 3,	8.8	53
50	Wafer-scale MOCVD growth of monolayer MoS2 on sapphire and SiO2. <i>Nano Research</i> , 2019 , 12, 2646-	2652	52

49	Long-term retention in organic ferroelectric-graphene memories. <i>Applied Physics Letters</i> , 2012 , 100, 02	235047	51
48	Highly Oriented Atomically Thin Ambipolar MoSe Grown by Molecular Beam Epitaxy. <i>ACS Nano</i> , 2017 , 11, 6355-6361	16.7	48
47	Direct fabrication of thin layer MoS2 field-effect nanoscale transistors by oxidation scanning probe lithography. <i>Applied Physics Letters</i> , 2015 , 106, 103503	3.4	45
46	Defect Healing and Charge Transfer-Mediated Valley Polarization in MoS/MoSe/MoS Trilayer van der Waals Heterostructures. <i>Nano Letters</i> , 2017 , 17, 4130-4136	11.5	44
45	Imaging the life story of nanotube devices. <i>Applied Physics Letters</i> , 2005 , 87, 083103	3.4	41
44	Buckling and kinking force measurements on individual multiwalled carbon nanotubes. <i>Physical Review B</i> , 2007 , 76,	3.3	40
43	Elastic modulus of multi-walled carbon nanotubes produced by catalytic chemical vapour deposition. <i>Applied Physics A: Materials Science and Processing</i> , 2005 , 80, 695-700	2.6	37
42	Electromechanical oscillations in bilayer graphene. <i>Nature Communications</i> , 2015 , 6, 8582	17.4	34
41	Large-grain MBE-grown GaSe on GaAs with a Mexican hat-like valence band dispersion. <i>Npj 2D Materials and Applications</i> , 2018 , 2,	8.8	34
40	Controlled placement of highly aligned carbon nanotubes for the manufacture of arrays of nanoscale torsional actuators. <i>Nanotechnology</i> , 2006 , 17, 434-438	3.4	34
39	Can 2D-Nanocrystals Extend the Lifetime of Floating-Gate Transistor Based Nonvolatile Memory?. <i>IEEE Transactions on Electron Devices</i> , 2014 , 61, 3456-3464	2.9	32
38	Probing magnetism in atomically thin semiconducting PtSe. <i>Nature Communications</i> , 2020 , 11, 4806	17.4	28
37	Resolving the spin splitting in the conduction band of monolayer MoS. <i>Nature Communications</i> , 2017 , 8, 1938	17.4	26
36	Nanomechanical investigation of Mo6S9-x Ix nanowire bundles. <i>Small</i> , 2007 , 3, 1544-8	11	25
35	Self-sensing, tunable monolayer MoS nanoelectromechanical resonators. <i>Nature Communications</i> , 2019 , 10, 4831	17.4	24
34	Mechanical and electronic properties of vanadium oxide nanotubes. <i>Journal of Applied Physics</i> , 2009 , 105, 074317	2.5	24
33	Wafer-Scale Fabrication of Nanopore Devices for Single-Molecule DNA Biosensing using MoS2. <i>Small Methods</i> , 2020 , 4, 2000072	12.8	21
32	Reconfigurable Diodes Based on Vertical WSe Transistors with van der Waals Bonded Contacts. <i>Advanced Materials</i> , 2018 , 30, e1707200	24	21

31	Temperature-dependent elasticity of microtubules. <i>Langmuir</i> , 2008 , 24, 6176-81	4	19
30	Intervalley Scattering of Interlayer Excitons in a MoS/MoSe/MoS Heterostructure in High Magnetic Field. <i>Nano Letters</i> , 2018 , 18, 3994-4000	11.5	19
29	Strongly Coupled Coherent Phonons in Single-Layer MoS. ACS Nano, 2020, 14, 5700-5710	16.7	15
28	Excitonic devices with van der Waals heterostructures: valleytronics meets twistronics. <i>Nature Reviews Materials</i> ,	73.3	15
27	Unconventional electroabsorption in monolayer MoS 2. 2D Materials, 2017, 4, 021005	5.9	14
26	High-frequency, scaled MoS2 transistors 2015 ,		14
25	Electronic Properties of Transferable Atomically Thin MoSe/h-BN Heterostructures Grown on Rh(111). ACS Nano, 2018, 12, 11161-11168	16.7	14
24	Numerical correction of anti-symmetric aberrations in single HRTEM images of weakly scattering 2D-objects. <i>Ultramicroscopy</i> , 2015 , 151, 130-135	3.1	12
23	High Throughput Characterization of Epitaxially Grown Single-Layer MoS2. <i>Electronics (Switzerland)</i> , 2017 , 6, 28	2.6	12
22	Air and Water-Stable n-Type Doping and Encapsulation of Flexible MoS2 Devices with SU8. <i>Advanced Electronic Materials</i> , 2019 , 5, 1800492	6.4	11
21	Specific heats of the charge density wave compounds o-TaS and (TaSe) I. <i>European Physical Journal B</i> , 2002 , 29, 71-77	1.2	10
20	Quantitative Nanoscale Absorption Mapping: A Novel Technique To Probe Optical Absorption of Two-Dimensional Materials. <i>Nano Letters</i> , 2020 , 20, 567-576	11.5	10
19	Vacuum ultraviolet excitation luminescence spectroscopy of few-layered MoS2. <i>Journal of Physics Condensed Matter</i> , 2016 , 28, 015301	1.8	9
18	Free-standing electronic character of monolayer MoS2 in van der Waals epitaxy. <i>Physical Review B</i> , 2016 , 94,	3.3	8
17	Impact of photodoping on inter- and intralayer exciton emission in a MoS2/MoSe2/MoS2 heterostructure. <i>Applied Physics Letters</i> , 2018 , 113, 062107	3.4	7
16	THz time-domain spectroscopy and IR spectroscopy on MoS2. <i>Physica Status Solidi (B): Basic Research</i> , 2016 , 253, 2499-2504	1.3	6
15	Quantitative Mapping of the Charge Density in a Monolayer of MoS at Atomic Resolution by Off-Axis Electron Holography. <i>ACS Nano</i> , 2020 , 14, 524-530	16.7	6
14	Excitonic transport driven by repulsive dipolar interaction in a van der Waals heterostructure <i>Nature Photonics</i> , 2022 , 16, 79-85	33.9	5

13	Mechanical Properties of Carbon Nanotubes. <i>Nanoscience and Technology</i> , 2007 , 583-600	0.6	5
12	Field-induced charge separation dynamics in monolayer MoS 2. 2D Materials, 2017, 4, 035017	5.9	4
11	A robust molecular probe for figstrom-scale analytics in liquids. <i>Nature Communications</i> , 2016 , 7, 12403	17.4	3
10	On current transients in MoS Field Effect Transistors. <i>Scientific Reports</i> , 2017 , 7, 11575	4.9	3
9	Addendum: Small-signal amplifier based on single-layer MoS2 [Appl. Phys. Lett. 101, 043103 (2012)]. <i>Applied Physics Letters</i> , 2013 , 102, 059901	3.4	3
8	How we made the 2D transistor. <i>Nature Electronics</i> , 2021 , 4, 853-853	28.4	2
7	Super-resolved Optical Mapping of Reactive Sulfur-Vacancies in Two-Dimensional Transition Metal Dichalcogenides. <i>ACS Nano</i> , 2021 , 15, 7168-7178	16.7	2
6	High-quality synthetic 2D transition metal dichalcogenide semiconductors 2016 ,		1
5	Micro-fabrication process for small transport devices of layered manganite. <i>Journal of Applied Physics</i> , 2012 , 111, 07E129	2.5	1
4	Zero Bias Power Detector Circuits based on MoS Field Effect Transistors on Wafer-Scale Flexible Substrates <i>Advanced Materials</i> , 2022 , e2108469	24	1
3	Stable Al 2 O 3 Encapsulation of MoS 2 -FETs Enabled by CVD Grown h-BN. <i>Advanced Electronic Materials</i> ,2200123	6.4	1
2	Correlating chemical and electronic states from quantitative photoemission electron microscopy of transition-metal dichalcogenide heterostructures. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2021 , 39, 053210	2.9	0

Electrical Transport in MoS2: A Prototypical Semiconducting TMDC295-309