
## Jochen Kolb

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4036889/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Tectonic setting, fluid inclusion and gold mineralization of the southwest Poli region (northern) Tj ETQq1	1 0.784314 rgBT 2.0 rgBT	Qverlock 10
2	Assessment of lithological, geochemical and structural controls on gold distribution in the Nalunaq gold deposit, South Greenland using three-dimensional implicit modelling. Geological Society Special Publication, 2018, 453, 385-405.	1.3	4
3	Mineral textural evolution and PT-path of relict eclogite-facies rocks in the Paleoproterozoic Nagssugtoqidian Orogen, South-East Greenland. Lithos, 2018, 296-299, 212-232.	1.4	24
4	Age and temperature-time evolution of retrogressed eclogite-facies rocks in the Paleoproterozoic Nagssugtoqidian Orogen, South-East Greenland: Constrained from U-Pb dating of zircon, monazite, titanite and rutile. Precambrian Research, 2018, 314, 468-486.	2.7	24
5	Genesis of the Paleoproterozoic Ammassalik Intrusive Complex, south-east Greenland. Precambrian Research, 2018, 315, 19-44.	2.7	13
6	A Palaeoproterozoic multi-stage hydrothermal alteration system at Nalunaq gold deposit, South Greenland. Mineralium Deposita, 2017, 52, 383-404.	4.1	13
7	Hydrothermal flake graphite mineralisation in Paleoproterozoic rocks of south-east Greenland. Mineralium Deposita, 2017, 52, 769-789.	4.1	18
8	Lithological, structural, and geochemical characteristics of the Mesoarchean Târtoq greenstone belt, southern West Greenland, and the Chugach – Prince William accretionary complex, southern Alaska: evidence for uniformitarian plate-tectonic processes. Canadian Journal of Earth Sciences, 2016, 53, 1336-1371.	1.3	38
9	The Guelb Moghrein Cu–Au deposit: Neoarchaean hydrothermal sulfide mineralization in carbonate-facies iron formation. Ore Geology Reviews, 2016, 78, 573-577.	2.7	8
10	Metallogeny of Greenland. Ore Geology Reviews, 2016, 78, 493-555.	2.7	17
11	Metallogeny of South Greenland: A review of geological evolution, mineral occurrences and geochemical exploration data. Ore Geology Reviews, 2016, 77, 194-245.	2.7	34
12	On the processes that formed Archaean Ni-Cu sulfide mineralisation in the deep continental crust, Thrym Complex, southeastern Greenland. Precambrian Research, 2016, 277, 68-86.	2.7	7
13	Hypozonal lode gold deposits: A genetic concept based on a review of the New Consort, Renco, Hutti, Hira Buddini, Navachab, Nevoria and The Granites deposits. Precambrian Research, 2015, 262, 20-44.	2.7	60
14	Metallogeny of the North Atlantic Craton in Greenland. Mineralogical Magazine, 2015, 79, 815-855.	1.4	8
15	Structure of the Palaeoproterozoic Nagssugtoqidian Orogen, South-East Greenland: Model for the tectonic evolution. Precambrian Research, 2014, 255, 809-822.	2.7	44
16	Exhumation rates in the Archean from pressure–time paths: Example from the Skjoldungen Orogen (SE)	Tj ETQqQQ0 0 rgE	3T /Overlock
17	Partial melting of the Archaean Thrym Complex of southeastern Greenland. Lithos, 2013, 160-161, 164-182	1.4	10

Field relationship of high-grade Neo- to Mesoarchaean rocks of South-East Greenland:
Tectonometamorphic and magmatic evolution. Gondwana Research, 2013, 23, 471-492.
6.0 23

Jochen Kolb

#	Article	IF	CITATIONS
19	Gold occurrences of the Archean North Atlantic craton, southwestern Greenland: A comprehensive genetic model. Ore Geology Reviews, 2013, 54, 29-58.	2.7	21
20	Geodynamic setting and deformation history of an Archaean terrane at mid-crustal level: The Tasiusarsuaq terrane of southern West Greenland. Precambrian Research, 2012, 212-213, 34-56.	2.7	26
21	Structural control of low-sulfidation epithermal gold mineralization in the Rosario–Bunawan district, East Mindanao Ridge, Philippines. Mineralium Deposita, 2009, 44, 795-815.	4.1	9
22	Mineralogy, Lithogeochemistry and Elemental Mass Balance of the Hydrothermal Alteration Associated with the Goldâ€rich Batu Hijau Porphyry Copper Deposit, Sumbawa Island, Indonesia. Resource Geology, 2009, 59, 215-230.	0.8	21
23	A Preliminary Study on Skarnâ€Related Calcâ€silicate Rocks Associated with the Batu Hijau Porphyry Copperâ€Gold Deposit, Sumbawa Island, Indonesia. Resource Geology, 2009, 59, 295-306.	0.8	10
24	Significance of oscillatory and bell-shaped growth zoning in hydrothermal garnet: Evidence from the Navachab gold deposit, Namibia. Chemical Geology, 2009, 262, 262-276.	3.3	89
25	The role of fluids in partitioning brittle deformation and ductile creep in auriferous shear zones between 500 and 700°C. Tectonophysics, 2008, 446, 1-15.	2.2	28
26	Geological setting of the Guelb Moghrein Fe oxide-Cu-Au-Co mineralization, Akjoujt area, Mauritania. Geological Society Special Publication, 2008, 297, 53-75.	1.3	10
27	Balanced mineral reactions for alteration zones developed in auriferous shear zones of the Hutti Mine, Dharwar Craton, India. Zeitschrift Der Deutschen Gesellschaft Fur Geowissenschaften, 2008, 159, 331-347.	0.4	0
28	Chemical Composition of Rock-Forming Minerals in Copper?Gold-Bearing Tonalite Porphyries at the Batu Hijau Deposit, Sumbawa Island, Indonesia: Implications for Crystallization Conditions and Fluorine?Chlorine Fugacity. Resource Geology, 2007, 57, 102-113.	0.8	44
29	New ages from the Mauritanides Belt: recognition of Archean IOCG mineralization at Guelb Moghrein, Mauritania. Terra Nova, 2006, 18, 345-352.	2.1	31
30	Controls on hydrothermal Fe oxide–Cu–Au–Co mineralization at the Guelb Moghrein deposit, Akjoujt area, Mauritania. Mineralium Deposita, 2006, 41, 68-81.	4.1	19
31	Dominant coaxial deformation of veins during the interseismic stage of the fault-valve cycle: microfabrics of laminated quartz veins of the Hutti gold mine, India. Journal of Structural Geology, 2005, 27, 2043-2057.	2.3	19
32	Timing of Uralian orogenic gold mineralization at Kochkar in the evolution of the East Uralian granite-gneiss terrane. Mineralium Deposita, 2005, 40, 473-491.	4.1	11
33	Relative timing of deformation and two-stage gold mineralization at the Hutti Mine, Dharwar Craton, India. Mineralium Deposita, 2005, 40, 156-174.	4.1	68
34	Development of fluid conduits in the auriferous shear zones of the Hutti Gold Mine, India: evidence for spatially and temporally heterogeneous fluid flow. Tectonophysics, 2004, 378, 65-84.	2.2	70
35	Polyphase deformation of mylonites from the Renco gold mine (Zimbabwe): identified by crystallographic preferred orientation of quartz. Journal of Structural Geology, 2003, 25, 253-262.	2.3	12
36	Fluid inclusion record of the hypozonal orogenic Renco gold deposit (Zimbabwe) during the retrograde P–T evolution. Contributions To Mineralogy and Petrology, 2002, 143, 495-509.	3.1	30

#	Article	IF	CITATIONS
37	Hydrologic segmentation of high-temperature shear zones: structural, geochemical and isotopic evidence from auriferous mylonites of the Renco mine, Zimbabwe. Journal of Structural Geology, 2000, 22, 811-829.	2.3	31
38	Gold mineralization in high-grade metamorphic shear zones of the Renco Mine, southern Zimbabwe. Economic Geology, 1998, 93, 587-601.	3.8	28

 $_{39}$  Archean and Proterozoic mineralization and tectonics at the Renco Mine (northern marginal zone,) Tj ETQq1 1 0.784314 rgBT/Overlo