## Anindya Ghosh-Roy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4037240/publications.pdf

Version: 2024-02-01

22 papers 1,101 citations

759233 12 h-index 752698 20 g-index

26 all docs

26 does citations

times ranked

26

1111 citing authors

#	Article	IF	CITATIONS
1	Dendrite regeneration in C. elegans is controlled by the RAC GTPase CED-10 and the RhoGEF TIAM-1. PLoS Genetics, 2022, 18, e1010127.	3.5	11
2	The G-Protein-Coupled Receptor SRX-97 Is Required for Concentration-Dependent Sensing of Benzaldehyde in <i>Caenorhabditis elegans</i> . ENeuro, 2021, 8, ENEURO.0011-20.2020.	1.9	2
3	Increased dopaminergic neurotransmission results in ethanol dependent sedative behaviors in Caenorhabditis elegans. PLoS Genetics, 2021, 17, e1009346.	3.5	15
4	Swimming Exercise Promotes Post-injury Axon Regeneration and Functional Restoration through AMPK. ENeuro, 2021, 8, ENEURO.0414-20.2021.	1.9	8
5	Regulation of UNC-40/DCC and UNC-6/Netrin by DAF-16 promotes functional rewiring of the injured axon. Development (Cambridge), 2021, 148, .	2.5	6
6	Wnt signaling establishes the microtubule polarity in neurons through regulation of Kinesin-13. Journal of Cell Biology, 2021, 220, .	<b>5.</b> 2	13
7	UNC-16 alters DLK-1 localization and negatively regulates actin and microtubule dynamics in $\langle i \rangle$ Caenorhabditis elegans $\langle j \rangle$ regenerating neurons. Genetics, 2021, 219, .	2.9	3
8	<em>In vivo</em> Assessment of Microtubule Dynamics and Orientation in <em>Caenorhabditis elegans Neurons. Journal of Visualized Experiments, 2021, , .</em>	0.3	0
9	<i>let-7</i> miRNA controls CED-7 homotypic adhesion and EFF-1–mediated axonal self-fusion to restore touch sensation following injury. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E10206-E10215.	7.1	35
10	Kinesin-13 and Tubulin Posttranslational Modifications Regulate Microtubule Growth in Axon Regeneration. Developmental Cell, 2012, 23, 716-728.	7.0	127
11	Axon Regeneration Pathways Identified by Systematic Genetic Screening in C.Âelegans. Neuron, 2011, 71, 1043-1057.	8.1	182
12	Dynein light chain 1 functions in somatic cyst cells regulate spermatogonial divisions in Drosophila. Scientific Reports, 2011, 1, 173.	3.3	24
13	<i>Caenorhabditis elegans A new model organism for studies of axon regeneration.  Developmental Dynamics, 2010, 239, 1460-1464.</i>	1.8	46
14	Calcium and Cyclic AMP Promote Axonal Regeneration in Caenorhabditis elegans and Require DLK-1 Kinase. Journal of Neuroscience, 2010, 30, 3175-3183.	3.6	260
15	Development and application of in vivo molecular traps reveals that dynein light chain occupancy differentially affects dynein-mediated processes. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 3493-3498.	7.1	24
16	The Dynein Stalk Contains an Antiparallel Coiled Coil with Region-Specific Stability. Biochemistry, 2009, 48, 2710-2713.	2.5	10
17	NMR comparison of the native energy landscapes of DLC8 dimer and monomer. Biophysical Chemistry, 2008, 134, 10-19.	2.8	19
18	<i>Caenorhabditis elegans</i> neuronal regeneration is influenced by life stage, ephrin signaling, and synaptic branching. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 15132-15137.	7.1	196

#	Article	IF	CITATION
19	Equilibrium unfolding of DLC8 monomer by urea and guanidine hydrochloride: Distinctive global and residue level features. Biochimie, 2007, 89, 117-134.	2.6	25
20	Dynein Light Chain 1 Regulates Dynamin-mediated F-Actin Assembly during Sperm Individualization in Drosophila. Molecular Biology of the Cell, 2005, 16, 3107-3116.	2.1	46
21	Cytoplasmic Dynein–Dynactin Complex Is Required for Spermatid Growth but Not Axoneme Assembly in Drosophila. Molecular Biology of the Cell, 2004, 15, 2470-2483.	2.1	44
22	WNT Signaling Establishes Microtubule Polarity in Neuron Through the Regulation of Kinesin-13 Family Microtubule Depolymerizing Factor. SSRN Electronic Journal, 0, , .	0.4	1