Giuliana Cighetti

List of Publications by Citations

Source: https://exaly.com/author-pdf/4037449/giuliana-cighetti-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,492 75 35 20 g-index h-index citations papers 82 1,583 4.1 3.42 avg, IF L-index ext. papers ext. citations

#	Paper	IF	Citations
75	Disposition of metformin (N,N-dimethylbiguanide) in man. <i>Clinical Pharmacology and Therapeutics</i> , 1978 , 24, 683-93	6.1	168
74	Oxidative Stress and Homocysteine in Coronary Artery Disease. Clinical Chemistry, 2001, 47, 887-892	5.5	115
73	Oxidative status and malondialdehyde in beta-thalassaemia patients. <i>European Journal of Clinical Investigation</i> , 2002 , 32 Suppl 1, 55-60	4.6	104
72	Free and total malondialdehyde assessment in biological matrices by gas chromatography-mass spectrometry: what is needed for an accurate detection. <i>Analytical Biochemistry</i> , 1999 , 266, 222-9	3.1	83
71	Effect of local hyperthermia of the bladder on mitomycin C pharmacokinetics during intravesical chemotherapy for the treatment of superficial transitional cell carcinoma. <i>British Journal of Clinical Pharmacology</i> , 2001 , 52, 273-8	3.8	62
70	Isoprostanes and oxidative stress in off-pump and on-pump coronary bypass surgery. <i>Annals of Thoracic Surgery</i> , 2006 , 81, 562-7	2.7	50
69	Proteomics reveals novel oxidative and glycolytic mechanisms in type 1 diabetic patients\\$kin which are normalized by kidney-pancreas transplantation. <i>PLoS ONE</i> , 2010 , 5, e9923	3.7	49
68	Age- and gender-related oxidative status determined in healthy subjects by means of OXY-SCORE, a potential new comprehensive index. <i>Biomarkers</i> , 2006 , 11, 562-73	2.6	48
67	Determination of asymmetric and symmetric dimethylarginines in plasma of hyperhomocysteinemic subjects. <i>Amino Acids</i> , 2005 , 28, 389-94	3.5	39
66	Free and total plasma malondialdehyde in chronic renal insufficiency and in dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 2524-9	4.3	37
65	Glutathione, vitamin E and oxidative stress in coronary artery disease: relevance of age and gender. <i>European Journal of Clinical Investigation</i> , 2009 , 39, 267-72	4.6	32
64	Blood glutathione as independent marker of lipid peroxidation in heart failure. <i>International Journal of Cardiology</i> , 2007 , 117, 45-50	3.2	32
63	Evaluation of 3-hydroxy-3-methylglutaryl-CoA reductase activity by multiple-selected ion monitoring. <i>Analytical Biochemistry</i> , 1981 , 110, 153-8	3.1	29
62	Use of Methyl Malondialdehyde as an Internal Standard for Malondialdehyde Detection: Validation by Isotope-Dilution Gas Chromatography Mass Spectrometry. <i>Clinical Chemistry</i> , 2002 , 48, 2266-2269	5.5	24
61	Synthesis of carminic acid, the colourant principle of cochineal. <i>Journal of the Chemical Society</i> Perkin Transactions 1, 1998 , 575-582		23
60	Anesthetic propofol enhances plasma gamma-tocopherol levels in patients undergoing cardiac surgery. <i>Anesthesiology</i> , 2008 , 108, 988-97	4.3	23
59	Creatinine determination in serum by capillary electrophoresis. <i>Electrophoresis</i> , 2004 , 25, 463-8	3.6	22

(2006-1988)

58	Modulation of HMG-CoA reductase activity by pantetheine/pantethine. <i>Lipids and Lipid Metabolism</i> , 1988 , 963, 389-93		22	
57	Measurement of mevalonate in human plasma and urine by multiple selected ion monitoring. <i>Biomedical & Environmental Mass Spectrometry</i> , 1989 , 18, 174-6		21	
56	A simple model for studies on the regulation of cholesterol synthesis using freshly isolated hepatocytes. <i>FEBS Journal</i> , 1983 , 133, 573-8		21	
55	Glutamate-cysteine ligase polymorphism, hypertension, and male sex are associated with cardiovascular events. Biochemical and genetic characterization of Italian subpopulation. <i>American Heart Journal</i> , 2007 , 154, 1123-9	4.9	20	
54	Effect of glutathione depletion on the conversion of xanthine dehydrogenase to oxidase in rat liver. <i>Biochemical Pharmacology</i> , 1993 , 45, 2359-61	6	20	
53	Increased free malondialdehyde concentrations in smokers normalise with a mixed fruit and vegetable juice concentrate: a pilot study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006 , 44, 391-5	5.9	19	
52	The effect of cholestyramine on liver HMG-CoA reductase and cholesterol 7 alpha-hydroxylase in various laboratory animals. <i>Life Sciences</i> , 1983 , 33, 2483-8	6.8	18	
51	Effects of encapsulated fruit and vegetable juice powder concentrates on oxidative status in heavy smokers. <i>Journal of the American College of Nutrition</i> , 2011 , 30, 49-56	3.5	17	
50	Development of a multianalyte method for the determination of anabolic hormones in bovine urine by isotope-dilution GC-MS/MS. <i>Analytical and Bioanalytical Chemistry</i> , 2006 , 386, 1869-79	4.4	17	
49	Plasma total cysteine and cardiovascular risk burden: action and interaction. <i>Scientific World Journal, The</i> , 2012 , 2012, 303654	2.2	16	
48	Dimethylarginines in complicated type 1 diabetes: roles of insulin, glucose, and oxidative stress. <i>Free Radical Biology and Medicine</i> , 2009 , 47, 307-11	7.8	16	
47	Pantethine inhibits cholesterol and fatty acid syntheses and stimulates carbon dioxide formation in isolated rat hepatocytes. <i>Journal of Lipid Research</i> , 1987 , 28, 152-61	6.3	16	
46	Plasma malondialdehyde levels and opiate withdrawal signs observed in rats treated with morphine plus naloxone: effects of alpha-lipoic acid administration. <i>Fundamental and Clinical Pharmacology</i> , 2008 , 22, 439-45	3.1	15	
45	Evaluation of oxidative stress in serum of critically ill patients by a commercial assay and gas chromatography-mass spectrometry. <i>Clinical Chemistry</i> , 2005 , 51, 1515-7	5.5	15	
44	Pantethine inhibits cholesterol and fatty acid syntheses and stimulates carbon dioxide formation in isolated rat hepatocytes <i>Journal of Lipid Research</i> , 1987 , 28, 152-161	6.3	15	
43	pH sensitivity and plasma stability of liposomes containing N-stearoylcysteamine. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1997 , 1329, 291-301	3.8	13	
42	Plasma glutathione levels are independently associated with gamma-glutamyltransferase activity in subjects with cardiovascular risk factors. <i>Free Radical Research</i> , 2008 , 42, 135-41	4	13	
41	Effect of homocysteine lowering by 5-methyltetrahydrofolate on redox status in hyperhomocysteinemia. <i>Journal of Cardiovascular Pharmacology</i> , 2006 , 47, 549-55	3.1	13	

40	Validation of methyl malondialdehyde as internal standard for malondialdehyde detection by capillary electrophoresis. <i>Analytical Biochemistry</i> , 2002 , 307, 92-8	3.1	13
39	Inhibition of in vitro lipid peroxidation by stable steroidic nitroxyl radicals. <i>Chemistry and Physics of Lipids</i> , 1997 , 88, 97-106	3.7	12
38	Lipophilic beta-adrenoceptor antagonists stimulate cholesterol biosynthesis in human skin fibroblasts. <i>Biochemical Pharmacology</i> , 1987 , 36, 1901-6	6	11
37	3-Hydroxy-3-methylglutaric acid (HMGA) reduces dietary cholesterol induction of saturated bile in hamster. <i>Life Sciences</i> , 1982 , 30, 1907-14	6.8	11
36	Determination of diclofenac in human plasma by selected ion monitoring. <i>Biological Mass Spectrometry</i> , 1991 , 20, 426-30		10
35	Effects of pantethine on cholesterol synthesis from mevalonate in isolated rat hepatocytes. <i>Atherosclerosis</i> , 1986 , 60, 67-77	3.1	10
34	Studies on the 14 alpha-demethylation mechanism in cholesterol biosynthesis. <i>FEBS Journal</i> , 1980 , 110, 93-105		10
33	Cleavage of benzyloxycarbonyl-5-oxazolidinones to Benzyloxycarbonylamino-lklkyl esters by alcohols and sodium hydrogen carbonate. <i>Tetrahedron Letters</i> , 2001 , 42, 5319-5321	2	9
32	Simple and selective one-pot replacement of the N-methyl group of tertiary amines by quaternization and demethylation with sodium sulfide or potassium thioacetate: an application to the synthesis of pergolide. <i>Journal of the Chemical Society, Perkin Transactions</i> 1, 2001 , 2398-2403		9
31	Oxidative status in different settings and with different methodological approaches compared by Receiver Operating Characteristic curve analysis. <i>Clinical Biochemistry</i> , 2015 , 48, 73-8	3.5	8
30	Simultaneous free and glycosylated pyridinium crosslink determination in urine: validation of an HPLC-fluorescence method using a deoxypyridinoline homologue as internal standard. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 2764-71	3.2	8
29	Beta-ethoxyacrolein contamination increases malondialdehyde inhibition of milk xanthine oxidase activity. <i>Free Radical Biology and Medicine</i> , 1998 , 25, 818-25	7.8	8
28	Low plasma glutathione levels after reperfused acute myocardial infarction are associated with late cardiac events. <i>Coronary Artery Disease</i> , 2007 , 18, 77-82	1.4	8
27	Mechanisms of action of malondialdehyde and 4-hydroxynonenal on xanthine oxidoreductase. <i>Archives of Biochemistry and Biophysics</i> , 2001 , 389, 195-200	4.1	8
26	Hyperhomocysteinemia in myelodysplastic syndromes: specific association with autoimmunity and cardiovascular disease. <i>Leukemia and Lymphoma</i> , 2001 , 41, 147-50	1.9	8
25	Evaluation of enzyme activities by gas chromatography-mass spectrometry: HMGCoA reductase and cholesterol 7 alpha-hydroxylase. <i>Journal of Chromatography A</i> , 1984 , 289, 267-76	4.5	8
24	Aminothiol redox alterations in patients with chronic heart failure of ischaemic or non-ischaemic origin. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 1024-8	1.9	7
23	Pre-operative redox state affects 1-month survival in patients with advanced heart failure undergoing left ventricular assist device implantation. <i>Journal of Heart and Lung Transplantation</i> , 2007 , 26, 1177-81	5.8	7

22	Methionine challenge paradoxically induces a greater activation of the antioxidant defence in subjects with hyper- vs. normohomocysteinemia. <i>Free Radical Research</i> , 2006 , 40, 929-35	4	7
21	HMGCoA reductase and cholesterol 7 alpha-hydroxylase in human liver. <i>Life Sciences</i> , 1984 , 34, 2075-81	6.8	7
20	An encapsulated juice powder concentrate improves markers of pulmonary function and cardiovascular risk factors in heavy smokers. <i>Journal of the American College of Nutrition</i> , 2013 , 32, 18-2	5 ^{3.5}	6
19	Lack of conversion of xanthine dehydrogenase to xanthine oxidase during warm renal ischemia. <i>FEBS Letters</i> , 1990 , 274, 82-4	3.8	6
18	Effects of compactin (ML-236 B) on biliary lipid composition and cholesterol catabolism in the hamster. <i>Pharmacological Research Communications</i> , 1982 , 14, 577-92		6
17	Use of methyl malondialdehyde as an internal standard for malondialdehyde detection: validation by isotope-dilution gas chromatography-mass spectrometry. <i>Clinical Chemistry</i> , 2002 , 48, 2266-9	5.5	6
16	No documentable role for xanthine oxidase in the pathogenesis of hepatic in vivo ischaemia/reperfusion injury. <i>Pharmacological Research</i> , 1994 , 30, 243-51	10.2	5
15	Evidence for a different metabolic behaviour of cytidine diphosphate choline after oral and intravenous administration to rats. <i>Pharmacological Research Communications</i> , 1985 , 17, 805-29		5
14	Inversion of the unnatural cis C/D sterol ring junction of 5alpha, 14beta-cholest-7en-3beta-ol by rat-liver enzymes. <i>FEBS Journal</i> , 1977 , 73, 1-6		5
13	Effects of alpha-lipoic acid administration on plasma glucose levels, total malondialdehyde values and withdrawal signs in rats treated with morphine or morphine plus naloxone. Arzneimittelforschung, 2009, 59, 72-8		4
12	beta-Oxidative cleavage of octanoyl- and dodecanoyl-CoA in rat liver cytoplasm. <i>Lipids</i> , 1976 , 11, 235-40	1.6	4
11	Morphine or its withdrawal affects plasma malondialdehyde, vitamin E levels and absence or presence of abstinence signs in rats. <i>Journal of Pharmacy and Pharmacology</i> , 2010 , 61, 487-491	4.8	3
10	Chirality of 3-hydroxyoctadecanoic acid from stearoyl-CoA by rat liver soluble enzymes. <i>Bioorganic Chemistry</i> , 1975 , 4, 64-71	5.1	3
9	Synthesis of cholestanes containing an oxygenated 14alpha-methyl group. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1977 , 700-2		3
8	Reactions of steroidal 8 Hand 8 4 4 poxy-7-ketones with acetic acid. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1977 , 427-429		3
7	Assay of mevalonate in plasma. <i>Biological Mass Spectrometry</i> , 1991 , 20, 40		2
6	The preparation of long chain-hydroxyacyl thiol esters: 3-hydroxyoctadecanoyl-CoA. <i>Chemistry and Physics of Lipids</i> , 1978 , 22, 121-124	3.7	2
5	Esterification, lipoprotein binding and excretion of the 14beta-stereoisomer of cholesterol. <i>The Journal of Steroid Biochemistry</i> , 1978 , 9, 127-30		1

- Xanthine oxidase activity: simultaneous HPLC evaluation of the "D" and "O" forms. *Biochemistry International*, **1989**, 18, 1211-20

1

- Morphine or its withdrawal affects plasma malondialdehyde, vitamin E levels and absence or presence of abstinence signs in rats. *Journal of Pharmacy and Pharmacology*, **2009**, 61, 487-91
- 4.8 1
- Effects of Pantethine on Lipid Metabolism in Isolated Rat Hepatocytes. *Proceedings in Life Sciences*, **1987**, 421-425
- Effects of Inhibitors of Cholesterol Biosynthesis in Isolated Rat Hepatocytes **1985**, 205-208