

Giuliana Cighetti

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4037449/giuliana-cighetti-publications-by-year.pdf>

Version: 2024-04-03

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75 papers	1,492 citations	20 h-index	35 g-index
82 ext. papers	1,583 ext. citations	4.1 avg, IF	3.42 L-index

#	Paper	IF	Citations
75	Oxidative status in different settings and with different methodological approaches compared by Receiver Operating Characteristic curve analysis. <i>Clinical Biochemistry</i> , 2015 , 48, 73-8	3.5	8
74	An encapsulated juice powder concentrate improves markers of pulmonary function and cardiovascular risk factors in heavy smokers. <i>Journal of the American College of Nutrition</i> , 2013 , 32, 18-25	3.5	6
73	Plasma total cysteine and cardiovascular risk burden: action and interaction. <i>Scientific World Journal, The</i> , 2012 , 2012, 303654	2.2	16
72	Simultaneous free and glycosylated pyridinium crosslink determination in urine: validation of an HPLC-fluorescence method using a deoxypyridinoline homologue as internal standard. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 2764-71	3.2	8
71	Effects of encapsulated fruit and vegetable juice powder concentrates on oxidative status in heavy smokers. <i>Journal of the American College of Nutrition</i> , 2011 , 30, 49-56	3.5	17
70	Morphine or its withdrawal affects plasma malondialdehyde, vitamin E levels and absence or presence of abstinence signs in rats. <i>Journal of Pharmacy and Pharmacology</i> , 2010 , 61, 487-491	4.8	3
69	Proteomics reveals novel oxidative and glycolytic mechanisms in type 1 diabetic patients skin which are normalized by kidney-pancreas transplantation. <i>PLoS ONE</i> , 2010 , 5, e9923	3.7	49
68	Effects of alpha-lipoic acid administration on plasma glucose levels, total malondialdehyde values and withdrawal signs in rats treated with morphine or morphine plus naloxone. <i>Arzneimittelforschung</i> , 2009 , 59, 72-8		4
67	Dimethylarginines in complicated type 1 diabetes: roles of insulin, glucose, and oxidative stress. <i>Free Radical Biology and Medicine</i> , 2009 , 47, 307-11	7.8	16
66	Glutathione, vitamin E and oxidative stress in coronary artery disease: relevance of age and gender. <i>European Journal of Clinical Investigation</i> , 2009 , 39, 267-72	4.6	32
65	Free and total plasma malondialdehyde in chronic renal insufficiency and in dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 2524-9	4.3	37
64	Morphine or its withdrawal affects plasma malondialdehyde, vitamin E levels and absence or presence of abstinence signs in rats. <i>Journal of Pharmacy and Pharmacology</i> , 2009 , 61, 487-91	4.8	1
63	Plasma malondialdehyde levels and opiate withdrawal signs observed in rats treated with morphine plus naloxone: effects of alpha-lipoic acid administration. <i>Fundamental and Clinical Pharmacology</i> , 2008 , 22, 439-45	3.1	15
62	Plasma glutathione levels are independently associated with gamma-glutamyltransferase activity in subjects with cardiovascular risk factors. <i>Free Radical Research</i> , 2008 , 42, 135-41	4	13
61	Anesthetic propofol enhances plasma gamma-tocopherol levels in patients undergoing cardiac surgery. <i>Anesthesiology</i> , 2008 , 108, 988-97	4.3	23
60	Low plasma glutathione levels after reperfused acute myocardial infarction are associated with late cardiac events. <i>Coronary Artery Disease</i> , 2007 , 18, 77-82	1.4	8
59	Aminothiol redox alterations in patients with chronic heart failure of ischaemic or non-ischaemic origin. <i>Journal of Cardiovascular Medicine</i> , 2007 , 8, 1024-8	1.9	7

58	Glutamate-cysteine ligase polymorphism, hypertension, and male sex are associated with cardiovascular events. Biochemical and genetic characterization of Italian subpopulation. <i>American Heart Journal</i> , 2007 , 154, 1123-9	4.9	20
57	Pre-operative redox state affects 1-month survival in patients with advanced heart failure undergoing left ventricular assist device implantation. <i>Journal of Heart and Lung Transplantation</i> , 2007 , 26, 1177-81	5.8	7
56	Blood glutathione as independent marker of lipid peroxidation in heart failure. <i>International Journal of Cardiology</i> , 2007 , 117, 45-50	3.2	32
55	Development of a multianalyte method for the determination of anabolic hormones in bovine urine by isotope-dilution GC-MS/MS. <i>Analytical and Bioanalytical Chemistry</i> , 2006 , 386, 1869-79	4.4	17
54	Age- and gender-related oxidative status determined in healthy subjects by means of OXY-SCORE, a potential new comprehensive index. <i>Biomarkers</i> , 2006 , 11, 562-73	2.6	48
53	Increased free malondialdehyde concentrations in smokers normalise with a mixed fruit and vegetable juice concentrate: a pilot study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006 , 44, 391-5	5.9	19
52	Methionine challenge paradoxically induces a greater activation of the antioxidant defence in subjects with hyper- vs. normohomocysteinemia. <i>Free Radical Research</i> , 2006 , 40, 929-35	4	7
51	Isoprostanes and oxidative stress in off-pump and on-pump coronary bypass surgery. <i>Annals of Thoracic Surgery</i> , 2006 , 81, 562-7	2.7	50
50	Effect of homocysteine lowering by 5-methyltetrahydrofolate on redox status in hyperhomocysteinemia. <i>Journal of Cardiovascular Pharmacology</i> , 2006 , 47, 549-55	3.1	13
49	Determination of asymmetric and symmetric dimethylarginines in plasma of hyperhomocysteinemic subjects. <i>Amino Acids</i> , 2005 , 28, 389-94	3.5	39
48	Evaluation of oxidative stress in serum of critically ill patients by a commercial assay and gas chromatography-mass spectrometry. <i>Clinical Chemistry</i> , 2005 , 51, 1515-7	5.5	15
47	Creatinine determination in serum by capillary electrophoresis. <i>Electrophoresis</i> , 2004 , 25, 463-8	3.6	22
46	Oxidative status and malondialdehyde in beta-thalassaemia patients. <i>European Journal of Clinical Investigation</i> , 2002 , 32 Suppl 1, 55-60	4.6	104
45	Validation of methyl malondialdehyde as internal standard for malondialdehyde detection by capillary electrophoresis. <i>Analytical Biochemistry</i> , 2002 , 307, 92-8	3.1	13
44	Use of Methyl Malondialdehyde as an Internal Standard for Malondialdehyde Detection: Validation by Isotope-Dilution Gas Chromatography-Mass Spectrometry. <i>Clinical Chemistry</i> , 2002 , 48, 2266-2269	5.5	24
43	Use of methyl malondialdehyde as an internal standard for malondialdehyde detection: validation by isotope-dilution gas chromatography-mass spectrometry. <i>Clinical Chemistry</i> , 2002 , 48, 2266-9	5.5	6
42	Cleavage of benzyloxycarbonyl-5-oxazolidinones to benzyloxycarbonylamino-alkyl esters by alcohols and sodium hydrogen carbonate. <i>Tetrahedron Letters</i> , 2001 , 42, 5319-5321	2	9
41	Effect of local hyperthermia of the bladder on mitomycin C pharmacokinetics during intravesical chemotherapy for the treatment of superficial transitional cell carcinoma. <i>British Journal of Clinical Pharmacology</i> , 2001 , 52, 273-8	3.8	62

40	Simple and selective one-pot replacement of the N-methyl group of tertiary amines by quaternization and demethylation with sodium sulfide or potassium thioacetate: an application to the synthesis of pergolide. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2001 , 2398-2403		9
39	Mechanisms of action of malondialdehyde and 4-hydroxynonenal on xanthine oxidoreductase. <i>Archives of Biochemistry and Biophysics</i> , 2001 , 389, 195-200	4.1	8
38	Hyperhomocysteinemia in myelodysplastic syndromes: specific association with autoimmunity and cardiovascular disease. <i>Leukemia and Lymphoma</i> , 2001 , 41, 147-50	1.9	8
37	Oxidative Stress and Homocysteine in Coronary Artery Disease. <i>Clinical Chemistry</i> , 2001 , 47, 887-892	5.5	115
36	Free and total malondialdehyde assessment in biological matrices by gas chromatography-mass spectrometry: what is needed for an accurate detection. <i>Analytical Biochemistry</i> , 1999 , 266, 222-9	3.1	83
35	Beta-ethoxyacrolein contamination increases malondialdehyde inhibition of milk xanthine oxidase activity. <i>Free Radical Biology and Medicine</i> , 1998 , 25, 818-25	7.8	8
34	Synthesis of carminic acid, the colourant principle of cochineal. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1998 , 575-582		23
33	pH sensitivity and plasma stability of liposomes containing N-stearoylcysteamine. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1997 , 1329, 291-301	3.8	13
32	Inhibition of in vitro lipid peroxidation by stable steroidal nitroxyl radicals. <i>Chemistry and Physics of Lipids</i> , 1997 , 88, 97-106	3.7	12
31	No documentable role for xanthine oxidase in the pathogenesis of hepatic in vivo ischaemia/reperfusion injury. <i>Pharmacological Research</i> , 1994 , 30, 243-51	10.2	5
30	Effect of glutathione depletion on the conversion of xanthine dehydrogenase to oxidase in rat liver. <i>Biochemical Pharmacology</i> , 1993 , 45, 2359-61	6	20
29	Assay of mevalonate in plasma. <i>Biological Mass Spectrometry</i> , 1991 , 20, 40		2
28	Determination of diclofenac in human plasma by selected ion monitoring. <i>Biological Mass Spectrometry</i> , 1991 , 20, 426-30		10
27	Lack of conversion of xanthine dehydrogenase to xanthine oxidase during warm renal ischemia. <i>FEBS Letters</i> , 1990 , 274, 82-4	3.8	6
26	Measurement of mevalonate in human plasma and urine by multiple selected ion monitoring. <i>Biomedical & Environmental Mass Spectrometry</i> , 1989 , 18, 174-6		21
25	Xanthine oxidase activity: simultaneous HPLC evaluation of the "D" and "O" forms. <i>Biochemistry International</i> , 1989 , 18, 1211-20		1
24	Modulation of HMG-CoA reductase activity by pantetheine/pantethine. <i>Lipids and Lipid Metabolism</i> , 1988 , 963, 389-93		22
23	Lipophilic beta-adrenoceptor antagonists stimulate cholesterol biosynthesis in human skin fibroblasts. <i>Biochemical Pharmacology</i> , 1987 , 36, 1901-6	6	11

22	Pantethine inhibits cholesterol and fatty acid syntheses and stimulates carbon dioxide formation in isolated rat hepatocytes. <i>Journal of Lipid Research</i> , 1987 , 28, 152-61	6.3	16
21	Pantethine inhibits cholesterol and fatty acid syntheses and stimulates carbon dioxide formation in isolated rat hepatocytes.. <i>Journal of Lipid Research</i> , 1987 , 28, 152-161	6.3	15
20	Effects of Pantethine on Lipid Metabolism in Isolated Rat Hepatocytes. <i>Proceedings in Life Sciences</i> , 1987 , 421-425		
19	Effects of pantethine on cholesterol synthesis from mevalonate in isolated rat hepatocytes. <i>Atherosclerosis</i> , 1986 , 60, 67-77	3.1	10
18	Evidence for a different metabolic behaviour of cytidine diphosphate choline after oral and intravenous administration to rats. <i>Pharmacological Research Communications</i> , 1985 , 17, 805-29		5
17	Effects of Inhibitors of Cholesterol Biosynthesis in Isolated Rat Hepatocytes 1985 , 205-208		
16	Evaluation of enzyme activities by gas chromatography-mass spectrometry: HMGCoA reductase and cholesterol 7 alpha-hydroxylase. <i>Journal of Chromatography A</i> , 1984 , 289, 267-76	4.5	8
15	HMGCoA reductase and cholesterol 7 alpha-hydroxylase in human liver. <i>Life Sciences</i> , 1984 , 34, 2075-81	6.8	7
14	The effect of cholestyramine on liver HMG-CoA reductase and cholesterol 7 alpha-hydroxylase in various laboratory animals. <i>Life Sciences</i> , 1983 , 33, 2483-8	6.8	18
13	A simple model for studies on the regulation of cholesterol synthesis using freshly isolated hepatocytes. <i>FEBS Journal</i> , 1983 , 133, 573-8		21
12	3-Hydroxy-3-methylglutaric acid (HMGA) reduces dietary cholesterol induction of saturated bile in hamster. <i>Life Sciences</i> , 1982 , 30, 1907-14	6.8	11
11	Effects of compactin (ML-236 B) on biliary lipid composition and cholesterol catabolism in the hamster. <i>Pharmacological Research Communications</i> , 1982 , 14, 577-92		6
10	Evaluation of 3-hydroxy-3-methylglutaryl-CoA reductase activity by multiple-selected ion monitoring. <i>Analytical Biochemistry</i> , 1981 , 110, 153-8	3.1	29
9	Studies on the 14 alpha-demethylation mechanism in cholesterol biosynthesis. <i>FEBS Journal</i> , 1980 , 110, 93-105		10
8	The preparation of long chain-hydroxyacyl thiol esters: 3-hydroxyoctadecanoyl-CoA. <i>Chemistry and Physics of Lipids</i> , 1978 , 22, 121-124	3.7	2
7	Esterification, lipoprotein binding and excretion of the 14beta-stereoisomer of cholesterol. <i>The Journal of Steroid Biochemistry</i> , 1978 , 9, 127-30		1
6	Disposition of metformin (N,N-dimethylbiguanide) in man. <i>Clinical Pharmacology and Therapeutics</i> , 1978 , 24, 683-93	6.1	168
5	Synthesis of cholestanes containing an oxygenated 14alpha-methyl group. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1977 , 700-2		3

- 4 Reactions of steroidal 8 β - and 8 α -14 β -epoxy-7-ketones with acetic acid. *Journal of the Chemical Society Perkin Transactions 1*, **1977**, 427-429 3
- 3 Inversion of the unnatural cis C/D sterol ring junction of 5 α , 14 β -cholest-7-en-3 β -ol by rat-liver enzymes. *FEBS Journal*, **1977**, 73, 1-6 5
- 2 beta-Oxidative cleavage of octanoyl- and dodecanoyl-CoA in rat liver cytoplasm. *Lipids*, **1976**, 11, 235-40 1.6 4
- 1 Chirality of 3-hydroxyoctadecanoic acid from stearyl-CoA by rat liver soluble enzymes. *Bioorganic Chemistry*, **1975**, 4, 64-71 5.1 3