

Xuejin Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4038839/publications.pdf>

Version: 2024-02-01

73
papers

3,975
citations

136950

32
h-index

123424

61
g-index

74
all docs

74
docs citations

74
times ranked

5227
citing authors

#	ARTICLE	IF	CITATIONS
1	Polycyclic Aromatic Hydrocarbons as a New Class of Promising Cathode Materials for Aluminum-ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2022, 61, e202114681.	13.8	37
2	Polycyclic Aromatic Hydrocarbons as a New Class of Promising Cathode Materials for Aluminum-ion Batteries. <i>Angewandte Chemie</i> , 2022, 134, .	2.0	7
3	Graphene supported single metal atom catalysts for the efficient hydrogen oxidation reaction in alkaline media. <i>Catalysis Science and Technology</i> , 2022, 12, 530-541.	4.1	11
4	Relieving hydrogen evolution and anodic corrosion of aqueous aluminum batteries with hybrid electrolytes. <i>Journal of Materials Chemistry A</i> , 2022, 10, 4739-4748.	10.3	11
5	Novel Electrode Materials and Redox-Active Electrolyte for High-Performance Supercapacitor. <i>ChemElectroChem</i> , 2022, 9, .	3.4	3
6	Realizing an aqueous sodium-ion battery with a super-high discharge voltage based on a novel FeSe ₂ @rGO anode. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 1622-1629.	6.0	11
7	Multivalent cationic and anionic mixed redox of an Sb ₂ S ₃ cathode toward high-capacity aluminum ion batteries. <i>Journal of Materials Chemistry A</i> , 2022, 10, 10829-10836.	10.3	10
8	Dual carbon Li-ion capacitor with high energy density and ultralong cycling life at a wide voltage window. <i>Science China Materials</i> , 2022, 65, 2373-2384.	6.3	5
9	Ultrafast and Long-Cycle Stable Aluminum Polyphenylene Batteries. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 30927-30936.	8.0	9
10	High-performance aluminum-polyaniline battery based on the interaction between aluminum ion and -NH groups. <i>Science China Materials</i> , 2021, 64, 318-328.	6.3	31
11	High-Energy Aqueous Magnesium Hybrid Full Batteries Enabled by Carrier-Hosting Potential Compensation. <i>Angewandte Chemie</i> , 2021, 133, 5503-5512.	2.0	13
12	High-Energy Aqueous Magnesium Hybrid Full Batteries Enabled by Carrier-Hosting Potential Compensation. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 5443-5452.	13.8	37
13	Initiating a Room-Temperature Rechargeable Aqueous Fluoride-ion Battery with Long Lifespan through a Rational Buffering Phase Design. <i>Advanced Energy Materials</i> , 2021, 11, 2003714.	19.5	28
14	Watermelon Peel-Derived Heteroatom-Doped Hierarchical Porous Carbon as a High-Performance Electrode Material for Supercapacitors. <i>ChemElectroChem</i> , 2021, 8, 1196-1203.	3.4	28
15	Suppressing passivation layer of Al anode in aqueous electrolytes by complexation of H ₂ PO ₄ ³⁻ to Al ³⁺ and an electrochromic Al ion battery. <i>Energy Storage Materials</i> , 2021, 39, 412-418.	18.0	52
16	Water-Soluble Salt Template-Assisted Anchor of Hollow FeS ₂ Nanoparticle Inside 3D Carbon Skeleton to Achieve Fast Potassium-ion Storage. <i>Advanced Energy Materials</i> , 2021, 11, 2101343.	19.5	56
17	A rechargeable 6-electron Al-Se battery with high energy density. <i>Energy Storage Materials</i> , 2021, 41, 667-676.	18.0	44
18	Realizing a long lifespan aluminum-ion battery through the anchoring effect between Polythiophene and carboxyl modified carbon nanotube. <i>Electrochimica Acta</i> , 2021, 395, 139212.	5.2	8

#	ARTICLE	IF	CITATIONS
19	Enhancing hydrogen oxidation electrocatalysis of nickel-based catalyst by simultaneous chemical anchoring and electronic structure regulation. <i>Chemical Engineering Journal</i> , 2021, 425, 130654.	12.7	15
20	Doping-induced enhancement of CO ₂ adsorption on negatively charged C ₃ N nanosheet: Insights from DFT calculations. <i>Chemical Engineering Journal</i> , 2020, 387, 123403.	12.7	21
21	Small graphite nanoflakes as an advanced cathode material for aluminum ion batteries. <i>Chemical Communications</i> , 2020, 56, 1593-1596.	4.1	24
22	High performance aluminum ion battery using polyaniline/ordered mesoporous carbon composite. <i>Journal of Power Sources</i> , 2020, 477, 228702.	7.8	33
23	Î ² -Hydrogen of Polythiophene Induced Aluminum Ion Storage for High-Performance Al-Polythiophene Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 46065-46072.	8.0	31
24	Mechanistic Insights into the Hydrogen Oxidation Reaction on PtNi Alloys in Alkaline Media: A First-Principles Investigation. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 40248-40260.	8.0	33
25	Stabilized Co ³⁺ /Co ⁴⁺ Redox Pair in In Situ Produced CoSe ₂ -Derived Cobalt Oxides for Alkaline Zn Batteries with 10 000 Cycle Lifespan and 1.9 V Voltage Plateau. <i>Advanced Energy Materials</i> , 2020, 10, 2000892.	19.5	114
26	Integration designs toward new generation wearable energy supply sensor systems for real-time health monitoring: A minireview. <i>Information Materials</i> , 2020, 2, 1109-1130.	17.3	35
27	Boosting the Cycling Stability of Aqueous Flexible Zn Batteries via F Doping in Nickel-Cobalt Carbonate Hydroxide Cathode. <i>Small</i> , 2020, 16, e2001935.	10.0	54
28	Binary FeCo-N-doped carbon/carbon nanotube composites for efficient oxygen reduction and high-performance aluminum-air battery. <i>Journal of Power Sources</i> , 2020, 456, 227933.	7.8	14
29	Electrochemical heavy metal removal from water using PVC waste-derived N, S co-doped carbon materials. <i>RSC Advances</i> , 2020, 10, 4064-4070.	3.6	17
30	Hierarchical cobalt oxide@Nickel-vanadium layer double hydroxide core/shell nanowire arrays with enhanced areal specific capacity for nickel-zinc batteries. <i>Journal of Power Sources</i> , 2019, 436, 226867.	7.8	48
31	Co-MOF-74 derived Co ₃ O ₄ /graphene heterojunction nanoscrolls for ppb-level acetone detection. <i>Sensors and Actuators B: Chemical</i> , 2019, 300, 127011.	7.8	62
32	Recent advances in flexible aqueous zinc-based rechargeable batteries. <i>Nanoscale</i> , 2019, 11, 17992-18008.	5.6	83
33	Superior catalytic performance of micro-mesoporous Beta-SBA-15 composite with a high indexed isomerization factor in hydroisomerization of n-heptane. <i>Fuel</i> , 2019, 252, 653-665.	6.4	28
34	Predicting Catalytic Performance of Micro-Mesoporous Pt/Beta-KIT-6 Catalyst in n-Heptane Hydroisomerization Using Indexed Isomerization Factor and Experimental Verification. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 5146-5157.	3.7	9
35	A hierarchical structured steel mesh decorated with metal organic framework/graphene oxide for high-efficient oil/water separation. <i>Journal of Hazardous Materials</i> , 2019, 373, 725-732.	12.4	120
36	Free-standing cotton-derived carbon microfiber@nickel-aluminum layered double hydroxides composite and its excellent capacitive performance. <i>Journal of Alloys and Compounds</i> , 2019, 787, 27-35.	5.5	21

#	ARTICLE	IF	CITATIONS
37	Surfactant assisted electrospinning of WS ₂ nanofibers and its promising performance as anode material of sodium-ion batteries. <i>Electrochimica Acta</i> , 2019, 302, 259-269.	5.2	30
38	A durable mesh decorated with polydopamine/graphene oxide for highly efficient oil/water mixture separation. <i>Applied Surface Science</i> , 2019, 479, 351-359.	6.1	51
39	High-efficiency separation performance of oil-water emulsions of polyacrylonitrile nanofibrous membrane decorated with metal-organic frameworks. <i>Applied Surface Science</i> , 2019, 476, 61-69.	6.1	103
40	Beta-MCM-41 micro-mesoporous catalysts in the hydroisomerization of n-heptane: Definition of an indexed isomerization factor as a performance descriptor. <i>Microporous and Mesoporous Materials</i> , 2019, 277, 17-28.	4.4	31
41	Charge-modulated CO ₂ capture of C ₃ N nanosheet: Insights from DFT calculations. <i>Chemical Engineering Journal</i> , 2018, 338, 92-98.	12.7	111
42	S-graphite slit pore: A superior selective adsorbent for light hydrocarbons. <i>Applied Surface Science</i> , 2018, 444, 772-779.	6.1	18
43	Outstanding capacitive performance of ordered mesoporous carbon modified by anthraquinone. <i>Electrochimica Acta</i> , 2018, 259, 110-121.	5.2	37
44	Carbon-encapsulated CoSe nanoparticles derived from metal-organic frameworks as advanced cathode material for Al-ion battery. <i>Journal of Power Sources</i> , 2018, 401, 6-12.	7.8	94
45	Me@N@C (Me = Fe, Cu, and Co) nanosheet as a promising charge-controlled CO ₂ capture material. <i>Journal of Materials Chemistry A</i> , 2018, 6, 12404-12410.	10.3	27
46	Ultrastable bimetallic catalyst with tuned surface electronic properties for highly selective oxidation of cyclohexane. <i>Applied Surface Science</i> , 2018, 457, 580-590.	6.1	24
47	Stable CoSe ₂ /carbon nanodice@reduced graphene oxide composites for high-performance rechargeable aluminum-ion batteries. <i>Energy and Environmental Science</i> , 2018, 11, 2341-2347.	30.8	240
48	Superior Selective CO ₂ Adsorption of C ₃ N Pores: GCMC and DFT Simulations. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 31161-31169.	8.0	79
49	Insight of synergistic effect of different active metal ions in layered double hydroxides on their electrochemical behaviors. <i>Electrochimica Acta</i> , 2017, 253, 302-310.	5.2	67
50	Electrostatic Self-Assembly of Sandwich-Like CoAl-LDH/Polypyrrole/Graphene Nanocomposites with Enhanced Capacitive Performance. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 31699-31709.	8.0	103
51	Bifunctional petaloid nickel manganese layered double hydroxides decorated on a freestanding carbon foam for flexible asymmetric supercapacitor and oxygen evolution. <i>Electrochimica Acta</i> , 2017, 252, 275-285.	5.2	30
52	Sulfur@Nitrogen Codoped Graphite Slit-Pore for Enhancing Selective Carbon Dioxide Adsorption: Insights from Molecular Simulations. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 8815-8823.	6.7	23
53	Layered double hydroxides toward high-performance supercapacitors. <i>Journal of Materials Chemistry A</i> , 2017, 5, 15460-15485.	10.3	326
54	Functionalization of Petroleum Coke-Derived Carbon for Synergistically Enhanced Capacitive Performance. <i>Nanoscale Research Letters</i> , 2016, 11, 163.	5.7	31

#	ARTICLE	IF	CITATIONS
55	A New Approach to Tuning Carbon Ultramicropore Size at Sub-Ångstrom Level for Maximizing Specific Capacitance and CO ₂ Uptake. <i>Advanced Functional Materials</i> , 2016, 26, 7955-7964.	14.9	128
56	Sandwich-like graphene/polypyrrole/layered double hydroxide nanowires for high-performance supercapacitors. <i>Journal of Power Sources</i> , 2016, 331, 67-75.	7.8	62
57	Modification of USY zeolites with malic-nitric acid for hydrocracking. <i>Applied Petrochemical Research</i> , 2016, 6, 353-359.	1.3	5
58	Outstanding capacitive performance of reticular porous carbon/graphene sheets with superhigh surface area. <i>Electrochimica Acta</i> , 2016, 190, 923-931.	5.2	32
59	Hyper-Branched Cu@Cu ₂ O Coaxial Nanowires Mesh Electrode for Ultra-Sensitive Glucose Detection.. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 16802-16812.	8.0	99
60	Epitaxial growth of hyperbranched Cu/Cu ₂ O/CuO core-shell nanowire heterostructures for lithium-ion batteries. <i>Nano Research</i> , 2015, 8, 2763-2776.	10.4	68
61	Preparation and hydrodesulfurization properties of cobalt-molybdenum-phosphorous catalysts for removal of dibenzothiophene. <i>Applied Petrochemical Research</i> , 2015, 5, 405-411.	1.3	8
62	The effects of magnesium of Zn-Mg-Al additives on catalytic cracking of VGO and in situ reduction of sulfur in gasoline. <i>Applied Petrochemical Research</i> , 2014, 4, 329-336.	1.3	5
63	Combined modification of ultra-stable Y zeolites via citric acid and phosphoric acid. <i>Applied Petrochemical Research</i> , 2014, 4, 343-349.	1.3	10
64	Excellent Capacitive Performance of a Three-Dimensional Hierarchical Porous Graphene/Carbon Composite with a Superhigh Surface Area. <i>Chemistry - A European Journal</i> , 2014, 20, 13314-13320.	3.3	56
65	Superior capacitive performance of active carbons derived from <i>Enteromorpha prolifera</i> . <i>Electrochimica Acta</i> , 2014, 133, 459-466.	5.2	162
66	An efficient modification of ultra-stable Y zeolites using citric acid and ammonium fluosilicate. <i>Applied Petrochemical Research</i> , 2014, 4, 373-378.	1.3	13
67	Porous carbons prepared by direct carbonization of MOFs for supercapacitors. <i>Applied Surface Science</i> , 2014, 308, 306-310.	6.1	151
68	N-containing activated carbons for CO ₂ capture. <i>International Journal of Smart and Nano Materials</i> , 2013, 4, 55-61.	4.2	24
69	Superior CO ₂ uptake of N-doped activated carbon through hydrogen-bonding interaction. <i>Energy and Environmental Science</i> , 2012, 5, 7323.	30.8	434
70	Carbon dioxide adsorption performance of N-doped zeolite Y templated carbons. <i>RSC Advances</i> , 2012, 2, 161-167.	3.6	98
71	Natural gas storage on activated carbon modified by metal oxides. <i>Journal of Porous Materials</i> , 2009, 16, 27-32.	2.6	11
72	Preparation of polyaniline-coated mesoporous carbon and its enhanced electrochemical properties. <i>Polymers for Advanced Technologies</i> , 2009, 20, 1179-1182.	3.2	10

#	ARTICLE	IF	CITATIONS
73	Enhanced electrochemical properties of polyaniline-coated multiwall carbon nanotubes. Journal of Porous Materials, 2008, 15, 647-651.	2.6	7