

C T Paul Krediet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4039753/publications.pdf>

Version: 2024-02-01

31
papers

1,396
citations

516215

16
h-index

454577

30
g-index

32
all docs

32
docs citations

32
times ranked

1580
citing authors

#	ARTICLE	IF	CITATIONS
1	Sympathetic activation by lower body negative pressure decreases kidney perfusion without inducing hypoxia in healthy humans. <i>Clinical Autonomic Research</i> , 2020, 30, 149-156.	1.4	4
2	Priority Setting in Improving Hospital Care for Older Patients Using Clinical Decision Support. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1045-1047.	1.2	6
3	Angiotensin II-induced hypertension in rats is only transiently accompanied by lower renal oxygenation. <i>Scientific Reports</i> , 2018, 8, 16342.	1.6	9
4	Nitric Oxide Synthase Inhibition Induces Renal Medullary Hypoxia in Conscious Rats. <i>Journal of the American Heart Association</i> , 2018, 7, e009501.	1.6	11
5	Renal sympathetic nerve activity after catheter-based renal denervation. <i>EJNMMI Research</i> , 2018, 8, 8.	1.1	11
6	Renal blood oxygenation level-dependent magnetic resonance imaging to measure renal tissue oxygenation: a statement paper and systematic review. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, ii22-ii28.	0.4	88
7	Blood pressure reduction after gastric bypass surgery is explained by a decrease in cardiac output. <i>Journal of Applied Physiology</i> , 2017, 122, 223-229.	1.2	8
8	A tri-exponential model for intravoxel incoherent motion analysis of the human kidney: In silico and during pharmacological renal perfusion modulation. <i>European Journal of Radiology</i> , 2017, 91, 168-174.	1.2	28
9	Blood Pressure Increase during Oxygen Supplementation in Chronic Kidney Disease Patients Is Mediated by Vasoconstriction Independent of Baroreflex Function. <i>Frontiers in Physiology</i> , 2017, 8, 186.	1.3	7
10	Circadian Rhythm in Kidney Tissue Oxygenation in the Rat. <i>Frontiers in Physiology</i> , 2017, 8, 205.	1.3	20
11	Magnetic Resonance Imagingâ€Derived Renal Oxygenation and Perfusion During Continuous, Steadyâ€State Angiotensinâ€Infusion in Healthy Humans. <i>Journal of the American Heart Association</i> , 2016, 5, e003185.	1.6	23
12	Exogenous and endogenous angiotensinâ€decrease renal cortical oxygen tension in conscious rats by limiting renal blood flow. <i>Journal of Physiology</i> , 2016, 594, 6287-6300.	1.3	25
13	Pre-pregnancy advice in chronic kidney disease: do not forget genetic counseling. <i>Kidney International</i> , 2016, 90, 905-906.	2.6	10
14	Effects of Dietary Sodium Restriction in Kidney Transplant Recipients Treated With Renin-Angiotensin-Aldosterone System Blockade: A Randomized Clinical Trial. <i>American Journal of Kidney Diseases</i> , 2016, 67, 936-944.	2.1	19
15	A modified device for continuous non-invasive blood pressure measurements in humans under hyperbaric and/or oxygen-enriched conditions. <i>Diving and Hyperbaric Medicine</i> , 2016, 46, 38-42.	0.2	3
16	Quality Indicators for Safe Medication Preparation and Administration: A Systematic Review. <i>PLoS ONE</i> , 2015, 10, e0122695.	1.1	46
17	Physical countermeasures to increase orthostatic tolerance. <i>Journal of Internal Medicine</i> , 2015, 277, 69-82.	2.7	72
18	Kidney Transplant 123I-mIBG Scintigraphy and Functional Sympathetic Reinnervation. <i>American Journal of Kidney Diseases</i> , 2015, 66, 543-544.	2.1	6

#	ARTICLE	IF	CITATIONS
19	Optimizing squatting as a physical maneuver to prevent vasovagal syncope. Clinical Autonomic Research, 2008, 18, 179-86.	1.4	21
20	Edward P. Sharpey-Schafer was right: evidence for systemic vasodilatation as a mechanism of hypotension in cough syncope. Europace, 2008, 10, 486-488.	0.7	16
21	Initial orthostatic hypotension: review of a forgotten condition. Clinical Science, 2007, 112, 157-165.	1.8	319
22	Management of initial orthostatic hypotension: lower body muscle tensing attenuates the transient arterial blood pressure decrease upon standing from squatting. Clinical Science, 2007, 113, 401-407.	1.8	46
23	Leg crossing improves orthostatic tolerance in healthy subjects: a placebo-controlled crossover study. American Journal of Physiology - Heart and Circulatory Physiology, 2006, 291, H1768-H1772.	1.5	52
24	Exercise related syncope: when it's not the heart. Clinical Autonomic Research, 2005, 15, 64-64.	1.4	0
25	Leg crossing, muscle tensing, squatting, and the crash position are effective against vasovagal reactions solely through increases in cardiac output. Journal of Applied Physiology, 2005, 99, 1697-1703.	1.2	82
26	A woman with transient loss of consciousness. Clinical Autonomic Research, 2004, 14, 49-61.	1.4	2
27	Exercise related syncope, when it's not the heart. Clinical Autonomic Research, 2004, 14, i25-i36.	1.4	42
28	Nonpharmacological treatment of reflex syncope. Clinical Autonomic Research, 2004, 14, i62-i70.	1.4	77
29	Manoeuvres to combat vasovagal syncope. Europace, 2003, 5, 303.	0.7	13
30	Management of Vasovagal Syncope. Circulation, 2002, 106, 1684-1689.	1.6	323
31	Initial orthostatic hypotension in a 37-year old horse rider. Clinical Autonomic Research, 2002, 12, 404-404.	1.4	7