

Hwai-I Yang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4039867/hwai-i-yang-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170
papers

12,762
citations

45
h-index

112
g-index

231
ext. papers

14,940
ext. citations

6.3
avg, IF

5.92
L-index

#	Paper	IF	Citations
170	Risk of hepatocellular carcinoma across a biological gradient of serum hepatitis B virus DNA level. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 65-73	27.4	2205
169	Predicting cirrhosis risk based on the level of circulating hepatitis B viral load. <i>Gastroenterology</i> , 2006 , 130, 678-86	13.3	1203
168	Hepatitis B e antigen and the risk of hepatocellular carcinoma. <i>New England Journal of Medicine</i> , 2002 , 347, 168-74	59.2	1002
167	Global prevalence, treatment, and prevention of hepatitis B virus infection in 2016: a modelling study. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 383-403	18.8	702
166	Associations between hepatitis B virus genotype and mutants and the risk of hepatocellular carcinoma. <i>Journal of the National Cancer Institute</i> , 2008 , 100, 1134-43	9.7	483
165	Risk estimation for hepatocellular carcinoma in chronic hepatitis B (REACH-B): development and validation of a predictive score. <i>Lancet Oncology</i> , 2011 , 12, 568-74	21.7	427
164	Metabolic factors and risk of hepatocellular carcinoma by chronic hepatitis B/C infection: a follow-up study in Taiwan. <i>Gastroenterology</i> , 2008 , 135, 111-21	13.3	408
163	Chronic hepatitis C virus infection increases mortality from hepatic and extrahepatic diseases: a community-based long-term prospective study. <i>Journal of Infectious Diseases</i> , 2012 , 206, 469-77	7	382
162	Serologic markers of Epstein-Barr virus infection and nasopharyngeal carcinoma in Taiwanese men. <i>New England Journal of Medicine</i> , 2001 , 345, 1877-82	59.2	353
161	Hepatitis B virus DNA levels and outcomes in chronic hepatitis B. <i>Hepatology</i> , 2009 , 49, S72-84	11.2	242
160	Carriers of inactive hepatitis B virus are still at risk for hepatocellular carcinoma and liver-related death. <i>Gastroenterology</i> , 2010 , 138, 1747-54	13.3	234
159	Prediction models of long-term cirrhosis and hepatocellular carcinoma risk in chronic hepatitis B patients: risk scores integrating host and virus profiles. <i>Hepatology</i> , 2013 , 58, 546-54	11.2	223
158	Nomograms for risk of hepatocellular carcinoma in patients with chronic hepatitis B virus infection. <i>Journal of Clinical Oncology</i> , 2010 , 28, 2437-44	2.2	204
157	Natural history of chronic hepatitis B REVEALed. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 628-38	4	197
156	Incidence and determinants of spontaneous hepatitis B surface antigen seroclearance: a community-based follow-up study. <i>Gastroenterology</i> , 2010 , 139, 474-82	13.3	190
155	Changes in serum levels of HBV DNA and alanine aminotransferase determine risk for hepatocellular carcinoma. <i>Gastroenterology</i> , 2011 , 141, 1240-8, 1248.e1-2	13.3	170
154	Risk and predictors of mortality associated with chronic hepatitis B infection. <i>Clinical Gastroenterology and Hepatology</i> , 2007 , 5, 921-31	6.9	166

153	Lifetime risk and sex difference of hepatocellular carcinoma among patients with chronic hepatitis B and C. <i>Journal of Clinical Oncology</i> , 2011 , 29, 3643-50	2.2	150
152	Predicting hepatocellular carcinoma by detection of aberrant promoter methylation in serum DNA. <i>Clinical Cancer Research</i> , 2007 , 13, 2378-84	12.9	148
151	Long-term outcomes in hepatitis B: the REVEAL-HBV study. <i>Clinics in Liver Disease</i> , 2007 , 11, 797-816, viii	4.6	146
150	Spontaneous seroclearance of hepatitis B seromarkers and subsequent risk of hepatocellular carcinoma. <i>Gut</i> , 2014 , 63, 1648-57	19.2	129
149	Synergism between obesity and alcohol in increasing the risk of hepatocellular carcinoma: a prospective cohort study. <i>American Journal of Epidemiology</i> , 2013 , 177, 333-42	3.8	128
148	Hepatitis C virus seromarkers and subsequent risk of hepatocellular carcinoma: long-term predictors from a community-based cohort study. <i>Journal of Clinical Oncology</i> , 2010 , 28, 4587-93	2.2	127
147	Hepatitis C virus infection and increased risk of cerebrovascular disease. <i>Stroke</i> , 2010 , 41, 2894-900	6.7	113
146	Risk of hepatocellular carcinoma and habits of alcohol drinking, betel quid chewing and cigarette smoking: a cohort of 2416 HBsAg-seropositive and 9421 HBsAg-seronegative male residents in Taiwan. <i>Cancer Causes and Control</i> , 2003 , 14, 241-50	2.8	105
145	Epidemiology and natural history of hepatitis C virus infection. <i>World Journal of Gastroenterology</i> , 2014 , 20, 9270-80	5.6	105
144	Aflatoxin B1 exposure, hepatitis B virus infection, and hepatocellular carcinoma in Taiwan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 846-53	4	96
143	Natural history of chronic hepatitis B: what exactly has REVEAL revealed?. <i>Liver International</i> , 2012 , 32, 1333-41	7.9	90
142	Factors Associated With Rates of HBsAg Seroclearance in Adults With Chronic HBV Infection: A Systematic Review and Meta-analysis. <i>Gastroenterology</i> , 2019 , 156, 635-646.e9	13.3	86
141	Fine Particle Pollution, Alanine Transaminase, and Liver Cancer: A Taiwanese Prospective Cohort Study (REVEAL-HBV). <i>Journal of the National Cancer Institute</i> , 2016 , 108,	9.7	80
140	Serum Levels of Hepatitis B Surface Antigen and DNA Can Predict Inactive Carriers With Low Risk of Disease Progression. <i>Hepatology</i> , 2016 , 64, 381-9	11.2	76
139	A predictive scoring system for the seroclearance of HBsAg in HBeAg-seronegative chronic hepatitis B patients with genotype B or C infection. <i>Journal of Hepatology</i> , 2013 , 58, 853-60	13.4	71
138	Significant reduction in end-stage liver diseases burden through the national viral hepatitis therapy program in Taiwan. <i>Hepatology</i> , 2015 , 61, 1154-62	11.2	70
137	The rs2296651 (S267F) variant on NTCP (SLC10A1) is inversely associated with chronic hepatitis B and progression to cirrhosis and hepatocellular carcinoma in patients with chronic hepatitis B. <i>Gut</i> , 2016 , 65, 1514-21	19.2	64
136	Aflatoxin B exposure increases the risk of cirrhosis and hepatocellular carcinoma in chronic hepatitis B virus carriers. <i>International Journal of Cancer</i> , 2017 , 141, 711-720	7.5	62

135	R331W Missense Mutation of Oncogene YAP1 Is a Germline Risk Allele for Lung Adenocarcinoma With Medical Actionability. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2303-10	2.2	62
134	Synergistic effects of family history of hepatocellular carcinoma and hepatitis B virus infection on risk for incident hepatocellular carcinoma. <i>Clinical Gastroenterology and Hepatology</i> , 2013 , 11, 1636-45.e1-3	6.9	61
133	External validation of fatty liver index for identifying ultrasonographic fatty liver in a large-scale cross-sectional study in Taiwan. <i>PLoS ONE</i> , 2015 , 10, e0120443	3.7	61
132	Risk of pancreatic cancer in chronic hepatitis B virus infection: data from the REVEAL-HBV cohort study. <i>Liver International</i> , 2010 , 30, 423-9	7.9	61
131	Obesity and alcohol synergize to increase the risk of incident hepatocellular carcinoma in men. <i>Clinical Gastroenterology and Hepatology</i> , 2010 , 8, 891-8, 898.e1-2	6.9	58
130	Hepatitis C virus genotype 1b increases cumulative lifetime risk of hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2014 , 135, 1119-26	7.5	48
129	Community and personal risk factors for hepatitis C virus infection: a survey of 23,820 residents in Taiwan in 1991-2. <i>Gut</i> , 2011 , 60, 688-94	19.2	47
128	Hepatitis C viral load, genotype, and increased risk of developing end-stage renal disease: REVEAL-HCV study. <i>Hepatology</i> , 2017 , 66, 784-793	11.2	46
127	Causal Mediation Analysis of Survival Outcome with Multiple Mediators. <i>Epidemiology</i> , 2017 , 28, 370-378	3.1	46
126	Updated thresholds for serum alanine aminotransferase level in a large-scale population study composed of 34,466 subjects. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 36, 560-8	6.1	45
125	Tenofovir Versus Entecavir for Hepatocellular Carcinoma Prevention in an International Consortium of Chronic Hepatitis B. <i>American Journal of Gastroenterology</i> , 2020 , 115, 271-280	0.7	45
124	Epidemiology of virus infection and human cancer. <i>Recent Results in Cancer Research</i> , 2014 , 193, 11-32	1.5	42
123	Reduced Incidence of Hepatocellular Carcinoma in Cirrhotic and Noncirrhotic Patients With Chronic Hepatitis B Treated With Tenofovir-A Propensity Score-Matched Study. <i>Journal of Infectious Diseases</i> , 2019 , 219, 10-18	7	40
122	Host genetic factors affecting spontaneous HBsAg seroclearance in chronic hepatitis B patients. <i>PLoS ONE</i> , 2013 , 8, e53008	3.7	39
121	Seropositivity of hepatitis B e antigen and hepatocellular carcinoma. <i>Annals of Medicine</i> , 2004 , 36, 215-24	4.5	38
120	Reduction of chronic hepatitis B-related hepatocellular carcinoma with anti-viral therapy, including low risk patients. <i>Alimentary Pharmacology and Therapeutics</i> , 2016 , 44, 846-55	6.1	35
119	Aflatoxin B exposure increases the risk of hepatocellular carcinoma associated with hepatitis C virus infection or alcohol consumption. <i>European Journal of Cancer</i> , 2018 , 94, 37-46	7.5	34
118	Urinary 15-F2t-isoprostane, aflatoxin B1 exposure and hepatitis B virus infection and hepatocellular carcinoma in Taiwan. <i>Carcinogenesis</i> , 2008 , 29, 971-6	4.6	34

117	Prognostic impact of allogeneic hematopoietic stem cell transplantation for acute myeloid leukemia patients with internal tandem duplication of FLT3. <i>Leukemia Research</i> , 2013 , 37, 287-92	2.7	33
116	Global DNA methylation levels in white blood cells as a biomarker for hepatocellular carcinoma risk: a nested case-control study. <i>Carcinogenesis</i> , 2012 , 33, 1340-5	4.6	33
115	Preeclampsia and the risk of bronchopulmonary dysplasia in VLBW infants: a population based study. <i>PLoS ONE</i> , 2013 , 8, e75168	3.7	32
114	Polycyclic aromatic hydrocarbon- and aflatoxin-albumin adducts, hepatitis B virus infection and hepatocellular carcinoma in Taiwan. <i>Cancer Letters</i> , 2007 , 252, 104-14	9.9	32
113	Hepatitis B e Antigen and the Risk of Hepatocellular Carcinoma. <i>New England Journal of Medicine</i> , 2002 , 347, 1721-2; author reply 1721-2	59.2	32
112	Development and validation of a clinical scoring system for predicting risk of HCC in asymptomatic individuals seropositive for anti-HCV antibodies. <i>PLoS ONE</i> , 2014 , 9, e94760	3.7	31
111	Estimating the Incidence and Prevalence of Chronic Hepatitis C Infection in Taiwan Using Back Projection. <i>Value in Health Regional Issues</i> , 2014 , 3, 5-11	1.6	30
110	Predictability of liver-related seromarkers for the risk of hepatocellular carcinoma in chronic hepatitis B patients. <i>PLoS ONE</i> , 2013 , 8, e61448	3.7	30
109	Chronic hepatitis C virus infection and the risk for diabetes: a community-based prospective study. <i>Liver International</i> , 2017 , 37, 179-186	7.9	29
108	Association between obesity, hypertriglyceridemia and low hepatitis B viral load. <i>International Journal of Obesity</i> , 2013 , 37, 410-5	5.5	27
107	Urinary 8-oxodeoxyguanosine, aflatoxin B1 exposure and hepatitis B virus infection and hepatocellular carcinoma in Taiwan. <i>Carcinogenesis</i> , 2007 , 28, 995-9	4.6	27
106	Distinct seromarkers predict different milestones of chronic hepatitis B progression. <i>Hepatology</i> , 2014 , 60, 77-86	11.2	26
105	211 G to a variation of UDP-glucuronosyl transferase 1A1 gene and neonatal breastfeeding jaundice. <i>Pediatric Research</i> , 2011 , 69, 170-4	3.2	26
104	Lower liver cancer risk with antiviral therapy in chronic hepatitis B patients with normal to minimally elevated ALT and no cirrhosis. <i>Medicine (United States)</i> , 2016 , 95, e4433	1.8	25
103	Real-world risk score for hepatocellular carcinoma (RWS-HCC): a clinically practical risk predictor for HCC in chronic hepatitis B. <i>Gut</i> , 2016 , 65, 887-8	19.2	25
102	Plasma DNA methylation marker and hepatocellular carcinoma risk prediction model for the general population. <i>Carcinogenesis</i> , 2017 , 38, 1021-1028	4.6	25
101	Incidence and determinants of spontaneous seroclearance of hepatitis B e antigen and DNA in patients with chronic hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2012 , 10, 527-34.e1-2	6.9	25
100	Global DNA methylation in a population with aflatoxin B1 exposure. <i>Epigenetics</i> , 2013 , 8, 962-9	5.7	25

99	Taiwan consensus statement on the management of chronic hepatitis B. <i>Journal of the Formosan Medical Association</i> , 2019 , 118, 7-38	3.2	25
98	Human leukocyte antigen variants and risk of hepatocellular carcinoma modified by hepatitis C virus genotypes: A genome-wide association study. <i>Hepatology</i> , 2018 , 67, 651-661	11.2	24
97	High hepatitis C viral load and genotype 2 are strong predictors of chronic kidney disease. <i>Kidney International</i> , 2017 , 92, 703-709	9.9	23
96	Polymorphisms near the IFNL3 Gene Associated with HCV RNA Spontaneous Clearance and Hepatocellular Carcinoma Risk. <i>Scientific Reports</i> , 2015 , 5, 17030	4.9	23
95	Chronic hepatitis B infection and risk of atherosclerosis-related mortality: A 17-year follow-up study based on 22,472 residents in Taiwan. <i>Atherosclerosis</i> , 2010 , 211, 624-9	3.1	23
94	Risk calculators for hepatocellular carcinoma in patients affected with chronic hepatitis B in Asia. <i>World Journal of Gastroenterology</i> , 2014 , 20, 6244-51	5.6	23
93	Direct-acting antivirals in East Asian hepatitis C patients: real-world experience from the REAL-C Consortium. <i>Hepatology International</i> , 2019 , 13, 587-598	8.8	22
92	A hospital-based study of clinical and genetic features of Crohn's disease. <i>Journal of the Formosan Medical Association</i> , 2011 , 110, 600-6	3.2	22
91	Real-World Effectiveness From the Asia Pacific Rim Liver Consortium for HBV Risk Score for the Prediction of Hepatocellular Carcinoma in Chronic Hepatitis B Patients Treated With Oral Antiviral Therapy. <i>Journal of Infectious Diseases</i> , 2020 , 221, 389-399	7	22
90	Alcohol Drinking Mediates the Association between Polymorphisms of ADH1B and ALDH2 and Hepatitis B-Related Hepatocellular Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 693-9	4	21
89	Preeclampsia and Retinopathy of Prematurity in Very-Low-Birth-Weight Infants: A Population-Based Study. <i>PLoS ONE</i> , 2015 , 10, e0143248	3.7	21
88	Genetic Factors That Affect Spontaneous Clearance of Hepatitis C or B Virus, Response to Treatment, and Disease Progression. <i>Gastroenterology</i> , 2019 , 156, 400-417	13.3	21
87	Plasma adipokines and risk of hepatocellular carcinoma in chronic hepatitis B virus-infected carriers: a prospective study in taiwan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1659-71 [†]		20
86	Lifetime risk of distinct upper aerodigestive tract cancers and consumption of alcohol, betel and cigarette. <i>International Journal of Cancer</i> , 2014 , 135, 1480-6	7.5	20
85	Serum Levels of M2BPGi as Short-Term Predictors of Hepatocellular Carcinoma in Untreated Chronic Hepatitis B Patients. <i>Scientific Reports</i> , 2017 , 7, 14352	4.9	19
84	Incorporating Serum Level of Hepatitis B Surface Antigen or Omitting Level of Hepatitis B Virus DNA Does not Affect Calculation of Risk for Hepatocellular Carcinoma in Patients Without Cirrhosis. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 461-468.e2	6.9	18
83	Risk and predictors of hepatocellular carcinoma for chronic hepatitis B patients with newly developed cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 1971-1977	4	18
82	Mediation Analysis of Hepatitis B and C in Relation to Hepatocellular Carcinoma Risk. <i>Epidemiology</i> , 2016 , 27, 14-20	3.1	15

81	Hepatitis B Core-Related Antigen to Indicate High Viral Load: Systematic Review and Meta-Analysis of 10,397 Individual Participants. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 46-60.e8	6.9	15
80	Residues Comprising the Enhanced Aromatic Sequon Influence Protein N-Glycosylation Efficiency. <i>Journal of the American Chemical Society</i> , 2017 , 139, 12947-12955	16.4	14
79	Hepatitis C Virus Cure Rates Are Reduced in Patients With Active but Not Inactive Hepatocellular Carcinoma: A Practice Implication. <i>Clinical Infectious Diseases</i> , 2020 , 71, 2840-2848	11.6	14
78	Clinical Efficacy and Post-Treatment Seromarkers Associated with the Risk of Hepatocellular Carcinoma among Chronic Hepatitis C Patients. <i>Scientific Reports</i> , 2017 , 7, 3718	4.9	13
77	Level of Hepatitis B (HB) Core Antibody Associates With Seroclearance of HBV DNA and HB Surface Antigen in HB e Antigen-Seronegative Patients. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 172-181.e1 ¹³	6.9	13
76	Predicting Hepatitis B Virus (HBV) Surface Antigen Seroclearance in HBV e Antigen-Negative Patients With Chronic Hepatitis B: External Validation of a Scoring System. <i>Journal of Infectious Diseases</i> , 2015 , 211, 1566-73	7	13
75	Fifteen-year population attributable fractions and causal pies of risk factors for newly developed hepatocellular carcinomas in 11,801 men in Taiwan. <i>PLoS ONE</i> , 2012 , 7, e34779	3.7	13
74	A multiple mediator analysis approach to quantify the effects of the ADH1B and ALDH2 genes on hepatocellular carcinoma risk. <i>Genetic Epidemiology</i> , 2018 , 42, 394-404	2.6	12
73	Serum hepatitis B virus DNA as a predictor of the development of cirrhosis and hepatocellular carcinoma. <i>Current Hepatitis Reports</i> , 2007 , 6, 9-16		12
72	Performance Metrics for Selecting Single Nucleotide Polymorphisms in Late-onset Alzheimer's Disease. <i>Scientific Reports</i> , 2016 , 6, 36155	4.9	12
71	Thrombospondin-2 is a Highly Specific Diagnostic Marker and is Associated with Prognosis in Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2019 , 26, 807-814	3.1	12
70	The case for simplifying and using absolute targets for viral hepatitis elimination goals. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 12-19	3.4	12
69	Heparin at physiological concentration can enhance PEG-free in vitro infection with human hepatitis B virus. <i>Scientific Reports</i> , 2017 , 7, 14461	4.9	11
68	Association of Maternal Preeclampsia with Neonatal Respiratory Distress Syndrome in Very-Low-Birth-Weight Infants. <i>Scientific Reports</i> , 2019 , 9, 13212	4.9	11
67	HCC risk post-SVR with DAAs in East Asians: findings from the REAL-C cohort. <i>Hepatology International</i> , 2020 , 14, 1023-1033	8.8	10
66	Prediagnostic concentrations of circulating bile acids and hepatocellular carcinoma risk: REVEAL-HBV and HCV studies. <i>International Journal of Cancer</i> , 2020 , 147, 2743-2753	7.5	10
65	Model to predict hyperbilirubinemia in healthy term and near-term newborns with exclusive breast feeding. <i>Pediatrics and Neonatology</i> , 2012 , 53, 354-8	1.8	10
64	Association Between Fatty Liver and Cirrhosis, Hepatocellular Carcinoma, and Hepatitis B Surface Antigen Seroclearance in Chronic Hepatitis B. <i>Journal of Infectious Diseases</i> , 2021 , 224, 294-302	7	10

63	Hepatocellular Carcinoma Prediction Models in Chronic Hepatitis B: A Systematic Review of 14 Models and External Validation. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 2499-2513	6.9	10
62	On identification of agonistic interaction: Hepatitis B and C interaction on hepatocellular carcinoma. <i>Statistics in Medicine</i> , 2019 , 38, 2467-2476	2.3	9
61	A 0.33-V, 500-kHz, 3.94- μ m 40-nm 72-Kb 9T Subthreshold SRAM With Ripple Bit-Line Structure and Negative Bit-Line Write-Assist. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2012 , 59, 863-867	3.5	9
60	Risk of hepatitis C virus related hepatocellular carcinoma between subjects with spontaneous and treatment-induced viral clearance. <i>Oncotarget</i> , 2017 , 8, 43925-43933	3.3	9
59	Natural History and Hepatocellular Carcinoma Risk in Untreated Chronic Hepatitis B Patients With Indeterminate Phase. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	7
58	141 SERIAL MONITORING OF VIRAL LOAD AND SERUM ALANINE AMINOTRANFERASE LEVEL AND THE RISK OF HEPATOCELLULAR CARCINOMA (HCC): R.E.V.E.A.L.-HBV STUDY UPDATE. <i>Journal of Hepatology</i> , 2008 , 48, S61	13.4	6
57	Immunologic markers and risk of hepatocellular carcinoma in hepatitis B virus- and hepatitis C virus-infected individuals. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 54, 833-842	6.1	6
56	Association Between High Levels of Hepatitis B Core Antibody and Seroclearance of Hepatitis B e Antigen in Individuals With Chronic Hepatitis B Virus Infection. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 1413-1415	6.9	6
55	Blood DNA methylation markers in prospectively identified hepatocellular carcinoma cases and controls from Taiwan. <i>World Journal of Hepatology</i> , 2016 , 8, 301-6	3.4	5
54	Epidemiology of Virus Infection and Human Cancer. <i>Recent Results in Cancer Research</i> , 2021 , 217, 13-45	1.5	5
53	Mediation effect of hepatitis B and C on mortality. <i>European Journal of Epidemiology</i> , 2016 , 31, 625-33	12.1	4
52	The human C-type lectin 18 is a potential biomarker in patients with chronic hepatitis B virus infection. <i>Journal of Biomedical Science</i> , 2018 , 25, 59	13.3	4
51	Hepatitis B splice variants are strongly associated with and are indeed predictive of hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2018 , 68, S474-S475	13.4	4
50	[222] RISK OF LIVER CIRRHOSIS ASSOCIATED WITH GENOTYPE AND MUTANTS OF HEPATITIS B VIRUS. <i>Journal of Hepatology</i> , 2007 , 46, S91-S92	13.4	4
49	Interferon Is Superior to Direct Acting Antiviral Therapy in Tertiary Prevention of Early Recurrence of Hepatocellular Carcinoma. <i>Cancers</i> , 2019 , 12,	6.6	4
48	Incidence, Factors, and Patient-Level Data for Spontaneous HBsAg Seroclearance: A Cohort Study of 11,264 Patients. <i>Clinical and Translational Gastroenterology</i> , 2020 , 11, e00196	4.2	4
47	Analysis across Taiwan Biobank, Biobank Japan and UK Biobank identifies hundreds of novel loci for 36 quantitative traits		4
46	SIGLEC-3 (CD33) serves as an immune checkpoint receptor for HBV infection. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	4

45	Patterns of Human Leukocyte Antigen Class I and Class II Associations and Cancer. <i>Cancer Research</i> , 2021 , 81, 1148-1152	10.1	4
44	Transition rates to cirrhosis and liver cancer by age, gender, disease and treatment status in Asian chronic hepatitis B patients. <i>Hepatology International</i> , 2021 , 15, 71-81	8.8	4
43	A Glycomarker for Short-term Prediction of Hepatocellular Carcinoma: A Longitudinal Study With Serial Measurements. <i>Clinical and Translational Gastroenterology</i> , 2018 , 9, 183	4.2	4
42	Increased incidence of HBsAg seroclearance in HBeAg negative chronic hepatitis B patients discontinued Nuc therapy comparing to natural course-a propensity score matched study. <i>Journal of Hepatology</i> , 2018 , 68, S88	13.4	4
41	Telomere Length and Risk of Hepatocellular Carcinoma: A Nested Case-control Study in Taiwan Cancer Screening Program Cohort. <i>Anticancer Research</i> , 2017 , 37, 637-644	2.3	3
40	Lower Risk of Hepatocellular Carcinoma With Tenofovir vs Entecavir in Patients With Chronic Hepatitis B. <i>JAMA Oncology</i> , 2019 , 5, 915-916	13.4	2
39	Characteristics of Patients With Chronic Hepatitis B Virus Infection With Genotype E Predominance in Burkina Faso. <i>Hepatology Communications</i> , 2020 , 4, 1781-1792	6	2
38	Long-term health outcomes of chronic hepatitis C patients: A review of findings from REVEAL-HCV cohort study. <i>BioMedicine (Taiwan)</i> , 2012 , 2, 99-107	1.1	2
37	12 INCIDENCE AND DETERMINANTS OF SPONTANEOUS DECLINE OF HBV DNA TO UNDETECTABLE LEVEL IN PATIENTS WITH HIGH VIRAL LOAD. <i>Journal of Hepatology</i> , 2010 , 52, S6	13.4	2
36	27 Risk of hepatocellular carcinoma associated with genotypes and mutants of hepatitis B virus: A community-based prospective cohort study. <i>Journal of Hepatology</i> , 2006 , 44, S13	13.4	2
35	Serum soluble programmed cell death 1 levels predict spontaneous functional cure in inactive carriers with chronic hepatitis B.. <i>Alimentary Pharmacology and Therapeutics</i> , 2022 ,	6.1	2
34	Risk scores to predict HCC and the benefits of antiviral therapy for CHB patients in gray zone of treatment guidelines. <i>Hepatology International</i> , 2021 , 15, 1421-1430	8.8	2
33	Natural History of HBV Infection in the Community. <i>Molecular and Translational Medicine</i> , 2016 , 249-276	0.4	2
32	Association Between Traffic Count and Cardiovascular Mortality: A Prospective Cohort Study in Taiwan. <i>Journal of Epidemiology</i> , 2021 , 31, 343-349	3.4	2
31	Taiwan Biobank: a rich biomedical research database of the Taiwanese population		2
30	Letter: should anti-viral therapy be recommended for individuals chronically infected with hepatitis B virus and at low risk of hepatocellular carcinoma? Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 45, 182-183	6.1	1
29	Discrepant range of sPD-1 in different studies of chronic hepatitis B. A letter in response to Soluble programmed death-1 is a useful indicator for inflammatory and fibrosis severity in chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2019 , 26, 930	3.4	1
28	Response. <i>Journal of the National Cancer Institute</i> , 2017 , 109,	9.7	1

27	Author reply: To PMID 23355498. <i>American Journal of Epidemiology</i> , 2013 , 178, 1011-2	3.8	1
26	Response to Letter by Lin et al Regarding Article, Hepatitis C Virus Infection and Increased Risk of Cerebrovascular Disease <i>Stroke</i> , 2011 , 42,	6.7	1
25	Epidemiology and Control of Severe Acute Respiratory Syndrome (SARS) Outbreak in Taiwan 2003 , 301-313		1
24	Association between immunologic markers and cirrhosis in individuals with chronic hepatitis B. <i>Scientific Reports</i> , 2021 , 11, 21194	4.9	1
23	Genetic susceptibility to hepatocellular carcinoma in chromosome 22q13.31, findings of a genome-wide association study.. <i>JGH Open</i> , 2021 , 5, 1363-1372	1.8	1
22	Associations between reproductive factors and biliary tract cancers in women from the Biliary Tract Cancers Pooling Project. <i>Journal of Hepatology</i> , 2020 , 73, 863-872	13.4	1
21	Epidemiology of Virus Infection and Human Cancer 2015 , 23-47		1
20	The gestational effect of antenatal corticosteroids on respiratory distress syndrome in very low birth weight infants: A population-based study. <i>Journal of the Formosan Medical Association</i> , 2020 , 119, 1267-1273	3.2	1
19	HLA zygosity increases risk of hepatitis B virus-associated hepatocellular carcinoma. <i>Journal of Infectious Diseases</i> , 2021 ,	7	1
18	Progression Rates by Age, Sex, Treatment, and Disease Activity by AASLD and EASL Criteria: Data for Precision Medicine. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	1
17	Application of Risk Scores for Hepatocellular Carcinoma in Patients with Chronic Hepatitis B: Current Status and Future Perspective. <i>Seminars in Liver Disease</i> , 2021 , 41, 285-297	7.3	1
16	Genetic variants associated with serum alanine aminotransferase levels among patients with hepatitis C virus infection: A genome-wide association study. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1265-1273	3.4	1
15	Reproductive and environmental exposures and the breast cancer risk in Taiwanese women. <i>Scientific Reports</i> , 2021 , 11, 15656	4.9	1
14	Incidence of hepatocellular carcinoma in a community-based Taiwanese population without chronic HBV/HCV infection.. <i>JHEP Reports</i> , 2022 , 4, 100410	10.3	0
13	Antiviral therapy and hepatocellular carcinoma risk in hepatitis B patients with cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 1207-1211	2.2	0
12	Development and Validation of a Risk Score for Liver Cirrhosis Prediction in Untreated and Treated Chronic Hepatitis B. <i>Journal of Infectious Diseases</i> , 2021 , 223, 139-146	7	0
11	Letter: reduction in chronic hepatitis B-related hepatocellular carcinoma with anti-viral therapy, including low-risk patients - more questions than answers. Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 45, 186-187	6.1	
10	Epidemiology of Viral Hepatitis B, C, and D: A Global View 2019 , 33-53		

9	Author's response: Hepatitis B virus seromarkers clearance and risk of hepatocellular carcinoma: serious risks of misinterpretation. <i>Gut</i> , 2015 , 64, 186-7	19.2
8	Predicting clinical outcome in a patient with chronic hepatitis B virus infection. <i>Clinical Liver Disease</i> , 2013 , 2, 5-7	2.2
7	Risk score for development of HCC: ready for use in practice? [Authors' reply. <i>Lancet Oncology, The</i> , 2011 , 12, 518-519	21.7
6	G-Computation to Causal Mediation Analysis With Sequential Multiple Mediators-Investigating the Vulnerable Time Window of HBV Activity for the Mechanism of HCV Induced Hepatocellular Carcinoma.. <i>Frontiers in Public Health</i> , 2021 , 9, 757942	6
5	Single-nucleotide polymorphism of rs7944135 (macrophage-expressed gene 1) is associated with hepatitis B surface antigen seroclearance in chronic hepatitis B infection: A cohort study. <i>Medicine (United States)</i> , 2019 , 98, e17936	1.8
4	Epidemiology and Natural History of Hepatitis B Virus Infection: Time-Dependent Driving Factors of Chronic Hepatitis B Progression 2021 , 143-167	
3	The association between sPD-1 levels versus liver biochemistry and viral markers in chronic hepatitis B patients: a comparative study of different sPD-1 assays.. <i>Virology Journal</i> , 2022 , 19, 59	6.1
2	Letter: sPD-1 as a predictor for HBsAg seroclearance-shed light on inactive carriers with chronic hepatitis B. Authors' reply.. <i>Alimentary Pharmacology and Therapeutics</i> , 2022 , 55, 1057-1058	6.1
1	Serum soluble programmed death-1 levels predict the spontaneous HBeAg seroclearance in chronic hepatitis B.. <i>Journal of Gastroenterology</i> , 2022 , 1	6.9