Marc Robinson-Rechavi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4041456/marc-robinson-rechavi-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

144 papers 9,946 citations

42 h-index 98 g-index

185 ext. papers

11,582 ext. citations

7.9 avg, IF

5.98 L-index

#	Paper	IF	Citations
144	Convergent consequences of parthenogenesis on stick insect genomes Science Advances, 2022, 8, eab	g <u>3,8,4</u> 2	3
143	An ancient truncated duplication of the anti-Mullerian hormone receptor type 2 gene is a potential conserved master sex determinant in the Pangasiidae catfish family <i>Molecular Ecology Resources</i> , 2022 ,	8.4	2
142	Genomic Features of Parthenogenetic Animals. <i>Journal of Heredity</i> , 2021 , 112, 19-33	2.4	17
141	The Bgee suite: integrated curated expression atlas and comparative transcriptomics in animals. <i>Nucleic Acids Research</i> , 2021 , 49, D831-D847	20.1	26
140	Special Care Is Needed in Applying Phylogenetic Comparative Methods to Gene Trees with Speciation and Duplication Nodes. <i>Molecular Biology and Evolution</i> , 2021 , 38, 1614-1626	8.3	1
139	First annotated draft genomes of nonmarine ostracods (Ostracoda, Crustacea) with different reproductive modes. <i>G3: Genes, Genomes, Genetics</i> , 2021 , 11,	3.2	3
138	The hourglass model of evolutionary conservation during embryogenesis extends to developmental enhancers with signatures of positive selection. <i>Genome Research</i> , 2021 , 31, 1573-1581	9.7	2
137	Performance of a phylogenetic independent contrast method and an improved pairwise comparison under different scenarios of trait evolution after speciation and duplication. <i>Methods in Ecology and Evolution</i> , 2021 , 12, 1875	7.7	О
136	Haplotype divergence supports long-term asexuality in the oribatid mite. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	2
135	Methods detecting rhythmic gene expression are biologically relevant only for strong signal. <i>PLoS Computational Biology</i> , 2020 , 16, e1007666	5	8
134	OncoMX: A Knowledgebase for Exploring Cancer Biomarkers in the Context of Related Cancer and Healthy Data. <i>JCO Clinical Cancer Informatics</i> , 2020 , 4, 210-220	5.2	13
133	Single-cell transcriptomics allows novel insights into aging and circadian processes. <i>Briefings in Functional Genomics</i> , 2020 , 19, 343-349	4.9	5
132	Quality Matters: Biocuration Experts on the Impact of Duplication and Other Data Quality Issues in Biological Databases. <i>Genomics, Proteomics and Bioinformatics</i> , 2020 , 18, 91-103	6.5	7
131	Robust inference of positive selection on regulatory sequences in the human brain. <i>Science Advances</i> , 2020 , 6,	14.3	7
130	Inter-embryo gene expression variability recapitulates the hourglass pattern of evo-devo. <i>BMC Biology</i> , 2020 , 18, 129	7.3	7
129	Repeated Evolution of Asexuality Involves Convergent Gene Expression Changes. <i>Molecular Biology and Evolution</i> , 2019 , 36, 350-364	8.3	11
128	Genomic signatures accompanying the dietary shift to phytophagy in polyphagan beetles. <i>Genome Biology</i> , 2019 , 20, 98	18.3	18

127	Large-Scale Comparative Analysis of Codon Models Accounting for Protein and Nucleotide Selection. <i>Molecular Biology and Evolution</i> , 2019 , 36, 1316-1332	8.3	15	
126	Genomic changes underlying host specialization in the bee gut symbiont Lactobacillus Firm5. <i>Molecular Ecology</i> , 2019 , 28, 2224-2237	5.7	18	
125	Sex-specific changes in gene expression in response to estrogen pollution around the onset of sex differentiation in grayling (Salmonidae). <i>BMC Genomics</i> , 2019 , 20, 583	4.5	4	
124	Cross-species functional modules link proteostasis to human normal aging. <i>PLoS Computational Biology</i> , 2019 , 15, e1007162	5	9	
123	Sex-biased gene expression is repeatedly masculinized in asexual females. <i>Nature Communications</i> , 2019 , 10, 4638	17.4	8	
122	Enabling semantic queries across federated bioinformatics databases. <i>Database: the Journal of Biological Databases and Curation</i> , 2019 , 2019,	5	12	
121	Identifying gene function and module connections by the integration of multispecies expression compendia. <i>Genome Research</i> , 2019 , 29, 2034-2045	9.7	10	
120	Developmental Constraints on Genome Evolution in Four Bilaterian Model Species. <i>Genome Biology and Evolution</i> , 2018 , 10, 2266-2277	3.9	11	
119	Adaptive Evolution of Animal Proteins over Development: Support for the Darwin Selection Opportunity Hypothesis of Evo-Devo. <i>Molecular Biology and Evolution</i> , 2018 , 35, 2862-2872	8.3	11	
118	Gearing up to handle the mosaic nature of life in the quest for orthologs. <i>Bioinformatics</i> , 2018 , 34, 323-3	7 9	25	
117	Bayesian association scan reveals loci associated with human lifespan and linked biomarkers. <i>Nature Communications</i> , 2017 , 8, 15842	17.4	39	
116	Low number of fixed somatic mutations in a long-lived oak tree. <i>Nature Plants</i> , 2017 , 3, 926-929	11.5	74	
115	Sex differentiation in grayling (Salmonidae) goes through an all-male stage and is delayed in genetic males who instead grow faster. <i>Scientific Reports</i> , 2017 , 7, 15024	4.9	10	
114	Detection of Pathways Affected by Positive Selection in Primate Lineages Ancestral to Humans. <i>Molecular Biology and Evolution</i> , 2017 , 34, 1391-1402	8.3	33	
113	Selective Constraints on Coding Sequences of Nervous System Genes Are a Major Determinant of Duplicate Gene Retention in Vertebrates. <i>Molecular Biology and Evolution</i> , 2017 , 34, 2773-2791	8.3	24	
112	No evidence for the radiation time lag model after whole genome duplications in Teleostei. <i>PLoS ONE</i> , 2017 , 12, e0176384	3.7	9	
111	State aggregation for fast likelihood computations in molecular evolution. <i>Bioinformatics</i> , 2017 , 33, 354	-3 . <u>6</u> 2	3	

109	The SIB Swiss Institute of BioinformaticsTresources: focus on curated databases. <i>Nucleic Acids Research</i> , 2016 , 44, D27-37	20.1	41
108	BgeeDB, an R package for retrieval of curated expression datasets and for gene list expression localization enrichment tests. <i>F1000Research</i> , 2016 , 5, 2748	3.6	17
107	BgeeDB, an R package for retrieval of curated expression datasets and for gene list expression localization enrichment tests. <i>F1000Research</i> , 2016 , 5, 2748	3.6	20
106	Tissue-Specificity of Gene Expression Diverges Slowly between Orthologs, and Rapidly between Paralogs. <i>PLoS Computational Biology</i> , 2016 , 12, e1005274	5	35
105	The Genome of the Toluene-Degrading Pseudomonas veronii Strain 1YdBTEX2 and Its Differential Gene Expression in Contaminated Sand. <i>PLoS ONE</i> , 2016 , 11, e0165850	3.7	13
104	Sequencing and characterizing the genome of Estrella lausannensis as an undergraduate project: training students and biological insights. <i>Frontiers in Microbiology</i> , 2015 , 6, 101	5.7	21
103	What to compare and how: Comparative transcriptomics for Evo-Devo. <i>Journal of Experimental Zoology Part B: Molecular and Developmental Evolution</i> , 2015 , 324, 372-82	1.8	42
102	Inference of Evolutionary Forces Acting on Human Biological Pathways. <i>Genome Biology and Evolution</i> , 2015 , 7, 1546-58	3.9	12
101	Comparative genome analysis of Pseudomonas knackmussii B13, the first bacterium known to degrade chloroaromatic compounds. <i>Environmental Microbiology</i> , 2015 , 17, 91-104	5.2	30
100	The Confidence Information Ontology: a step towards a standard for asserting confidence in annotations. <i>Database: the Journal of Biological Databases and Curation</i> , 2015 , 2015, bav043	5	27
99	Detecting patterns of species diversification in the presence of both rate shifts and mass extinctions. <i>BMC Evolutionary Biology</i> , 2015 , 15, 157	3	12
98	Tissue-Specific Evolution of Protein Coding Genes in Human and Mouse. <i>PLoS ONE</i> , 2015 , 10, e0131673	3.7	26
97	Unification of multi-species vertebrate anatomy ontologies for comparative biology in Uberon. Journal of Biomedical Semantics, 2014 , 5, 21	2.2	80
96	Determinants of protein evolutionary rates in light of ENCODE functional genomics. <i>BMC Bioinformatics</i> , 2014 , 15,	3.6	2
95	IQRray, a new method for Affymetrix microarray quality control, and the homologous organ conservation score, a new benchmark method for quality control metrics. <i>Bioinformatics</i> , 2014 , 30, 1397	2.7g ²	7
94	Patterns of positive selection in seven ant genomes. <i>Molecular Biology and Evolution</i> , 2014 , 31, 1661-85	8.3	101
93	Selectome update: quality control and computational improvements to a database of positive selection. <i>Nucleic Acids Research</i> , 2014 , 42, D917-21	20.1	45
92	Optimization strategies for fast detection of positive selection on phylogenetic trees. Bioinformatics, 2014, 30, 1129-1137	7.2	18

(2011-2013)

91	Evidence for polygenic adaptation to pathogens in the human genome. <i>Molecular Biology and Evolution</i> , 2013 , 30, 1544-58	8.3	132
90	Community-wide plasmid gene mobilization and selection. <i>ISME Journal</i> , 2013 , 7, 1173-86	11.9	96
89	The hourglass and the early conservation modelsco-existing patterns of developmental constraints in vertebrates. <i>PLoS Genetics</i> , 2013 , 9, e1003476	6	51
88	The branch-site test of positive selection is surprisingly robust but lacks power under synonymous substitution saturation and variation in GC. <i>Molecular Biology and Evolution</i> , 2013 , 30, 1675-86	8.3	103
87	Uncovering hidden duplicated content in public transcriptomics data. <i>Database: the Journal of Biological Databases and Curation</i> , 2013 , 2013, bat010	5	14
86	SlimCodeML: An Optimized Version of CodeML for the Branch-Site Model 2012 ,		7
85	How much does the amphioxus genome represent the ancestor of chordates?. <i>Briefings in Functional Genomics</i> , 2012 , 11, 89-95	4.9	40
84	Comparative modular analysis of gene expression in vertebrate organs. <i>BMC Genomics</i> , 2012 , 13, 124	4.5	6
83	vHOG, a multispecies vertebrate ontology of homologous organs groups. <i>Bioinformatics</i> , 2012 , 28, 101	7 <i>-</i> 72 <u>0</u>	16
82	Comparative analysis of human and mouse expression data illuminates tissue-specific evolutionary patterns of miRNAs. <i>Nucleic Acids Research</i> , 2012 , 40, 5890-900	20.1	42
81	Resolving the ortholog conjecture: orthologs tend to be weakly, but significantly, more similar in function than paralogs. <i>PLoS Computational Biology</i> , 2012 , 8, e1002514	5	136
80	Correcting for the bias due to expression specificity improves the estimation of constrained evolution of expression between mouse and human. <i>Bioinformatics</i> , 2012 , 28, 1865-72	7.2	14
79	gcodeml: a Grid-enabled tool for detecting positive selection in biological evolution. <i>Studies in Health Technology and Informatics</i> , 2012 , 175, 59-68	0.5	5
78	The challenge of modeling nuclear receptor regulatory networks in mammalian cells. <i>Molecular and Cellular Endocrinology</i> , 2011 , 334, 91-7	4.4	11
77	Evolution of the epithelial sodium channel and the sodium pump as limiting factors of aldosterone action on sodium transport. <i>Physiological Genomics</i> , 2011 , 43, 844-54	3.6	35
76	Meta-analysis of estrogen response in MCF-7 distinguishes early target genes involved in signaling and cell proliferation from later target genes involved in cell cycle and DNA repair. <i>BMC Systems Biology</i> , 2011 , 5, 138	3.5	21
75	Conceptual framework and pilot study to benchmark phylogenomic databases based on reference gene trees. <i>Briefings in Bioinformatics</i> , 2011 , 12, 423-35	13.4	27
74	Age-dependent gain of alternative splice forms and biased duplication explain the relation between splicing and duplication. <i>Genome Research</i> , 2011 , 21, 357-63	9.7	42

73	When orthologs diverge between human and mouse. <i>Briefings in Bioinformatics</i> , 2011 , 12, 436-41	13.4	50
7 2	Interactome mapping of the phosphatidylinositol 3-kinase-mammalian target of rapamycin pathway identifies deformed epidermal autoregulatory factor-1 as a new glycogen synthase kinase-3 interactor. <i>Molecular and Cellular Proteomics</i> , 2010 , 9, 1578-93	7.6	43
71	Homolonto: generating homology relationships by pairwise alignment of ontologies and application to vertebrate anatomy. <i>Bioinformatics</i> , 2010 , 26, 1766-71	7.2	16
70	Large-scale analysis of orthologs and paralogs under covarion-like and constant-but-different models of amino acid evolution. <i>Molecular Biology and Evolution</i> , 2010 , 27, 2618-27	8.3	17
69	Molecular evidence for a functional ecdysone signaling system in Brugia malayi. <i>PLoS Neglected Tropical Diseases</i> , 2010 , 4, e625	4.8	42
68	An ontology to clarify homology-related concepts. <i>Trends in Genetics</i> , 2010 , 26, 99-102	8.5	12
67	Molecular signaling in zebrafish development and the vertebrate phylotypic period. <i>Evolution & Development</i> , 2010 , 12, 144-56	2.6	25
66	Phylogenetic code in the cloud - can it meet the expectations?. <i>Studies in Health Technology and Informatics</i> , 2010 , 159, 55-63	0.5	1
65	Structural and evolutionary innovation of the heterodimerization interface between USP and the ecdysone receptor ECR in insects. <i>Molecular Biology and Evolution</i> , 2009 , 26, 753-68	8.3	40
64	Selectome: a database of positive selection. <i>Nucleic Acids Research</i> , 2009 , 37, D404-7	20.1	32
63	How confident can we be that orthologs are similar, but paralogs differ?. <i>Trends in Genetics</i> , 2009 , 25, 210-6	8.5	124
62	The expansion of amino-acid repeats is not associated to adaptive evolution in mammalian genes. <i>BMC Genomics</i> , 2009 , 10, 619	4.5	5
61	Evidence for an episodic model of protein sequence evolution. <i>Biochemical Society Transactions</i> , 2009 , 37, 783-6	5.1	14
60	Bioinformatics for Evolutionary Developmental Biology 2009 , 355-378		
59	Large-Scale Analyses of Positive Selection Using Codon Models 2009 , 217-235		3
58	The amphioxus genome and the evolution of the chordate karyotype. <i>Nature</i> , 2008 , 453, 1064-71	50.4	1266
57	Genome sequence of the metazoan plant-parasitic nematode Meloidogyne incognita. <i>Nature Biotechnology</i> , 2008 , 26, 909-15	44.5	790

(2003-2008)

55	Perspective: from molecular endocrinology of mouse to genomic endocrinology of animals. <i>Molecular and Cellular Endocrinology</i> , 2008 , 293, 2-4	4.4	1
54	The amphioxus genome illuminates vertebrate origins and cephalochordate biology. <i>Genome Research</i> , 2008 , 18, 1100-11	9.7	387
53	Developmental constraints on vertebrate genome evolution. <i>PLoS Genetics</i> , 2008 , 4, e1000311	6	84
52	Pervasive positive selection on duplicated and nonduplicated vertebrate protein coding genes. <i>Genome Research</i> , 2008 , 18, 1393-402	9.7	64
51	Bgee: Integrating and Comparing Heterogeneous Transcriptome Data Among Species. <i>Lecture Notes in Computer Science</i> , 2008 , 124-131	0.9	103
50	A protein interaction atlas for the nuclear receptors: properties and quality of a hub-based dimerisation network. <i>BMC Systems Biology</i> , 2007 , 1, 34	3.5	25
49	One billion years of bZIP transcription factor evolution: conservation and change in dimerization and DNA-binding site specificity. <i>Molecular Biology and Evolution</i> , 2007 , 24, 827-35	8.3	111
48	Neofunctionalization in vertebrates: the example of retinoic acid receptors. <i>PLoS Genetics</i> , 2006 , 2, e10)2 6	90
47	Gene loss and evolutionary rates following whole-genome duplication in teleost fishes. <i>Molecular Biology and Evolution</i> , 2006 , 23, 1808-16	8.3	302
46	Contribution of electrostatic interactions, compactness and quaternary structure to protein thermostability: lessons from structural genomics of Thermotoga maritima. <i>Journal of Molecular Biology</i> , 2006 , 356, 547-57	6.5	117
45	Structural genomics of thermotoga maritima proteins shows that contact order is a major determinant of protein thermostability. <i>Structure</i> , 2005 , 13, 857-60	5.2	49
44	Explosive lineage-specific expansion of the orphan nuclear receptor HNF4 in nematodes. <i>Journal of Molecular Evolution</i> , 2005 , 60, 577-86	3.1	90
43	A conserved retinoid X receptor (RXR) from the mollusk Biomphalaria glabrata transactivates transcription in the presence of retinoids. <i>Journal of Molecular Endocrinology</i> , 2005 , 34, 567-82	4.5	76
42	Update of NUREBASE: nuclear hormone receptor functional genomics. <i>Nucleic Acids Research</i> , 2004 , 32, D165-7	20.1	23
41	Phylogenetic dating and characterization of gene duplications in vertebrates: the cartilaginous fish reference. <i>Molecular Biology and Evolution</i> , 2004 , 21, 580-6	8.3	58
40	Evolutionary genomics of nuclear receptors: from twenty-five ancestral genes to derived endocrine systems. <i>Molecular Biology and Evolution</i> , 2004 , 21, 1923-37	8.3	266
39	Genome duplication in the teleost fish Tetraodon nigroviridis reveals the early vertebrate proto-karyotype. <i>Nature</i> , 2004 , 431, 946-57	50.4	1543
38	Evidence for two distinct functional glucocorticoid receptors in teleost fish. <i>Journal of Molecular Endocrinology</i> , 2003 , 31, 141-56	4.5	193

37	Molecular evolution of angrogen receptors in fish. Fish Physiology and Biochemistry, 2003, 28, 207-208	2.7	4
36	Nuclear receptors are markers of animal genome evolution. <i>Journal of Structural and Functional Genomics</i> , 2003 , 3, 177-184		28
35	Inventing a sex-specific gene: a conserved role of DMRT1 in teleost fishes plus a recent duplication in the medaka Oryzias latipes resulted in DMY. <i>Journal of Molecular Evolution</i> , 2003 , 57 Suppl 1, S148-5.	3 ^{3.1}	23
34	The nuclear receptor superfamily. <i>Journal of Cell Science</i> , 2003 , 116, 585-6	5-3	344
33	Bioinformatics of Nuclear Receptors. <i>Methods in Enzymology</i> , 2003 , 364, 93-118	1.7	4
32	Rapid divergence of the ecdysone receptor in Diptera and Lepidoptera suggests coevolution between ECR and USP-RXR. <i>Molecular Biology and Evolution</i> , 2003 , 20, 541-53	8.3	69
31	Nuclear receptors are markers of animal genome evolution 2003 , 177-184		O
30	Nuclear receptors are markers of animal genome evolution. <i>Journal of Structural and Functional Genomics</i> , 2003 , 3, 177-84		14
29	Characterization of oestrogen receptors in zebrafish (Danio rerio). <i>Journal of Molecular Endocrinology</i> , 2002 , 28, 153-63	4.5	116
28	NUREBASE: database of nuclear hormone receptors. <i>Nucleic Acids Research</i> , 2002 , 30, 364-8	20.1	30
27	Evolutionary rates of duplicate genes in fish and mammals. <i>Molecular Biology and Evolution</i> , 2001 , 18, 681-3	8.3	73
26	How many nuclear hormone receptors are there in the human genome?. <i>Trends in Genetics</i> , 2001 , 17, 554-6	8.5	179
25	An ancestral whole-genome duplication may not have been responsible for the abundance of duplicated fish genes. <i>Current Biology</i> , 2001 , 11, R458-9	6.3	93
24	Re: Revisiting recent challenges to the ancient fish-specific genome duplication hypothesis. <i>Current Biology</i> , 2001 , 11, R1007-R1008	6.3	7
23	Euteleost fish genomes are characterized by expansion of gene families. <i>Genome Research</i> , 2001 , 11, 781-8	9.7	172
22	USAGE OPTIMIZATION OF UNEVENLY SAMPLED DATA THROUGH THE COMBINATION OF QUARTET TREES: A EUTHERIAN DRAFT PHYLOGENY BASED ON 640 NUCLEAR AND MITOCHONDRIAL PROTEINS. <i>Israel Journal of Zoology</i> , 2001 , 47, 259-270		3
21	Fast evolution of interleukin-2 in mammals and positive selection in ruminants. <i>Journal of Molecular Evolution</i> , 2000 , 51, 234-44	3.1	26
20	Nuclear gene LCAT supports rodent monophyly. <i>Molecular Biology and Evolution</i> , 2000 , 17, 1410-2	8.3	12

19	RRTree: relative-rate tests between groups of sequences on a phylogenetic tree. <i>Bioinformatics</i> , 2000 , 16, 296-7	305
18	JaDis: computing distances between nucleic acid sequences. <i>Bioinformatics</i> , 1999 , 15, 424-5 7.2	20
17	Sensitivity of the relative-rate test to taxonomic sampling. <i>Molecular Biology and Evolution</i> , 1998 , 15, 1091-8	170
16	Evolution of isochores in rodents. <i>Molecular Biology and Evolution</i> , 1997 , 14, 823-8 8.3	27
15	Impact of changes in GC content on the silent molecular clock in murids. <i>Gene</i> , 1997 , 205, 317-22 3.8	7
14	Molecular phylogeny of rodents, with special emphasis on murids: evidence from nuclear gene LCAT. <i>Molecular Phylogenetics and Evolution</i> , 1997 , 8, 423-34	78
13	Robust inference of positive selection on regulatory sequences in human brain	1
12	Genomic features of parthenogenetic animals	1
11	Identifying gene function and module connections by the integration of multi-species expression compendia	1
10	Enabling Semantic Queries Across Federated Bioinformatics Databases	1
9	Selection against expression noise explains the origin of the hourglass pattern of Evo-Devo	1
8	Tissue-specificity of gene expression diverges slowly between orthologs, and rapidly between paralogs	1
7	Selective constraints on coding sequences of nervous system genes are a major determinant of duplicate gene retention in vertebrates	1
6	Sex-specific changes in gene expression and delayed sex differentiation in response to estrogen pollution in grayling (Salmonidae)	2
5	The Bgee suite: integrated curated expression atlas and comparative transcriptomics in animals	4
4	The hourglass model of evolutionary conservation during embryogenesis extends to developmental enhancers with signatures of positive selection	1
3	Convergent consequences of parthenogenesis on stick insect genomes	2
2	Sex-biased gene expression is masculinized in asexual females	1

Quality Matters: Biocuration Experts on the Impact of Duplication and Other Data Quality Issues in Biological Databases

2