

Richard Isnard

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4042650/publications.pdf>

Version: 2024-02-01

16
papers

471
citations

840119

11
h-index

940134

16
g-index

16
all docs

16
docs citations

16
times ranked

1277
citing authors

#	ARTICLE	IF	CITATIONS
1	Altered cardiac reserve is a determinant of exercise intolerance in sickle cell anaemia patients. <i>European Journal of Clinical Investigation</i> , 2022, 52, e13664.	1.7	3
2	Genome-wide association analysis in dilated cardiomyopathy reveals two new players in systolic heart failure on chromosomes 3p25.1 and 22q11.23. <i>European Heart Journal</i> , 2021, 42, 2000-2011.	1.0	49
3	Mid-regional proatrial natriuretic peptide for predicting prognosis in hypertrophic cardiomyopathy. <i>Heart</i> , 2019, 106, heartjnl-2019-314826.	1.2	5
4	Cardiac manifestations in sickle cell disease varies with patient genotype. <i>British Journal of Haematology</i> , 2018, 181, 664-671.	1.2	5
5	Cardiac MR Strain: A Noninvasive Biomarker of Fibrofatty Remodeling of the Left Atrial Myocardium. <i>Radiology</i> , 2018, 286, 83-92.	3.6	38
6	Mucosal-associated invariant T (MAIT) cells are depleted and prone to apoptosis in cardiometabolic disorders. <i>FASEB Journal</i> , 2018, 32, 5078-5089.	0.2	37
7	Patient journey in decompensated heart failure: An analysis in departments of cardiology and geriatrics in the Greater Paris University Hospitals. <i>Archives of Cardiovascular Diseases</i> , 2017, 110, 42-50.	0.7	18
8	Effect of intracoronary administration of AAV1/SERCA2a on ventricular remodelling in patients with advanced systolic heart failure: results from the AGENT-CHF randomized phase 2 trial. <i>European Journal of Heart Failure</i> , 2017, 19, 1534-1541.	2.9	75
9	Three-dimensional transoesophageal echocardiography for cardiac output in critically ill patients: A pilot study of ultrasound versus the thermodilution method. <i>Archives of Cardiovascular Diseases</i> , 2017, 110, 7-13.	0.7	9
10	Low level exercise echocardiography helps diagnose early stage heart failure with preserved ejection fraction: a study of echocardiography versus catheterization. <i>Clinical Research in Cardiology</i> , 2017, 106, 192-201.	1.5	16
11	Exome-wide association study reveals novel susceptibility genes to sporadic dilated cardiomyopathy. <i>PLoS ONE</i> , 2017, 12, e0172995.	1.1	92
12	Non-vitamin K antagonist oral anticoagulants and heart failure. <i>Archives of Cardiovascular Diseases</i> , 2016, 109, 641-650.	0.7	12
13	Left atrial volume is not an index of left ventricular diastolic dysfunction in patients with sickle cell anaemia. <i>Archives of Cardiovascular Diseases</i> , 2015, 108, 156-162.	0.7	18
14	Maximal exercise limitation in functionally overreached triathletes: role of cardiac adrenergic stimulation. <i>Journal of Applied Physiology</i> , 2014, 117, 214-222.	1.2	44
15	Pretest probability of a normal echocardiography: Validation of a simple and practical algorithm for routine use. <i>Archives of Cardiovascular Diseases</i> , 2014, 107, 105-111.	0.7	2
16	Combination of B-type natriuretic peptide and peak oxygen consumption improves risk stratification in outpatients with chronic heart failure. <i>American Heart Journal</i> , 2003, 146, 729-735.	1.2	48