Joep J Van Oosterhout

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4043263/publications.pdf

Version: 2024-02-01

29 papers 1,905

20 h-index 454955 30 g-index

30 all docs 30 docs citations

30 times ranked

2866 citing authors

#	Article	IF	CITATIONS
1	Short-term Mortality Outcomes of HIV-Associated Cryptococcal Meningitis in Antiretroviral Therapy–Naìve and –Experienced Patients in Sub-Saharan Africa. Open Forum Infectious Diseases, 2021, 8, ofab397.	0.9	9
2	One-year Mortality Outcomes From the Advancing Cryptococcal Meningitis Treatment for Africa Trial of Cryptococcal Meningitis Treatment in Malawi. Clinical Infectious Diseases, 2020, 70, 521-524.	5 . 8	13
3	The Malawi NCD BRITE Consortium: Building Research Capacity, Implementation, and Translation Expertise for Noncommunicable Diseases. Global Heart, 2020, 14, 149.	2.3	7
4	Virological failure, HIV-1 drug resistance, and early mortality in adults admitted to hospital in Malawi: an observational cohort study. Lancet HIV,the, 2020, 7, e620-e628.	4.7	46
5	Impact of inter-partner HIV disclosure patterns in Malawi's PMTCT program: A mixed-method study. PLoS ONE, 2019, 14, e0219967.	2.5	10
6	Cost-effectiveness of urine-based tuberculosis screening in hospitalised patients with HIV in Africa: a microsimulation modelling study. The Lancet Global Health, 2019, 7, e200-e208.	6.3	32
7	Pregnancy intention and contraceptive use among HIV-positive Malawian women at 4-26 weeks post-partum: A nested cross-sectional study. PLoS ONE, 2019, 14, e0215947.	2.5	5
8	Leave no one behind: response to new evidence and guidelines for the management of cryptococcal meningitis in low-income and middle-income countries. Lancet Infectious Diseases, The, 2019, 19, e143-e147.	9.1	63
9	Systematic Review of Hypertension and Diabetes Burden, Risk Factors, and Interventions for Prevention and Control in Malawi: The NCD BRITE Consortium. Global Heart, 2019, 14, 109.	2.3	23
10	A targeted approach for routine viral load monitoring in Malawian adults on antiretroviral therapy. Tropical Medicine and International Health, 2018, 23, 526-532.	2.3	12
11	Antifungal Combinations for Treatment of Cryptococcal Meningitis in Africa. New England Journal of Medicine, 2018, 378, 1004-1017.	27.0	296
12	Lopinavir plus nucleoside reverse-transcriptase inhibitors, lopinavir plus raltegravir, or lopinavir monotherapy for second-line treatment of HIV (EARNEST): 144-week follow-up results from a randomised controlled trial. Lancet Infectious Diseases, The, 2018, 18, 47-57.	9.1	32
13	National estimates and risk factors associated with early mother-to-child transmission of HIV after implementation of option B+: a cross-sectional analysis. Lancet HIV,the, 2018, 5, e688-e695.	4.7	40
14	High mortality in subjects with both diabetes and HIV in sub-Saharan Africa. Aids, 2018, 32, 2083-2084.	2.2	4
15	Rapid urine-based screening for tuberculosis in HIV-positive patients admitted to hospital in Africa (STAMP): a pragmatic, multicentre, parallel-group, double-blind, randomised controlled trial. Lancet, The, 2018, 392, 292-301.	13.7	156
16	Genome-wide association study of nevirapine hypersensitivity in a sub-Saharan African HIV-infected population. Journal of Antimicrobial Chemotherapy, 2017, 72, dkw545.	3.0	42
17	Challenges with targeted viral load testing for medical inpatients at Queen Elizabeth Central Hospital in Blantyre, Malawi. Malawi Medical Journal, 2017, 28, 179.	0.6	8
18	Adherence to Antiretroviral Therapy During and After Pregnancy: Cohort Study on Women Receiving Care in Malawi's Option B+ Program. Clinical Infectious Diseases, 2016, 63, ciw500.	5.8	123

#	Article	IF	CITATIONS
19	Adjunctive Dexamethasone in HIV-Associated Cryptococcal Meningitis. New England Journal of Medicine, 2016, 374, 542-554.	27.0	257
20	Retention in care during the first 3 years of antiretroviral therapy for women in Malawi's option B+ programme: an observational cohort study. Lancet HIV, the, 2016, 3, e175-e182.	4.7	154
21	Clinical Characteristics and Lung Function in Older Children Vertically Infected With Human Immunodeficiency Virus in Malawi. Journal of the Pediatric Infectious Diseases Society, 2016, 5, 161-169.	1.3	41
22	A Reduction in Adult Blood Stream Infection and Case Fatality at a Large African Hospital following Antiretroviral Therapy Roll-Out. PLoS ONE, 2014, 9, e92226.	2.5	30
23	CYP2B6 c.983T>C polymorphism is associated with nevirapine hypersensitivity in Malawian and Ugandan HIV populations. Journal of Antimicrobial Chemotherapy, 2014, 69, 3329-3334.	3.0	36
24	Hepatitis B Virus Sub-genotype A1 Infection Is Characterized by High Replication Levels and Rapid Emergence of Drug Resistance in HIV-Positive Adults Receiving First-line Antiretroviral Therapy in Malawi. Clinical Infectious Diseases, 2014, 59, 1618-1626.	5.8	29
25	Effect of Optional Home Initiation of HIV Care Following HIV Self-testing on Antiretroviral Therapy Initiation Among Adults in Malawi. JAMA - Journal of the American Medical Association, 2014, 312, 372.	7.4	164
26	HIV Associated Neurocognitive Disorders (HAND) in Malawian Adults and Effect on Adherence to Combination Anti-Retroviral Therapy: A Cross Sectional Study. PLoS ONE, 2014, 9, e98962.	2.5	52
27	A Prospective Longitudinal Study of the Clinical Outcomes from Cryptococcal Meningitis following Treatment Induction with 800 mg Oral Fluconazole in Blantyre, Malawi. PLoS ONE, 2013, 8, e67311.	2.5	62
28	The benefit of supplementary feeding for wasted Malawian adults initiating ART. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2010, 22, 737-742.	1.2	33
29	Evaluation of antiretroviral therapy results in a resource-poor setting in Blantyre, Malawi. Tropical Medicine and International Health, 2005, 10, 464-470.	2.3	125