## Abhik Datta

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4043988/publications.pdf

Version: 2024-02-01

1040056 1474206 9 643 9 9 citations h-index g-index papers 9 9 9 825 citing authors docs citations times ranked all docs

#	Article	IF	CITATION
1	Persistent inhibition of telomerase reprograms adult T-cell leukemia to p53-dependent senescence. Blood, 2006, 108, 1021-1029.	1.4	131
2	Transcriptional activation of hTERT through the NF-κB pathway in HTLV-l–transformed cells. Blood, 2004, 104, 2523-2531.	1.4	121
3	Notch signaling contributes to proliferation and tumor formation of human T-cell leukemia virus type 1–associated adult T-cell leukemia. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 16619-16624.	7.1	87
4	Increased expression of telomere length regulating factors TRF1, TRF2 and TIN2 in patients with adult T-cell leukemia. International Journal of Cancer, 2006, 119, 2090-2097.	5.1	69
5	Differential expression of the fibroin gene in developmental stages of silkworm, Antheraea mylitta (Saturniidae). Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2001, 129, 197-204.	1.6	65
6	The HTLV-I p30 Interferes with TLR4 Signaling and Modulates the Release of Pro- and Anti-inflammatory Cytokines from Human Macrophages. Journal of Biological Chemistry, 2006, 281, 23414-23424.	3.4	56
7	Purification and characterization of fibroin from the tropical Saturniid silkworm, Antheraea mylitta. Insect Biochemistry and Molecular Biology, 2001, 31, 1013-1018.	2.7	54
8	Human T-cell Lymphotrophic Virus Type I Rex and p30 Interactions Govern the Switch between Virus Latency and Replication. Journal of Biological Chemistry, 2007, 282, 14608-14615.	3.4	43
9	Telomere attrition induces a DNA double-strand break damage signal that reactivates p53 transcription in HTLV-I leukemic cells. Oncogene, 2008, 27, 1135-1141.	5.9	17