

# InÃªs Ribeiro-Vaz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4044098/publications.pdf>

Version: 2024-02-01

25  
papers

594  
citations

840776

11  
h-index

642732

23  
g-index

31  
all docs

31  
docs citations

31  
times ranked

887  
citing authors

#	ARTICLE	IF	CITATIONS
1	A comprehensive review of adverse events to drugs used in COVID-19 patients: Recent clinical evidence. European Journal of Clinical Investigation, 2022, 52, e13763.	3.4	5
2	Descriptive Analysis of Adverse Drug Reactions Reports of the Most Consumed Antibiotics in Portugal, Prescribed for Upper Airway Infections. Antibiotics, 2022, 11, 477.	3.7	3
3	Adverse Drug Reactions and Potentially Inappropriate Medication in Older Patients: Analysis of the Portuguese Pharmacovigilance Database. Journal of Clinical Medicine, 2022, 11, 2229.	2.4	8
4	Inappropriate Prescriptions in Older People – Translation and Adaptation to Portuguese of the STOPP/START Screening Tool. International Journal of Environmental Research and Public Health, 2022, 19, 6896.	2.6	6
5	Reducing Medication Harms: Thoughts and Strategies. Global Journal on Quality and Safety in Healthcare, 2021, 4, 1-2.	0.5	0
6	Guiding axes for drug safety management of pharmacovigilance centres during the COVID-19 era. International Journal of Clinical Pharmacy, 2021, 43, 1133-1138.	2.1	2
7	COVID-19 surveillance data quality issues: a national consecutive case series. BMJ Open, 2021, 11, e047623.	1.9	15
8	Burnout among Portuguese healthcare workers during the COVID-19 pandemic. BMC Public Health, 2020, 20, 1885.	2.9	147
9	The Hidden Factor – Low Quality of Data is a Major Peril in the Identification of Risk Factors for COVID-19 Deaths: A Comment on Nogueira, P.J., et al. – The Role of Health Preconditions on COVID-19 Deaths in Portugal: Evidence from Surveillance Data of the First 20293 Infection Cases – J. Clin. Med. 2020, 9, 2368. Journal of Clinical Medicine, 2020, 9, 3442.	2.4	3
10	Adverse drug reactions in adolescents: a review of reporting to a national pharmacovigilance system. Expert Opinion on Drug Safety, 2020, 19, 915-922.	2.4	3
11	Canagliflozin should be prescribed with caution to individuals with type 2 diabetes and high risk of amputation. Diabetologia, 2019, 62, 900-904.	6.3	8
12	Reducing Potentially Inappropriate Prescriptions for Older Patients Using Computerized Decision Support Tools: Systematic Review. Journal of Medical Internet Research, 2019, 21, e15385.	4.3	55
13	Type B adverse drug reactions reported by an immunoallergy department. Pharmacy Practice, 2018, 16, 1070.	1.5	3
14	Causality assessment of adverse drug reaction reports using an expert-defined Bayesian network. Artificial Intelligence in Medicine, 2018, 91, 12-22.	6.5	18
15	Implementing Guidelines for Causality Assessment of Adverse Drug Reaction Reports: A Bayesian Network Approach. Lecture Notes in Computer Science, 2017, , 55-64.	1.3	1
16	Promoting adverse drug reaction reporting: comparison of different approaches. Revista De Saude Publica, 2016, 50, 14.	1.7	17
17	How to promote adverse drug reaction reports using information systems – a systematic review and meta-analysis. BMC Medical Informatics and Decision Making, 2016, 16, 27.	3.0	53
18	Pharmacovigilance Informatics. , 2016, , 299-315.		0

#	ARTICLE	IF	CITATIONS
19	Adverse drug reactions in children: a ten-year review of reporting to the Portuguese Pharmacovigilance System. Expert Opinion on Drug Safety, 2015, 14, 1805-1813.	2.4	12
20	A survey of spontaneous reporting of adverse drug reactions in 10 years of activity in a pharmacovigilance centre in Portugal. International Journal of Pharmacy Practice, 2014, 22, 275-282.	0.6	34
21	Drug-induced anaphylaxis: a decade review of reporting to the Portuguese Pharmacovigilance Authority. European Journal of Clinical Pharmacology, 2013, 69, 673-681.	1.9	71
22	Workshop- and Telephone-Based Interventions to Improve Adverse Drug Reaction Reporting. Drug Safety, 2012, 35, 655-665.	3.2	43
23	Promoting Spontaneous Adverse Drug Reaction Reporting in Hospitals Using a Hyperlink to the Online Reporting Form. Drug Safety, 2012, 35, 387-394.	3.2	32
24	EstratÃ©gias para aumentar a sensibilidade da farmacovigilÃ¢ncia em Portugal. Revista De Saude Publica, 2011, 45, 129-135.	1.7	38
25	Prevalence and Significance of Antibiotic-Associated Adverse Reactions. , 0, , .		1