

Celia Nohemi Sanchez-Dominguez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4045115/publications.pdf>

Version: 2024-02-01

30
papers

334
citations

933264

10
h-index

940416

16
g-index

31
all docs

31
docs citations

31
times ranked

522
citing authors

#	ARTICLE	IF	CITATIONS
1	Recent applications of cell-penetrating peptide guidance of nanosystems in breast and prostate cancer (Review). <i>Oncology Letters</i> , 2022, 23, 103.	0.8	5
2	A Full Set of In Vitro Assays in Chitosan/Tween 80 Microspheres Loaded with Magnetite Nanoparticles. <i>Polymers</i> , 2021, 13, 400.	2.0	9
3	Novel immunological and genetic factors associated with vitiligo: A review. <i>Experimental and Therapeutic Medicine</i> , 2021, 21, 312.	0.8	17
4	Analysis of HPV Integrations in Mexican Pre-Tumoral Cervical Lesions Reveal Centromere-Enriched Breakpoints and Abundant Unspecific HPV Regions. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3242.	1.8	7
5	Therapeutic use of stem cells in Mexico: Status and perspectives. <i>Medicina Universitaria</i> , 2021, 23, .	0.1	0
6	Updates and new medical treatments for vitiligo (Review). <i>Experimental and Therapeutic Medicine</i> , 2021, 22, 797.	0.8	18
7	Modification of Branched Polyethyleneimine Using Mesquite Gum for Its Improved Hemocompatibility. <i>Polymers</i> , 2021, 13, 2766.	2.0	10
8	Sequential growth factor exposure of human Adâ€‘MSCs improves chondrogenic differentiation in an osteochondral biphasic implant. <i>Experimental and Therapeutic Medicine</i> , 2021, 22, 1282.	0.8	2
9	Target Nanoparticles against Pancreatic Cancer: Fewer Side Effects in Therapy. <i>Life</i> , 2021, 11, 1187.	1.1	9
10	CTLA4 +49AG (rs231775) and CT60 (rs3087243) gene variants are not associated with alopecia areata in a Mexican population from Monterrey Mexico. <i>Anais Brasileiros De Dermatologia</i> , 2020, 95, 283-288.	0.5	6
11	Characterization of a novel automated microfiltration device for the efficient isolation and analysis of circulating tumor cells from clinical blood samples. <i>Scientific Reports</i> , 2020, 10, 7543.	1.6	9
12	Magnetite Nanoparticles Coated with PEG 3350-Tween 80: In Vitro Characterization Using Primary Cell Cultures. <i>Polymers</i> , 2020, 12, 300.	2.0	24
13	Multiple HPV Infections and Viral Load Association in Persistent Cervical Lesions in Mexican Women. <i>Viruses</i> , 2020, 12, 380.	1.5	50
14	Steroid 5 alpha-reductase 2 enzyme variants, biomass exposure and tobacco use in Mexican patients with prostate cancer. <i>Oncology Letters</i> , 2020, 20, 1-1.	0.8	0
15	Genetic alterations of triple negative breast cancer (TNBC) in women from Northeastern Mexico. <i>Oncology Letters</i> , 2019, 17, 3581-3588.	0.8	11
16	Nanoparticles for deathâ€‘induced gene therapy in cancer (Review). <i>Molecular Medicine Reports</i> , 2018, 17, 1413-1420.	1.1	17
17	CAPN3, DCT, MLANA and TYRP1 are overexpressed in skin of vitiligo vulgaris Mexican patients. <i>Experimental and Therapeutic Medicine</i> , 2018, 15, 2804-2811.	0.8	14
18	ACE, APOA5, and MTP Gene Polymorphisms Analysis in Relation to Triglyceride and Insulin Levels in Pediatric Patients. <i>Archives of Medical Research</i> , 2018, 49, 94-100.	1.5	4

#	ARTICLE	IF	CITATIONS
19	Evaluation of skin expression profiles of patients with vitiligo treated with narrow-band UVB therapy by targeted RNA-seq. <i>Anais Brasileiros De Dermatologia</i> , 2018, 93, 843-851.	0.5	11
20	Uridine 5'â€diphosphoâ€glucuronosyltransferase: Its role in pharmacogenomics and human disease (Review). <i>Experimental and Therapeutic Medicine</i> , 2018, 16, 3-11.	0.8	14
21	Genetic variants in KCNJ11, TCF7L2 and HNF4A are associated with type 2 diabetes, BMI and dyslipidemia in families of Northeastern Mexico: A pilot study. <i>Experimental and Therapeutic Medicine</i> , 2017, 13, 523-529.	0.8	10
22	Beta-2 Microglobulin in Whole Unstimulated Saliva Can Effectively Distinguish Between SjÃ¶grenâ€™s Syndrome and Non-Autoimmune Sicca Symptoms. <i>Archives of Rheumatology</i> , 2017, 32, 284-289.	0.3	7
23	Assessment of biochemical parameters and characterization of TNFÎ± âˆ’308G/A and PTPN22 +1858C/T gene polymorphisms in the risk of obesity in adolescents. <i>Biomedical Reports</i> , 2016, 4, 107-111.	0.9	2
24	The +1858C/T Polymorphism in the PTPN22 Gene Is Associated with Cystic Fibrosis Patients in Northeast Mexico. <i>Archives of Medical Research</i> , 2016, 47, 403-406.	1.5	3
25	Association between PTPN22 C1858T polymorphism and alopecia areata risk. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 1953-1958.	0.8	25
26	The Tumor Necrosis Factor Î± (-308 A/G) Polymorphism Is Associated with Cystic Fibrosis in Mexican Patients. <i>PLoS ONE</i> , 2014, 9, e90945.	1.1	6
27	Nanoparticles vs Cancer: A Multifunctional Tool. <i>Current Topics in Medicinal Chemistry</i> , 2014, 14, 664-675.	1.0	7
28	Tumor necrosis factor alpha promoter -308G/A polymorphism in Mexican patients with patchy alopecia areata. <i>International Journal of Dermatology</i> , 2012, 51, 571-575.	0.5	10
29	Frequency of S and Z alleles for alpha-1-antitrypsin and tumor necrosis factor alpha -308 promoter polymorphism in northeastern Mexico. <i>Allergy and Asthma Proceedings</i> , 2008, 29, 406-410.	1.0	8
30	Pteridine concentrations differ between insectary-reared and field-collected <i>Anopheles albimanus</i> mosquitoes of the same physiological age. <i>Medical and Veterinary Entomology</i> , 2002, 16, 225-234.	0.7	18